

## **TERMO DE ACEITE TÉCNICO**

Solicitante: VIVO
NOC/Operador: Vitor Hugo

Empresa EMC
Brasil

VIVO-PER-35205000-SP

Cliente: VIVO

Link kbps
1024k/256k

Plataforma VSAT



```
Resports de 8.8.8.8 bytes-32 temps-573ns III-118
Resports de 8.8.8.8 bytes-32 temps-513ns III-118
Resports de 8.8.8.8 bytes-32 temps-513ns III-118
Resports de 8.8.8.8 bytes-32 temps-794ns III-118
Resports de 8.8.8.8 bytes-32 temps-592ns III-118
Resports de 8.8.8.8 bytes-32 temps-692ns III-118
Resports de 8.8.8.8 bytes-32 temps-693ns III-118
Resports de 8.8.8.8 bytes-32 temps-685ns III-118
Resports de 8.8.8 bytes-32 temps-685ns III-118
Resports de 8.8.8 bytes-32 temps-685ns
```

```
| Total | Part |
```

```
G:\Users\Usuario\
G:\Users\Users\Usuario\
G:\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Users\Use
```

```
Satellite (DVB) TX Configuration

Auto start : Enabled

BUPC status : Disabled

IOU Output Power : -19 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : 33.7 dBm

EIRP : 47.0 dBW

Default CW Frequency: 14.131100 GBz

AIM mode : VC-Mux

Beader Compression : None

Satellite (DVB) Transmitter Status

State : Cm (DVB-RCS2)

IDU Output Power : 33.5 dBm

EIRP : 46.8 dBW

Es/No : 15.0 dB

Frequency correction: 910 Mz
```