


## TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Wallace Teixeira Operadora/Cliente: Gilvan P de Brito Júnior

GRE/Prodemge: João Antinossi Responsável/cliente: JANAINA FREITAS DE O CORREIA

> Consórcio **VSAT-ID** Porta kbps **Plataforma** EMC/Vodanet 2MBPS **VSAT** SEE-DIAS-23189



# dvb rx show

## Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute RX watchdog

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

\* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

1 1 8.883000 12.176420 DVB-S2 104 0 0.0 E

Yes

## Satellite (DVB) Receiver Status

Rx State : On

DVB State

: Forward link up : 65281, Prodemge@Vodanet Network

Frequency : 12.176537 GHz Symbol Rate : 4.882903 Msps Frequency

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6 - current max : 21

FILOT : On
Frame length : Sho
DVB S2 Mode : ACM : Short : ACM DVB S2 Stream type : MPEG-TS

```
Roll off
                     : 0.20
SNR
                    : 16.3 dB
Input Power
                    : -30 dBm
# dvb tx show
Satellite (DVB) TX Configuration
_____
Auto start
                    : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                     : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode
                     : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
State : On (DVB-RCS2)
IDU Output Power : -16.6 dBm
ODU Output Power : 33.5 dBm
EIRP
                     : 46.8 dBW
Es/No
                     : 14.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -146 us (280879 us)
Frequency correction: -110 Hz
# device show
System Information:
    Name
                        : SEE-DIAS-23189
    Location
                        : Divino das Laranjeiras - MG
    Contact
                        :
    System Up time : 2 days, 05:58:03
CPU Load : 8%
System time(UTC) : 07 December 2017 04:46:01
    Broadcast Message : not set
HW:
    Model
                         : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.2
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:5b:2a
Satellite (DVB) : 00:20:0e:10:5b:2a
# arp show
  NetAddr
            State MacAddr
                                               Ιf
Pinging 10.214.173.1 with 32 bytes of data:
Reply from 10.214.173.1: bytes=32 time=560ms TTL=56
Reply from 10.214.173.1: bytes=32 time=564ms TTL=56
Reply from 10.214.173.1: bytes=32 time=545ms TTL=56
Reply from 10.214.173.1: bytes=32 time=572ms TTL=56
Reply from 10.214.173.1: bytes=32 time=560ms TTL=56
Reply from 10.214.173.1: bytes=32 time=557ms TTL=56
Reply from 10.214.173.1: bytes=32 time=565ms TTL=56
Reply from 10.214.173.1: bytes=32 time=578ms TTL=56
Reply from 10.214.173.1: bytes=32 time=562ms TTL=56
Reply from 10.214.173.1: bytes=32 time=557ms TTL=56
Ping statistics for 10.214.173.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
```

Approximate round trip times in milli-seconds:
Minimum = 545ms, Maximum = 578ms, Average = 562ms
Lista de sites acessados:
www.globo.com – ok
<u>www.yahoo.com</u> – ok
www.hotmail.com – ok
www.google.com – ok
www.educacao.mg.gov.br – ok
www.prodemge.gov.br – ok
Responsável pelo teste de navegação:
Nome: JANAINA FREITAS DE O CORREIA
Função: SECRETARIA
Identidade: Masp- 376.739-9