


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior Operadora/Cliente: João Carlos Widar

GRE/Prodemge: João Antinossi Responsável/cliente Euler Fábio Machado

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-DINA-220282MbpsVSAT



PRTG Traffic Grapher V6.2.0.907 - 14/10/2017 00:01:13

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E Yes 1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176417 GHz Symbol Rate : 4.883010 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 16 8PSK-8/9

Pilot : On
Frame length : Short
DVB S2 Mode : ACM

```
DVB S2 Stream type: MPEG-TS
```

Roll off : 0.20 SNR : 17.1 dB Input Power : -23 dBm

#

Satellite (DVB) TX Configuration

Auto start : Enabled IDU Output Power : -20 dBm IDU Max Output Power: 0.0 dBm ODU Output Power : 33.5 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression: UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2) IDU Output Power : -20.2 dBm ODU Output Power : 33.2 dBm

EIRP : 46.2 dBW Es/No : 15.5 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction: -183 us (281648 us)

Frequency correction: 100 Hz

#

System Information:

Name : SEE-DINA-22028 Location : DIAMANTINA/MG

Contact

System Up time : 0 days, 00:12:39

CPU Load : 8%

System time(UTC) : 13 October 2017 23:07:34

Broadcast Message : not set

HW:

Model : SatLink 2000 HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:60:fe Satellite (DVB) : 00:20:0e:10:60:fe

arp show

NetAddr State MacAddr 10.212.100.2 Dynamic 54:04:a6:8e:d3:f6 1

#

Pinging 10.212.100.1 with 32 bytes of data:

Reply from 10.212.100.1: bytes=32 time=584ms TTL=56 Reply from 10.212.100.1: bytes=32 time=611ms TTL=56 Reply from 10.212.100.1: bytes=32 time=548ms TTL=56 Reply from 10.212.100.1: bytes=32 time=590ms TTL=56 Reply from 10.212.100.1: bytes=32 time=580ms TTL=56 Reply from 10.212.100.1: bytes=32 time=572ms TTL=56 Reply from 10.212.100.1: bytes=32 time=540ms TTL=56 Reply from 10.212.100.1: bytes=32 time=560ms TTL=56 Reply from 10.212.100.1: bytes=32 time=555ms TTL=56 Reply from 10.212.100.1: bytes=32 time=573ms TTL=56 Reply from 10.212.100.1: bytes=32 time=541ms TTL=56 Reply from 10.212.100.1: bytes=32 time=551ms TTL=56 Reply from 10.212.100.1: bytes=32 time=551ms TTL=56

Ping statistics for 10.212.100.1:

Packets: Sent = 12, Received = 12, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 540ms, Maximum = 611ms, Average = 567ms

www.globo.com - ok

www.hotmail.com – ok www.google.com – ok www.educacao.mg.gov.br – ok www.prodemge.gov.br- ok

Responsável pelo teste de navegação:

Nome: Euler Fábio Machado

Função: Diretor

Identidade: MASP 0960381.2