



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente: João Vidal

GRE/Prodemge: João Antinossi

Responsável/cliente: Meire Aparecida Mendes

Consórcio
EMC/Vodanet


VSAT-ID
SEE-UBAI-22284

Porta kbps
2Mbps

Plataforma
VSAT

Port eth0 on SEE-UBAI-22284 (10.213.83.1)

Graph: 5 Minutes | Graph: 24 Hours | Graph: 30 Days | Graph: 365 Days | Table: 24 Hours | Table: 30 Days | Table: 365 Days



OBS: TESTE FEITO COM TEMPO CHUVOSO

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.5 dBm
EIRP : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -11.1 dBm
ODU Output Power : 33.4 dBm
EIRP : 46.4 dBW
Es/No : 16.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -375 us (281716 us)

Frequency correction: 100 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx	Pri	SymbRate[Msp/s]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName
Name Enable								
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E	
Yes								
1	1	16.667000	11.962753	DVB-S2	2	0	0.0 E	
Yes								

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176156 GHz

Symbol Rate : 4.883048 Msp/s

S2 ModCod

- receiving : 15 8PSK-5/6

- current max : 21 16APSK-5/6

Pilot : On

Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 16.3 dB

Input Power : -35 dBm

arp show

NetAddr	State	MacAddr	If
10.213.83.2	Dynamic	54:04:a6:8e:d3:f6	1

device show

System Information:

Name : SEE-UBAI-22284

Location : UBA - MG

Contact :

System Up time : 0 days, 00:20:27

CPU Load : 13%

System time(UTC) : 19 October 2017 15:22:32

Broadcast Message : not set

HW:

Model : SatLink 2000

HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:4a:d8

Satellite (DVB) : 00:20:0e:10:4a:d8

Pinging 10.213.83.1 with 32 bytes of data: -

Reply from 10.213.83.1: bytes=32 time=553ms TTL=56

Reply from 10.213.83.1: bytes=32 time=537ms TTL=56

Reply from 10.213.83.1: bytes=32 time=529ms TTL=56

Reply from 10.213.83.1: bytes=32 time=577ms TTL=56

Reply from 10.213.83.1: bytes=32 time=540ms TTL=56

Reply from 10.213.83.1: bytes=32 time=538ms TTL=56

Reply from 10.213.83.1: bytes=32 time=574ms TTL=56

Reply from 10.213.83.1: bytes=32 time=518ms TTL=56

Reply from 10.213.83.1: bytes=32 time=588ms TTL=56

Reply from 10.213.83.1: bytes=32 time=586ms TTL=56

Ping statistics for 10.213.83.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 518ms, Maximum = 588ms, Average = 554ms

Sites acessados.

www.globo.com

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável: Meire Aparecida Mendes

Cargo- Vice Diretora

Identidade: MASP3236841