


TERMO DE ACEITE TÉCNICO

Solicitante: VIVO- Projeto Escolas Rurais			
NOC/Operador: Wallace Teixeira		Cliente: Vivo	
Empresa	VSAT-ID	Link kbps	Plataforma
EMC Brasil	VIVO-PER-25085190-PB	256K/128K	VSAT



```
# dvb rx show
  Satellite (DVB) RX Configuration
 Auto start
                               : Enabled
                                       16APSK-9/10
 Max Traffic MODCOD
                               : 23
                               : 15 minute
 RX watchdog
 Idx Pri SymbRate[Msps] Freq[GHz] Mode
                                                          PopId
                                                                     SatId
                                                                            Pos
                                                                                      SatName
 Name
                        Enable
        0
               30.000000
                                   12.050000 DVB-S2 102
                                                                         0
                                                                              0.0 E
  * 0
                        Yes
               25.333333
                                   12.050000 DVB-S2 4
                                                                              0.0 E
    1 1
                        Yes
 Satellite (DVB) Receiver Status
 Rx State
                               0n
 DVB State
                               Forward link up
                               1326, T14R Beam
 Network
                               12.050048 GHz
 Frequency
 Symbol Rate
                               29.999919 Msps
 S2 ModCod

    receiving

                            : 21
                                      16APSK-5/6
         - current max : 22
                                      16APSK-8/9
 Pilot
                               0n
 Frame length
DVB S2 Mode
DVB S2 Stream type
                               Short
                               ACM
                               MPEG-TS
 Roll off
                               0.20
                               15.8 dB
 SNR
  Input Power
                               -30 dBm
                                                                                               X
est cmd
C:\Windows\system32>tracert 8.8.8.8
Rastreando a rota para google-public-dns-a.google.com [8.8.8.8]
com no máximo 30 saltos:
                                                                                                              10.29.68.41
Esgotado o tempo limite do pedido.
172.30.3.102
92.39.116.18
static-1.112.39.92.in-addr.arpa [92.39.112.1]
s200-189-162-154.ipb.diveo.net.br [200.189.162.1
                      <1 ms
                                  <1 ms
   23
                       *
                                   *
                               1106 ms
729 ms
1085 ms
      953 ms
1136 ms
                   1078 ms
1058 ms
719 ms
             ms
  6
        959
                   1077 ms
                               1098 ms
             ms
54]
7
        969 ms
                   1079 ms
                               1069 ms
                                            200-147-28-129.static.uol.com.br [200.147.28.129
                               1077 ms
1437 ms
960 ms
                                           as15169.saopaulo.sp.ix.br [187.16.218.58]
108.170.245.161
216.239.56.49
google-public-dns-a.google.com [8.8.8.8]
  8
        646 ms
                   1075
                         ms
      1437 ms
2627 ms
1224 ms
                   1444 ms
1647 ms
   9
 10
                   1193 ms
                               1441 ms
Rastreamento concluído.
C:\Windows\system32>
```