


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE			
NOC/Operadora: Ermínio Junior		Operadora/Cliente Gu	stavo Oliveira
GRE/Prodemge: João Antinossi		Responsável/cliente Auriano Geraldo Duarte	
Consórcio EMC/Vodanet	VSAT-ID SEE-ACNA-23176	Porta kbps 2Mbps	Plataforma VSAT





dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled IDU Output Power : -20 dBm IDU Max Output Power: 0.0 dBm ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2) IDU Output Power : -20.8 dBm ODU Output Power : 32.6 dBm

EIRP : 45.9 dBW Es/No : 11.5 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction: -383 us (281348 us)

Frequency correction: 60 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E Yes 1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176519 GHz Symbol Rate : 4.882988 Msps

S2 ModCod

- receiving : 19 16APSK-3/4 - current max : 21 16APSK-5/6

Pilot : On Frame length : Short DVB S2 Mode : ACM

DVB S2 Stream type: MPEG-TS

Roll off : 0.20 SNR : 16.4 dB Input Power : -33 dBm

arp show

NetAddr State MacAddr If

10.214.196.2 Dynamic 64:1c:67:61:83:29 1

device show

System Information:

Name : SEE-ACNA-23176

Location : A UCENA

Contact :

System Up time : 0 days, 00:21:12

CPU Load : 15%

System time(UTC) : 05 December 2017 13:33:20

Broadcast Message : not set

HW:

Model : SatLink 2000 HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:58:81 Satellite (DVB) : 00:20:0e:10:58:81

#

Pinging 10.214.196.1 with 32 bytes of data:

Reply from 10.214.196.1: bytes=32 time=539ms TTL=56 Reply from 10.214.196.1: bytes=32 time=588ms TTL=56 Reply from 10.214.196.1: bytes=32 time=543ms TTL=56 Reply from 10.214.196.1: bytes=32 time=554ms TTL=56 Reply from 10.214.196.1: bytes=32 time=663ms TTL=56 Reply from 10.214.196.1: bytes=32 time=617ms TTL=56 Reply from 10.214.196.1: bytes=32 time=548ms TTL=56 Reply from 10.214.196.1: bytes=32 time=533ms TTL=56 Reply from 10.214.196.1: bytes=32 time=598ms TTL=56 Reply from 10.214.196.1: bytes=32 time=598ms TTL=56 Reply from 10.214.196.1: bytes=32 time=529ms TTL=56

Ping statistics for 10.214.196.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 529ms, Maximum = 663ms, Average = 571ms

Resp: Auriano Geraldo Duarte

Cargo: Vice diretor Masp:84336-9

Telefone: 031-9-9237-8570

Horário:07:00-21:15 Onde ficou: Secretária

www.hotmail.com

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com