prodemge	**TERMO DE ACEITE TÉCNICO**

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior	**Operadora/Cliente** Sérgio Almeida
GRE/Prodemge: João Antinossi	**Responsável/cliente** Jader Vinicius Leal

Consórcio EMC/Vodanet	**VSAT-ID** SEE-BOVA-23559	**Porta kbps** 2Mbps	**Plataforma** VSAT

Port eth 0 SEE-BOVA-23559 (10.213.158.1)

Live Graph - 5 Minutes - 10 sec Interval

Bandwidth Traffic IN   Bandwidth Traffic OUT

SatLink 2000
- Main board ID 120026, Revision R6.2
- SW ID 120208, Revision 16.0.1 Build 57
dvb tx show

Satellite (DVB) TX Configuration

Auto start   : Enabled
IDU Output Power   : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power   : 33.2 dBm
EIRP   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode   : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State   : On (DVB-RCS2)
IDU Output Power   : -20.7 dBm
ODU Output Power   : 33.1 dBm
EIRP   : 46.4 dBW
Es/No   : 12.5 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction   : -215 us (266359 us)
Frequency correction: 130 Hz
dvb rx show

Satellite (DVB) RX Configuration

Auto start   : Enabled
Max Traffic MODCOD   : 23   16APSK-9/10

RX watchdog   : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name	Enable
* 0	0	8.883000	12.176420	DVB-S2	104	0	0.0 E		Yes	
1	1	4.883300	12.176420	DVB-S2	2	0	0.0 E		Yes	

Satellite (DVB) Receiver Status

Rx State   : On
DVB State   : Forward link up
Network   : 65281, Prodemge@Vodanet
Frequency   : 12.176220 GHz
Symbol Rate   : 8.883014 Msps
S2 ModCod
    - receiving   : 4 QPSK-1/2
    - current max : 22 16APSK-8/9
Pilot   : On
Frame length   : Short
DVB S2 Mode   : ACM
DVB S2 Stream type : MPEG-TS
Roll off   : 0.20
SNR   : 16.4 dB
Input Power   : -28 dBm
arp show

  NetAddr   State   MacAddr   If
  10.213.158.2 Dynamic 74:e6:e2:d4:e4:73 1
device show
System Information:
    Name   : SEE-BOVA-23559
    Location   : BOCAI▒VA - MG

    Contact   :
    System Up time : 0 days, 00:06:02
    CPU Load   : 7%
    System time(UTC) : 04 January 2018 20:40:31
    Broadcast Message : not set

HW:
    Model   : SatLink 2000
    HW ID   : 120033
    Main board ID   : 120026 R6.2

MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:60:cd
    Satellite (DVB) : 00:20:0e:10:60:cd

Pinging 10.213.158.1 with 32 bytes of data:

Reply from 10.213.158.1: bytes=32 time=523ms TTL=56
Reply from 10.213.158.1: bytes=32 time=542ms TTL=56
Reply from 10.213.158.1: bytes=32 time=559ms TTL=56
Reply from 10.213.158.1: bytes=32 time=588ms TTL=56
Reply from 10.213.158.1: bytes=32 time=534ms TTL=56
Reply from 10.213.158.1: bytes=32 time=558ms TTL=56
Reply from 10.213.158.1: bytes=32 time=554ms TTL=56
Reply from 10.213.158.1: bytes=32 time=564ms TTL=56
Request timed out.
Reply from 10.213.158.1: bytes=32 time=520ms TTL=56

Ping statistics for 10.213.158.1:
    Packets: Sent = 10, Received = 9, Lost = 1 (10% loss),
Approximate round trip times in milli-seconds:
    Minimum = 520ms, Maximum = 588ms, Average = 549ms

www.hotmail.com

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com

Resp: Jader Vinicius Leal

Masp:1338149-6

Cargo: ATB

Telefone:038-9-9864-6504

Funcionamento: 07:00-18:00

Onde ficou: Secretaria