



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente João Carlos

GRE/Prodemge: João Antinossi


Responsável/cliente Rafael Braga da Silveira

Consórcio
EMC/Vodanet

VSAT-ID
SEE-ICAS-22124

Porta kbps
2Mbps

Plataforma
VSAT



dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -18.9 dBm
ODU Output Power : 33.1 dBm
EIRP : 46.4 dBW
Es/No : 14.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -277 us (281387 us)
Frequency correction: 120 Hz
dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName
Name		Enable						
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0	E	
Yes								
1	1	16.667000	11.962753	DVB-S2 2	0	0.0	E	
Yes								

Satellite (DVB) Receiver Status

Rx State : On
DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176121 GHz
Symbol Rate : 4.882952 Msps
S2 ModCod
- receiving : 20 16APSK-4/5
- current max : 21 16APSK-5/6
Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 15.7 dB
Input Power : -35 dBm

arp show

NetAddr	State	MacAddr	If
10.212.177.2	Dynamic	54:04:a6:8e:d3:f6	1

device show

System Information:

Name : SEE-ICAS-22124
Location : ICARAI DE MINAS
Contact :
System Up time : 0 days, 01:09:03
CPU Load : 6%
System time(UTC) : 22 October 2017 16:09:54
Broadcast Message : not set

HW:

Model : SatLink 2000
HW ID : 120033
Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:56:1b
Satellite (DVB) : 00:20:0e:10:56:1b

arp show

NetAddr	State	MacAddr	If
10.212.177.2	Dynamic	54:04:a6:8e:d3:f6	1

device show

System Information:

Name : SEE-ICAS-22124
Location : ICARAI DE MINAS
Contact :
System Up time : 0 days, 01:09:03
CPU Load : 6%
System time(UTC) : 22 October 2017 16:09:54
Broadcast Message : not set

HW:

Model : SatLink 2000
HW ID : 120033
Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:56:1b
Satellite (DVB) : 00:20:0e:10:56:1b

Pinging 10.212.177.1 with 32 bytes of data:

Reply from 10.212.177.1: bytes=32 time=574ms TTL=56
Reply from 10.212.177.1: bytes=32 time=598ms TTL=56
Reply from 10.212.177.1: bytes=32 time=511ms TTL=56
Reply from 10.212.177.1: bytes=32 time=588ms TTL=56
Reply from 10.212.177.1: bytes=32 time=505ms TTL=56
Reply from 10.212.177.1: bytes=32 time=590ms TTL=56
Reply from 10.212.177.1: bytes=32 time=541ms TTL=56
Reply from 10.212.177.1: bytes=32 time=575ms TTL=56
Reply from 10.212.177.1: bytes=32 time=579ms TTL=56
Reply from 10.212.177.1: bytes=32 time=561ms TTL=56

Ping statistics for 10.212.177.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 541ms, Maximum = 598ms, Average = 512ms

#

www.globo.com

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável: Rafael Braga da Silveira

Cargo : Auxiliar de Secretaria

Identidade: RG14196623