



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Ronaldo candido

GRE/Prodemge: João Antinossi

Responsável/cliente Rogério Esteves


Consórcio
EMC/Vodanet

VSAT-ID
SEE-NORO-22948

Porta kbps
2Mbps

Plataforma
VSAT

Port eth0 SEE-NORO-22948(10.215.141.1)



SatLink 2000

- Main board ID 120026, Revision R6.1

- SW ID 120208, Revision 16.0.1 Build 57

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled

IDU Output Power : -20 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux

Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -10.9 dBm

ODU Output Power : 33.4 dBm

EIRP : 46.7 dBW

Es/No : 12.5 dB

Header Compression : Disabled - HC for RCS2 not supported by HUB

Timing correction : -873 us (281378 us)

Frequency correction: 90 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0 E			Yes
1	1	16.667000	11.962753	DVB-S2 2	0	0.0 E			Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176624 GHz

Symbol Rate : 4.882958 Msps

S2 ModCod

- receiving : 4 QPSK-1/2

- current max : 21 16APSK-5/6

Pilot : On

Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 15.2 dB

Input Power : -34 dBm

arp show

NetAddr	State	MacAddr	If
10.215.141.2	Dynamic	80:ee:73:a4:e2:ba	1

device show

System Information:

Name : SEE-NORO-22948

Location : Novo Cruzeiro - MG

Contact :

System Up time : 0 days, 00:41:55

CPU Load : 16%

System time(UTC) : 21 November 2017 15:05:54

Broadcast Message : not set

HW:

Model : SatLink 2000

HW ID : 120033

Main board ID : 120026 R6.1

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:48:f7

Satellite (DVB) : 00:20:0e:10:48:f7

Pinging 10.215.141.1 with 32 bytes of data:

Reply from 10.215.141.1: bytes=32 time=562ms TTL=56

Reply from 10.215.141.1: bytes=32 time=558ms TTL=56

Reply from 10.215.141.1: bytes=32 time=547ms TTL=56

Reply from 10.215.141.1: bytes=32 time=544ms TTL=56

Reply from 10.215.141.1: bytes=32 time=535ms TTL=56

Reply from 10.215.141.1: bytes=32 time=547ms TTL=56

Reply from 10.215.141.1: bytes=32 time=588ms TTL=56

Reply from 10.215.141.1: bytes=32 time=524ms TTL=56

Reply from 10.215.141.1: bytes=32 time=523ms TTL=56

Reply from 10.215.141.1: bytes=32 time=557ms TTL=56

Ping statistics for 10.215.141.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 523ms, Maximum = 588ms, Average = 548ms

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável	Rogério Esteves
Cargo	Secretário
Identidade	1058827-5
Telefone	033-9-8813-3497
Funcionamento	07:00-18:00
Onde ficou	No laboratório