



TERMO DE ACEITE TÉCNICO

Solicitante: SES – Secretaria de Estado de Saúde de Minas Gerais

NOC/Operadora: Erminio Alves Ribeiro Junior

Operadora/Cliente: Sandro Santana

GRE/Prodemge: Aguinaldo de Matos


Responsável/cliente: Nadir Fonseca

Consórcio
STM/Vodanet

VSAT-ID
SES-ITCU-6247

Porta kbps
384/153

Plataforma
VSAT



Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -30 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : max
EIRP : max
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP/DSM-CC

Satellite (DVB) Transmitter Status

State : On (TDMA)
IDU Output Power : -20.2 dBm
ODU Output Power : 33.6 dBm
EIRP : 46.9 dBW
Es/No : 12.0 dB
Header Compression : DSM-CC
Timing correction : 19 us (252391 us)
Frequency correction: -330 Hz

Satellite (DVB) RX Configuration

Auto start : Enabled
Max MODCOD : 15 8PSK-5/6 (SNR threshold: 10.6 dB)
RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	Enable
* 0	0	45.000000	11.606250	DVB-S2 3		Yes
1	1	0.000000	0.000000	DVB-S2 2		Yes

Satellite (DVB) Receiver Status

Rx State : On
DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 11.606273 GHz
Symbol Rate : 44.999745 Msps
S2 ModCod
- receiving : 4 QPSK-1/2
- current max : 15 8PSK-5/6
Pilot : On
Frame length : Short
DVB S2 Mode : ACM
Roll off : 0.20
SNR : 12.6 dB
Input Power : -25 dBm

IP DVB 10.148.6.229/32

Pinging 10.176.2.129 with 32 bytes of data:

Reply from 10.176.2.129: bytes=32 time=1727ms TTL=62
Reply from 10.176.2.129: bytes=32 time=549ms TTL=62
Reply from 10.176.2.129: bytes=32 time=548ms TTL=62
Reply from 10.176.2.129: bytes=32 time=565ms TTL=62
Reply from 10.176.2.129: bytes=32 time=570ms TTL=62
Reply from 10.176.2.129: bytes=32 time=579ms TTL=62
Reply from 10.176.2.129: bytes=32 time=545ms TTL=62
Reply from 10.176.2.129: bytes=32 time=594ms TTL=62
Reply from 10.176.2.129: bytes=32 time=601ms TTL=62
Reply from 10.176.2.129: bytes=32 time=543ms TTL=62

Ping statistics for 10.176.2.129:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 543ms, Maximum = 1727ms, Average = 682ms

