


TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Ricardo Benavides Operadora/Cliente: Walter Leandro

GRE/Prodemge: João Antinossi Responsável/cliente: Solange Batista de Oliveira

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-SARA-241362MbpsVSAT





Satellite (DVB) RX Configuration ----Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 13.333333 12.173500 DVB-S2 104 0 0.0 E

Yes

1 1 8.883000 12.176420 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.173604 GHz Symbol Rate : 13.333053 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On
Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 14.4 dB

Input Power : -42 dBm

```
Satellite (DVB) TX Configuration
_____
Auto start : Enabled IDU Output Power : -20 dBm
Auto start
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
            : VC-Mux
ATM mode
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
State : On (DVB-RCS2)
IDU Output Power : -20.0 dBm
Es/No : 16.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -273 us (259687 us)
Frequency correction: 120 Hz
System Information:
    Name
                         : SEE-SARA-24136
    Location
                         : S¦o Jos¦ da Safira - MG
    Contact
    System Up time : 0 days, 00:03:05 CPU Load : 33%
    System time(UTC) : 27 February 2018 17:18:52 Broadcast Message : not set
HW:
                        : SatLink 2000
    Model
    HW ID
                        : 120033
                        : 120026 R6.2
    Main board ID
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:7b:4d
Satellite (DVB) : 00:20:0e:10:7b:4d
NetAddr
             State MacAddr
                                          Ιf
10.214.242.2 Dynamic 00:40:a7:1d:fc:8d 1
Pinging 10.214.242.1 with 32 bytes of data:
Reply from 10.214.242.1: bytes=32 time=530ms TTL=56
Reply from 10.214.242.1: bytes=32 time=527ms TTL=56
Reply from 10.214.242.1: bytes=32 time=541ms TTL=56
Reply from 10.214.242.1: bytes=32 time=540ms TTL=56
Reply from 10.214.242.1: bytes=32 time=512ms TTL=56
Reply from 10.214.242.1: bytes=32 time=519ms TTL=56
Reply from 10.214.242.1: bytes=32 time=546ms TTL=56
Reply from 10.214.242.1: bytes=32 time=527ms TTL=56
Reply from 10.214.242.1: bytes=32 time=523ms TTL=56
Reply from 10.214.242.1: bytes=32 time=608ms TTL=56
Ping statistics for 10.214.242.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 512ms, Maximum = 608ms, Average = 537ms
```

ista de sites acessados:	
ww.globo.com – ok	
<u>ww.yahoo.com</u> – ok	
ww.hotmail.com – ok	
ww.google.com – ok	
ww.educacao.mg.gov.br – ok	
www.prodemge.gov.br – ok	
ww.prodernge.gov.br	
esponsável: Solange Batista de Oliveira Cordeiro	
unção: Diretora	
IASP: 638.165-1	
elefone: 33 3293-1156	