

TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior Operadora/Cliente Gustavo Oliveira

GRE/Prodemge: João Antinossi Responsável/cliente Israel Maxakalil

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-LAHA-229332MbpsVSAT

Port eth0 SEE-LAHA-22933(10.215.120.1)



SatLink 2000

- Main board ID 120026, Revision R6.2

- SW ID 120208, Revision 16.0.1 Build 57

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled

IDU Output Power : -20 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux

Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -18.4 dBm

ODU Output Power : 33.0 dBm

EIRP : 46.3 dBW

Name

Yes

Es/No

: 15.0 dB

Timing correction : -318 us (280544 us)

Frequency correction: 60 Hz

Satellite (DVB) RX Configuration

Satellite (DVB) Receiver Status

: On

: Forward link up

: 12.176324 GHz

: 4.882979 Msps

: 65281, Prodemge@Vodanet

: Enabled

Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

dvb rx show

Auto start

RX watchdog

Enable

Rx State

Network

Frequency

Symbol Rate

DVB State

Header Compression: Disabled - HC for RCS2 not supported by HUB

S2 ModCod

- receiving : 4 QPSK-1/2

- current max : 21 16APSK-5/6

Pilot : On

Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 15.6 dB

Input Power : -29 dBm

arp show

NetAddr State MacAddr If

10.215.120.2 Dynamic 64:1c:67:61:83:29 1

device show

System Information:

Name : SEE-LAHA-22933

Location : LADAINHA - MG

Contact :

System Up time : 0 days, 11:22:56

CPU Load : 15%

System time(UTC) : 21 November 2017 13:28:03

Broadcast Message : not set

HW:

Model : SatLink 2000

HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:5d:02

Satellite (DVB) : 00:20:0e:10:5d:02

Pinging 10.215.120.1 with 32 bytes of data:

Reply from 10.215.120.1: bytes=32 time=545ms TTL=56

Reply from 10.215.120.1: bytes=32 time=538ms TTL=56

Reply from 10.215.120.1: bytes=32 time=532ms TTL=56

Reply from 10.215.120.1: bytes=32 time=551ms TTL=56

Reply from 10.215.120.1: bytes=32 time=540ms TTL=56

Reply from 10.215.120.1: bytes=32 time=577ms TTL=56

Reply from 10.215.120.1: bytes=32 time=551ms TTL=56

Reply from 10.215.120.1: bytes=32 time=523ms TTL=56

Reply from 10.215.120.1: bytes=32 time=540ms TTL=56

Reply from 10.215.120.1: bytes=32 time=618ms TTL=56

Ping statistics for 10.215.120.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 523ms, Maximum = 618ms, Average = 551ms www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável	Isarael Maxakalil
Cargo	Cacique
Identidade	060.387.546-79 cpf
Telefone	033-9-9953-7302
Funcionamento	07:00-17:00
Onde ficou	Na sal de aula