

TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Jean Polini

GRE/Prodemge: João Antinossi Responsável/cliente: Zenalia Alves de Oliveira

> Porta kbps Plataforma Consórcio **VSAT-ID** EMC/Vodanet SEE-JEHA-22900 2Mbps **VSAT**





Satellite (DVB) RX Configuration _____

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

12.176420 DVB-S2 104 0 0.0 E * 0 0 4.883300

Yes

11.962753 DVB-S2 2 0 0.0 E 16.667000 1 1

Yes

Satellite (DVB) Receiver Status

Rx State : On

: Forward link up DVB State

Network

: 65281, Prodemge@Vodanet : 12.176424 GHz Frequency Symbol Rate : 4.882971 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On Frame length : Shor DVB S2 Mode : ACM : Short DVB S2 Stream type : MPEG-TS : 0.20 Roll off : 15.4 dB SNR Input Power : -43 dBm

```
Satellite (DVB) TX Configuration
_____
                    : Enabled
Auto start
Auto start : Enabled IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
: On (DVB-RCS2)

IDU Output Power : -19.8 dBm

Es/No
_____
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -148 us (280091 us)
Frequency correction: 130 Hz
System Information:
                    : SEE-JEHA-22900
    Name
    Location
                         : JEQUITINHONHA - MG
    Contact
                         :
    System Up time : 0 days, 00:24:03
CPU Load : 16%
System time(UTC) : 27 November 2017 19:59:14
Broadcast Message : not set
HW:
    Model
                         : SatLink 2000
                         : 120033
    HW ID
    Main board ID
                     : 120026 R6.2
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:69:6d
Satellite (DVB) : 00:20:0e:10:69:6d
NetAddr
         State MacAddr
    10.214.34.2 Dynamic 64:1c:67:62:2e:12 1
Pinging 10.214.34.1 with 32 bytes of data:
Reply from 10.214.34.1: bytes=32 time=540ms TTL=56
Reply from 10.214.34.1: bytes=32 time=525ms TTL=56
Reply from 10.214.34.1: bytes=32 time=668ms TTL=56
Reply from 10.214.34.1: bytes=32 time=568ms TTL=56
Reply from 10.214.34.1: bytes=32 time=577ms TTL=56
Reply from 10.214.34.1: bytes=32 time=554ms TTL=56
Reply from 10.214.34.1: bytes=32 time=548ms TTL=56
Reply from 10.214.34.1: bytes=32 time=558ms TTL=56
Reply from 10.214.34.1: bytes=32 time=562ms TTL=56
Reply from 10.214.34.1: bytes=32 time=550ms TTL=56
Ping statistics for 10.214.34.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 525ms, Maximum = 668ms, Average = 565ms
```

| Lista de sites acessados: |
|---|
| www.globo.com – ok |
| www.yahoo.com – ok |
| www.hotmail.com - ok |
| www.google.com – ok |
| www.educacao.mg.gov.br – ok |
| <u>www.prodemge.gov.br</u> – o k |
| Responsável pelo teste de navegação: |
| Nome: Zenalia Alves de Oliveira |
| Função: ATB |
| MASP: 12900163 |
| Telefone: 33-999683171 |
| Telefolic. 33-999003171 |
| Funcionamento: 07:00h às 18:00h |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |