


TERMO DE ACEITE TÉCNICO

Solicitante: SES - Secretaria de Estado de Saúde de Minas Gerais Data: 29/03/2012

NOC/Operadora: Bruno Resston Moreira Operadora/Cliente: Leonardo de oliveira

GRE/Prodemge: João Antinossi Responsável/cliente: Jarilson da conceicao

Consórcio VSAT-ID Porta kbps Plataforma STM/Vodanet SES-JOAS-0723 384/153 **VSAT**



Satellite (DVB) RX Configuration

Auto start : Enabled
Max MODCOD : 15 8PS

Max MODCOD : 15 8PSK-5/6 (SNR threshold: 9.6 dB)

ACM Latency RX watchdog : On

: 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId Enable * 0 0 7.120000 11.583700 DVB-S2 2

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

: 11.583767 GHz Frequency Symbol Rate : 7.119989 Msps

- receiving : 13 8PSK-2/3 S2 ModCod - current max : 21 16APSK-5/6

Pilot : On

Frame length : Short frame

DVB S2 Mode : ACM Roll off : 0.25 SNR : 14.1 dB Input Power : -33 dBm

```
Satellite (DVB) TX Configuration
                   : Enabled
Auto start
IDU output power : -19 dBm EIRP : 48.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP/DSM-CC
Satellite (DVB) Transmitter Status
_____
State : On (TDMA)

IDU Output Power : -17.9 dBm

ODU Output Power : 32.9 dBm
EIRP
                    : 48 dBW
                    : 14.5 dB
Eb/No
Header Compression : DSM-CC
Timing correction : -435 us (271578 us)
Frequency correction: -100 Hz
IP DVB: 10.148.0.65/32
Pinging 10.144.59.1 with 32 bytes of data:
 Reply from 10.144.59.1: bytes=32 time=580ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=554ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=612ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=530ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=574ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=561ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=572ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=528ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=602ms TTL=62
 Reply from 10.144.59.1: bytes=32 time=623ms TTL=62
 Ping statistics for 10.144.59.1:
 Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
     Minimum = 528ms, Maximum = 623ms, Average = 573ms
```

