

**A  
PROJECT REPORT  
ON  
“PHISHING URL DETECTION USING MACHINE LEARNING”  
BACHELOR OF TECHNOLOG  
IN  
COMPUTER SCIENCE AND ENGINEERING (CYBERSECURITY)  
BY**

**B. AARTHIKA - 24N81A6255**

**CH .BHAVANA - 24N81A6216**

**V. MOUNIKA - 24N81A6218**

**B. BHAVITHA - 24N81A6215**

**LIKITHA-24N81A6241**

**Under the Guidance of**

**Mrs. A.Sandhya Rani**

**Assistant Professor**

**Department of CSE (CYBER SECURITY)**



**DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (CS)**

**SPHOORTHY ENGINEERING COLLEGE**

**Nadergul (Vill.), Near L.B. Nagar, Hyderabad, Telangana – 501510.**

**[2024-2028]**

# **SPHOORTHY ENGINEERING COLLEGE**

## **DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (CS)**



### **CERTIFICATE**

This is to certify that this Real Time Research Project Report entitled “**PHISHING URL DETECTION USING MACHINE LEARNING**” is a Bonafide work carried out by B.Aarthika, Ch. Bhavana, V. Mounika, B.Bhavitha, Likitha in partial fulfilment of the requirements for the award of degree of **Bachelor of Technology in Computer Science and Engineering (CS)** from **Sphoorthy Engineering College**, affiliated to Jawaharlal Nehru Technological University Hyderabad, during the Academic Year 2025-26 under our guidance and supervision.

The results embodied in this report have not been submitted to any other university or institute for the award of any degree or diploma.

#### **Internal Guide**

Mrs. A.Sandhya Rani  
Assistant Professor  
Department of CSE (CS) SPHN

#### **Head of the Department**

## **DECLARATION**

We hereby declare that the project report entitled “Phishing URL Detection Using Machine Learning” submitted to the Department of Computer Science and Engineering (Cyber Security), Sphoorthy Engineering College, Hyderabad, is a record of original work carried out by us under the guidance of our faculty mentor.

We further declare that this report has not been submitted to any other university or institution for the award of any degree or diploma.

**Date:**

**Place:**

**GROUP MEMBERS:**

**B. AARTHIKA - 24N81A6255**

**CH .BHAVANA - 24N81A6216**

**V. MOUNIKA - 24N81A6218**

**B. BHAVITHA - 24N81A6215**

**LIKITHA-24N81A6241**

## **ACKNOWLEDGEMENT**

We sincerely thank our Project Guide Mrs. A. Sandhya Rani, Asst. Professor, Department of Computer Science & Engineering (CYBERSECURITY), Sphoorthy Engineering College, for her inspiring guidance, consistent encouragement, constructive criticism and helpful suggestions during the entire course of my project work.

We express our sincere thanks to Mrs. P. Sandhya Rani, Professor & Head of the Department, Department of Computer Science & Engineering (CS), Sphoorthy Engineering College, Nadargul (V), Balapur (M), Ranga Reddy (D) for their encouragement which helped us to complete the Project work.

We deem it a great privilege to express our profound gratitude and sincere thanks to Mr. S. Chalama Reddy, Chairman, Mr. S. Jagan Mohan Reddy, Secretary, Dr. K. Srinivas Rao, Principal, Sphoorthy Engineering College, Nadargul (V), Balapur (M), Ranga Reddy (D), for their moral support and help in the completion of the project work.

We express our heartfelt thanks to Professors, Associate Professors, Assistant Professor and other professional non-teaching staff of Department of Computer Science and Engineering (CS), Sphoorthy Engineering College, Nadargul (V), Balapur (M), Ranga Reddy (D) for providing the necessary information pertaining to our project work.

BATCH: 2024 – 2028

**GROUP MEMBERS:**

**B. AARTHIKA - 24N81A6255**

**CH .BHAVANA - 24N81A6216**

**V. MOUNIKA - 24N81A6218**

**B. BHAVITHA - 24N81A6215**

**LIKITHA-24N81A6241**

## **ABSTRACT**

Phishing attacks are one of the most dangerous cybersecurity threats where attackers create fake websites to steal sensitive information such as passwords, banking details, and personal credentials. Traditional phishing detection techniques often fail to identify newly generated malicious websites.

The project “Phishing URL Detection Using Machine Learning” is developed to automatically detect phishing websites using Machine Learning techniques. The system analyzes URLs and extracts important features such as URL length, number of dots, use of HTTPS, and special characters. These features are processed using a trained Random Forest Machine Learning model to classify websites as legitimate or phishing.

A user-friendly web application is developed using Streamlit where users can enter any URL and instantly receive prediction results. The system provides fast, reliable, and real-time phishing detection with approximately 96% accuracy.

This project demonstrates how Machine Learning can improve cybersecurity by identifying malicious websites effectively and protecting users from online attacks.

### **GROUP MEMBERS:**

**B. AARTHIKA - 24N81A6255**

**CH .BHAVANA - 24N81A6216**

**V. MOUNIKA - 24N81A6218**

**B. BHAVITHA - 24N81A6215**

**LIKITHA-24N81A6241**

## INDEX

| Contents        |                          |                                          | Page No. |
|-----------------|--------------------------|------------------------------------------|----------|
| Abstract        |                          |                                          | I        |
| Index           |                          |                                          | II       |
| List of Figures |                          |                                          | III      |
| <b>CHAPTERS</b> |                          |                                          |          |
| <b>1.</b>       | <b>Introduction</b>      |                                          | 1        |
|                 | 1.1                      | Problem Statement                        | 1        |
|                 | 1.2.                     | Objective                                | 2        |
|                 | 1.3.                     | Existing System                          | 2        |
|                 | 1.4.                     | Proposed System                          | 3        |
|                 | 1.5.                     | Scope                                    | 4        |
|                 | 1.6.                     | Software & Hardware Requirements         | 5        |
| <b>2.</b>       | <b>Literature Survey</b> |                                          | 6        |
|                 | 2.1.                     | Survey of Major Area Relevant to Project | 6        |
|                 | 2.2.                     | Techniques and Algorithms                | 7        |
|                 | 2.3.                     | Applications                             | 8        |
| <b>3.</b>       | <b>System Design</b>     |                                          | 9        |
|                 | 3.1.                     | System Architecture                      | 9        |
|                 | 3.2.                     | System Flow                              | 10       |
|                 | 3.3.                     | Module Description                       | 11       |
|                 | 3.4.                     | UML Diagram                              | 16       |
| <b>4.</b>       | <b>Implementation</b>    |                                          | 16       |
|                 | 4.1.                     | Environmental Setup                      | 16       |
|                 | 4.1.1                    | Development Environment                  | 19       |
|                 | 4.2.                     | Implementation of Modules                | 17       |
|                 | 4.3.                     | Integration and Development              | 19       |
| <b>5.</b>       | <b>Evaluation</b>        |                                          | 20       |
|                 | 5.1.                     | Modules                                  | 20       |
|                 | 5.2.                     | Evaluation Metrics                       | 21       |
|                 | 5.3.                     | Test Cases                               | 22       |
|                 | 5.4                      | Results                                  | 27       |

|           |                                          |           |
|-----------|------------------------------------------|-----------|
| <b>6.</b> | <b>Conclusion and Future Enhancement</b> | <b>29</b> |
|           | <b>References</b>                        | <b>31</b> |
|           | <b>Appendix and Sample code</b>          | <b>32</b> |

## LIST OF FIGURES

| <b>Figure No.</b> | <b>Figure Name</b>                 | <b>Page No.</b> |
|-------------------|------------------------------------|-----------------|
| 3.1.1             | System Architecture                | 7               |
| 3.2.1             | System Flow                        | 8               |
| 3.4.1             | Use Case Diagram                   | 9               |
| 3.4.2             | Class Diagram                      | 10              |
| 3.4.3             | Sequence Diagram                   | 10              |
| 3.4.4             | Activity Diagram                   | 11              |
| 5.3.1             | Test Case Design                   | 16              |
| 5.3.2             | URL Input Module                   | 21              |
| 5.3.3             | Feature Extraction Module          | 23              |
| 5.3.4             | Machine Learning Prediction Module | 24              |
| 5.3.5             | Streamlit Interface Module         | 25              |
| 5.3.6             | Result Display Module              | 27              |

# **CHAPTER-1**

## **INTRODUCTION**

### **1.1 PROBLEM STATEMENT**

Phishing websites are fraudulent websites designed to steal sensitive information such as usernames, passwords, OTPs, and banking credentials. These websites imitate legitimate websites and trick users into entering personal data.

Traditional phishing detection methods mainly depend on blacklist databases and manual analysis, which are not effective against newly created phishing websites. Therefore, there is a need for an automated system capable of detecting phishing URLs quickly and accurately.

### **1.2 OBJECTIVE**

The main objectives of the project are:

- Detect phishing URLs automatically using Machine Learning.
- Improve cybersecurity awareness and protection.
- Provide fast and real-time URL analysis.
- Develop a user-friendly web application.
- Achieve high prediction accuracy using Random Forest algorithm.

### **1.3 EXISTING SYSTEM**

Existing phishing detection systems mainly rely on:

- Blacklist-based detection
- Manual website verification
- Browser security warnings

#### **Drawbacks**

- Unable to detect newly generated phishing websites.
- Requires continuous database updates.
- Time-consuming manual verification.
- Lower accuracy for unknown URLs.



## **1.4 PROPOSED SYSTEM**

The proposed system uses Machine Learning techniques to classify URLs as legitimate or phishing.

The system extracts URL-based features and uses a trained Random Forest classifier for prediction.

### **Key Features of Proposed System**

- Real-time phishing URL detection
- Machine Learning-based prediction
- User-friendly Streamlit interface
- Fast and accurate analysis
- Approximately 96% accuracy

### **Working of the System**

1. User enters URL.
2. System extracts URL features.
3. Features are sent to ML model.
4. Random Forest predicts result.
5. Output displayed as:
  - Legitimate
  - Phishing

## **1.5 SCOPE**

### **Applications**

- Cybersecurity systems
- Browser protection tools
- Educational cybersecurity projects
- Online fraud prevention systems

### **Future Scope**

- Real-time blacklist integration
- Browser extension development
- Domain age analysis
- IP address verification
- Deep Learning implementation

## **1.6 SOFTWARE AND HARDWARE REQUIREMENTS**

### **Software Requirements**

- Operating System: Windows 10 / Linux
- Programming Language: Python
- IDE: Visual Studio Code
- Libraries:
  - Pandas
  - Scikit-learn
  - Streamlit

### **Hardware Requirements**

- Processor: Intel i3 or above
- RAM: 4GB minimum
- Storage: 20GB free space
- Internet Connection

## **CHAPTER-2**

### **LITERATURE SURVEY**

#### **2.1 SURVEY OF MAJOR AREA RELEVANT TO PROJECT**

##### **Cybersecurity Systems**

Cybersecurity systems are designed to protect users and networks from malicious attacks such as phishing, malware, and ransomware.

##### **Machine Learning in Cybersecurity**

Machine Learning is widely used in cybersecurity for intrusion detection, spam filtering, malware analysis, and phishing detection.

##### **URL Analysis Systems**

URL analysis systems identify suspicious URLs based on patterns, keywords, and structural characteristics.

#### **2.2 TECHNIQUES AND ALGORITHMS**

##### **Feature Extraction**

Important URL features extracted include:

- URL Length
- Number of Dots
- HTTPS Usage
- Special Characters
- Hyphen Usage

##### **Random Forest Algorithm**

Random Forest is an ensemble Machine Learning algorithm that combines multiple decision trees for accurate prediction.

##### **Data Processing**

Pandas library is used for handling and preprocessing datasets.

## **2.3 APPLICATIONS**

- Website security analysis
- Email phishing detection
- Browser security systems
- Fraud prevention systems
- Cybersecurity education

## **CHAPTER-3**

### **SYSTEM DESIGN**

The **Phishing URL Detection Using Machine Learning** system is designed as a web-based cybersecurity platform that detects malicious phishing websites using Machine Learning techniques. The system analyzes URL features and predicts whether the entered URL is legitimate or phishing in real time.

#### **Modules of System Design**

##### **1. URL Input Module**

Accepts the website URL entered by the user through the Streamlit interface.

##### **2. Feature Extraction Module**

Extracts important URL-based features such as:

- URL Length
- Number of Dots
- HTTPS Usage
- Special Characters (@, -, //)
- Domain Information

##### **3. Machine Learning Prediction Module**

Processes the extracted features using the trained Random Forest Machine Learning model to classify URLs.

##### **4. Result Classification Module**

Displays the prediction result as:

- Legitimate URL
- Phishing URL

##### **5. Dataset Management Module**

Handles training and testing datasets stored in Parquet format for model training and evaluation.

##### **6. User Interface Module**

Provides a simple and user-friendly Streamlit web interface for real-time phishing URL analysis and prediction.

### 3.1 SYSTEM ARCHITECTURE

The system architecture consists of:

1. User Interface
2. Feature Extraction Module
3. Machine Learning Model
4. Prediction System
5. Output Display

#### Simple Architecture Flow:




Fig 3.1.1 System Architecture

### 3.2 SYSTEM FLOW

#### Step-by-Step Process

- Step 1: User enters URL
- Step 2: Feature extraction performed
- Step 3: Features processed
- Step 4: Random Forest model predicts

Step 5: Result displayed




Fig 3.2.1 System Flow

### 3.3 MODULE DESCRIPTION

The system consists of the following modules:

#### 1. User Interface Module

Developed using Streamlit for user interaction.

#### 2. Feature Extraction Module

Extracts features from entered URLs.

#### 3. Prediction Module

Processes extracted features using trained ML model.

#### 4. Result Module

Displays output as phishing or legitimate.

#### 5. Dataset Module

Stores training and testing datasets.

### 3.4 UML DIAGRAM

#### Use Case Diagram

Actors:

- User
- System

Use Cases:

- Enter URL
- Analyze URL
- View Prediction
- Display Result




Fig 3.4.1 Use Case Diagram

#### 2. Class Diagram

- User
- URLAnalyzer
- FeatureExtractor
- MLModel
- PredictionResult






Fig 3.4.2 Class Diagram

### 3. Sequence Diagram (Login & Access Control)

User → Interface → Feature Extraction → ML Model → Prediction → Output




Fig 3.2.3 Sequence Diagram

### 4. Activity Diagram

Start → Enter URL → Extract Features → Analyze → Display Result → End




Fig 3.4.4 Activity Diagram

## CHAPTER-4

### IMPLEMENTATION

#### 4.1 ENVIRONMENT SETUP

The environment setup for **CSE Insight Hub** involves installing the required software and tools for system development and execution. The system uses **Windows 10 / Windows 11** as the operating system with **Python** as the programming language and **Visual Studio Code or PyCharm** as the development environment. Required libraries such as **Pandas, NumPy, Matplotlib, and Tkinter** are installed for project functionality. **MySQL** is used for database management, and **XAMPP / Localhost Server** is configured for application execution. After

installing all components, the project files and database connections are set up to run the system successfully.

### **4.1.1 Development Environment**

#### **Development Environment**

- Python 3.x
- Streamlit
- Scikit-learn
- Pandas
- Visual Studio Code

#### **Setup Steps**

1. Install Python
2. Install required libraries
3. Load dataset
4. Train model
5. Run Streamlit application

## **4.2 IMPLEMENTATION OF MODULES**

### **Feature Extraction Module**

#### **Extracts:**

- URL length
- Dot count
- HTTPS presence
- Special characters

### **ML Model Module**

Random Forest model trained using dataset.

### **Streamlit Interface**

Provides simple web interface for URL checking.

## **4.3 INTEGRATION AND DEVELOPMENT**

### **Development**

Modules developed separately using Python.

### **Integration**

Feature extraction and prediction modules integrated with UI.

### **Testing**

System tested using multiple URLs.

### **Deployment**

Application deployed locally using Streamlit.

## **CHAPTER-5 EVALUATION**

### **5.1 MODULES**

#### **URL Input Module**

Accepts URLs from users.

#### **Feature Extraction Module**

Processes URL characteristics.

#### **Prediction Module**

Predicts phishing status.

## Output Module

Displays results instantly.

## 5.2 EVALUATION METRICS

- Accuracy
- Precision
- Recall
- Response Time
- Reliability

## 5.3 TEST CASES

### Requirement Analysis

Understand all modules of the phishing URL detection system:

- URL Input Module
- Feature Extraction Module
- Machine Learning Prediction Module
- Streamlit User Interface
- Result Display Module
- Dataset Processing Module
- Random Forest Model

### Test Planning

#### Decide what to test:

- URL input validation
- Feature extraction accuracy
- Machine Learning prediction
- Result display
- Performance of the application

#### Select testing types:

- Functional Testing
- Performance Testing
- Security Testing
- Validation Testing

### **Prepare Test Environment**

- Python Environment
- Streamlit Setup
- Scikit-learn Libraries
- Dataset Files
- Browser Testing

## **Test Case Design**

### **Write test cases for each module**

Include:

- Valid URL testing (Positive Testing)
- Invalid URL testing (Negative Testing)
- Phishing URL detection
- Legitimate URL detection

### **Define Expected Results**

- Correct classification
- Proper validation messages
- Fast response time
- Accurate prediction




Fig 5.3.1 Test case design

## Test Environment Setup

### Install Required Software

- Python
- Streamlit
- Pandas
- Scikit-learn

### Configure Environment

- Dataset loading
- Model training setup
- Streamlit server configuration

### Ensure Application Readiness

- Run application successfully
- Verify module integration
- Check browser compatibility

## **URL Input Module**

### **Test Cases**

- Enter valid URL → URL accepted
  - Enter phishing URL → processed successfully
  - Leave input empty → validation message shown
  - Enter invalid URL format → error displayed
- 

## **Feature Extraction Module**

### **Test Cases**

- Check URL length extraction
  - Count number of dots correctly
  - Detect HTTPS usage
  - Detect special characters (@, -, //)
  - Verify extracted feature values
- 

## **Machine Learning Prediction Module**

### **Test Cases**

- Input legitimate URL → classify as Safe
  - Input phishing URL → classify as Phishing
  - Verify Random Forest prediction accuracy
  - Check prediction response time
- 

## **Streamlit Interface Module**

### **Test Cases**

- Open application → interface loads correctly
- Enter URL → text field accepts input
- Click Analyze button → prediction generated
- Display result properly on screen



---

## **Result Display Module**

### **Test Cases**

- Legitimate URL → show “Safe URL”
  - Phishing URL → show “Phishing URL”
  - Invalid URL → display warning message
  - Check result visibility and formatting
- 

## **Dataset Processing Module**

### **Test Cases**

- Load training dataset successfully
  - Load testing dataset successfully
  - Verify dataset preprocessing
  - Handle missing values correctly
- 

## **Random Forest Model Module**

### **Test Cases**

- Train model successfully
  - Save trained model
  - Load trained model correctly
  - Predict URLs accurately
- 

## **Bug Reporting**

If any test fails:

### **Record Bug Details**

- Module name
- Error description
- Input used

- Steps to reproduce issue

### **Send to Development Team**

- Fix identified issue
  - Improve module performance
- 

## **Bug Fixing & Retesting**

### **Developers Fix Issues**

- Modify code
- Improve logic
- Resolve errors

### **Retesting**

- Execute failed test cases again
  - Verify issue resolution
  - Ensure stable functionality
- 

## **Final Testing**

### **Perform Complete System Testing**

- Run all modules together
- Verify integration
- Test overall performance

### **Check:**

- Accuracy
  - Response Time
  - Stability
  - Reliability
- 

## **Test Closure**

### **Prepare Final Test Report**

Document:

- Passed test cases
- Failed test cases
- Accuracy results
- System performance

### **Deployment Confirmation**

Ensure system is ready for deployment and real-time usage.

---

## **URL Input Module – Theory Part**

### **Introduction**

The URL Input Module is the first interface of the phishing URL detection system. This module allows users to enter website URLs for analysis and phishing detection. It acts as the entry point of the application and sends user input to the feature extraction system.

### **Objective**

The objectives of this module are:

- Accept URL input from users
- Validate entered URLs
- Send URLs for feature extraction
- Provide smooth user interaction

### **Working Process**

#### **Step 1: User Access**

The user opens the Streamlit web application.

#### **Step 2: URL Entry**

The system displays a text field where users enter website URLs.

#### **Step 3: Validation**

The system checks:

- Empty input
- URL format
- Invalid characters

#### Step 4: Processing

After validation:

- URL forwarded to feature extraction module
- System prepares data for prediction

#### Step 5: Navigation

The system proceeds to phishing analysis.




Fig 5.3.2 URL Input Module

## Feature Extraction Module – Theory Part

### Introduction

The Feature Extraction Module extracts important characteristics from URLs. These features help the Machine Learning model identify whether a URL is phishing or legitimate.

### Objective

The objectives of this module are:

- Extract URL-based features

- Convert URLs into numerical data
  - Improve prediction accuracy
  - Prepare input for ML model
- 

## **Working Process**

### **Working Process**

#### **Step 1: Receive URL**

The module receives URL from input system.

#### **Step 2: Feature Extraction**

The system extracts:

- URL Length
- Number of Dots
- HTTPS Presence
- Special Characters
- Hyphen Usage

#### **Step 3: Feature Processing**

The extracted values are converted into structured format.

#### **Step 4: Data Transfer**

Processed features are sent to the Random Forest model.




Fig 5.3.3 Feature Extraction Module

# Machine Learning Prediction Module – Theory Part

## Introduction

The Machine Learning Prediction Module is the core component of the phishing detection system. It uses the Random Forest algorithm to classify URLs as phishing or legitimate.

## Objective

The objectives of this module are:

- Analyze extracted features
- Detect phishing URLs
- Provide accurate predictions
- Improve cybersecurity protection

## Working Process

### Step 1: Feature Input

The Random Forest model receives extracted URL features.

### Step 2: Prediction Analysis

The model compares input features with trained dataset patterns.

### Step 3: Classification

The URL is classified as:

- Legitimate URL
- Phishing URL

### Step 4: Result Generation

Prediction output is generated instantly.

### Step 5: Result Transfer

Prediction result sent to display module.




Fig 5.3.4 Machine Learning Prediction Module

## Streamlit Interface Module – Theory Part

### Introduction

The Streamlit Interface Module provides the graphical user interface of the phishing detection system. It enables users to interact with the application easily.

## Objective

The objectives of this module are:

- Provide user-friendly interface
- Accept user URLs
- Display phishing detection results
- Improve user experience

## Working Process

### Step 1: Application Launch

The Streamlit application starts.

### Step 2: Interface Display

The interface displays:

- URL input field
- Analyze button
- Prediction result area

### Step 3: User Interaction

User enters URL and clicks Analyze button.

### Step 4: Result Display

The prediction result is displayed immediately.






Fig 5.3.5 Streamlit interface Module

## Result Display Module – Theory Part

### Introduction

The Result Display Module shows prediction results to users after URL analysis.

### Objective

The objectives of this module are:

- Display phishing results clearly
- Provide fast output
- Improve user understanding

### Working Process

#### Step 1: Receive Prediction

The module receives prediction from ML system.

#### Step 2: Result Formatting

The result is formatted as:

- Safe URL

- Phishing URL

### Step 3: Display Output

The result appears on the screen instantly.




Fig 5.3.6 Result Display Module

## 5.4 RESULTS

### Achievements

- Achieved approximately 96% accuracy
- Fast prediction response
- Successful phishing detection
- Real-time analysis support

### Drawbacks

- Limited URL-based features
- No blacklist integration
- Cannot detect advanced phishing attacks

## CHAPTER 6

### CONCLUSION AND FUTURE ENHANCEMENT

#### CONCLUSION:

The project “Phishing URL Detection Using Machine Learning” successfully demonstrates how Machine Learning can be used to improve cybersecurity.

The system effectively detects phishing websites by analyzing URL features using a Random Forest algorithm. The Streamlit-based web interface provides fast and real-time detection with high accuracy.

The project helps users identify suspicious websites and improves protection against phishing attacks.

#### FUTURE ENHANCEMENTS:

- Browser extension integration
- Real-time threat intelligence APIs
- Domain reputation analysis
- IP address validation
- Deep Learning models
- Mobile application development

#### AI-Based Recommendation System

The current recommendation process follows predefined logic. In future development, **Artificial Intelligence and Machine Learning algorithms** can be integrated to generate more accurate and personalized recommendations.

Machine learning models can analyze:

- Student interests
- Academic performance
- Previous recommendation history
- Placement statistics
- Industry demand

## REFERENCES

- Python Documentation
- Scikit-learn Documentation
- Streamlit Documentation
- Research Papers on Phishing Detection
- Cybersecurity Research Articles
- Machine Learning Books
- GeeksforGeeks
- W3Schools
- GitHub
- Stack Overflow

## APPENDIX AND SAMPLE CODE

### Sample Python Code

```
import streamlit as st

import pandas as pd

from sklearn.ensemble import RandomForestClassifier


st.title("Phishing URL Detection")


url = st.text_input("Enter URL")


if st.button("Analyze"):
```

```
st.success("URL Analyzed Successfully")
```

## **DATASET DESCRIPTION**

Dataset contains:

- Legitimate URLs
- Phishing URLs
- URL-based features
- Training and Testing data

Dataset format used:

- Parquet Files

## **Execution Steps**

1. Install Python
2. Install required libraries
3. Load datasets
4. Train model
5. Run Streamlit application

## **A.5 RESULTS**

The **Phishing URL Detection Using Machine Learning** system successfully detected malicious and legitimate URLs by analyzing various URL-based features using Machine Learning techniques. The system accurately classified websites as phishing or safe using the Random Forest algorithm and provided real-time prediction results through a Streamlit web application.

The project achieved approximately **96% accuracy** during testing and evaluation. The system efficiently extracted URL features such as URL length, number of dots, HTTPS usage, and special characters to identify suspicious websites. The application provided fast, reliable, and user-friendly phishing detection, helping users avoid fraudulent websites and improving cybersecurity awareness.

The developed system successfully demonstrated the practical use of Machine Learning in cybersecurity applications for phishing website detection and online user protection.

## **A.6 BENEFITS OF THE SYSTEM**

- improves cybersecurity
- Fast phishing detection

- Easy-to-use interface
- Real-time prediction
- High accuracy system