

```
cloudshell x cloudshell + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
prathiprahul414@cloudshell:~$ uname
Linux
prathiprahul414@cloudshell:~$ uptime
 08:44:47 up 40 min,  0 user,  load average: 0.68, 0.42, 0.18
prathiprahul414@cloudshell:~$ hostname
cs-626219704230-default
prathiprahul414@cloudshell:~$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
prathiprahul414@cloudshell:~$ free
              total        used        free     shared  buff/cache   available
Mem:      16382844      2614688      12179376         1136       1869752      13768156
Swap:              0              0              0
prathiprahul414@cloudshell:~$ lsb_release
No LSB modules are available.
prathiprahul414@cloudshell:~$ arch
x86_64
prathiprahul414@cloudshell:~$
```

```
cloudshell x cloudshell + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more Don't show again Dismiss

top - 08:45:57 up 41 min,  0 user,  load average: 0.24, 0.34, 0.17
Tasks: 40 total,  1 running, 39 sleeping,  0 stopped,  0 zombie
%Cpu(s): 1.2 us,  0.9 sy,  0.1 ni, 97.7 id,  0.0 wa,  0.0 hi,  0.1 si,  0.0 st
MiB Mem : 15998.9 total, 12126.8 free,  2320.4 used, 1825.9 buff/cache
MiB Swap:  0.0 total,  0.0 free,  0.0 used, 13678.4 avail Mem

  PID USER      PR  NI   VIRT   RES   SHR  S  %CPU  %MEM     TIME+ COMMAND
    492 root        20   0 1867212 46108 32108 S   0.3   0.3   0:00.75 containerd
      1 root         0   0  4324   3260 2980 S   0.0   0.0   0:00.07 bash
     9 syslog      20   0 222140   3780 2432 S   0.0   0.0   0:00.03 rsyslogd
    25 root         0   0 38768 27940 10832 S   0.0   0.2   0:00.50 python
    26 root         0   0  6196   2644 2404 S   0.0   0.0   0:00.00 logger
    67 root        10 -10 12024   4180 3064 S   0.0   0.0   0:00.01 sshd
   368 root         0   0 2161192 85236 61372 S   0.0   0.5   0:00.44 dockerd
   443 root         0   0 1234524 13496  8304 S   0.0   0.1   0:00.51 editor-proxy
   444 root         0   0  16328   6356 5432 S   0.0   0.0   0:00.01 sudo
   449 root         0   0 1226356 2700   1976 S   0.0   0.0   0:00.00 tmux-agent
   692 root         0   0  2696   1476 1380 S   0.0   0.0   0:00.00 sleep
   694 root         0   0  9196   3996 3620 S   0.0   0.0   0:00.00 runuser
   695 prathip+    20   0  4324   3212 2948 S   0.0   0.0   0:00.00 sh
   716 prathip+    20   0 11.3g 112856 51044 S   0.0   0.7   0:09.88 node
   770 prathip+   10 -10  7472   2876 1940 S   0.0   0.0   0:00.13 tmux
   771 prathip+   10 -10  8800   5844 3984 S   0.0   0.0   0:00.04 bash
  1504 prathip+   10 -10  8800   5908 4056 S   0.0   0.0   0:00.03 bash
  2003 prathip+   10 -10  8800   5944 4084 S   0.0   0.0   0:00.04 bash
  2463 prathip+   10 -10 11924   5884 3680 R   0.0   0.0   0:00.08 top
  2468 root        10 -10 13996   9740  8364 S   0.0   0.1   0:00.01 sshd
  2470 root        10 -10 13996   9772  8400 S   0.0   0.1   0:00.02 sshd
  2472 prathip+   10 -10 14256   6528 4872 S   0.0   0.0   0:00.00 sshd
  2473 prathip+   10 -10  7340   3744 3456 S   0.0   0.0   0:00.00 bash
  2475 prathip+   10 -10 14256   6364 4712 S   0.0   0.0   0:00.01 sshd
  2477 prathip+   10 -10  7604   4376 3772 S   0.0   0.0   0:00.00 bash
  2480 prathip+   10 -10  7340   3636 3388 S   0.0   0.0   0:00.00 bash
  2481 prathip+   10 -10  7340   3704 3444 S   0.0   0.0   0:00.00 start-shell.sh
  2482 prathip+   10 -10  6880   3364 3064 S   0.0   0.0   0:00.00 tmux
  2483 prathip+   20   0 42.5g 866644 62316 S   0.0   5.3   0:23.45 node
  2494 prathip+   20   0 1048772 62076 47896 S   0.0   0.4   0:00.13 node
  2516 prathip+   20   0 1016648 62260 46308 S   0.0   0.4   0:00.22 node
```

```
cloudshell x cloudshell x + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more
Don't show again Dismiss

0.78 Tasks: 41, 96 chr 5 khr/ 1 running
1.00 Load average: 0.05 0.23 0.15
2.00 Uptime: 00:43:49
3.00 1.30
4.00 1.87G/15.6G
5.00 OK/OK

Name PID USER PRI NI VIRT RES SHR S CPU% MEM% TIME+ Command
2944 root 20 0 1192M 1024 63232 8 0.0 0.1 0:00.14 /google/devshell/editor/code-oss-for-cloud-shell/mode /google/devshell/editor/code-oss-for-cloud-shell/out/bootstrap-fork --ty
2975 prathiprahul 10 -10 1660 1988 4896 R 0.7 0.0 0:00.04 http/sbin/keys/keys
1 root 20 0 4324 1260 2980 R 0.0 0.0 0:00.06 /bin/bash /google/scripts/onrun.sh sleep infinity
25 root 20 0 3768 1940 1832 R 0.0 0.2 0:00.52 /usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var/run/supervisor.pid --logfile=/var/
26 root 20 0 1196 1444 404 R 0.0 0.0 0:00.00 logcat -t supervisor
67 root 10 -10 1024 1180 1064 R 0.0 0.0 0:00.01 sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/authorized_keys [listener] 0 of 10-60 startups
368 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.23 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
414 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.04 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
415 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.04 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
416 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.03 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
417 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
418 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
441 root 20 0 2110M 1100 61372 R 0.0 0.5 0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
443 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.10 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
444 root 20 0 1132M 1356 432 R 0.0 0.0 0:00.01 sudo /google/devshell/tmux-agent
445 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.10 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
446 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.12 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
447 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.03 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
448 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.14 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
449 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
450 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
460 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
461 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
462 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
489 root 20 0 1205M 1024 1304 R 0.0 0.1 0:00.00 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
490 root 20 0 1197M 1700 1976 R 0.0 0.0 0:00.00 /google/devshell/tmux-agent
F1 F2 F3 F4 F5 F6 F7 F8 F9 F10
F1 F2 F3 F4 F5 F6 F7 F8 F9 F10
```

```
cloudshell x cloudshell x + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more
Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
prathiprahul414@cloudshell:~$ ls
README-cloudshell.txt
prathiprahul414@cloudshell:~$ cd
prathiprahul414@cloudshell:~$ pwd
/home/prathiprahul414
prathiprahul414@cloudshell:~$ mkdir
mkdir: missing operand
Try 'mkdir --help' for more information.
prathiprahul414@cloudshell:~$ rmdir
rmdir: missing operand
Try 'rmdir --help' for more information.
prathiprahul414@cloudshell:~$ touch
touch: missing file operand
Try 'touch --help' for more information.
prathiprahul414@cloudshell:~$ rm
rm: missing operand
Try 'rm --help' for more information.
prathiprahul414@cloudshell:~$ cp
cp: missing file operand
Try 'cp --help' for more information.
prathiprahul414@cloudshell:~$ mv
mv: missing file operand
Try 'mv --help' for more information.
prathiprahul414@cloudshell:~$ in
-bash: syntax error near unexpected token `in'
prathiprahul414@cloudshell:~$
```

```
cloudshell x cloudshell x cloudshell x + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more
Don't show again Dismiss

GNU nano 3.2 New Buffer

Welcome to nano. For basic help, type Ctrl+G.
^G Help ^O Write Out ^W Where Is ^C Cut ^X Execute ^L Location ^U Undo ^M Set Mark ^, To Bracket ^P Previous ^B Back
^_ Exit ^R Read File ^S Replace ^V Paste ^J Justify ^G Go To Line ^D Redo ^Y Copy ^N Where Was ^N Next ^F Forward
```

```
cloudshell x cloudshell x cloudshell x + v
1 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use "gcloud config set project [PROJECT_ID]".
You can view your projects by running "gcloud projects list".
prathiprabhu1414@cloudshell:~$ awk
Usage: mawk [Options] [Program] [file ...]

Program:
  The -f option value is the name of a file containing program text.
  If no -f option is given, "-" ends option processing; the following
  parameters are the program text.

Options:
  -f program-file  Program text is read from file instead of from the
                   command-line. Multiple -f options are accepted.
  -F value         sets the field separator, FS, to value.
  -v var=value     assigns value to program variable var.
  --              unambiguous end of options.

Implementation-specific options are prefixed with "--W". They can be
abbreviated:

  -W version       show version information and exit.
  -W compat        pre-POSIX 2001.
  -W dump          show assembler-like listing of program and exit.
  -W help          show this message and exit.
  -W interactive   set unbuffered output; line-buffered input.
  -W exec file     use file as program as well as last option.
  -W posix         stricter POSIX checking.
  -W randseed=number set initial random seed.
  -W sprintf=number adjust size of sprintf buffer.
  -W usage         show this message and exit.
prathiprabhu1414@cloudshell:~$ more
more: bad usage
Try 'more --help' for more information.
prathiprabhu1414@cloudshell:~$ less
Missing filename 'less --help' for help)
prathiprabhu1414@cloudshell:~$
```

```
cloudshell x cloudshell x cloudshell x + v
1 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more Don't show again Dismiss

specify the desired line-wrap length for the 'l' command

--posix          disable all GNU extensions.
-E, -r, --regex-extended use extended regular expressions in the script
                  (for portability use POSIX -E).
-s, --separate    consider files as separate rather than as a single,
                  continuous long stream.
--sandbox        operate in sandbox mode (disable e/t/w commands).
-u, --unbuffered  load minimal amounts of data from the input files and flush
                  the output buffers more often.
-z, --null-data   separate lines by NUL characters
--help           display this help and exit
--version        output version information and exit

If no -e, -expression, -f, or --file option is given, then the first
non-option argument is taken as the shell script to interpret. All
remaining arguments are names of input files; if no input files are
specified, then the standard input is read.

GNU sed home page: <https://www.gnu.org/software/sed/>.
General help using GNU software: <https://www.gnu.org/gethelp/>.
prathiprabhu1414@cloudshell:~$ chmod
chmod: missing operand
Try 'chmod --help' for more information.
prathiprabhu1414@cloudshell:~$ chown
chown: missing operand
Try 'chown --help' for more information.
prathiprabhu1414@cloudshell:~$ chgrp
chgrp: missing operand
Try 'chgrp --help' for more information.
prathiprabhu1414@cloudshell:~$ umask
0002
prathiprabhu1414@cloudshell:~$
```

```
cloudshell x cloudshell x cloudshell x + v
1 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more Don't show again Dismiss

to INACTIVE
-g, --gid GROUP      force use GROUP as new primary group
-G, --groups GROUPS  new list of supplementary GROUPS
-h, --help           display this help message and exit
-l, --login NEW_LOGIN new value of the login name
-l, --lock           lock the user account
-m, --move-home      move contents of the home directory to the
                    new location (use only with -d)
-o, --non-unique     allow using duplicate (non-unique) UID
-p, --password PASSWORD use encrypted password for the new password
-P, --prefix PREFIX_DIR prefix directory where are located the /etc/* files
-r, --remove         remove the user from only the supplemental GROUPS
                    mentioned by the -G option without removing
                    the user from other groups
-R, --root CHROOT_DIR directory to chroot into
-s, --shell SHELL    new login shell for the user account
-u, --uid UID        new UID for the user account
-U, --unlock         unlock the user account
-v, --add-subuids FIRST-LAST add range of subordinate uids
-V, --del-subuids FIRST-LAST remove range of subordinate uids
-w, --add-subuids FIRST-LAST add range of subordinate gids
-W, --del-subuids FIRST-LAST remove range of subordinate gids
-Z, --selinux-user SEUSER new SELinux user mapping for the user account

prathiprabhu1414@cloudshell:~$ umask
0002
prathiprabhu1414@cloudshell:~$ stat
stat: missing operand
Try 'stat --help' for more information.
prathiprabhu1414@cloudshell:~$ getfacl
-bash: getfacl: command not found
prathiprabhu1414@cloudshell:~$ setfacl
-bash: setfacl: command not found
prathiprabhu1414@cloudshell:~$ lsattr
-----e----- ./README-cloudshell.txt
prathiprabhu1414@cloudshell:~$ chattr
Usage: chattr [-RVf] [+nAcCdDeIjPsStTuXx] [-p project] [-v version] files...
```

```
cloudshell x cloudshell x cloudshell x + v
Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. Learn more
Don't show again Dismiss

u_str      ESTAB      0          0          * 31226          * 31227
u_str      ESTAB      0          0          * 22510          * 24790
tcp        ESTAB      0          0          127.0.0.1:34798      127.0.0.1:970
tcp        ESTAB      0          0          127.0.0.1:44892      127.0.0.1:ash
tcp        ESTAB      0          0          127.0.0.1:ash        127.0.0.1:46526
tcp        ESTAB      0          0          127.0.0.1:46526      127.0.0.1:ash
tcp        ESTAB      0          0          127.0.0.1:ash        127.0.0.1:33926
tcp        ESTAB      0          0          127.0.0.1:34792      127.0.0.1:970
tcp        ESTAB      0          0          127.0.0.1:55515      127.0.0.1:971
tcp        ESTAB      0          0          127.0.0.1:33926      127.0.0.1:ash
tcp        ESTAB      0          0          127.0.0.1:971        127.0.0.1:55502
tcp        ESTAB      0          0          127.0.0.1:44880      127.0.0.1:ash
tcp        ESTAB      0          0          127.0.0.1:ash        127.0.0.1:44880
tcp        ESTAB      0          0          127.0.0.1:55502      127.0.0.1:971
tcp        ESTAB      0          0          127.0.0.1:ash        127.0.0.1:44892
tcp        ESTAB      0          0          10.88.0.4:36684      74.125.200.102:https
tcp        ESTAB      0          0          127.0.0.1:971        127.0.0.1:55516
tcp        ESTAB      0          0          [::ffff:127.0.0.1]:970      [::ffff:127.0.0.1]:34798
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.4.13]:56326
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.4.13]:36454
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.3.13]:38140
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.3.13]:52252
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.4.13]:36470
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.3.13]:54754
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.3.13]:56268
tcp        ESTAB      0          0          [::ffff:127.0.0.1]:970      [::ffff:127.0.0.1]:34792
tcp        ESTAB      0          0          [::ffff:10.88.0.4]:980      [::ffff:10.15.3.13]:34412

prathiprahul414@cloudshell:~$ traceroute
bash: traceroute: command not found
prathiprahul414@cloudshell:~$ wget
wget: missing URL
Usage: wget [OPTION]... [URL]...

Try 'wget --help' for more options.
prathiprahul414@cloudshell:~$ curl
curl: try 'curl --help' or 'curl --manual' for more information
prathiprahul414@cloudshell:~$ nslookup
```