

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit -m "Initial Commit"
[main (root-commit) blf3bca] Initial Commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git status
On branch main
nothing to commit, working tree clean
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git status
On branch main
nothing to commit, working tree clean
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.html

no changes added to commit (use "git add" and/or "git commit -a")
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello.html
```

```
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit -m "Added standard HTML page tags"
[main 68b1b31] Added standard HTML page tags
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ git config --global user.name "Oryna"
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ git config --global user.email "arbatrakk@gmail.com"
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ git config --global init.defaultBranch main
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ git config --global core.autocrlf true
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ git config --global core.safecrlf warn
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ mkdir work
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
$ cd work
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work
$ touch hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work
$ git init
Initialized empty Git repository in B:/wt/work/.git/
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add hello.html
```

1 file changed, 5 insertions(+)

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: hello.html

no changes added to commit (use "git add" and/or "git commit -a")

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add .

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git commit -m "Added HTML header"

[main a62222a] Added HTML header

1 file changed, 2 insertions(+)

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git log

commit a62222ae69a4a24ba0e15e9bd42fd5db284b4847 (HEAD -> main)

Author: Oryna <arbatrakk@gmail.com>

Date: Sat Sep 19 15:40:26 2026 +0300

Added HTML header

commit 68b1b31b4e7fb26dc7b2989aa2584f3b80070704

Author: Oryna <arbatrakk@gmail.com>

Date: Sat Sep 19 15:39:18 2026 +0300

Added standard HTML page tags

commit b1f3bcac356e6abd28d91816f157d34f081d6ec2

Author: Oryna <arbatrakk@gmail.com>

Date: Sat Sep 19 15:24:03 2026 +0300

Initial Commit

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git log --oneline

a62222a (HEAD -> main) Added HTML header

68b1b31 Added standard HTML page tags

b1f3bca Initial Commit

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git log --pretty=format:"%h %ad | %s%d [%an]" --date=short
a62222a 2026-09-19 | Added HTML header (HEAD -> main) [Oryna]

```
a62222a 2026-09-19 | Added HTML header (HEAD -> main) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git config --global format.pretty '%h %ad | %s%d [%an]'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git config --global log.date short
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git log
a62222a 2026-09-19 | Added HTML header (HEAD -> main) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git checkout <hash>
bash: syntax error near unexpected token `newline'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git checkout<hash>
bash: syntax error near unexpected token `newline'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git checkout <hash>
bash: syntax error near unexpected token `newline'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ cat hello.html
<html>
  <head>
  </head>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git switch main
Already on 'main'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git tag v1
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git log
a62222a 2026-09-19 | Added HTML header (HEAD -> main, tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git checkout v1^
Note: switching to 'v1^'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:

```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to `false`

HEAD is now at 68b1b31 Added standard HTML page tags

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((68b1b31...))
```

```
$ cat hello.html
```

```
<html>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((68b1b31...))
```

```
$ git tag v1-beta
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git log
```

```
68b1b31 2026-09-19 | Added standard HTML page tags (HEAD, tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git checkout v1
```

Previous HEAD position was 68b1b31 Added standard HTML page tags

HEAD is now at a62222a Added HTML header

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1))
```

```
$ git checkout v1-beta
```

Previous HEAD position was a62222a Added HTML header

HEAD is now at 68b1b31 Added standard HTML page tags

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git tag
```

```
v1
```

```
v1-beta
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git log maon --all
```

fatal: ambiguous argument 'maon': unknown revision or path not in the working tree.

Use '--' to separate paths from revisions, like this:

```
'git <command> [<revision>...] -- [<file>...']'
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git log main --all
```

```
a62222a 2026-09-19 | Added HTML header (tag: v1, main) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (HEAD, tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work ((v1-beta))
```

```
$ git switch main
```

Previous HEAD position was 68b1b31 Added standard HTML page tags
Switched to branch 'main'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: hello.html

no changes added to commit (use "git add" and/or "git commit -a")

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git restore hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ cat hello.html

<html>

<head>

</head>

<body>

<h1>Hello, World!</h1>

</body>

</html>

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git restore --staged hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git restore hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git status

On branch main

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git commit -m "Oops, we didn't want this commit"

```
> git revert HEAD
>
> git commit -m "Oops, we didn't want this commit"
git revert HEAD
> ^C
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit -m "Oops, we didn't want this commit"
[main e7778ee] Oops, we didn't want this commit
1 file changed, 1 insertion(+)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git revert HEAD
[main d1cb1bb] Revert "Oops, we didn't want this commit"
1 file changed, 1 deletion(-)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log
d1cb1bb 2026-09-19 | Revert "Oops, we didn't want this commit" (HEAD -> main) [Oryna]
e7778ee 2026-09-19 | Oops, we didn't want this commit [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git tag oops
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git reset --hard v1
HEAD is now at a62222a Added HTML header
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log
a62222a 2026-09-19 | Added HTML header (HEAD -> main, tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log --all
d1cb1bb 2026-09-19 | Revert "Oops, we didn't want this commit" (tag: oops) [Oryna]
e7778ee 2026-09-19 | Oops, we didn't want this commit [Oryna]
a62222a 2026-09-19 | Added HTML header (HEAD -> main, tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git tag -d oops
Deleted tag 'oops' (was d1cb1bb)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log --all
```

```
a62222a 2026-09-19 | Added HTML header (HEAD -> main, tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit -m "Added copyright statement"
[main 90bf4fd] Added copyright statement
1 file changed, 1 insertion(+)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log
90bf4fd 2026-09-19 | Added copyright statement (HEAD -> main) [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit --amend -m "Added copyright statement with email"
[main 9e0c64b] Added copyright statement with email
Date: Sat Sep 19 16:44:52 2026 +0300
1 file changed, 1 insertion(+)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git log
9e0c64b 2026-09-19 | Added copyright statement with email (HEAD -> main) [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git switch -c style
Switched to a new branch 'style'
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git status
On branch style
nothing to commit, working tree clean
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ touch style.css
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git add style.css
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git commit -m "Added css stylesheet"
[style 93a5ad0] Added css stylesheet
1 file changed, 3 insertions(+)
create mode 100644 style.css
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
```

```
$ git add hello.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git commit -m "Include stylesheet into hello.html"
[style f7ffd07] Include stylesheet into hello.html
1 file changed, 1 insertion(+)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git log --all
f7ffd07 2026-09-19 | Include stylesheet into hello.html (HEAD -> style) [Oryna]
93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
9e0c64b 2026-09-19 | Added copyright statement with email (main) [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git switch main
Switched to branch 'main'
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ cat hello.html
<!-- Author: Batrak Oryna (arbatrakk@gmail.com) -->
<html>
  <head>
  </head>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git switch style
bash: git: command not found
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git switch style
Switched to branch 'style'
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ cat hello.html
<!-- Author: Batrak Oryna (arbatrakk@gmail.com) -->
<html>
  <head>
    <link type="text/css" rel="stylesheet" media="all" href="style.css" />
  </head>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git log hello.html
f7ffd07 2026-09-19 | Include stylesheet into hello.html (HEAD -> style) [Oryna]
9e0c64b 2026-09-19 | Added copyright statement with email (main) [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git log style.css
93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git show v1
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
```

```
diff --git a/hello.html b/hello.html
index 103d1db..807ed91 100644
--- a/hello.html
+++ b/hello.html
@@ -1,4 +1,6 @@
<html>
+ <head>
+ </head>
<body>
  <h1>Hello, World!</h1>
</body>
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ mv hello.html index.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git status
On branch style
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    hello.html
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    index.html
```

no changes added to commit (use "git add" and/or "git commit -a")

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git add .
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git status
On branch style
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    renamed:    hello.html -> index.html
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ mkdir css
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git mv style.css css/style.css
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)
$ git status
On branch style
```

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

renamed: hello.html -> index.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ mkdir css

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git mv style.css css/style.css

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git status

On branch style

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

renamed: style.css -> css/style.css

renamed: hello.html -> index.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git commit -m "Renamed hello.html; moved style.css"

[style ad5d69a] Renamed hello.html; moved style.css

2 files changed, 0 insertions(+), 0 deletions(-)

rename style.css => css/style.css (100%)

rename hello.html => index.html (100%)

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log css/style.css

ad5d69a 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> style) [Oryna]

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --follow css/style.css

fatal: unrecognized argument: --follow

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --follow css/style.css

ad5d69a 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> style) [Oryna]

93a5ad0 2026-09-19 | Added css stylesheet [Oryna]

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git switch main

Switched to branch 'main'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add README

fatal: pathspec 'README' did not match any files

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add README.txt

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git commit -m "Added README"

[main 7c583cd] Added README

1 file changed, 1 insertion(+)

create mode 100644 README.txt

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git log --all --graph

```
* 7c583cd 2026-09-19 | Added README (HEAD -> main) [Oryna]
| * ad5d69a 2026-09-19 | Renamed hello.html; moved style.css (style) [Oryna]
| * f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
| * 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
```

```
| /
* 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
```

```
* a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
```

```
* 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
```

```
* b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git switch style

Switched to branch 'style'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git merge main

Merge made by the 'ort' strategy.

README.txt | 1 +

1 file changed, 1 insertion(+)

create mode 100644 README.txt

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --all --graph

```
* cec9d3d 2026-09-19 | Merge branch 'main' into style (HEAD -> style) [Oryna]
```

```
| \
| * 7c583cd 2026-09-19 | Added README (main) [Oryna]
```

```
| * ad5d69a 2026-09-19 | Renamed hello.html; moved style.css [Oryna]
```

```
| * f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
```

```
| * 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
```

```
| /
* 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
```

```
* a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
```

```
* 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
```

```
* b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git switch main

Switched to branch 'main'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git add hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git commit -m "Added meta title"

[main 1c05a0c] Added meta title

1 file changed, 2 insertions(+)

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git log --all --graph

```
* 1c05a0c 2026-09-19 | Added meta title (HEAD -> main) [Oryna]
```

```
| * cec9d3d 2026-09-19 | Merge branch 'main' into style (style) [Oryna]
```

```
| \
| |
| | /
| /
| * 7c583cd 2026-09-19 | Added README [Oryna]
```

```
* ad5d69a 2026-09-19 | Renamed hello.html; moved style.css [Oryna]
* f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
* 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
//
* 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
* a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
* 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
* b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

\$ git switch style

Switched to branch 'style'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git merge main

Auto-merging index.html

CONFLICT (content): Merge conflict in index.html

Automatic merge failed; fix conflicts and then commit the result.

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|MERGING)

\$ git status

On branch style

You have unmerged paths.

(fix conflicts and run "git commit")

(use "git merge --abort" to abort the merge)

Unmerged paths:

(use "git add <file>..." to mark resolution)

both modified: index.html

no changes added to commit (use "git add" and/or "git commit -a")

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|MERGING)

\$ git merge --abort

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git status

On branch style

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git merge main

Auto-merging index.html

CONFLICT (content): Merge conflict in index.html

Automatic merge failed; fix conflicts and then commit the result.

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|MERGING)

\$ git add index.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|MERGING)

\$ git commit -m "Resolved merge conflict"

[style 2c6f45d] Resolved merge conflict

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git status

On branch style

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --all --graph

```
* 2c6f45d 2026-09-19 | Resolved merge conflict (HEAD -> style) [Oryna]
|
| \
| * 1c05a0c 2026-09-19 | Added meta title (main) [Oryna]
| * | cec9d3d 2026-09-19 | Merge branch 'main' into style [Oryna]
| \
| * 7c583cd 2026-09-19 | Added README [Oryna]
| * | ad5d69a 2026-09-19 | Renamed hello.html; moved style.css [Oryna]
| * | f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
| * | 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
| \
| * 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
| * | a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
| * | 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
| * | b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git status

On branch style

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git switch style

Already on 'style'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --graph

```
* 2c6f45d 2026-09-19 | Resolved merge conflict (HEAD -> style) [Oryna]
|
| \
| * 1c05a0c 2026-09-19 | Added meta title (main) [Oryna]
| * | cec9d3d 2026-09-19 | Merge branch 'main' into style [Oryna]
| \
| * 7c583cd 2026-09-19 | Added README [Oryna]
| * | ad5d69a 2026-09-19 | Renamed hello.html; moved style.css [Oryna]
| * | f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
| * | 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
| \
| * 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
| * | a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
| * | 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
| * | b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git reset --hard HEAD~2

HEAD is now at ad5d69a Renamed hello.html; moved style.css

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --graph

```
* ad5d69a 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> style) [Oryna]
|
| * f7ffd07 2026-09-19 | Include stylesheet into hello.html [Oryna]
| * | 93a5ad0 2026-09-19 | Added css stylesheet [Oryna]
| * | 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
| * | a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
| * | 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
| * | b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git switch style

Already on 'style'

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git rebase main

Auto-merging hello.html

CONFLICT (content): Merge conflict in hello.html

error: could not apply f7ffd07... Include stylesheet into hello.html

hint: Resolve all conflicts manually, mark them as resolved with

hint: "git add/rm <conflicted_files>", then run "git rebase --continue".

hint: You can instead skip this commit: run "git rebase --skip".

hint: To abort and get back to the state before "git rebase", run "git rebase --abort".

hint: Disable this message with "git config set advice.mergeConflict false"

Could not apply f7ffd07... # Include stylesheet into hello.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|REBASE 2/3)

\$ git status

interactive rebase in progress; onto 1c05a0c

Last commands done (2 commands done):

pick 93a5ad0 # Added css stylesheet

pick f7ffd07 # Include stylesheet into hello.html

Next command to do (1 remaining command):

pick ad5d69a # Renamed hello.html; moved style.css

(use "git rebase --edit-todo" to view and edit)

You are currently rebasing branch 'style' on '1c05a0c'.

(fix conflicts and then run "git rebase --continue")

(use "git rebase --skip" to skip this patch)

(use "git rebase --abort" to check out the original branch)

Unmerged paths:

(use "git restore --staged <file>..." to unstage)

(use "git add <file>..." to mark resolution)

both modified: hello.html

no changes added to commit (use "git add" and/or "git commit -a")

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|REBASE 2/3)

\$ git add .

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style|REBASE 2/3)

\$ git rebase --continue

[detached HEAD 1f270bb] Include stylesheet into hello.html

1 file changed, 1 insertion(+), 1 deletion(-)

Successfully rebased and updated refs/heads/style.

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git status

On branch style

nothing to commit, working tree clean

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

\$ git log --all --graph

* 52d57a9 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> style) [Oryna]

* 1f270bb 2026-09-19 | Include stylesheet into hello.html [Oryna]

* a53e82b 2026-09-19 | Added css stylesheet [Oryna]

* 1c05a0c 2026-09-19 | Added meta title (main) [Oryna]

```
* 7c583cd 2026-09-19 | Added README [Oryna]
* 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
* a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
* 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
* b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (style)

```
$ git switch main
Switched to branch 'main'
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git merge style
Updating 1c05a0c..52d57a9
Fast-forward
 css/style.css          | 3 +++
 hello.html => index.html | 2 +-
2 files changed, 4 insertions(+), 1 deletion(-)
create mode 100644 css/style.css
rename hello.html => index.html (66%)
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ git log --all --graph
* 52d57a9 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> main, style) [Oryna]
* 1f270bb 2026-09-19 | Include stylesheet into hello.html [Oryna]
* a53e82b 2026-09-19 | Added css stylesheet [Oryna]
* 1c05a0c 2026-09-19 | Added meta title [Oryna]
* 7c583cd 2026-09-19 | Added README [Oryna]
* 9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
* a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
* 68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
* b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)

```
$ cd ..
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ pwd
/b/wt
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ ls
bash: ls: command not found
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ ls
work/
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ git clone work home
Cloning into 'home'...
done.
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ ls
home/  work/
```

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt

```
$ ls
README.txt  css/  index.html

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git log --all
52d57a9 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> main, origin/style, origin/main, origin/HEAD) [Oryna]
1f270bb 2026-09-19 | Include stylesheet into hello.html [Oryna]
a53e82b 2026-09-19 | Added css stylesheet [Oryna]
1c05a0c 2026-09-19 | Added meta title [Oryna]
7c583cd 2026-09-19 | Added README [Oryna]
9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git remote
origin

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git remote show origin
* remote origin
Fetch URL: B:/wt/work
Push URL: B:/wt/work
HEAD branch: main
Remote branches:
  main tracked
  style tracked
Local branch configured for 'git pull':
  main merges with remote main
Local ref configured for 'git push':
  main pushes to main (up to date)

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git branch
* main

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git branch -a
* main
remotes/origin/HEAD -> origin/main
remotes/origin/main
remotes/origin/style

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ cd ../work

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add README
fatal: pathspec 'README' did not match any files

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git add README.txy
fatal: pathspec 'README.txy' did not match any files

User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git add README.txt
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ git commit -m "Changed README in original repo"
[main 8f9ddfd] Changed README in original repo
1 file changed, 2 insertions(+), 1 deletion(-)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ cd ../home
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git fetch
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 372 bytes | 31.00 KiB/s, done.
From B:/wt/work
   52d57a9..8f9ddfd  main      -> origin/main
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git log --all
8f9ddfd 2026-09-19 | Changed README in original repo (origin/main, origin/HEAD) [Oryna]
52d57a9 2026-09-19 | Renamed hello.html; moved style.css (HEAD -> main, origin/style) [Oryna]
1f270bb 2026-09-19 | Include stylesheet into hello.html [Oryna]
a53e82b 2026-09-19 | Added css stylesheet [Oryna]
1c05a0c 2026-09-19 | Added meta title [Oryna]
7c583cd 2026-09-19 | Added README [Oryna]
9e0c64b 2026-09-19 | Added copyright statement with email [Oryna]
a62222a 2026-09-19 | Added HTML header (tag: v1) [Oryna]
68b1b31 2026-09-19 | Added standard HTML page tags (tag: v1-beta) [Oryna]
b1f3bca 2026-09-19 | Initial Commit [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ cat README
cat: README: No such file or directory
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git merge origin/main
Updating 52d57a9..8f9ddfd
Fast-forward
 README.txt | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ cat README
cat: README: No such file or directory
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ cat README.txt
This is the Hello World example from the Git tutorial.
(changed in origin)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git pull
Already up to date.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ git fetch
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ git merge origin/main
```

```
Already up to date.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ git branch --track style origin/style
```

```
branch 'style' set up to track 'origin/style'.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ git branch -a
```

```
* main  
style  
remotes/origin/HEAD -> origin/main  
remotes/origin/main  
remotes/origin/style
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ git log --max-count=2
```

```
8f9ddfd 2026-09-19 | Changed README in original repo (HEAD -> main, origin/main, origin/HEAD) [Oryna]  
52d57a9 2026-09-19 | Renamed hello.html; moved style.css (origin/style, style) [Oryna]
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
```

```
$ cd ..
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
```

```
$ git clone --bare work work.git
```

```
Cloning into bare repository 'work.git'...  
done.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
```

```
$ ls work.git
```

```
HEAD config description hooks/ info/ objects/ packed-refs refs/
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt
```

```
$ cd work
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git remote add shared ../work.git
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git switch main
```

```
Already on 'main'
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git add README.txt
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git commit -m "Added shared comment to readme"
```

```
On branch main
```

```
nothing to commit, working tree clean
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
```

```
$ git push shared main
```

```
Everything up-to-date
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/work (main)
$ cd ../home
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git remote add shared ../work.git
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git branch --track shared main
branch 'shared' set up to track 'main'.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git pull shared main
From ../work
 * branch          main          -> FETCH_HEAD
 * [new branch]    main          -> shared/main
Already up to date.
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ cat README.txt
This is the Hello World example from the Git tutorial.
(changed in origin)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ #(From the "repositories" directory)
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git daemon --verbose --export-all --base-path=.
[7348] Ready to rumble
```

```
User@WIN-RJMC7HJM2T5 MINGW64 /b/wt/home (main)
$ git daemon --verbose --export-all --base-path=.
[15096] Ready to rumble
```