

Introduction to Packages *xcolor* and *tikz* How to make an impression with LATEX?

Brian Pham

February 24, 2014





PERSONALITY DIMENSION		CHARACTERISTICS OF A PERSON SCORING POSI- TIVELY ON THE DIMENSION
1.	Extraversion	Outgoing, talkative, sociable, assertive
2.	Agreeableness	Trusting, good-natured, cooperative, softhearted
3.	Conscientiousness	Dependable, responsible, achievement oriented, persistent
4.	Emotional stability	Relaxed, secure, unworried
5.	Openness to experience	Intellectual, imaginative, curious, broad-minded

PERSONALITY DIMENSION		CHARACTERISTICS OF A PERSON SCORING POSI- TIVELY ON THE DIMENSION
1.	Extraversion	Outgoing, talkative, sociable, assertive
2.	Agreeableness	Trusting, good-natured, cooperative, softhearted
3.	Conscientiousness	Dependable, responsible, achievement oriented, persistent
4.	Emotional stability	Relaxed, secure, unworried
5.	Openness to experience	Intellectual, imaginative, curious, broad-minded




Figure : A Values Model of Work-Family Conflict




Figure: Comparison of Roles among Financial Institutions




Figure: Impact of a Sudden Expectation of Changes Interest Rates

The package *xcolor* provides users a variety of choices for colors. LATEX comes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

The package *xcolor* provides users a variety of choices for colors. LATEX comes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

The package *xcolor* provides users a variety of choices for colors. LATEX comes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

Some examples:

• How does a mixture of 40% green and 90% yellow look like?

The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

Some examples:

How does a mixture of 40% green and 90% yellow look like?
 (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})

The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

- How does a mixture of 40% green and 90% yellow look like?
 (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})
- And how does its complementary color look like?

The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

- How does a mixture of 40% green and 90% yellow look like?
 (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})
- And how does its complementary color look like?
 (Answer: notG40Y90, \color{-green!40!yellow})

The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

- How does a mixture of 40% green and 90% yellow look like?
 (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})
- And how does its complementary color look like?
 (Answer: notG40Y90, \color{-green!40!yellow})
- How about mixing 3 parts of the last color with 2 parts of its complement and 1 part of red?

The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

- How does a mixture of 40% green and 90% yellow look like?
 (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})
- And how does its complementary color look like?
 (Answer: notG40Y90 , \color{-green!40!yellow})
- How about mixing 3 parts of the last color with 2 parts of its complement and 1 part of red?



The package *xcolor* provides users a variety of choices for colors. LaTeXcomes preloaded with package *color*; however, this package does not give users the flexibility of mixing or defining new color patterns.

Some examples:

- How does a mixture of 40% green and 90% yellow look like? (Answer: 40% + 90% = G40Y90,\color{green!40!yellow!90})
- And how does its complementary color look like?
 (Answer: notG40Y90 , \color{-green!40!yellow})
- How about mixing 3 parts of the last color with 2 parts of its complement and 1 part of red?

```
(Answer: 3 \times 1 + 2 \times 1 + 1 \times 1 = 1, \color{rgb:-green!40!yellow,3;green!40!yellow,2;red,1})
```

For more information, go to http://ftp.math.purdue.edu/mirrors/ctan.org/macros/latex/contrib/xcolor/xcolor.pdf.



The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

Go to http://en.wikibooks.org/wiki/LaTeX/Colors to check out these colors and their names.

To color text, use \textcolor{defined-color}{text};e.g., \textcolor{BrickRed}{text} gives text

The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

- To color text, use \textcolor{defined-color}{text};e.g., \textcolor{BrickRed}{text} gives text
 - Or {\color{defined-color} text}

The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

- To color text, use \textcolor{defined-color}{text};e.g., \textcolor{BrickRed}{text} gives text
 - Or {\color{defined-color} text}
- Other useful commands:\colorbox, \fcolorbox

The package *xcolor* needs to be loaded in the preamble. If we want to use the premixed colors the we need to specify the *xcolor* options. For example, the command

\usepackage[dvipsnames,table]{xcolor} will enable the use of several premixed colors.

- To color text, use \textcolor{defined-color}{text};e.g., \textcolor{BrickRed}{text} gives text
 - Or {\color{defined-color} text}
- Other useful commands:\colorbox, \fcolorbox
- Create your own color, use \definecolor{''name''}{''model''}{''color-spec''}.
 For example, I created my own Dark Green color by \definecolor{drkgreen}{RGB}{5,102,51}.

Colors in *tabular* environment

PE	RSONALITY DIMENSION	CHARACTERISTICS OF A PERSON SCORING POSITIVELY ON THE DIMENSION
1.	Extraversion	Outgoing, talkative, sociable, assertive
2.	Agreeableness	Trusting, good-natured, cooperative, softhearted
3.	Conscientiousness	Dependable, responsible, achievement oriented, persistent
4.	Emotional stability	Relaxed, secure, unworried
5.	Openness to experience	Intellectual, imaginative, curious, broad-minded

Colors in *tabular* environment

PERSONALITY DIMENSION		CHARACTERISTICS OF A PERSON SCORING POSI- TIVELY ON THE DIMENSION
1.	Extraversion	Outgoing, talkative, sociable, assertive
2.	Agreeableness	Trusting, good-natured, cooperative, softhearted
3.	Conscientiousness	Dependable, responsible, achievement oriented, persistent
4.	Emotional stability	Relaxed, secure, unworried
5.	Openness to experience	Intellectual, imaginative, curious, broad-minded

Introduction to tikz

 $\it Tikz$ is probably the most comprehensive drawing tool for $\it \Delta T_E X$ documents.

Introduction to tikz

 $\it Tikz$ is probably the most comprehensive drawing tool for $\it \Delta T_E X$ documents.

• Challenging - Requires a big learning curve

Introduction to tikz.

Tikz is probably the most comprehensive drawing tool for LATEX documents.

- Challenging Requires a big learning curve
- Point mapping Requires a good knowledge about geometry

Introduction to tikz,

Tikz is probably the most comprehensive drawing tool for LATEX documents.

- Challenging Requires a big learning curve
- Point mapping Requires a good knowledge about geometry
- Fun

Introduction to tikz.

Tikz is probably the most comprehensive drawing tool for <u>ATEX</u>documents.

- Challenging Requires a big learning curve
- Point mapping Requires a good knowledge about geometry
- Fun

The *Tikz* package needs to be loaded in the preamble before we can use it. The usual *Tikz* environment looks like this

```
\begin{figure}
  \begin{tikzpicture}
    ...code...
  \end{tikzpicture}
\end{figure}
```


```
\begin{tikzpicture} \draw (0,0) --(3,1); \end{tikzpicture}
```

```
\begin{tikzpicture}
\draw (0,0) --(3,1);
\end{tikzpicture}
```

```
\draw (0,0) --(1,2) -- (2,3) -- (1,0);
\draw[help lines] (0,0) grid (2,3);
```



```
\begin{tikzpicture}
\draw (0,0) --(3,1);
\end{tikzpicture}
```






```
\draw [ultra thick, blue, fill=orange]
(0,0) rectangle (1.5,1);
\draw [red, ultra thick] (3,0.5)
circle [radius=0.5];;
\draw [gray] (6,0) arc [radius=1,
start angle=45, end angle= 120];
```







```
\begin{tikzpicture}
\draw (0,0) --(3,1);
\end{tikzpicture}
```






```
\draw [ultra thick, blue, fill=orange]
(0,0) rectangle (1.5,1);
\draw [red, ultra thick] (3,0.5)
circle [radius=0.5];;
\draw [gray] (6,0) arc [radius=1,
start angle=45, end angle= 120];
```

```
\draw [help lines, <->] (0,0) -- (6.5,0);
\draw [help lines, ->] (0,-1.1) -- (0,1.1);
\draw [green,domain=0:2*pi]
plot (\x, {(sin(\x r)* ln(\x+1))/2});
\draw [red,domain=0:pi] plot (\x, {sin(\x r)});
\draw [blue, domain=pi:2*pi]
plot (\x, {cos(\x r)*exp(\x/exp(2*pi))});
```









For more information, go to http://cremeronline.com/LaTeX/minimaltikz.pdf.



More Involved Examples


Financial Time Lines

```
TIME
                                                                  16
                                                                                      20
         Primary (6%)
                        $1.500
                                  (2)1.500
                                           (3)1.500 · · · (16)1.500
           (Balance)
         Reinvest (5.2%)
                                   $90
                                             (2)90
                                                      (15)90
                                                                (16)90
                                                                                    (16)90
\begin{tikzpicture}[snake=zigzag, line before snake = 5mm, line after snake = 5mm, x=55]
  \draw (1.0) (2.0)-- (3.0)--(4.0)(5.0)--(5.5.0):
  \draw[red.->] (2,-.6) to [out=-45,in=-235] (3,-1):
 \draw[red, ->] (3,-.6) to [out=-45,in=-235] (4,-1);
  \draw[red.->] (5,-.6) to [out=-45,in=-235] (6,-1):
  \draw[red.->] (5,-.6) to [out=-25.in=-225] (7,-1):
 \draw[red.->] (5,-.6) to [out=-25,in=-225] (8,-1);
  \draw[snake] (4.0)--(5.0) (6.5.0)--(7.5.0):
  \frac{5.5,0}{-(6.5,0)(7.5,0)-(8,0)}
  \draw (.75,0) node[left,above=2pt] {TIME};
  \draw (0.75.0) node[left.below=3pt] {Primary (6\%)}:
  \draw (0.75,0) node[left,below=15pt] {(\textit{Balance}));
  \draw
        (.85,0) node[left,below=30pt] {Reinvest (5.2\%)};
  \draw (2, 0) node[above=2pt] {0};
  \draw (3, 0) node[above=2pt] {1};
  \draw (4, 0) node[above=2pt] {2};
  \draw (4.5, 0) node[above=2pt] {$\cdots$}:
 \draw (5, 0) node[above=2pt] {15};
  \draw (6, 0) node[above=2pt] {16};
  \draw (7, 0) node[above=2pt] {$\cdots$}:
  \draw (8, 0) node[above=2pt] {20}:
```

```
TIME
                         0
                                                      15
                                                                16
                                                                                    20
                       $1.500
                                (2)1,500
                                          (3)1,500 ··· (16)1.500
       Primary (6%)
         (Balance)
       Reinvest (5.2%)
                                  $90
                                                               (16)90
                                                                                   (16)90
                                           (2)90
                                                    (15)90
\draw (2, 0) node[below=3pt] {\$1,500}:
\draw (3, 0) node[below=3pt] {(2)1,500};
\draw (4, 0) node[below=3pt] {(3)1,500};
\draw (4.5, 0) node[below=3pt] {$\cdots$}:
\draw (5, 0) node[below=3pt] {(16)1,500};
\draw (7, 0) node[below=3pt] {\$\cdots\};
\draw (2, 0) node[below=30pt] {};
\draw (3, 0) node[below=30pt] {$\$90$};
\draw (4, 0) node[below=30pt] {$(2)90$};
\draw (4.5, 0) node[below=30pt] {$\cdots$};
\draw (5, 0) node[below=30pt] {$(15)90$};
\draw (6, 0) node[below=30pt] {$(16)90$}:
\draw (7, 0) node[below=30pt] {$\cdots$}:
\draw (8, 0) node[below=30pt] {$(16)90$};
\draw[] (2,-0.1) -- (2,0.1):
\draw[] (3,-0.1) -- (3,0.1);
draw[] (4,-0.1) -- (4,0.1);
\draw[] (5,-0.1) --(5,0.1):
\draw[] (6,-0.1) -- (6.0.1):
\draw[] (7,-0.1) (7,0.1);
\draw[] (8,-0.1) -- (8,0.1):
```

\end{tikzpicture}

Diagrams in *Tikz*



```
\resizebox{7cm}{!}{
\begin{tikzpicture}
\node [block] (MF) {\color{white}\textbf{Mutual Funds}}:
\node [block, above of=MF, yshift=1em] (FC) {\color{white}\textbf{Finance Companies}};
\node [decision. left of=FC. xshift=-5em] (SU) {\color{white}\textbf{Surplus Units}}:
\node [block, above of=FC, vshift=1em] (DI) {\color{white}\textbf{Depository Institutions}
          (Commercial Banks, Savings Institutions, Credit Unions) }};
\node [block, below of=MF, yshift=-1em](Ins){\color{white}\textbf{Insurance Companies}};
\node [block1, left of=Ins, xshift=-10em] (Holders) {\color{white}\textbf{Policyholders}}:
\node [block, below of=Ins, yshift=-1em](PF){\color{white}\textbf{Pension Funds}};
\node [block1, left of=PF, xshift=-10em] (EE) {\color{white}\textbf{Employers and Employees}};
\node [elli, right of=MF, xshift=10em] (DU) {\color{white}\textbf{Deficit Units (Firms.
            Government Agencies, Some Individuals)}}:
\path [line] (SU) |-node[vshift=0.755em, xshift=8em] {\color{black}Deposits}(DI):
\path [line] (SU) -- node[vshift=0.75em, xshift=.5em] {\color{black}Purchase}
                  node[yshift=-0.75em, xshift=.5em] {\color{black}Securities}(FC);
\path [line] (SU) |- node[yshift=0.75em, xshift=8em] {\color{black}Purchase}
                  node[vshift=-0.75em, xshift=8em] {\color{black}Shares}(MF);
\path [line] (Holders) -- node[yshift=0.75em, xshift=.5em] {\color{black}Premium}(Ins);
\path [line] (EE) -- node[yshift=0.75em, xshift=.5em] {\color{black}Employee}
                node[vshift=-0.75em, xshift=.5em] {\color{black}Contributions}(PF):
\path [line] (DI) -|(DU);
\path [line] (FC) -|(DU):
\path [line] (MF) --(DU):
\path [line] (Ins) -|(DU);
\path [line] (PF) -|(DU);
\end{tikzpicture}}
\end{figure}
```

Take-Home Challenge

