

bautista la roca 5to B

(15 de enero de 2018), el tipo de crimen (**asesinato**) y la ciudad (**SQL City**)

Run this query to find the names of the tables in this database.

This command is specific to SQLite. For other databases, you'll have to learn their specific syntax.

```
1 SELECT description
2 FROM crime_scene_report
3 WHERE date = 20180115
4 AND type = 'murder'
5 AND city = 'SQL City';
```

RUN ↴

RESET

description

Security footage shows that there were 2 witnesses. The first witness lives at the last house on "Northwestern Dr". The second witness, named Annabel, lives somewhere on "Franklin Ave".

identificar a las personas de crime_scene_report El primer testigo vive en la última casa (el número de puerta más alto) de Northwestern Dr. El segundo testigo es Annabel, que vive en Franklin Ave.

Use your knowledge of the database schema and SQL commands to find out who committed the murder.

When you think you know the answer, go to the next section.

```
1
2 SELECT * FROM person
3 WHERE address_street_name like 'Northwestern Dr'
4 ORDER BY address_number DESC LIMIT 3
5
6
7
```

RUN ↴

RESET

id	name	license_id	address_number	address_street_name	ssn
14887	Morty Schapiro	118009	4919	Northwestern Dr	111564949
17729	Lasonya Wildey	439686	3824	Northwestern Dr	917817122
53890	Sophie Tiberio	957671	3755	Northwestern Dr	442830147

vemos a el ultimo en Northwestern con el DESC (el limite es solo para mostrar la cantidad)

14887 Morty Schapiro

es el ultimo

Use your knowledge of the database schema and SQL commands to find out who committed the murder.
When you think you know the answer, go to the next section.

```
1
2 SELECT * FROM person
3 WHERE address_street_name like 'Franklin Ave'
4 AND name LIKE 'Annabel%'
5
6
```

RUN ↴

RESET

id	name	license_id	address_number	address_street_name	ssn
16371	Annabel Miller	490173	103	Franklin Ave	318771143

16371 Annabel Miller es la otra que vive en Franklin Ave

ahora hacemos un interview primero de Morty

```
1
2 SELECT transcript,name FROM person
3 JOIN interview ON person.id = interview.person_id
4 where person.name LIKE 'Morty Schapiro'
5
6
7
8
```

RUN ↴

RESET

transcript	name
I heard a gunshot and then saw a man run out. He had a "Get Fit Now Gym" bag. The membership number on the bag started with "48Z". Only gold members have those bags. The man got into a car with a plate that included "H42W".	Morty Schapiro

y ahora de annabel

Use your knowledge of the database schema and SQL commands to find out who committed the murder.

When you think you know the answer, go to the next section.

```
1
2 SELECT transcript,name FROM person
3 JOIN interview ON person.id = interview.person_id
4 where person.name LIKE 'Annabel Miller'
5
6
7
8
```

RUN ↴

RESET

transcript	name
I saw the murder happen, and I recognized the killer from my gym when I was working out last week on January the 9th.	Annabel Miller

datos de las interview:

membresia del tipo “48Z” gold

“H42W”

buscamos en el gym el id del usuario y nos da 3 pero tambien nos dice que es gold asique el silver se descarta pero ahora

Use your knowledge of the database schema and SQL commands to find out who committed the murder.

When you think you know the answer, go to the next section.

```
1 SELECT * FROM get_fit_now_member WHERE id LIKE '%48Z%'
2
3
4
```

RUN ↴

RESET

id	person_id	name	membership_start_date	membership_status
48Z38	49550	Tomas Baisley	20170203	silver
48Z7A	28819	Joe Germuska	20160305	gold
48Z55	67318	Jeremy Bowers	20160101	gold

necesito identificar ya en base a todo los datos que tenemos

Use your knowledge of the database schema and SQL commands to find out who committed the murder.

When you think you know the answer, go to the next section.

```
1 SELECT * from get_fit_now_check_in gc
2 JOIN get_fit_now_member gm ON gc.membership_id = gm.id
3 JOIN person p ON gm.person_id = p.id
4 JOIN drivers_license dl ON p.license_id = dl.id
5 WHERE gc.membership_id LIKE '48Z%' AND gm.membership_status LIKE 'gold' AND plate_numl
6 |
7
```

RUN ↴

RESET

membership_id	check_in_date	check_in_time	check_out_time	id	person_id	name	membership_id
48Z55	20180109	1530	1700	48Z55	67318	Jeremy Bowers	20160101

entrelazamos con los join y el where es que agarra los datos y empieza a usarlos para descartar gente para encontrar al murder