

Table of contents

Auto Coding

Auto Cross Coding - LAC Matching	3
Auto Cross Coding - Image Auto-Coding	5
Auto Cross Coding - Following existing Cross coding, Country Specific and Short Description	7
Auto Cross Coding - External Information Mappings	9
Auto Cross Coding – Changed RAC	11
Auto Cross Coding – Changed LAC	13
AutoCross Coding Overview	15

RMS RD - Training Material

OGRDS Navigation Workshop	17
Cross Coding Workshop	18
OGRDS Search Training	19
Item Coding Lite Workspace Workshop	20
Branding Characteristics Overview Workshop	21
Global Numeric Chars & Type of Packaging Workshop	22
Banded Pack Coding Workshop	23
History Workshop	24
Rule Set Browser Overview	25

Validation Browser & LAC to EAN Conversion Overview Workshop 26

Item View Workshop 27

Auto Cross Coding - LAC Matching

Standard Operating Procedure

LAC Matching Auto Coding

Introduction

This document provides a comprehensive overview of the LAC Matching Auto Coding functionality. It is derived from the PowerPoint presentation and aims to explain the business need, set up, maintenance, potential errors, and compliance aspects of the LAC Matching process. The content is structured to reflect the original presentation while expanding on key points for clarity and documentation purposes.

Overview

The LAC Matching Auto Coding functionality is designed to streamline the process of coding Local Article Codes (LACs) by mimicking user behavior. It automates the matching of LACs to existing items based on descriptions, price thresholds, and configuration parameters. This reduces manual effort and improves data consistency across systems.

Do's and Don'ts

Do's

- Ensure LAC descriptions are accurate and not overly generic.
- Regularly update the frequently used descriptions list.
- Use the LAC Matching Window and Price Max % parameters effectively.
- Review auto-coded items for accuracy and compliance.
- Utilize the Common LAC Definitions configuration where applicable.

Don'ts

- Do not rely solely on automation without periodic manual review.
- Avoid using vague descriptions like 'NO DESCRIPTION'.
- Do not ignore the price difference threshold when configuring auto-coding.
- Avoid enabling auto-coding for processing groups that require manual validation.

Summary

LAC Matching Auto Coding is a powerful tool that enhances efficiency in item coding by leveraging automation. Proper configuration and maintenance are essential to ensure its effectiveness. This document has outlined the key aspects of the functionality, including setup, enhancements, potential pitfalls, and compliance measures. For a visual representation and further explanation, refer to the original PowerPoint presentation linked below.

Refer to the original PowerPoint presentation "OGRDS Lite Workspace.pptx" for images and further explanation.

A reference to the original PowerPoint for visual context:

[Configuration - LAC MATCHING AUTO CODING .pptx](#)

Auto Cross Coding - Image Auto-Coding

Standard Operating Procedure

Auto Cross Coding - Image Auto-Coding

Introduction

This document provides a comprehensive overview of the Image Auto-Coding functionality as outlined in the PowerPoint presentation titled 'Configuration - Image Autocoding'. It elaborates on the objectives, business needs, configuration steps, and rules associated with automating image-based exceptions in product coding. The content has been expanded from bullet points into detailed paragraphs to ensure clarity and professional documentation.

Overview

Image Auto-Coding is a process designed to streamline the handling of image exceptions in product coding. By automating the coding of products that have recently received images or are part of 'out' markets, the system reduces manual workload and enhances operational efficiency. This functionality is governed by a set of business rules and configurations that ensure accuracy and compliance.

Do's and Don'ts

Do's

- Ensure the 'Autocode image exception' flag is correctly set for exception data sources.
- Configure the 'Autocode image resupplied within' window appropriately at the country level.
- Verify that all cross-coding's for the same external code and country are linked to a single destination.

- Enable the AUTO CODE checkbox in the Processing Group Browser to include image auto-coding steps.

Don'ts

- Do not configure the image resupply window to exceed 56 days.
- Avoid manual intervention when the auto-coding rules are satisfied.
- Do not dispatch codes before the receipt of the exception if the dispatch flag is set to 'DO NOT DISPATCH'.
- Do not overlook duplicate image exceptions that may create unnecessary workload.

Summary

Image Auto-Coding is a valuable enhancement to the product coding workflow, reducing manual effort and improving efficiency. By adhering to the defined business rules and configuration parameters, organizations can ensure accurate and timely coding of image-based exceptions. This documentation serves as a reference for implementing and maintaining the Image Auto-Coding functionality within the OGRDS system.

A reference to the original PowerPoint for visual context:

[Configuration - Image Autocoding.pptx](#)

Auto Cross Coding - Following existing Cross coding, Country Specific and Short Description

Standard Operating Procedure

Auto Cross Coding - Following existing Cross coding, Country Specific and Short Description

Introduction

This document provides a comprehensive introduction to the auto-coding functionalities within OGRDS, specifically focusing on Following Existing Cross Coding, Country Specific Auto Cross Coding, and Short Description Filtering. These features are designed to streamline exception handling and reduce manual intervention by leveraging system intelligence and predefined rules.

Overview

The auto-coding mechanisms in OGRDS aim to automate the classification and destination assignment of exceptions based on existing data and configurations. This includes:

- Following Existing Cross Coding
- Country Specific Auto Cross Coding
- Short Description Filtering

Do's and Don'ts

Do's

- Use standard OGRDS auto-coding routines for exception handling.

- Ensure configurations are updated regularly to reflect current retailer practices.
- Review auto-coded exceptions periodically to validate accuracy.

Don'ts

- Do not bypass standard procedures when requesting new auto-coding functionalities.
- Avoid manual coding when the system can reliably auto-code based on existing rules.
- Do not ignore short descriptions; ensure they are correctly classified.

Summary

This document outlines the key components of auto-coding within OGRDS, focusing on Following Existing Cross Coding, Country Specific Auto Cross Coding, and Short Description Filtering. By adhering to these processes, organizations can enhance data accuracy, reduce manual workload, and maintain compliance with SOPs.

A reference to the original PowerPoint for visual context:

[Configuration - Following existing Cross coding, Country Specific and Short Descriptions Auto Coding.pptx](#)

Auto Cross Coding - External Information Mappings

Standard Operating Procedure

Auto Cross Coding - External Information Mappings Configuration

Introduction

This document provides a comprehensive introduction to the External Information Mapping (EIM) functionality within OGRDS. It is designed to automate and streamline the cross-coding process by leveraging retailer structure information such as department codes and descriptions. The content herein is derived from the PowerPoint presentation titled 'Configuration - External Input Mapping.pptx' and is structured to maintain the original flow and intent of the slides.

Overview

External Information Mapping (EIM) is a configuration tool used to automate the cross-coding of exceptions based on predefined rules. These rules utilize retailer-provided information such as department codes, descriptions, and external descriptions to predict or directly assign exceptions to the correct destination items. The EIM functionality reduces manual workload and improves coding accuracy by applying logical mappings across various countries and processing groups.

Do's and Don'ts

Do's

- Use advanced search to filter preferred rules.
- Create EIM rules using regular expressions carefully.
- Run RR104 report to detect conflicting rules.

- Use EIM surgery to insert or delete rules efficiently.
- Always flag EIM rules to Standard Item as 'Auto code'.

Don'ts

- Avoid creating rules that conflict with existing mappings.
- Do not use lowercase 'y' when flagging auto-code in surgery files.
- Avoid using ambiguous regular expressions that may match unintended descriptions.

Summary

External Information Mapping is a powerful tool that enables automation of exception coding based on retailer-provided data. By configuring rules and leveraging enhancements such as price criteria and null operators, users can significantly reduce manual effort and improve coding accuracy. Proper setup, regular review, and adherence to best practices ensure optimal use of EIM functionality. For further visual reference and detailed explanation, please refer to the PowerPoint presentation 'Configuration - External Input Mapping.pptx'.

A reference to the original PowerPoint for visual context:

[Configuration - External Input Mapping.pptx](#)

Auto Cross Coding – Changed RAC

Standard Operating Procedure

Auto Cross Coding – Change RAC Configuration

Introduction

This document provides a comprehensive overview of the Changed RAC Auto-Coding functionality within the OGRDS system. It is based on the PowerPoint presentation titled 'Configuration - Change RAC Autocoding' and aims to expand upon the content in a structured and professional format. The document outlines the business needs, configuration details, implementation process, and enhancements related to Changed RAC Auto-Coding. It also includes key do's and don'ts, an overview, and a summary to guide users in understanding and applying the SOP effectively.

Overview

Changed RAC Auto-Coding is designed to automate the cross-coding process for Retailer Article Codes (RACs) that have undergone minor or cosmetic description changes. This functionality reduces manual effort and improves efficiency by leveraging similarity algorithms to identify and auto-code RACs that still represent the same product. The process is governed by configurable parameters at the country and processing group levels, ensuring flexibility and control over auto-coding behavior.

Do's and Don'ts

Do's

- Configure similarity thresholds appropriately at the country and processing group levels.
- Enable auto-coding only for processing groups where it is validated and beneficial.

- Use the RR109 report to validate auto-coding results and ensure accuracy.
- Review and update configuration settings periodically to reflect business needs.

Don'ts

- Do not enable auto-coding for RACs with significant description or numeric differences.
- Avoid using department or supplier codes unless necessary for accurate matching.
- Do not rely solely on auto-coding without periodic validation and review.
- Avoid setting overly broad similarity thresholds that may lead to incorrect matches.

Summary

The Changed RAC Auto-Coding functionality streamlines the cross-coding process by automating the handling of minor description changes. By leveraging configurable similarity thresholds and validation reports, organizations can reduce manual workload and improve coding accuracy. Proper configuration and periodic review are essential to ensure the effectiveness and reliability of this automation. For a visual representation and further explanation, please refer to the original PowerPoint presentation: Configuration - Change RAC Autocoding.pptx.

A reference to the original PowerPoint for visual context:

[Configuration - Change RAC Autocoding.pptx](#)

Auto Cross Coding – Changed LAC

Standard Operating Procedure

Auto Cross Coding – Change LAC Configuration

Introduction

This document provides a comprehensive introduction to the Changed LAC Auto-Coding functionality. It is derived from the PowerPoint presentation titled 'Configuration - Change LAC Auto-coding'. The content has been expanded and structured to offer a detailed understanding of business needs, configuration, implementation, and interaction with GRFE. The document maintains the logical flow and intent of the original slides, offering a professional and coherent narrative.

Overview

Changed LAC Auto-Coding is a functionality designed to automate the coding of Local Article Codes (LACs) that have undergone minor or cosmetic description changes. This automation reduces manual intervention, improves efficiency, and ensures consistency in cross-coding processes. The system leverages similar algorithms to match new LACs with existing ones and applies configurable parameters to determine auto-coding eligibility.

Do's and Don'ts

Do's

- Ensure configuration parameters are correctly set at both country and processing group levels.
- Use the similarity percentage threshold to fine-tune auto-coding accuracy.
- Review the RR109 report to validate auto-coding outcomes.
- Enable the 'Automatically Link Changed LACs' option where applicable.

Don'ts

- Do not rely solely on numeric string matches for auto-coding decisions.
- Avoid enabling auto-coding without validating the impact on existing cross-coding records.
- Do not overlook the importance of excluding frequently used or ambiguous descriptions.
- Avoid using department codes or descriptions unless necessary for the configuration.

Summary

The Changed LAC Auto-Coding functionality streamlines the process of managing LAC updates by automating the identification and coding of similar descriptions. With configurable parameters and validation tools, it ensures accuracy and reduces manual workload. Proper configuration and adherence to best practices are essential for maximizing the benefits of this functionality.

For further visual reference and detailed explanations, please refer to the original PowerPoint presentation: "Configuration – Cha

A reference to the original PowerPoint for visual context:

Configuration - Change LAC
Autocoding.pptx

AutoCross Coding Overview

Standard Operating Procedure

AutoCross Coding Overview

Introduction

This document provides a comprehensive introduction to the Auto Cross Coding functionality, as outlined in the PowerPoint presentation titled 'AutoCross Coding Overview'. The purpose of this documentation is to present the concepts, objectives, and processes involved in Auto Cross Coding, which is designed to reduce manual workload and optimize automation in exception handling within the OGRDS system.

Overview

Auto Cross Coding is a systematic approach to automate the handling of exceptions received from retailers. These exceptions typically involve external codes—numeric or alphanumeric identifiers associated with products. The system aims to minimize manual intervention by automatically coding exceptions based on predefined rules, patterns, and predictive models. This document elaborates on the various Auto Cross Coding steps, their purposes, and the benefits they offer.

Do's and Don'ts

Do's

- Do configure Auto Cross Coding parameters appropriately for each country and processing group.
- Do review and validate auto-coded exceptions using RR109 reports.
- Do use External Information Mapping rules to automate cross coding based on retailer structure.
- Do leverage predictive models to enhance automation and reduce manual workload.

- Do ensure that exceptions with identical descriptions and matching parameters are auto-coded to the correct destination.

Don'ts

- Don't rely solely on manual review for exceptions that can be auto-coded.
- Don't auto-code exceptions with significant price differences beyond configured thresholds.
- Don't create conflicting External Information Mapping rules without validation.
- Don't overlook the importance of maintaining frequently used descriptions lists.
- Don't auto-code exceptions when multiple exact description matches exist without proper configuration.

Summary

Auto Cross Coding is a vital functionality within the OGRDS system that significantly reduces manual workload by automating the coding of exceptions. Through various steps such as LAC Matching, Changed LAC Auto-Coding, External Information Mapping, Predictive Modeling, and Country-Specific configurations, the system ensures accurate and efficient processing. Proper configuration, validation, and adherence to SOPs are essential to maximize the benefits of Auto Cross Coding.

A reference to the original PowerPoint for visual context:

[AutoCross Coding Overview.pptx](#)

OGRDS Navigation Workshop

Your browser does not support PDF. Click [here](#) to download.

Cross Coding Workshop

Your browser does not support PDF. Click [here](#) to download.

OGRDS Search Training

Your browser does not support PDF. Click [here](#) to download.

Item Coding Lite Workspace Workshop

Your browser does not support PDF. Click [here](#) to download.

Branding Characteristics Overview

Workshop

Your browser does not support PDF. Click [here](#) to download.

Global Numeric Chars & Type of Packaging Workshop

Your browser does not support PDF. Click [here](#) to download.

Banded Pack Coding Workshop

Your browser does not support PDF. Click [here](#) to download.

History Workshop

Your browser does not support PDF. Click [here](#) to download.

Rule Set Browser Overview

Your browser does not support PDF. Click [here](#) to download.

Validation Browser & LAC to EAN Conversion Overview Workshop

Your browser does not support PDF. Click [here](#) to download.

Item View Workshop

Your browser does not support PDF. Click [here](#) to download.