# AKSHAYA COLLEGE OF ARTS & SCIENCE Kinathukadavu, Coimbatore – 642109

### TO SUPPLY LEFTOVER FOOD TO POOR

ID: NM2025TMID24852

**TEAM LEADER: BAVITHRA M** 

TEAM MEMBERS: DHIYA B KEERTHANA R SELVADHARSHINI S AKALYA A

### 1.INTRODUCTION

## 1.1 Project Overview

This project titled "To Supply Leftover Food to Poor" aims to address the critical issue of food wastage and hunger by creating a sustainable system to collect leftover food from restaurants, hostels, functions, etc., and distribute it to underprivileged people in urban and rural areas.


## 1.2 Purpose

The main purpose of this project is to reduce food wastage and alleviate hunger by collecting leftover, edible food from sources like restaurants, hostels, weddings, and other events, and distributing it to the needy and underprivileged people in society.


## **DEVELOPMENT PHASE**


## **Creating Developer Account:**


By using this URL - <a href="https://www.salesforce.com/form/developer-signup/?d=pb">https://www.salesforce.com/form/developer-signup/?d=pb</a>




## Created objects: Venue, Drop-Off Point, Task, Volunteer, Execution Detail:













## **Developed Lightning App with relevant tabs:**













## Configured fields and relationships for Venue, Drop-Off Point, Task, Volunteer, Execution Detail:






## Create a Trigger:







#### **Create Profiles:**




### **Creation of Users:**




## **Creation of Report Types:**




## Creation of Report on Venue with Drop Off with Volunteer:




## Creation of Report on Volunteers with Execution Details and Tasks:




#### **Creation Of Dashboards:**





## **Creation of Home Page:**



#### **ADVANTAGES**

#### **Environmental Benefits:**

Donating surplus food prevents food from being wasted, which reduces the environmental footprint associated with food production and disposal.

#### **Social and Economic Support:**

It provides immediate relief to vulnerable people and households, helping to alleviate their food insecurity and reduce personal financial burdens.

#### **Resource Conservation:**

Food donation reduces the waste of resources like land, water, fuel, and labour used in food production.

#### **Community Engagement:**

It fosters social value and can strengthen community involvement in addressing hunger and food waste.

#### **DISADVANTAGES**

#### **Food Safety Risks:**

Leftover food, especially after several days in storage, can be a breeding ground for bacteria, posing a risk of foodborne illness for recipients, as bacteria may not always alter the food's taste, smell, or appearance.

#### **Doesn't Address Root Causes:**

Donating surplus food does not resolve the underlying issues of poverty and food insecurity, which require structural solutions from governments and companies.

## **Logistical Challenges:**

Establishing effective and hygienic systems for collecting, transporting, and distributing leftover food can be challenging.

#### **Ethical Concerns:**

Relying on ad-hoc charity can sometimes divert focus from more robust and sustainable government policies needed to tackle food poverty.

#### **CONCLUSION**

Supplying leftover food to the poor is not just an act of charity but also a step towards reducing hunger and preventing food wastage. By channeling surplus food to those in need, we promote compassion, social responsibility, and sustainable living. It creates a society where no one goes to bed hungry while also addressing the problem of excess food disposal. Therefore, donating leftover food is a noble initiative that benefits both humanity and the environment.

#### **APPENDIX**

Source Code: Provided in Triggers

```
trigger DropOffTrigger on Drop_Off_point_____c (before
insert)
{
    For (Drop_Off_point_c Drop: Trigger.new)
    {
        Drop.Distance_c = Drop.distance_calculation_c;
    }
}
```