


Skills International

School Management System



K.Bavithragithan
DITEC 183

Final Project – Assessment Sheet	
Program	Diploma in Information Technology
Assessor/Lecturer	
Unit	Final Project
Project Title	
Student's Name	
Student's Registration No	
Submission Date	
Marks Achieved (%)	
Assessor/Lecturer Feedback	

Important Points.

- Carefully check the hand in date and the instructions given with the project. **Late submissions will not be accepted.**
- Ensure that sufficient time is spent to complete the assignment by the due date.
- Do not wait till the last minute to get feedback on the project. Such excuses will not be accepted for late submissions.
- You must be responsible for efficient management of your time.
- If you are unable to hand in your project on time and have valid reasons such as illness, you may apply (in writing) for an extension.
- Failure to achieve at least 40.00% marks will result in a Repeat grade.
- Non-submission of work without valid reasons will lead to an automatic Repeat. You will then be asked to complete an alternative project.
- If you use other people's work or ideas in your assignment, it must be properly referenced, using the HARVARD referencing system, in your text or any bibliography. Otherwise, you'll be found guilty of committing plagiarism.
- If you are caught plagiarizing, your grade will be reduced to a Repeat or at worst, you could be excluded from the course.
- Once you complete the project, **submit the documentation via ELMS** and get yourself **prepared for the Final Presentation** (Project Demonstration).

Project Guidelines

- You need to **create a software** solution for Skills International School using **visual studio** as your final project.
- Use **C# Programming language** for your project
- Follow the structure given in this document. Design given forms and apply value additions for it according to your requirement.
- Software **should** contain **minimum two forms**. Additional forms and features will get additional marks. (Login form and one Registration form is compulsory)
- Please follow the given instructions before you start the project.

Instructions

- Design the software system according to the given instructions.
- Use appropriate fonts, colors, and images for Frontend (GUI design) of your software.
- Proposed Software system **must have a database and properly connected** to the system. (Database should be designed using SQL Server Management Studio)
- Database must contain minimum **one Table** (Table column structure provided in Figure X).
- **Test the software** and submit the project on or before the given deadline.
- Create a **Microsoft Word Document** including all the screenshots of forms in your system and code snippets of each form.
- The entire project brief (These nine pages) should be attached as the first section of your project documentation.

Word Processing Rules

- The font size should be 12 point and should be in the style of Time New Roman.
- Set line spacing to 1.15. Justify all paragraphs.
- Ensure that all headings are consistent in terms of size and font style.
- Use the spell check and grammar check function of the word processing application to review the use of language on your assignment.


Proposed Project

The image shows a Windows-style application window titled "Login - Skills International". Inside the window, at the top center, is the Skills International logo, which consists of the word "SKILLS" in a bold, black, sans-serif font, with a colorful, multi-layered circular graphic behind it. Below the logo, the text "Skills International" is displayed in a large, bold, black font. Underneath this, there is a section titled "Login" in a smaller font. This section contains two labels, "Username" and "Password", each followed by a corresponding text input box. Below the input boxes are two buttons: "Clear" and "Login". At the bottom left of the window, outside the main login section, is an "Exit" button. The window has standard Windows window controls (minimize, maximize, close) in the top right corner.

Figure I – Login Form

- Above form consist of;
 - One Picture Box
 - Skills International
 - One Group Box
 - Username
 - Password
 - Two Text Boxes
 - Username
 - Password
 - Three Buttons
 - Clear
 - Login
 - Exit

Design the above form using these tools and change respective properties using suitable values.



Student Registration - Skills International

[Logout](#)

Skills International

Student Registration

Reg No

Basic Details

First Name

Last Name

Date of Birth

Gender ☐ Male ☐ Female

Contact Details

Address

Email

Mobile Phone Home Phone

Parent Details

Parent Name

NIC

Contact Number

[Exit](#)

Figure II – Registration Form

- Above form consist of;
 - Four Group Boxes
 - Student Registration
 - Basic Details
 - Contact Details
 - Parent Details
 - Thirteen Labels
 - Skills International
 - Reg No
 - First Name
 - Last Name
 - Date of Birth
 - Gender
 - Address
 - Email
 - Mobile Phone
 - Home Phone
 - Parent Name
 - NIC
 - Contact No
 - Nine Text Boxes
 - First Name
 - Last Name
 - Address (Multiline)
 - Email
 - Mobile Phone
 - Home Phone
 - Parent Name
 - NIC
 - Contact No
 - Four Buttons
 - Register
 - Update
 - Clear
 - Delete
 - Two LinkLabels
 - Logout
 - Exit
 - Two Radio Buttons
 - Male
 - Female
 - One DateTimePicker
 - Date of Birth
 - One ComboBox
 - Reg No

Design the above form using these tools and change respective properties using suitable values.

Project Instructions

Designing

- Design the project using Microsoft Visual Studio. **Designing above two forms is a must**, you can add more forms based on your imagination and those will be considered when marking.
- **Change the properties** of each object with suitable values.

Functional Operations

- When user runs the project, Login form needs to be appeared.

Form I – Login Form (Figure I)

- There is **one user** in the system. User name is “Admin” & Password is “Skills@123”. When user click on Login () button after applying “Admin” as the username and “Skills@123” as the Password, the system needs to **hide the login form** and **open the second form** which is Registration form (Figure II). If the login credentials are wrong (Either Username, either Password or both), system needs to generate an error message (Figure III).




Figure III – Error Message

- You can **increase number of users** for the system. If so, there needs to be a table in the database to track those usernames and passwords as shown in figure IX.
- When user clicks on Clear () button, texts in both username textbox and password textbox needs to be cleared and the username textbox needs to be **focused**.
- When you click on the Exit Button () it needs to appear the following message box.




Figure IV – Exit Message

- If you click on Yes button, the entire system needs to be closed and if you click on No, the system stays without a change, but the dialogue box needs to be closed.

Form II – Registration Form (Figure II)

- The Form II (Figure II) is designated form for Student Registrations.
- Create the Database using Microsoft SQL Server Management Studio. Name the database as **Student**.
- Create the **Registration Table**.
- Connect the created Student Database with your C# project.
- In student Registration form, a registration can be done by clicking on Register Button (). Once the user clicks on **Register Button** after providing all the details in related fields in the registration form, the details need to be added in the “**Registration**” Table (Figure X) of “**Student**” Database and needs to appear following message box as well.




Figure V – Register Message Box

- Give the facility to the user to update records using **Update Button** ().
- Once the update executed, show the following message box.




Figure VI – Update Message Box

- Give the facility for the user to Delete a selected record from the Database Table using the **Delete Button** (). Before Execution of Delete function, need to get users confirmation to delete. For that, use following message box or similar one.




Figure VII – Delete Message Box

- Once the user clicks on Yes from the appearing message box, the details needs to be deleted from the system database based on the Registration Number of the record. After the execution of the Delete, following message box needs to be appeared.




Figure VIII – Delete Confirmation Message Box

- When the user clicks on the **Reg No dropdown list** (Reg No), the user can see the registration numbers (Previously registered) appearing in the drop down list. When the user selects a registration number, it needs to work as a **Search** function when user changes the text of this and need to fill all other fields in the form by focusing the Reg No from the Database Table.
- When you click on the Exit Link Label (Exit) it needs to appear the Exit message box (Figure IV).
- When user clicks on Logout Link Label (Logout), it needs to logout from the system, disappear the Registration form and appear the login form (Figure I).

Database Information

Set Database name as “**Student**” and Registration Table (Figure X) needs to be there inside. When designing the **Registration** Table in the Database, apply **regNo** column as the **primary key** for the table.

	username	password
▶*	NULL	NULL

Figure IX – Database Table - **Logins**

	regNo	firstName	lastName	dateOfBirth	gender	address	email	mobilePho...	homePhone	parentName	nic	contactNo
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Figure X – Database Table - **Registration**

Table Structure

Use the following table to identify data types for each column when you create the “**Registration**” table.

Field Name	Datatype
regNo	Integer
first Name	varchar(50)
lastName	varchar(50)
dateOfBirth	dateTime
gender	varchar(50)
address	varchar(50)
email	varchar(50)
mobilePhone	Integer
homePhone	Integer
parentName	varchar(50)
nic	varchar(50)
contactNo	Integer

Welcome Screen Form



Progress Bar

Picture Box

1.Timer Code

```
void timer1_Tick(object sender, EventArgs e)
{
    if (progressBar1.Value != 10)
        progressBar1.Value++;
    else
    {
        timer1.Stop();
        this.Hide();
        Form2 fr2 = new Form2();
        fr2.Show();
    }
}
```

2. Form Load Code

```
private void Form1_Load(object sender, EventArgs e)
{
    timer1.Enabled = true;
    timer1.Start();
    timer1.Interval = 500;
    progressBar1.Maximum = 10;
    timer1.Tick += new EventHandler(timer1_Tick);
}
```

Login Page

Skills International

Username: admin

Password: [masked]

forgot password

Clear Login Exit

Exit Button

Clear Button

Login Button



Show/Hide password button

DESKTOP-ABFHOG2\...dents - dbo.login		
	username	password
▶	admin	Skills@123
*	NULL	NULL

Login Table


1.Login Button

```
int n;
private void btnlogin_Click(object sender, EventArgs e)
{
    if (txtuname.Text == "" || txtpwd.Text == "")
        MessageBox.Show("Please enter Username & Password", "Error", MessageBoxButtons.OK,
        MessageBoxIcon.Error);
    else
    {
        cnn.Open();
        cmd = new SqlCommand("select * from login", cnn);
        SqlDataReader dr1 = cmd.ExecuteReader();
        n = 0;
        while (dr1.Read())
        {
            Console.WriteLine(dr1.GetValue(n));
            if (txtuname.Text == dr1.GetValue(0).ToString())
            {
                if (txtpwd.Text == dr1.GetValue(1).ToString())
                {
                    MainMenu_form fr5 = new MainMenu_form();
                    fr5.Show();
                    this.Hide();
                    break;
                }
            }
            else
            {
                MessageBox.Show("Invalid Login credentials,Please check Username and Password and try
                again", "Invalid Login Details", MessageBoxButtons.OK, MessageBoxIcon.Stop);
                txtpwd.Clear();
                txtuname.Clear();
                txtuname.Focus();
            }
        }
        n++;
    }
    cnn.Close();
}
```



2.Exit Button

```
private void btnexit_Click(object sender, EventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Exit...?", "Exit",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
        this.Hide();
}
```



3.Clear Button

```
private void btnclear_Click(object sender, EventArgs e)
{
    txtpwd.Clear();
    txtuname.Clear();
    txtuname.Focus();
}
```

4.forgot password link label

```
private void linkLabelforgotpwd_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    this.Hide();
    for_pwd fr9 = new for_pwd();
    fr9.Show();
}
```

5.Show/Hide password button

```
private void btnshowpwd_Click(object sender, EventArgs e)
{
    if (txtpwd.UseSystemPasswordChar == false)
    {
        txtpwd.UseSystemPasswordChar = true;
        btnshowpwd.BackgroundImage = ((System.Drawing.Image)(Properties.Resources._2));
    }
    else
    {
        txtpwd.UseSystemPasswordChar = false;
        btnshowpwd.BackgroundImage = ((System.Drawing.Image)(Properties.Resources._1));
    }
}
```

Forgot Password Form

Forgot Password

USERNAME

Get Password **Go to login page**

Get Password button **Go to login button**

➤ If username was correct

Forgot Password

USERNAME

Get Password **Go to login page**


Password

Password is '123'

OK

1. Get Password button


```
private void btngetpwd_Click(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("select * from login where username='"+txtuname.Text+"'", cnn);
    SqlDataReader dr1 = cmd.ExecuteReader();
    if (dr1.Read())
    {
        m = dr1.GetValue(1).ToString();
        MessageBox.Show("Password is " + m + "", "Password", MessageBoxButtons.OK,
        MessageBoxIcon.Information);
        txtuname.Clear();
        txtuname.Focus();
    }
    else
    {
        MessageBox.Show("Incorrect Username", "Error", MessageBoxButtons.OK,
        MessageBoxIcon.Error);
        txtuname.Clear();
        txtuname.Focus();
    }
    cnn.Close();
}
```



2. Go to login page button

```
private void btnlogpage_Click(object sender, EventArgs e)
{
    this.Hide();
    Log_form fr2 = new Log_form();
    fr2.Show();
}
```

MainMenu



1. Manage Students Button

```
private void BtnManStu_Click(object sender, EventArgs e)
{
    Reg_form fr3 = new Reg_form();
    fr3.Show();
    this.Hide();
}
```

2.View All Students Records Button

```
private void btnrecords_Click(object sender, EventArgs e)
{
    StuRec_form fr4=new StuRec_form();
    fr4.Show();
}
```

3.Manage Teachers Records Button

```
private void btnTeaRec_Click(object sender, EventArgs e)
{
    TeaReg_form fr7 = new TeaReg_form();
    fr7.Show();
    this.Hide();
}
```

4. View All Teachers Records Button


```
private void btnvtrec_Click(object sender, EventArgs e)
{
    TeaRec_form fr8 = new TeaRec_form();
    fr8.Show();
}
```

5.Reset Password Button

```
private void btncpass_Click(object sender, EventArgs e)
{
    ResPwd_form fr6 = new ResPwd_form();
    fr6.Show();
    this.Hide();
}
```

6.Exit Button

```
private void btnexit_Click(object sender, EventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Exit...?", "Exit",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
        this.Hide();
}
```



Student Registration Form

Student Registration - Skills International

[Logout](#)

Skills International

Student Registration

Reg No

Basic Details

First Name

Last Name

Date of Birth

Gender ☐ Male ☐ Female

Contact Details

Address

Email

Mobile Phone

Home Phone

Parent Details

Parent Name

NIC

Contact Number

Register Button

Update Button

Go to MainMenu Button

Delete Button

Clear Button

[Exit](#)

DESKTOP-ABFHOG2\...dbo.Registration

Column Name	Data Type	Allow Nulls
RegNo	int	☐
firstname	nvarchar(50)	☒
lastname	nvarchar(50)	☒
DateOfBirth	datetime	☒
gender	nvarchar(50)	☒
address	nvarchar(50)	☒
email	nvarchar(50)	☒
mobilephone	int	☒
homephone	int	☒
parentname	nvarchar(50)	☒
nic	nvarchar(50)	☒
contactno	int	☒

Registration Table Design

ReqNo	firstname	lastname	DateOfBirth	gender	address	email	mobilephone	homephone	parentname	nic	contactno
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Registration Table

1.Connection String

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;
using System.Xml.Linq;

namespace Final_project
{
    4 references
    public partial class Form3 : Form
    {
        public SqlConnection cnn = new SqlConnection(@"Data Source=DESKTOP-ABFHOG2\MSSQLSERVER01;Initial Catalog=Students;Integrated Security=True");
        public SqlCommand cmd;
        1 reference
        public Form3()
        {

```

Connection String

```
public partial class Form3 : Form
{
    public SqlConnection cnn = new SqlConnection(@"Data Source=DESKTOP-ABFHOG2\MSSQLSERVER01;Initial Catalog=Students;Integrated Security=True");
    public SqlCommand cmd;
```


2.RegNo ComboBox

```
private void txtregno_SelectedIndexChanged(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("select * from Registration where RegNo='" + txtregno.Text + "'", cnn);
    SqlDataReader dr1 = cmd.ExecuteReader();
    if (dr1.Read())
    {
        txtfname.Text = dr1.GetValue(1).ToString();
        txtlname.Text = dr1.GetValue(2).ToString();
        txtdob.Value = dr1.GetDateTime(3);
        g = dr1.GetValue(4).ToString();
        if (g == "Male")
            rbmale.Checked = true;
        else if (g == "Female")
            rbfemale.Checked = true;
        txtaddress.Text = dr1.GetValue(5).ToString();
        txtemail.Text = dr1.GetValue(6).ToString();
        txtmphone.Text = dr1.GetValue(7).ToString();
        txtthphone.Text = dr1.GetValue(8).ToString();
        txtpname.Text = dr1.GetValue(9).ToString();
        txtnic.Text = dr1.GetValue(10).ToString();
        txtcnumber.Text = dr1.GetValue(11).ToString();
    }
    cnn.Close();
}
```




3.Register Button

```
private void btnregister_Click(object sender, EventArgs e)
{
    if (rbmale.Checked == true)
        g = "Male";
    else if (rbmale.Checked == false)
        g = "Female";
    cnn.Open();
    cmd = new SqlCommand("insert into Registration
(RegNo,firstname,lastname,DateOfBirth,gender,address,email,mobilephone,homephone,parentname,nic,contactno) values ('" + txtregno.Text + "','" + txtfname.Text + "','" + txtlname.Text + "','" + txtdob.Text + "','" + g + "','" + txtaddress.Text + "','" + txtemail.Text + "','" + txtmphone.Text + "','" + txthphone.Text + "','" + txtpname.Text + "','" + txtnic.Text + "','" + txtcnumber.Text + "')", cnn);
    cmd.ExecuteNonQuery();
    this.registrationTableAdapter.Fill(this.studentsDataSet2.Registration);
    MessageBox.Show("Register Student", "Record Added Succesfully", MessageBoxButtons.OK, MessageBoxIcon.Information);
    cnn.Close();
}
```





4..Update Button

```
private void btnupdate_Click(object sender, EventArgs e)
{
    cnn.Open();
    if (rbmale.Checked == true)
        g = "Male";
    else if (rbmale.Checked == false)
        g = "Female";
    cmd = new SqlCommand("update Registration set
firstname='"+txtfname.Text+"',lastname='"+txtlname.Text+"',DateOfBirth='"+txtdob.Text+"',gender='"+g+"',a
ddress='"+txtaddress.Text+"',email='"+txtemail.Text+"',mobilephone='"+txtmphone.Text+"',homephone='"+tx
thphone.Text+"',parentname='"+txtpname.Text+"',nic='"+txtnic.Text+"',contactno='"+txtcnumber.Text+"
where RegNo='"+txtregno.Text+"'", cnn);
    cmd.ExecuteNonQuery();
    MessageBox.Show("Record Updated Succesfully", "Update Student", MessageBoxButtons.OK,
    MessageBoxIcon.Information);
    cnn.Close();
}
```



5..Delete Button

```
private void btndelete_Click(object sender, EventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Delete this Record...?", "Delete",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
    {
        cnn.Open();
        cmd = new SqlCommand("delete from Registration where RegNo=" + txtregno.Text + "", cnn);
        cmd.ExecuteNonQuery();
        MessageBox.Show("Record Deleted Succesfully", "Delete Student", MessageBoxButtons.OK,
        MessageBoxIcon.Information);
        this.registrationTableAdapter.Fill(this.studentsDataSet2.Registration);
        cnn.Close();
        txtfname.Clear();
        txtlname.Clear();
        txtaddress.Clear();
        txtcnumber.Clear();
        txtemail.Clear();
        txthphone.Clear();
        txtmphone.Clear();
        txtnic.Clear();
        txtpname.Clear();
        txtregno.Focus();
    }
}
```



6.Clear Button


```
private void btnclear_Click(object sender, EventArgs e)
{
    txtfname.Clear();
    txtlname.Clear();
    txtaddress.Clear();
    txtcnumber.Clear();
    txtemail.Clear();
    txthphone.Clear();
    txtmphone.Clear();
    txtnic.Clear();
    txtpname.Clear();
    txtregno.Focus();
}
```

7..Go to MainMenu Button

```
private void btnmainmenu_Click(object sender, EventArgs e)
{
    MainMenu_form fr5 = new MainMenu_form();
    fr5.Show();
    this.Hide();
}
```

8..Exit Linklable


```
private void linkLabelexit_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Exit...?", "Exit",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
        this.Hide();
}
```



9. Logout Linkable

```
private void linkLabellogout_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    this.Hide();
    Form2 fr2 = new Form2();
    fr2.Show();
}
```

View Students Records Form



RegNo	firstname	lastname	DateOfBirth	gender	address	email	mobilephone	homephone	parentname	nic	contactno

1.Back button

```
private void btnback_Click(object sender, EventArgs e)
{
    MainMenu_form fr5 = new MainMenu_form();
    fr5.Show();
    this.Hide();
}
```

2.Form Load

```
private void Form4_Load(object sender, EventArgs e)
{
    // TODO: This line of code loads data into the 'studentsDataSet3.Registration' table. You can move, or
    // remove it, as needed.
    this.registrationTableAdapter.Fill(this.studentsDataSet3.Registration);
}
```

Teachers Registration Form

The screenshot shows a web application window titled "Teachers Registration". In the top left corner, there is a "Logout" link. The main header features the "Skills International" logo and name. The form itself is titled "Teacher Registration" and contains several input fields: "Teacher's ID", "Name", "Age", "T.P No", "Address", "Subject" (a dropdown menu), and "Salary". A "Search" button is positioned to the right of the "Teacher's ID" field. At the bottom of the form, there are five buttons: "Register", "Update", "Delete", "Clear", and "Go to MainMenu". An "Exit" link is located in the bottom right corner. Red arrows point from text labels to specific buttons: "Search Button" points to the "Search" button; "Register Button", "Update Button", "Clear Button", and "Delete Button" point to their respective buttons; and "Go to Mainmenu Button" points to the "Go to MainMenu" button.

Teachers Registration

[Logout](#)

Skills International

Teacher Registration

Teacher's ID

Name

Age

T.P No

Address

Subject

Salary

[Exit](#)

Search Button

Register Button

Update Button

Clear Button

Delete Button

Go to Mainmenu Button

DESKTOP-ABFHOG2\...ts - dbo.Teachers

	TID	Name	Age	TPNo	Address	Subject	Salary
▶*	NULL	NULL	NULL	NULL	NULL	NULL	NULL

▶*	TID	nvarchar(50)	☐
	Name	nvarchar(50)	☒
	Age	int	☒
	TPNo	int	☒
	Address	nvarchar(50)	☒
	Subject	nvarchar(50)	☒
	Salary	int	☒
			☐

1.Register Button

```
private void btnregister_Click(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("insert into Teachers (TID,Name,Age,TPNo,Address,Subject,Salary)
values('"+txttid.Text+"','"+txtname.Text+"','"+txtage.Text+"','"+txttpno.Text+"','"+txtadd.Text+"','"+txtsubject.
Text+"','"+txtsalary.Text+"')",cnn);
    cmd.ExecuteNonQuery();
    MessageBox.Show("Record Added Succesfully","Register Teacher", MessageBoxButtons.OK,
    MessageBoxIcon.Information);
    cnn.Close();
}
```

2.Update Button

```
private void btnupdate_Click(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("update Teachers set Name='"+ txtname.Text + "','Age='"+ txtage.Text +
 "','TPNo='"+ txttpno.Text + "','Address='"+ txtadd.Text + "','Subject='"+ txtsubject.Text + "','Salary='"+
 txtsalary.Text + "' where TID='"+txttid.Text+"'", cnn);
    cmd.ExecuteNonQuery();
    MessageBox.Show("Record Updated Succesfully", "Update Teacher", MessageBoxButtons.OK,
    MessageBoxIcon.Information);
    cnn.Close();
}
```

3.Search Button

```
private void btnsearch_Click(object sender, EventArgs e)
{
    cnn.Open();
    if (txtname.Text == "" && txttid.Text == "")
        MessageBox.Show("Enter ID or name", "Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
    else if (txtname.Text == "")
    {
        cmd = new SqlCommand("select * from Teachers where TID=" + txttid.Text + "", cnn);
        SqlDataReader dr2 = cmd.ExecuteReader();
        if (dr2.Read())
        {
            txtname.Text = dr2.GetValue(1).ToString();
            txtage.Text = dr2.GetValue(2).ToString();
            txttpno.Text = dr2.GetValue(3).ToString();
            txtadd.Text = dr2.GetValue(4).ToString();
            txtsubject.Text = dr2.GetValue(5).ToString();
            txtsalary.Text = dr2.GetValue(6).ToString();
        }
        else
            MessageBox.Show("Incorrect Teachers ID", "Incorrect", MessageBoxButtons.OK, MessageBoxIcon.Error);
    }
    else if (txttid.Text == "")
    {
        cmd = new SqlCommand("select * from Teachers where Name=" + txtname.Text + "", cnn);
        SqlDataReader dr2 = cmd.ExecuteReader();
        if (dr2.Read())
        {
            txttid.Text = dr2.GetValue(0).ToString();
            txtage.Text = dr2.GetValue(2).ToString();
            txttpno.Text = dr2.GetValue(3).ToString();
            txtadd.Text = dr2.GetValue(4).ToString();
            txtsubject.Text = dr2.GetValue(5).ToString();
            txtsalary.Text = dr2.GetValue(6).ToString();
        }
        else
            MessageBox.Show("Incorrect Teachers Name", "Incorrect", MessageBoxButtons.OK, MessageBoxIcon.Error);
    }

    cnn.Close();
}
```

4.Clear Button

```
private void btnclear_Click(object sender, EventArgs e)
{
    txttid.Clear();
    txtname.Clear();
    txtadd.Clear();
    txtage.Clear();
    txtsalary.Clear();
    txttpno.Clear();
    txttid.Focus();
}
```

6.Delete Button


```
private void btndelete_Click(object sender, EventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Delete this Record...?", "Delete",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
    {
        cnn.Open();
        cmd = new SqlCommand("delete from Teachers where TID=" + txttid.Text + "", cnn);
        cmd.ExecuteNonQuery();
        MessageBox.Show("Record Deleted Succesfully", "Delete Student", MessageBoxButtons.OK,
        MessageBoxIcon.Information);
        cnn.Close();
        txttid.Clear();
        txtname.Clear();
        txtadd.Clear();
        txtage.Clear();
        txtsalary.Clear();
        txttpno.Clear();
        txttid.Focus();
    }
}
```

7.Go to Mainmenu Button

```
private void btnmainmenu_Click(object sender, EventArgs e)
{
    MainMenu_form fr5 = new MainMenu_form();
    fr5.Show();
    this.Hide();
}
```

8..Exit Linklable

```
private void linkLabelexit_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Exit...?", "Exit",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
        this.Hide();
}
```



9.Login Linklable

```
private void linkLabellogout_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    this.Hide();
    Form2 fr2 = new Form2();
    fr2.Show();
}
```

Teachers Records Form

Teachers Records

TEACHERS RECORDS

	TID	Name	Age	TPNo	Address	Subject	Salary
▶▶							

back

1.Back Button

```
private void btnback_Click(object sender, EventArgs e)
{
    MainMenu_form fr5 = new MainMenu_form();
    fr5.Show();
    this.Hide();
}
```

Reset Password

Reset Password

Skills International

Reset Password

Enter Username

Current Password 

New Password 

Conform New Password 

OK

Back



Behavior	
AcceptsReturn	False
AcceptsTab	False
AllowDrop	False
CharacterCasing	Normal
ContextMenuSti	(none)
Enabled	False
HideSelection	true
ImeMode	NoControl
MaxLength	32767
Multiline	False

1.Textbox(Username)




```
int n;
private void txtuname_TextChanged(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("select * from login", cnn);
    SqlDataReader dr1 = cmd.ExecuteReader();
    n = 0;
    while (dr1.Read())
    {
        Console.WriteLine(dr1.GetValue(n));
        if (txtuname.Text == dr1.GetValue(0).ToString())
        {
            txtcpwd.Enabled = true;
            txtuname.Enabled = false;
            txtcpwd.Focus();
            break;
        }
        n++;
    }
    cnn.Close();
}
```

2.Textbox(Current password)

```
private void txtcpwd_TextChanged(object sender, EventArgs e)
{
    cnn.Open();
    cmd = new SqlCommand("select * from login where username='" + txtuname.Text + "'", cnn);
    SqlDataReader dr2 = cmd.ExecuteReader();
    dr2.Read();
    if (txtcpwd.Text == dr2.GetValue(1).ToString())
    {
        txtcpwd.Enabled = false;
        txtnpwd.Enabled = true;
        txtconpwd.Enabled = true;
        txtnpwd.Focus();
    }
    cnn.Close();
}
```

3.OK Button

```
private void btnok_Click(object sender, EventArgs e)
{
    cnn.Open();
    if (txtconpwd.Text == "" && txtnpwd.Text == "")
        MessageBox.Show("Enter the Password", "Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
    else
    {
        if (txtconpwd.Text == txtnpwd.Text)
        {
            cmd = new SqlCommand("update login set Password='" + txtnpwd.Text + "' where Username='admin'", cnn);
            cmd.ExecuteNonQuery();
            MessageBox.Show("Password changed successfully", "Reset", MessageBoxButtons.OK, MessageBoxIcon.Information);
            this.Hide();
            Form2 fr2 = new Form2();
            fr2.Show();
        }
        else
            MessageBox.Show("Password Miss-Match", "Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
    }
    cnn.Close();
}
```



3.Cancel Button

```
private void btncancel_Click(object sender, EventArgs e)
{
    Form5 fr5=new Form5();
    fr5.Show();
    this.Hide();
}
```

4.Exit Linkable

```
private void linkLabelexit_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
{
    DialogResult d;
    d = MessageBox.Show("Are you sure,Do you really want to Exit...?", "Exit",
    MessageBoxButtons.YesNo, MessageBoxIcon.Question);
    if (d == DialogResult.Yes)
        this.Hide()
}
```

