DATE: 21/10/2026

EXPERIMENT -5

FOURIER SERIES ANALYSIS OF PERIODIC SIGNALS

OBJECTIVE

i. To analyse Fourier series of continuous-time periodic signals and analyse their waveform characteristics.

ii. To reconstruct periodic signals using Fourier series and verify the reconstructed waveform with the original signal.

Software / Laboratory Environment

MATLAB

i) To analyse Fourier series of continuous-time periodic signals and analyse their waveform Characteristics.

Experimental Procedure

1. Define the time vector and fundamental frequency.
2. Generate the half-wave rectified sinusoidal periodic signal.
3. Compute the Fourier coefficients up to N = 10.
4. Construct the Fourier-series approximation.
5. Plot the original and reconstructed signals and compare them.

MATLAB CODING:


/MATLAB Drive/Experiment_5_1.m

```
clc;
clear;
close all;

figure;

A = 1;
f0 = 1;
T = 1/f0;
t = linspace(0, 2*T, 2000);
% Half-wave rectified sinusoidal signal
x = A*sin(2*pi*f0*t);
x(x < 0) = 0;
N = 10;
a0 = (2/T)*trapz(t, x)/2;
an = zeros(1,N);
bn = zeros(1,N);
for k = 1:N
    an(k) = (2/T)*trapz(t, x.*cos(2*pi*k*f0*t));
    bn(k) = (2/T)*trapz(t, x.*sin(2*pi*k*f0*t));
end
xFS = a0*ones(size(t));
for k = 1:N
    xFS = xFS + an(k)*cos(2*pi*k*f0*t) ...
        + bn(k)*sin(2*pi*k*f0*t);
end
plot(t,x,'k','LineWidth',1.2); hold on;
plot(t,xFS,'r--','LineWidth',1.2);
grid on;
xlabel('Time (s)'); ylabel('Amplitude');
title('Fourier Series Representation of a Periodic Signal');
legend('Original Signal','Fourier Series Reconstruction');
```

OUTPUT:


Figure 1
Fourier Series Representation of a Periodic Signal
Original Signal
Fourier Series Reconstruction
Amplitude
Time (s)
2.5
2
1.5
1
0.5
0
-0.5
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2

(iv) To reconstruct periodic signals using Fourier series and verify the reconstructed waveform with the original signal.


Experimental Procedure:

1.Generate the periodic signal over two periods.
2. Compute Fourier coefficients from one period.
3. Construct the reconstructed signal using 10 harmonics.
4. Calculate the error signal.
5. Plot the original, reconstructed and error signals**.**

MATLAB CODING:

```
close all;
figure;
f0 = 1;
T = 1/f0;
t = linspace(0,2*T,4000);
x = max(sin(2*pi*f0*t),0);
N = 10;
a0 = (2/T)*trapz(t(1:2000),x(1:2000));
an = zeros(1,N); bn = zeros(1,N);
tt = t(1:2000); xx = x(1:2000);
for k = 1:N
    an(k) = (2/T)*trapz(tt,xx.*cos(2*pi*k*f0*tt));
    bn(k) = (2/T)*trapz(tt,xx.*sin(2*pi*k*f0*tt));
end
xr = a0/2*ones(size(t));
for k = 1:N
    xr = xr + an(k)*cos(2*pi*k*f0*t) + bn(k)*sin(2*pi*k*f0*t);
end
err = x-xr;
subplot(2,1,1);
plot(t,x,'k',t,xr,'r--','LineWidth',1.1);
grid on; xlabel('Time (s)'); ylabel('Amplitude');
title('Original and Reconstructed Signals');
legend('Original','Reconstructed');
subplot(2,1,2);
plot(t,err,'b'); grid on;
xlabel('Time (s)'); ylabel('Error');
title('Reconstruction Error');
```

OUTPUT:



RESULT:

The Fourier series representation of periodic continuous-time signals was successfully analysed and the Fourier coefficients and harmonic components were determined. The periodic signal was reconstructed using Fourier series and the reconstructed waveform was verified with the original signal.

Laboratory Performance Assessment Rubrics

Objective	Assessment Criterion	Excellent – 4	Good – 3	Satisfactory – 2	Needs Improvement – 1	Weightage	Marks (10)	Marks obtained
(i) To analyze the Fourier series of continuous-time periodic signals and analyze their waveform characteristics.	**Fourier Series Analysis**	Correctly determines the fundamental period and frequency and computes the Fourier coefficients for every given periodic signal, analytically or in MATLAB. Uses suitable commands with correct limits and obtains accurate coefficient values.	Computes the coefficients for most signals correctly, with minor errors in limits, algebra, code or parameters.	Computes the coefficients for only some signals, or has noticeable errors in integration, limits or code, and needs guidance.	Unable to compute the Fourier coefficients of the given signals.	**20**	2	
	Waveform Characteristics & Spectrum Analysis	Correctly identifies symmetry (even, odd, half-wave), DC value and the harmonics present. Plots the amplitude and phase spectra with titles, axis labels and grid. Explains how symmetry and the shape of the waveform determine the	Identifies most waveform characteristics and plots the spectra correctly, with minor errors or limited explanation.	Identifies basic characteristics. Spectra have noticeable errors or the explanation is incomplete, and needs guidance.	Unable to identify the waveform characteristics or plot the spectra.	**20**	2	

		harmonic content and the rate of decay of the coefficients.						
(ii) To reconstruct periodic signals using the Fourier series and verify the reconstructed waveform with the original signal.	**Signal Reconstruction using Fourier Series**	Correctly synthesizes each periodic signal as a partial sum of N harmonics in MATLAB, using a suitable time vector and loop or vectorized code. Reconstructs with several values of N and plots them clearly against the original.	Reconstructs the signals correctly with minor errors in code, time range, parameters or labelling, and uses fewer values of N.	Reconstructs only some signals or uses a single value of N, with noticeable errors in code or plots, and needs assistance.	Unable to reconstruct the signals using the Fourier series.	**20**	2	
	Verification of Reconstructed Waveform	Verifies the reconstruction against the original waveform using overlay plots and numerical error for each N. Shows that the error decreases as N increases, and identifies the Gibbs phenomenon at discontinuities with a correct explanation.	Verifies the reconstruction with overlay plots and some error measure, with minor errors in calculation or interpretation of convergence.	Performs basic visual comparison only, with noticeable errors or no numerical error. Convergence or Gibbs phenomenon is not explained, and needs guidance.	Unable to verify the reconstructed waveform against the original signal.	**20**	2	

Interpret the Fourier series results and maintain the record.	**Engineering Analysis, Record & Interpretation**	Provides technically accurate interpretation of the results, relating the number of harmonics, symmetry and discontinuities to reconstruction accuracy. Maintains a complete, well-organized record with code, plots, observations and conclusions.	Maintains a proper record with mostly accurate interpretation, with minor omissions in observations or conclusions.	Record and interpretation are basic or partly incomplete, with limited technical reasoning.	Incomplete record, limited or incorrect interpretation of the results.	**20**	2	
					Total	**100**	**10**	