Named Discrete Distribution Applications

YOUR NAME

10 September, 2020

Exercises

For each of the problems below, 1) define a random variable that will help you answer the question, 2) state the distribution and parameters of that random variable; 3) determine the expected value and variance of that random variable, and 4) use that random variable to answer the question.

We will demonstrate using 1a and 1b.

- 1. The T-6 training aircraft is used during UPT. Suppose that on each training sortie, aircraft return with a maintenance-related failure at a rate of 1 per 100 sorties.
 - a. Find the probability of no maintenance failures in 15 sorties.

X: the number of maintenance failures in 15 sorties.

```
X \sim \mathrm{Bin}(n=15, p=0.01)
```

$$E(X) = 15 * 0.01 = 0.15$$
 and $Var(X) = 15 * 0.01 * 0.99 = 0.1485$.

 $P(No \text{ mainteance failures}) = P(X = 0) = {15 \choose 0} 0.01^{0} (1 - 0.01)^{15} = 0.99^{15}$

```
0.99^15
```


[1] 0.8600584

```
## or
dbinom(0,15,0.01)
```

```
## [1] 0.8600584
```

This probability makes sense, since the expected value is fairly low. Because, on average, only 0.15 failures would occur every 15 trials, 0 failures would be a very common result. Graphically, the pmf looks like this:

```
gf_dist("binom",size=15,prob=0.01)
```



b. Find the probability of at least two maintenance failures in 15 sorties.

We can use the same X as above. Now, we are looking for $P(X \ge 2)$. This is equivalent to finding $1 - P(X \le 1)$:

```
## Directly
1-(0.99^15 + 15*0.01*0.99^14)

## [1] 0.009629773

## or, using R
sum(dbinom(2:15,15,0.01))

## [1] 0.009629773

## or
1-sum(dbinom(0:1,15,0.01))

## [1] 0.009629773

## or
1-pbinom(1,15,0.01)

## [1] 0.009629773

## or
1-pbinom(1,15,0.01)
```

c. Find the probability of at least 30 successful (no mx failures) sorties before the first failure.

[1] 0.009629773

- d. Find the probability of at least 50 successful sorties before the third failure.
- 2. On a given Saturday, suppose vehicles arrive at the USAFA North Gate according to a Poisson process at a rate of 40 arrivals per hour.
 - a. Find the probability no vehicles arrive in 10 minutes.
 - b. Find the probability at least 50 vehicles arrive in an hour.
 - c. Find the probability that at least 5 minutes will pass before the next arrival.
- 3. Suppose there are 12 male and 7 female cadets in a classroom. I select 5 completely at random (without replacement).
 - a. Find the probability I select no female cadets.
 - b. Find the probability I select more than 2 female cadets.