

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Various topics

# Forward-time simulations using simuPOP, a tutorial

Bo Peng, Ph.D.

Department of Epidemiology U.T. M.D. Anderson Cancer Center Houston, TX

June 15th, 2007 simuPOP workshop School of Public Health, Department of Biostatistics University of Alabama Birmingham



### outline

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

- **1** What is simuPOP
- 2 An example
- **3** Various topics



### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP Applications Availability

An example

Various topics

### What is simuPOP

- Forward- and backward-time simulation
- Features of simuPOP
- Applications
- Availability



simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

backward-time

Features of simuPOP

Applications Availability

An example

Various topics

A forward-time population genetics simulation environment



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP Forward- and

backward-time simulation

Features of simuPOP
Applications
Availability

An example

Various topics

## A forward-time population genetics simulation environment

A population genetics simulation program



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time simulation

Features of simuPOP

Applications
Availability

An example

Various topics

## A forward-time population genetics simulation environment

- A population genetics simulation program
- Not coalescent-based



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time simulation

Features of simuPOP
Applications
Availability

An example

Various topics

## A forward-time population genetics simulation environment

- A population genetics simulation program
- Not coalescent-based
- Based on an object-oriented scripting language (Python)



simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP


Forward- and backward-time

simulation

Features of simuPOP

Applications Availability

An example





simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP

Forward- and backward-time


simulation

Features of simuPOP

Applications Availability

An example

Various topics



Start from an initial population



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

Forward- and

simulation
Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



#### simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects
- Samples are collected from the last several generations





simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP


Forward- and backward-time

simulation

Features of simuPOP

Applications Availability

An example





simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP

Forward- and backward-time


simulation Features of

simuPOP Applications

Availability

An example

Various topics



 Start from a sample with unknown genotype



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found



simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found



#### simuPOP tutorial

Bo Peng, Ph.D.


### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example



- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found
- Starting from the MRCA, proceed forward in time and fill the genotype of each individual



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation

Features of simuPOP
Applications

Availability

An example

Various topics

#### **Backward-time**

 Sample based, efficient

#### **Forward-time**

 Population based, inefficient



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

Features of simuPOP

Applications
Availability

An example

Various topics

#### **Backward-time**

- Sample based, efficient
- Limited selection, recombination models and mating schemes

#### Forward-time

- Population based, inefficient
- Can simulate almost arbitrary evolutionary scenarios



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time simulation

Features of simuPOP
Applications
Availability

An example

Various topics

#### **Backward-time**

- Sample based, efficient
- Limited selection, recombination models and mating schemes
- Can not study population properties, or properties of ancestral generations

#### Forward-time

- Population based, inefficient
- Can simulate almost arbitrary evolutionary scenarios
- Can study population properties and ancestral generations



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

Features of simuPOP
Applications
Availability

An example

Various topics

#### **Backward-time**

- Sample based, efficient
- Limited selection, recombination models and mating schemes
- Can not study population properties, or properties of ancestral generations
- Used mostly for sample generation

#### Forward-time

- Population based, inefficient
- Can simulate almost arbitrary evolutionary scenarios
- Can study population properties and ancestral generations
- Not limited to sample generation



## Forward-time simulation programs

#### simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP Forward- and

backward-time simulation

Features of simuPOP
Applications
Availability

An example

Various topics

#### For specific applications

- Easy to write simple simulations
- Difficult to write complicated simulations
- A few programs are available (e.g. EasyPOP, FPG, Nemo), easy to use if they happen to fit your need



## Forward-time simulation programs

#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time simulation

Features of simuPOP
Applications
Availability

An example

Various topics

#### For specific applications

- Easy to write simple simulations
- Difficult to write complicated simulations
- A few programs are available (e.g. EasyPOP, FPG, Nemo), easy to use if they happen to fit your need

#### For general purposes

- Difficult to write
- Easy to set up complicated simulations
- simuPOP fits in this category



#### What simuPOP does

#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP Applications

Availability

An example

Various topics

#### simuPOP provides

 a large number of functions to manipulate populations copy, split, merge, manipulate individual genotypes, determine affection status, save to and load from various formats, generate sample, ...



#### What simuPOP does

#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

Features of simuPOP

Applications Availability

An example

Various topics

#### simuPOP provides

- a large number of functions to manipulate populations copy, split, merge, manipulate individual genotypes, determine affection status, save to and load from various formats, generate sample, ...
- and a mechanism to evolve populations forward in time subject to arbitrary demographic and genetic forces such as population size changes, mutation, migration, recombination, selection, ...

simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time simulation


Features of simuPOP Applications

Applications Availability

An example

Various topics

Assume ploidy = 2, maxAllele = 1



#### Male

Affected

fitness father\_id ...



#### simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP

Forward- and hackward-time simulation


Features of simuPOP Applications

Availability

An example

**Various** topics

#### Assume ploidy = 2, maxAllele = 1



Chromosome 0

fitness

father id ...



#### simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time simulation

Features of simuPOP
Applications

Availability


An example

Various topics

Assume ploidy = 2, maxAllele = 1

Affected

fitness



father id ...

Chromosome 0

Chromosome 1



#### simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time simulation

Features of simuPOP
Applications

Availability


An example

Various topics

Assume ploidy = 2, maxAllele = 1

Affected

fitness



father id ...

Chromosome 0

Chromosome 1

Sex



### Structure of individuals

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time


Features of simuPOP
Applications

Availability

An example

Various topics

Assume ploidy = 2, maxAllele = 1



Chromosome 0

Chromosome 1

Sex

Affection status

### waie

Affected

fitness fathe

father\_id ...



### Structure of individuals

simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of simuPOP


Applications

Applications Availability

An example

Various topics

Assume ploidy = 2, maxAllele = 1



Male

Affected

fitness father\_id ...

Chromosome 0

Chromosome 1

Sex

Affection status

Information fields

simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time

backward-til simulation

Features of simuPOP


Applications

Availability

An example

Various topics

- Unaffected
- Affected



simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time

simulation

Features of


simuPOP

Applications Availability

An example

Various topics

- Unaffected
- Affected





simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation

Features of


simuPOP Applications

Availability

An example

Various topics

- Unaffected
- Affected





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time

simulation

Features of


Applications

Availability

An example

Various topics

- Unaffected
- Affected





simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation

Features of


Applications

Availability

An example

Various topics

- Unaffected
- Affected



simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation Features of


Features

Applications Availability

An example

Various topics

- Unaffected
- Affected



Ancestral generation 1

simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP

Forward- and backward-time

simulation
Features of

simuPOP


Applications Availability

An example

Various topics

Unaffected

Affected



Ancestral generation 2

Ancestral generation 1

simuPOP tutorial

Bo Peng, Ph.D.

#### What is simuPOP

Forward- and hackward-time

Features of simuPOP


Applications

Availability

An example

Various topics

- Unaffected
- Affected



gen = 2, numAffected = 5, ...

Ancestral generation 2

Ancestral generation 1

Current generation

Population variables



simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP

Forward- and backward-time

simulation Features of

simuPOP

Applications Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time simulation

Features of simuPOP

Applications Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time

Features of simuPOP

Applications Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time simulation

Features of simuPOP

Applications Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time simulation

Features of simuPOP

Applications Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

### What is simuPOP


Forward- and backward-time

simulation Features of

simuPOP
Applications
Availability

An example

Various topics





simuPOP tutorial

Bo Peng, Ph.D.

## What is simuPOP


Forward- and backward-time simulation

Features of simuPOP

Applications
Availability

An example

Various topics





# What distinguishes simuPOP from others

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

Forward- and backward-time simulation

simuPOP

Application Availability

An example

Various topics

scripting simuPOP is provided as a set of Python modules, and is therefore backed by a full-blown object-oriented programming language.

flexibility simuPOP does not impose any limit on the size of genome, population, demographic model, etc. Using a large number of standard and hybrid (Python-assisted) operators, users can simulate almost arbitrarily complex evolutionary processes.

integration Owing to the 'glue language' nature of Python, it is easy to integrate simuPOP with other languages and programs.



# I like it, but, oohm, why Python??

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of

Applications Availability

An example

Various topics

- The core of simuPOP is written in C++ for efficiency
- Python is the glue language, a wrapper of the core
- Python is used to write simuPOP extensions (user interface etc)
- The core sometimes calls Python (Python operators) for maximum flexibility



# Do I have to write a script?

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features simuPOP

Applications Availability

An example

Various topics

### simuPOP can be used in two ways:

- You should learn how to write simuPOP scripts if you
  - need a particular type of simulation for you own research, and
  - know exactly what you want to do
- You can use existing simuPOP scripts without knowing simuPOP if
  - you need to use an existing simulation scenario to simulate samples or populations
  - this scenario is implemented in simuPOP



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of simuPOP

Applications Availability

An example

Various topics

simuPOP can simulate the change of the genetic composition of a population in a complicated evolutionary process. It can be used to

Demonstrate population genetics phenomena



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation Features of

simuPOP
Applications
Availability

An example

Various topics

- Demonstrate population genetics phenomena
- Study the impact of genetic and demographic forces on the evolution of a population



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

backward-time simulation Features of simuPOP

Applications
Availability

An example

Various topics

- Demonstrate population genetics phenomena
- Study the impact of genetic and demographic forces on the evolution of a population
- Study the evolution of (complex) genetic diseases



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

backward-time simulation Features of simuPOP Applications

Availability

An example

Various topics

- Demonstrate population genetics phenomena
- Study the impact of genetic and demographic forces on the evolution of a population
- Study the evolution of (complex) genetic diseases
- Simulate samples to validate gene-mapping methods



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

backward-time simulation Features of simuPOP Applications Availability

An example

Various topics

- Demonstrate population genetics phenomena
- Study the impact of genetic and demographic forces on the evolution of a population
- Study the evolution of (complex) genetic diseases
- Simulate samples to validate gene-mapping methods
- Study ascertainment methods in simulated populations



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

backward-time simulation Features of simuPOP Applications Availability

An example

Various topics

- Demonstrate population genetics phenomena
- Study the impact of genetic and demographic forces on the evolution of a population
- Study the evolution of (complex) genetic diseases
- Simulate samples to validate gene-mapping methods
- Study ascertainment methods in simulated populations
- ...



simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of

simuPOP Applications

Availability

An example

Various topics

### **Backward-time**

Haploid only

### Forward-time

No limit on ploidy



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of

Applications
Availability

An example

Various topics

### **Backward-time**

- Haploid only
- Additive selection and penetrance models

### Forward-time

- No limit on ploidy
- Arbitrary selection and penetrance models



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features of

Applications
Availability

An example

Various topics

### **Backward-time**

- Haploid only
- Additive selection and penetrance models
- One disease susceptibility locus

### Forward-time

- No limit on ploidy
- Arbitrary selection and penetrance models
- Multiple DSL with interaction



#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

Forward- and backward-time simulation

Features simuPOP

Applications
Availability

An example

Various topics

### **Backward-time**

- Haploid only
- Additive selection and penetrance models
- One disease susceptibility locus
- Generate independent samples of fixed format

### **Forward-time**

- No limit on ploidy
- Arbitrary selection and penetrance models
- Multiple DSL with interaction
- Generate multi-generation populations



# **Availability**

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

backward-time simulation Features of simuPOP

Applications
Availability

An example

Various topics

### simuPOP website:

http://simupop.sourceforge.net

- Mailing list: simupop-list@lists.sourceforge.net
- License: GPL 2.0
- Platforms: all OS on which Python is available
- Monthly release, currently at 0.7.10
- Documentation: simuPOP User's Guide and simuPOP Reference Manual



# **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

An example Visualization with R

Various topics

## 2 An example

- An example
- Visualization with R



## A simple example

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

An example

Visualization with

Various topics

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
        randomMating(),
. . .
      rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
. . .
        ] = ago
            recombinator(rate=0.1),
. . .
             stat(LD=[0,1]),
. . .
            pvEval(r"' %3d ' % gen", rep=0, step=10),
            pyEval(r"'%f ' % LD[0][1]", step=10),
. . .
            pvEval(r"'\n'", rep=REP LAST, step=10)
        1.
        end=100
. . .
. . . )
```



# Loading simuPOP module

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R

Various topics

```
>>> from simuPOP import *
>>> simu = simulator(
... population(size=1000, ploidy=2, loci=[2]),
... randomMating(),
... rep = 3)
```

Import the default simuPOP module



# population

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP
An example

An example
Visualization with R

Various topics

Create a population of 1000 diploid individuals, each having two loci on the first chromosome



# simulator and mating scheme

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R

Various topics

Create a simulator that has one replicate of this population, and a random mating scheme



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Visualization with R

Various topics

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
. . .
        randomMating(),
. . .
        rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
        ] = ago
            recombinator(rate=0.1),
. . .
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
. . .
            pyEval(r"'%f ' % LD[0][1]", step=10),
            pvEval(r"'\n'", rep=REP_LAST, step=10)
        end = 100
. . . )
```

initByValue is applied before evolution



#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

### An example

An example
Visualization with R

visualization with

Various topics

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
   randomMating(),
        rep = 3)
. . .
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
        ops = [
            recombinator(rate=0.1),
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
            pvEval(r"'%f ' % LD[0][1]", step=10),
            pyEval(r"'\n'", rep=REP LAST, step=10)
        end = 100
```

recombinator is applied at every generation when an offspring is produced



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example An example

Visualization with R

Various

topics

```
>>> from simuPOP import *
>>> simu = simulator(
       population(size=1000, ploidy=2, loci=[2]),
   randomMating(),
       rep = 3)
. . .
>>> simu.evolve(
       preOps = [initByValue([1,2,2,1])],
     ops = [
            recombinator(rate=0.1),
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
            pvEval(r"'%f ' % LD[0][1]", step=10),
            pyEval(r"'\n'", rep=REP LAST, step=10)
        end = 100
```

stat is applied to the offspring generation at every generation



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Visualization with R

Various topics

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
. . .
        randomMating(),
. . .
        rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
        ] = ago
            recombinator(rate=0.1),
. . .
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
. . .
            pyEval(r"'%f ' % LD[0][1]", step=10),
            pvEval(r"'\n'", rep=REP LAST, step=10)
        end = 100
. . . )
```

pyEval is applied every 10 generations



# A simple example

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

An example
Visualization with R

Visualization with

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
        randomMating(),
. . .
      rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
. . .
        ] = ago
            recombinator(rate=0.1),
. . .
             stat(LD=[0,1]),
. . .
            pvEval(r"' %3d ' % gen", rep=0, step=10),
            pyEval(r"'%f ' % LD[0][1]", step=10),
. . .
            pvEval(r"'\n'", rep=REP LAST, step=10)
        1.
        end=100
. . .
. . . )
```



# **Output of the example**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

An example
Visualization with R

VISUALIZACION WICH F

```
n
      0.197474
                    0.197991
                                 0.202645
 10
      0.074227
                    0.057794
                                 0.068985
 20
      0.022060
                    0.006820
                                 0.032857
 30
      0.022159
                    0.010874
                                 0.012533
 40
      0.006540
                    0.008600
                                 0.007488
 50
      0.011860
                    0.028355
                                 0.002689
 60
      0.000457
                    0.004552
                                 0.008364
 70
      0.006826
                    0.019827
                                 0.006732
 80
      0.031323
                    0.026524
                                 0.014112
 90
      0.015933
                    0.005628
                                 0.003872
100
      0.005808
                    0.001188
                                 0.010402
```



# Use R to plot

#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Visualization with R

```
>>> from simuPOP import *
>>> from simuRPy import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
        randomMating(),
        rep = 3)
. . .
>>> simu.evolve(
        preOps = [initBvValue([1,2,2,1])],
        ops = [
. . .
             recombinator(rate=0.1),
             stat(LD=[0,1]),
. . .
             varPlotter('LD[0][1]', numRep=3, step=10,
. . .
                 saveAs='ld', ylim=[0,.25],
                 lty=range(1, 4), col=range(2, 5),
                 xlab='generation', vlab='D',
                 title='LD Decay'),
. . .
        end = 100
. . . )
True
>>>
```




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

An example An example

Visualization with R Various topics

Ω





- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example
An example
Visualization with R



- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

An example

Visualization with R
Various
topics

Ω





- Update at every 10 generations
- LD=0.25 before generation 0
- LD is calculated at the end of each generation



### **Exercise time**

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

An example

Visualization with R

Various topics

- Start python
- Load simuPOP
- Create a population and run

```
pop.ploidyName()
```

run tutorial\_example1.py



### **Outline**

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

An example

### Various topics

population size
Calculate statistics
Hybrid Operator
Self-defined

statistics Read HapMap data Pick markers from HapMap data

- Dynamic population size
- Calculate statistics
- Hybrid Operator
- Self-defined statistics
- Read HapMap data
- Pick markers from HapMap data



# Dynamic population size

```
simuPOP
   tutorial
  Bo Peng,
    Ph.D.
What is
simuPOP
An example
 population size
 Calculate statistics
```

Various topics

Dynamic

**Hybrid Operator** 

Self-defined etatistics Read HapMap data

Pick markers from HapMap data

```
>>> def lin inc(gen, oldsize=[]):
        return [10+gen]*5
>>> simu = simulator(
        population(subPop=[5]*5, loci=[1]),
        randomMating(newSubPopSizeFunc=lin inc)
. . .
. . .
>>> simu.evolve(
        ops = [
. . .
             stat(popSize=True),
             pvEval(r'"%d %d\n"%(gen, subPop[0]["popSize"])').
        end=5
 10
  11
 12
 13
 14
5 15
True
>>>
                                         4 N D D A D D A D D D D D D D D
```



### **Calculate statistics**

#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

# Various topics

Dynamic population size

Calculate statistics

Hybrid Operator Self-defined statistics

Read HapMap data
Pick markers from
HapMap data

>>> simu = simulator( population(subPop=[10000]\*2, loci=[10]), randomMating() >>> simu.evolve( preOps = [ . . . initByFreq([0.2, 0.8], subPop=[0]), . . . initByFreq([0.8, 0.2], subPop=[1]), ], . . . ops = [stat(LD=[[0,1], [5,6]], Fst=range(10), step=100), migrator(rate=[[0, 0.01], [0, 0.02]]),. . . pvEval(r'"Gen: %4d LD: %.3f R2: %.3f Fst: %.3f\n" ' % (gen, LD[0][1], R2[0][1], AvgFst)', . . . step=100) . . . 1. end=1000 . . .



# **Calculate statistics (cont.)**

```
simuPOP
tutorial
```

Bo Peng, Ph.D.

What is simuPOP

An example

Various topics

Dynamic population size

Calculate statistics

Hybrid Operator Self-defined

statistics Read HapMap data Pick markers from HapMap data

```
0.088 R2: 0.123 Fst:
Gen:
          T.D:
                                       0.520
Gen:
      100 LD:
               0.065 R2:
                          0.067 Fst:
                                       0.214
               0.045 R2:
Gen:
      200
          T.D:
                          0.032 Fst:
                                       0.158
Gen:
      300
          LD:
               0.035 R2:
                          0.020 Fst:
                                       0.154
      400
          LD:
               0.045 R2:
                           0.033 Fst:
                                       0.123
Gen:
Gen:
      500
          T.D:
               0.052 R2:
                          0.044 Fst:
                                       0.241
      600
          LD:
               0.049 R2:
                          0.039 Fst:
                                       0.334
Gen:
Gen:
      700
          T.D:
               0.052 R2:
                          0.044 Fst:
                                       0.326
               0.037 R2:
                          0.022 Fst:
Gen:
      800
          T.D:
                                       0.307
               0.028 R2:
Gen:
      900
          LD:
                           0.013 Fst:
                                       -0.133
     1000 LD:
               0.022 R2:
Gen:
                          0.009 Fst:
True
>>>
```



### A penetrance model

#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

### Various topics

Dynamic population size Calculate statistics

Calculate statisti
Hybrid Operator
Self-defined

Read HapMap data
Pick markers from
HapMap data

### A penetrance model with two interating loci

	BB	Bb	bb
AA	0.1	0.1	0.5
Aa	0.1	0.1	0.5
aa	0.5	0.5	0.1

```
>>> def myPene(geno):
... 'geno is the genotype at the two given loci'
... loc1 = geno[0] + geno[1]
... loc2 = geno[2] + geno[3]
... if (loc1 == 2 and loc2 < 2) or \
... (loc1 < 2 and loc2 == 2):
... return 0.1
... else:
... return 0.5
```



# Apply this model

#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Various topics Dynamic population size

Calculate statistics

Hybrid Operator Self-defined statistics

Read HapMap data
Pick markers from
HapMap data

```
>>> pop = population(subPop=[1000], loci=[6])
>>> # initialize the population
>>> InitByFreq(pop, [0.1, 0.9])
>>> # apply penetrance and obtain affection status
>>> PyPenetrance(pop, loci=[3, 5], func=myPene)
>>> # draw case control sample
>>> (sample,) = CaseControlSample(pop, cases=3, controls=3)
>>> # save sample in Merlin OTDT format
>>> from simuUtil import SaveOTDT
>>> SaveQTDT(sample, output='sample', affectionCode=['U', 'A'],
        fields=['affection'])
>>> # have a look at the sample in Merlin-OTDT Format
>>> print open('sample.map').read()
CHROMOSOME MARKER POSITION
       1001-1 1.000000
       1001-2 2.000000
       loc1-3 3.000000
       loc1-4 4.000000
       loc1-5 5.000000
       loc1-6 6.000000
```



# **Generated sample**

#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

#### , ... oxtamp

Various topics

population size

Calculate statistics

Hybrid Operator
Self-defined

Read HapMap data
Pick markers from
HapMap data

```
>>> print open('sample.dat').read()
        affection
Α
        1001-1
M
Μ
        loc1-2
        1001-3
M
Μ
        loc1-4
Μ
        loc1-5
M
        1001-6
>>> print open('sample.ped').read()
>>>
```



### Calculate effective number of alleles

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

## Various topics

Dynamic population size Calculate statistics Hybrid Operator Self-defined

Read HapMap data
Pick markers from
HapMap data

The effective number of alleles can be estimated from a population by

$$\hat{n}_{e} = \left(\sum_{i>0} \left(\frac{f_{i}}{f_{0}}\right)^{2}\right)^{-1} = \frac{f_{0}^{2}}{\sum_{i>0} f_{i}^{2}}$$

where  $f_i$  is the frequency of allele i, and  $f_0 = \sum_{i>0} f_i$  is the total disease allele frequency (assuming 0 is the only wildtype alelle).

```
>>> def Ne(pop, loci):
... 'Calculate effective number of alleles'
... Stat(pop, alleleFreq=loci)
... pop.dvars().Ne = {}
... v = pop.dvars().alleleFreq
... for locus in loci:
... f0 = 1 - v[locus][0]
... Ne = f0*f0/sum([x*x for x in v[locus][1:]])
... pop.dvars().Ne[locus] = Ne
... return True
```



## **Use a Python operator**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

An exampi

### Various topics

population size
Calculate statistics
Hybrid Operator
Self-defined

Read HapMap data Pick markers from HapMap data

```
>>> simu = simulator(
        population(1000, loci=[1], infoFields=['fitness']),
        randomMating())
. . .
>>> simu.evolve(
        preOps = [initBvFreq([0.1]*10)],
        ops = [
. . .
             maSelector(locus=0, fitness=[1, 0.999, 0.998]),
            pvOperator(func=Ne, param=[0], step=100),
. . .
            pyEval(r'"Ne=%.3f\n" % Ne[0]', step=100),
. . .
        end=500
. . . )
Ne=8.961
Ne=5.416
Ne=5.104
Ne=4.146
Ne=2.693
Ne=2.185
True
>>>
>>>
```



### scripts/loadHapMap.py

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

Various topics

Dynamic population size Calculate statistics Hybrid Operator Self-defined

statistics Read HapMap data

Read HapMap data
Pick markers from
HapMap data

### Load genotype from hapmap data file

```
def load_population(pop, ch, type):
    '''Load population from file, with type (subpopulation type
    subPop = {'CEU':0, 'YRI':1, 'JPT+CHB':2}[type]
    file = genotype_file % (ch, type, rev)
    print 'from %s...' % file
    for line_no,line in enumerate(open(file).readlines()):
        genotype = [int(x) for x in line.split()]
        ind = line_no / 2
        ploidy = line_no % 2
        ind = pop.individual(ind, subPop)
        for i,g in enumerate(genotype):
        # always chromosome 0, because each population has of ind.setAllele(g, i, ploidy)
```



# Pick markers from HapMap data

```
simuPOP tutorial
```

Bo Peng, Ph.D.

What is simuPOP

An example

#### Various topics Dynamic

population size
Calculate statistics
Hybrid Operator
Self-defined
statistics

Read HapMap data
Pick markers from
HapMap data

```
>>> genes =
        "rs1042522".
        "rs1625895",
        "rs1799793",
>>> pops = []
>>> for i in range(1, 23):
        print "Loading hapmap chromosome %d..." % i
        pop = LoadPopulation('hapmap %d.bin' % i)
. . .
        markers = []
        for name in genes:
            try:
. . .
                 idx = pop.locusByName(name)
                 markers.append(idx)
. . .
            except:
                 pass
        if len(markers) > 0:
            markers.sort()
            pop.removeLoci(keep=markers)
. . .
            pops.append(pop)
>>> all = MergePopulationsBvLoci(pops)
```



# **Acknowledgments**

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

An example

# Various topics

population size
Calculate statistics
Hybrid Operator
Self-defined
statistics
Read HapMap data
Pick markers from

HapMap data

 W.M. Keck Foundation to the Gulf Coast Consortia through the Keck Center for Computational and Structural Biology

- Rice Terascale Cluster funded by NSF under Grant EIA-0216467, Intel, and HP
- M.D. Anderson Cancer Center High Performance Cluster
- BP was supported in part by a grant CA75432 from NCI
- Yaji Xu helped with all the figures in this talk



# For further reading

#### simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP


An example

# Various topics

Dynamic population size Calculate statistics Hybrid Operator Self-defined statistics

Read HapMap data
Pick markers from
HapMap data

**Bo Peng** and Marek Kimmel (2005). simuPOP: a forward-time population genetics simulation environment. *Bioinformatics*, 21:3686–3687



**Bo Peng**, Christopher I. Amos and Marek Kimmel (2007) Forward-time simulations of complex human diseases. *PLoS Genetics*, 3(3):e47.



### That is all

simuPOP tutorial

Bo Peng, Ph.D.

# What is simuPOP

An example

# Various topics

Dynamic population size Calculate statistics Hybrid Operator Self-defined statistics Read HapMap data

Read HapMap data Pick markers from HapMap data For more details, please check out

- simuPOP user's guide
- simuPOP reference manual
- Another presentation about the details of each simuPOP components

Under the doc directory of your simuPOP distribution.