

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

# Forward-time simulations using simuPOP, a tutorial

Bo Peng, Ph.D.

Department of Epidemiology U.T. M.D. Anderson Cancer Center Houston, TX

June. 6, 2007
Programmers' Cross Training
U.T. M.D. Anderson Cancer Center



## outline

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

- **What is simuPOP**
- 2 An example
- 3 simuPOP components



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

A forward-time population genetics simulation environment



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

## A forward-time population genetics simulation environment

A population genetics simulation program



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

## A forward-time population genetics simulation environment

- A population genetics simulation program
- Not coalescent-based



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

### A forward-time population genetics simulation environment

- A population genetics simulation program
- Not coalescent-based
- Based on an object-oriented scripting language (Python)




simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components






simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components




 Start from an initial population



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP

Bo Peng, Ph.D.

What is simuPOP




- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP



- Start from an initial population
- Evolve forward in time, generation by generation, subject to certain number of genetic and/or demographic effects
- Samples are collected from the last several generations




simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components






simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components




 Start from a sample with unknown genotype



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP




- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP




- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP



- Start from a sample with unknown genotype
- Coalesce individuals until the most recent common ancestor of all individuals is found
- Starting from the MRCA, proceed forward in time and fill the genotype of each individual



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

#### **Backward-time**

Sample based, efficient.

#### Forward-time

 Population based, inefficient.



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Sample based, efficient.
- Limited selection, recombination models and mating schemes

- Population based, inefficient.
- Can simulate almost arbitrary evolutionary scenarios



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Sample based, efficient.
- Limited selection, recombination models and mating schemes
- Can not study population properties, or properties of ancestral generations

- Population based, inefficient.
- Can simulate almost arbitrary evolutionary scenarios
- Can study population properties and ancestral generations



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Sample based, efficient.
- Limited selection, recombination models and mating schemes
- Can not study population properties, or properties of ancestral generations
- Used mostly for sample generation

- Population based, inefficient.
- Can simulate almost arbitrary evolutionary scenarios
- Can study population properties and ancestral generations
- Wider application area



## What simuPOP does

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

## simuPOP provides

 a large number of functions to manipulate populations, copy, split, merge, modify genotype, modify individuals, determine affection status, save to and load from various formats, generate sample, ...



## What simuPOP does

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

## simuPOP provides

- a large number of functions to manipulate populations, copy, split, merge, modify genotype, modify individuals, determine affection status, save to and load from various formats, generate sample, ...
- and a mechanism to evolve populations forward in time, subject to arbitrary demographic and genetic forces such as population size changes, mutation, migration, recombination, selection ...



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

simuPOP can simulate the change of the genetic composition of a population in a complicated evolutionary process. It can be used to

demonstrate population genetics phenomina



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- demonstrate population genetics phenomina
- study the impact of genetic and demographic forces on the evolution of a population



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- demonstrate population genetics phenomina
- study the impact of genetic and demographic forces on the evolution of a population
- study the evolution of (complex) genetic diseases



#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- demonstrate population genetics phenomina
- study the impact of genetic and demographic forces on the evolution of a population
- study the evolution of (complex) genetic diseases
- simulate samples to validate gene-mapping methods



#### simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- demonstrate population genetics phenomina
- study the impact of genetic and demographic forces on the evolution of a population
- study the evolution of (complex) genetic diseases
- simulate samples to validate gene-mapping methods
- study ascertainment methods in simulated populations



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- demonstrate population genetics phenomina
- study the impact of genetic and demographic forces on the evolution of a population
- study the evolution of (complex) genetic diseases
- simulate samples to validate gene-mapping methods
- study ascertainment methods in simulated populations
- ...



# On the simulations of complex human diseases

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

### **Backward-time**

Haploid simulation only

### Forward-time

No limit on ploidy



# On the simulations of complex human diseases

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Haploid simulation only
- Additive selection and penetrance models

- No limit on ploidy
- Arbitrary selection and penetrance models



# On the simulations of complex human diseases

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Haploid simulation only
- Additive selection and penetrance models
- One disease susceptibility locus

#### **Forward-time**

- No limit on ploidy
- Arbitrary selection and penetrance models
- Multiple DSL with interaction



# On the simulations of complex human diseases

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

#### **Backward-time**

- Haploid simulation only
- Additive selection and penetrance models
- One disease susceptibility locus
- Generate independent samples

#### **Forward-time**

- No limit on ploidy
- Arbitrary selection and penetrance models
- Multiple DSL with interaction
- Simulate populations, which allows more flexible sampling



# I like it, but, oohm, Python??

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

- For efficiency, the core of simuPOP is written in C++
- Python is used to
  - wrap simuPOP core (the glue language)
  - write simuPOP extensions (GUI etc)
  - pass parameters and more



# **Availability**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

- simuPOP website: http://simupop.sourceforge.net
- Mailing list: simupop-list@lists.sourceforge.net
- License: GPL 2.0
- Platforms: all OS on which Python is available
- Monthly release, currently at 0.7.10
- Documentation: simuPOP User's Guide and simuPOP Reference Manual



## A simple example

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
   randomMating(),
. . .
     rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
. . .
        ] = ago
            recombinator(rate=0.1),
. . .
            stat(LD=[0,1]),
. . .
            pvEval(r"'%3d ' % gen", rep=0, step=10),
            pyEval(r"'%f ' % LD[0][1]", step=10),
            pvEval(r"'\n'", rep=REP LAST, step=10)
        1.
        end=100
. . .
. . . )
```



## **Output of the example**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

```
n
      0.198036
                    0.200709
                                 0.197748
 10
      0.064744
                    0.063100
                                 0.078473
 20
      0.013233
                    0.019795
                                 0.041057
 30
      0.002985
                    0.004931
                                 0.000649
 40
      0.023492
                    0.002948
                                 0.004462
 50
      0.006016
                    0.014262
                                 0.013900
 60
      0.011310
                    0.008717
                                 0.013715
 70
      0.016652
                    0.014545
                                 0.014426
 80
      0.007250
                    0.002506
                                 0.014372
 90
      0.016994
                    0.014455
                                 0.004147
100
      0.000425
                    0.016570
                                 0.008704
```



#### simuPOP modules

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
... population(size=1000, ploidy=2, loci=[2]),
... randomMating(),
... rep = 3)
```

Import the default simuPOP module



# population

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Create a population of 1000 diploid individuals, each having two loci on the first chromosome



# simulator and mating scheme

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
...    population(size=1000, ploidy=2, loci=[2]),
...    randomMating(),
...    rep = 3)
```

Create a simulator that has one replicate of this population, and a random mating scheme



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
. . .
    randomMating(),
. . .
       rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
        ops = [
            recombinator(rate=0.1),
. . .
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
. . .
            pyEval(r"'%f ' % LD[0][1]", step=10),
            pyEval(r"'\n'", rep=REP_LAST, step=10)
        end = 100
. . . )
```

initByValue is applied before evolution



simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
       population(size=1000, ploidy=2, loci=[2]),
   randomMating(),
   rep = 3)
. . .
>>> simu.evolve(
       preOps = [initByValue([1,2,2,1])],
       ops = [
           recombinator(rate=0.1),
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
            pvEval(r"'%f ' % LD[0][1]", step=10),
            pyEval(r"'\n'", rep=REP LAST, step=10)
        end = 100
```

recombinator is applied at every generation when an offspring is produced



simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
       population(size=1000, ploidy=2, loci=[2]),
   randomMating(),
   rep = 3)
. . .
>>> simu.evolve(
       preOps = [initByValue([1,2,2,1])],
     ] = ago
           recombinator(rate=0.1),
            stat(LD=[0,1]),
           pyEval(r"'%3d ' % gen", rep=0, step=10),
           pvEval(r"'%f ' % LD[0][1]", step=10),
           pyEval(r"'\n'", rep=REP LAST, step=10)
        end = 100
```

stat is applied to the offspring generation at every generation



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

```
>>> from simuPOP import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
. . .
    randomMating(),
. . .
       rep = 3)
>>> simu.evolve(
        preOps = [initByValue([1,2,2,1])],
        ops = [
            recombinator(rate=0.1),
. . .
            stat(LD=[0,1]),
            pyEval(r"'%3d ' % gen", rep=0, step=10),
. . .
            pyEval(r"'%f ' % LD[0][1]", step=10),
            pyEval(r"'\n'", rep=REP_LAST, step=10)
        end = 100
. . . )
```

pyEval is applied every 10 generations



## Use R to plot

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

```
>>> from simuPOP import *
>>> from simuRPy import *
>>> simu = simulator(
        population(size=1000, ploidy=2, loci=[2]),
      randomMating(),
        rep = 3)
. . .
>>> simu.evolve(
        preOps = [initBvValue([1,2,2,1])],
        ops = [
. . .
            recombinator(rate=0.1),
            stat(LD=[0,1]),
            varPlotter('LD[0][1]', numRep=3, step=10, saveAs='log
. . .
                ylim=[0,.25], lty=range(1, 4), col=range(2, 5),
                xlab='generation', ylab='D', title='LD Decay',
. . .
        end = 100
True
>>>
```




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation




simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example



- Update at every 10 generations
- LD=0.25 before generation 0
- LD calculated at the end of each generation



#### **Exercise time**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

- Start python
- Load simuPOP
- Create a population and run

```
pop.ploidyName()
```

• run tutorial\_example1.py



#### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

All example

simuPOP components

Population

Individual
Operator
Mating scheme
Simulator

- 3 simuPOP components
  - Population
    - Individual
  - Operator
  - Mating scheme
  - Simulator

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP

components

Individual
Operator
Mating scheme

- Unaffected
- Affected



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population
Individual
Operator
Mating scheme

Simulator

- Unaffected
- Affected





simuPOP tutorial

Bo Peng, Ph.D.


What is simuPOP

An example

simuPOP components

Population Individual Operator Mating scheme Simulator

- Unaffected
- Affected





simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population Individual Operator Mating scheme

Simulator

- Unaffected
- Affected



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP

components
Population
Individual

Individual
Operator
Mating scheme
Simulator

- Unaffected
- Affected



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPQP

components Population Individual

Operator Mating scheme Simulator

- Unaffected
- Affected



gen = 2, numAffected = 5, ...

Ancestral generation 1

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP

components
Population
Individual

Individual
Operator
Mating scheme
Simulator

- Unaffected
- Affected



gen = 2, numAffected = 5, ...

Ancestral generation 2

Ancestral generation 1

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP

components
Population
Individual

Individual
Operator
Mating scheme
Simulator

- Unaffected
- Affected



Ancestral generation 2

Ancestral generation 1

Current generation

Population variables

```
THE UNIVERSITY OF TEXAS
MD ANDERSON
CANCER CENTER
Making Cancer History*
```

## Create and manipulate populations

```
simuPOP
              >>> pop = population(size=10, loci=[2, 3])
  tutorial
              >>> Dump(pop)
 Bo Peng,
              Ploidy:
  Ph.D.
              Number of chrom:
              Number of loci:
What is
simuPOP
              Maximum allele state:
                                          255
An example
              Loci positions:
simuPOP
                                 1 2 3
components
              Loci names:
Population
Individual
                                 1001-1 1001-2
Operator
                                 loc2-1 loc2-2 loc2-3
Mating scheme
Simulator
              population size:
                                          10
              Number of subPop:
              Subpop sizes:
                                          10
              Number of ancestral populations:
              individual info:
              sub population 0:
                 0: MTT
                                          0
                    MU
                 2: MU
                                          0
```

MU



### **Genotypic structure**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components Population

Individual
Operator
Mating scheme

```
>>> pop = population(subPop=[200, 300], loci=[3, 2],
        maxAllele=3, ploidy=3,
        lociPos=[[1, 3, 5], [2.5, 4]],
        alleleNames=['A', 'C', 'T', 'G'])
>>> pop.numLoci(0)
3
>>> pop.totNumLoci()
5
>>> pop.locusPos(4)
4.0
>>> pop.subPopSize(1)
300
>>> pop.popSize()
500
>>> pop.ploidyName()
'triploid'
>>> pop.individual(1).allele(1, 2)
0
>>>
```



simuPOP

tutorial

Bo Peng,

Ph.D.

What is

### **Population manipulation**

>>> pop.removeLoci(keep=[0, 1])

>>> # make a copy of pop

>>> # remove loci 2, 3, 4

>>> pop1 = pop.clone()

```
simuPOP
            >>> pop2 = MergePopulationsByLoci(pops=[pop, pop1])
            >>> # randomly assign alleles using given allele frequencies
An example
            >>> InitByFreq(pop2, [0.8, .2])
simuPOP
            >>> # calculate population allele frequency
components
            >>> Stat(pop2, alleleFreq=range(pop2.totNumLoci()))
Population
Individual
            >>> # print allele frequency
Operator
            >>> print pop2.dvars().alleleFreq
Mating scheme
Simulator
            [0.8066666666666664, 0.19333333333333], [0.796000000000000000]
            >>> # assign affection status using a penetrance model
            >>> MapPenetrance(pop2, locus=1,
                     penetrance={'0-0': 0.05, '0-1': 0.2, '1-1': 0.8})
            >>> # draw case control sample
            >>> (sample,) = CaseControlSample(pop2, cases=5, controls=5)
            >>> # save sample in Merlin OTDT format
            >>> from simuUtil import SaveOTDT
            >>> SaveQTDT(sample, output='sample', affectionCode=['U', 'A'],
                     fields=['affection'])
            . . .
                                                    4 T > 4 A > 4 E > 4 E > E 90 C
```

>>> # pop2 will have 3 chromosomes, with loci 2, 3, 2



## Population manipulation (cont.)

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Components
Population
Individual

Operator
Mating scheme
Simulator

```
>>> # have a look at the sample in Merlin-OTDT Format
>>> print open('sample.map').read()
CHROMOSOME MARKER POSITION
        loc1-1 1.000000
       loc1-2 3.000000
       loc1-1 1 1.000000
       loc1-2_1
                       3.000000
       1001-3 5.000000
3
       loc2-1 2.500000
       loc2-2 4.000000
>>> print open('sample.dat').read()
        affection
Α
М
       loc1-1
       1001-2
M
       loc1-1 1
M
М
       loc1-2 1
       1001-3
M
       loc2-1
М
       loc2-2
```



## **Population manipulation (cont.)**

simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components

component
Population
Individual

Operator
Mating scheme
Simulator

```
>>> print open('sample.ped').read()
1 1 0 0 2 A 2 1 2 2 1 1 1 1 1 2 1 2 1 1 2
2 1 0 0 2 A 2 2 2 2 2 1 2 1 1 1 1 1 1 1 1 2
3 1 0 0 1 A 1 2 2 1 2 1 2 1 1 2 2 1 1 1
4 1 0 0 2 A 2 1 2 2 1 1 1 1 1 1 1 1 1 1 1
5 1 0 0 1 A 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1
6 1 0 0 1 U 1 1 1 1 2 1 1 1 1 1 1 1 1 1
8 1 0 0 1 U 1 1 1 1 2 1 2 1 1 1 1 1 1 1 2 1
9 1 0 0 2 U 1 1 1 1 2 2 1 1 2 1 1 1 2 2 1 1
10 1 0 0 2 U 1 1 1 1 2 1 1 1 2 1 1 1 1 1 2 2 1
```

>>>



#### **Population variables**

```
simuPOP
tutorial
```

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Population
Individual

Operator Mating scheme Simulator

```
>>> pop = population(subPop=[5, 10], loci=[5])
>>> InitByFreg(pop, [.6, .3, .1])
>>> Stat(pop, alleleFreg=[1], genoFreg=[2])
>>> print pop.dvars().alleleFreg[1][0]
0.7
>>> from simuUtil import ListVars
>>> ListVars(pop.dvars(), useWxPvthon=False)
grp: -1
rep : -1
alleleNum :
  [1]
    [0]
               21
    [1]
    [2]
genoFreg :
  [2]
    [0]
      0 :
               0.2
               0.66666666667
      2:
               0.066666666667
    [1]
      1:
               0.066666666667
genoNum :
  [2]
    [0]
               3.0
               10 0
      2:
               1.0
    [1]
               1.0
                                               alleleFreq :
```



### Population variables (cont.)

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP

components
Population

Population Individual Operator

```
subPop
  [0]
    alleleNum :
       [1]
         [0]
                 8
         [1]
                 1
         [2]
                 1
    genoNum :
       [2]
         [0]
                 2.0
                 2.0
         [1]
                 1.0
    genoFreg :
       [2]
         [0]
            0
                 0.4
                 0 4
         [1]
                 0.2
    alleleFreq :
       [1]
         [0]
                 0.8
         [1]
                 0.1
         [2]
                 0.1
```



#### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP
An example

An example

simuPOP components

Population Individual

Operator

Mating scheme Simulator

## simuPOP components

- Population
- Individual
- Operator
- Mating scheme
- Simulator



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population Individual

Operator
Mating scheme

Assume ploidy = 2, maxAllele = 1



#### Male

Affected

fitness father\_id ...



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population Individual

Operator
Mating scheme
Simulator

Assume ploidy = 2, maxAllele = 1



Chromosome 0



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population Individual

Operator Mating scheme Simulator Assume ploidy = 2, maxAllele = 1

fitness



father id ...

Chromosome 0

Chromosome 1



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population Individual

Operator Mating scheme Simulator Assume ploidy = 2, maxAllele = 1

fitness



father id ...

Chromosome 0

Chromosome 1

Sex



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example


simuPOP components

Population Individual

Operator Mating scheme Simulator Assume ploidy = 2, maxAllele = 1

Affected

fitness



father id ...

Chromosome 0

Chromosome 1

Sex

Affection status



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPQP


An example

simuPQP components

Population Individual

Operator Mating scheme Simulator

Assume ploidy = 2, maxAllele = 1



Male

Affected 

fitness

father id ...

Chromosome 0

Chromosome 1

Sex

Affection status

Information fields



#### **Individuals**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Population Individual

Operator

Operator

Mating scheme

Simulator

```
>>> pop = population(subPop=[5, 8], loci=[5],
        infoFields=['penetrance'])
>>> InitByFreq(pop, [.6, .3, .1])
>>> MaPenetrance(pop, locus=2, penetrance=[0.05, 0.2, 0.5],
        wildtype=[0], infoFields=['penetrance'])
>>> # iterate through all inviduals in subPop 1
>>> for ind in pop.individuals(1):
        print 'Aff: %d Fit: %.3f Geno: %d %d' % \
. . .
            (ind.affected(), ind.info('penetrance'), \
. . .
            ind.allele(2, 0), ind.allele(2, 1))
. . .
Aff: 0 Fit: 0.500 Geno: 1 1
Aff: 0 Fit: 0.200 Geno: 2 0
Aff: 0 Fit: 0.050 Geno: 0 0
Aff: 0 Fit: 0.050 Geno: 0 0
Aff: 0 Fit: 0.050 Geno: 0.0
Aff: 1 Fit: 0.200 Geno: 2 0
Aff: 0 Fit: 0.200 Geno: 0.1
Aff: 0 Fit: 0.050 Geno: 0 0
>>>
```



#### Information fields

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Operator
Mating scheme

Population Individual Operator

```
>>> pop = population(100, infoFields=['father_idx', 'mother_idx
>>> simu = simulator(pop, randomMating(numOffspring=2))
>>> simu.evolve(ops=[parentsTagger()], end=5)
True
>>> ind = simu.population(0).individual(0)
>>> ind1 = simu.population(0).individual(1)
>>> print ind.info('father_idx'), ind.info('mother_idx')
56.0 46.0
>>> print ind1.info('father_idx'), ind1.info('mother_idx')
56.0 46.0
>>> print ind1.info('father_idx'), ind1.info('mother_idx')
```



#### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Population

Individual

Operator

Mating scheme Simulator

## 3 simuPOP components

- Population
- Individual
- Operator
- Mating scheme
- Simulator



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP

components

Population Individual

Operator

Mating scheme

Parental generation



simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example


simuPOP

components

Population

Individual Operator

Operator





simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

Population

Population Individual

Operator





simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Population

Population Individual

Operator

Mating scheme

Pre-mating operators

Parental generation



simuPOP tutorial

Bo Peng, Ph.D.


What is simuPQP

An example

simuPOP components

Population

Individual Operator





simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP

components
Population

Population Individual

Operator





simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP


An example

simuPOP components

components
Population

Individual

Operator





# **Stages**

simuPOP tutoria<u>l</u>

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP

components
Population

Individual

Operator



## Stages, an example

simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP

components
Population

Individual

Operator



## **Output**

simuPOP tutorial

Ph.D.

What is simuPOP

An example

simuPOP

components
Population

Individual

Operator



## Table-like output

simuPOP tutorial

Bo Peno Ph.D.

What is simuPOP

An example

simuPOP

components
Population

Individual Operator



#### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

simuPOP components

Population

Individual Operator

Mating scheme Simulator simuPOP components

- Population
  - Individual
- Operator
- Mating scheme
- Simulator



## **Mating schemes**

simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

An exampi

simuPOP

components Population

Individual Operator

Mating scheme



#### **Outline**

simuPOP tutorial

Bo Peng, Ph.D.

What is simuPOP

An example

#### simuPOP components

Population Individual

Operator Mating scheme

Simulator

## simuPOP components

- Population

- Mating scheme
- Simulator



#### Simulator

simuPOP tutorial

Bo Peng Ph.D.

What is simuPOP

An example

simuPOP components

Population Individual Operator