

Os Lab 2
24k-0559
BAZIL UDDIN KHAN
BSCS 4H

Task#1:

```
-rw-rw-r-- 1 student student 0 12:25 2   فروری data.txt
-rw-rw-r-- 1 student student 0 12:25 2   فروری info.txt
-rw-rw-r-- 1 student student 0 12:25 2   فروری summary.txt
student@OptiPlex-AIO-7410-65W:~/workspace$ su - labuser
Password:
$ mkdir workspace
mkdir: cannot create directory 'workspace': File exists
$ mkdir WORKSPACE
$ cd WORKSPACE
$ touch info.txt data.txt summary.txt
$ ls
data.txt  info.txt  summary.txt
$ whoami
labuser
$
```

Task#2:

```
-rw-rw-r-- 1 student student 0 12:25 2   فروری summary.txt
student@OptiPlex-AIO-7410-65W:~/workspace$ su - labuser
Password:
$ mkdir workspace
mkdir: cannot create directory 'workspace': File exists
$ mkdir WORKSPACE
$ cd WORKSPACE
$ touch info.txt data.txt summary.txt
$ ls
data.txt  info.txt  summary.txt
$ whoami
labuser
$ cd /home/labuser/WORKSPACE
$ cp info.txt info_backup.txt
$ mv data.txt records.txt
$ rm summary.txt
$ ls -l
total 0
-rw-rw-r-- 1 labuser labuser 0 12:31 2   فروری info_backup.txt
-rw-rw-r-- 1 labuser labuser 0 12:29 2   فروری info.txt
-rw-rw-r-- 1 labuser labuser 0 12:29 2   فروری records.txt
$
```

\$ touch info.txt data.t

TASK#3:

```
$ whoami
labuser
$ cd /home/labuser/WORKSPACE
$ mkdir archive
$ mv info_backup.txt archive/
$ ls -l
total 4
drwxrwxr-x 2 labuser labuser 4096 12:35 2   فروری archive
-rw-rw-r-- 1 labuser labuser   0 12:29 2   فروری info.txt
-rw-rw-r-- 1 labuser labuser   0 12:29 2   فروری records.txt
$ ls -l archive
total 0
-rw-rw-r-- 1 labuser labuser 0 12:31 2   فروری info_backup.txt
$
```

```
-rw-rw-r-- 1 student s
student@OptiPlex-AIO-7
Password:
$ mkdir workspace
mkdir: cannot create d
$ mkdir WORKSPACE
$ cd WORKSPACE
$ touch info.txt data.
$ ls
```

Task#4:

```
NO SUCH FILE OR DIRECTORY
$ chmod 640 ~/WORKSPACE/info.txt ~/WORKSPACE/records.txt
$ chmod 640 ~/WORKSPACE/archive/info_backup.txt
$ ls -l
total 4
drwxrwxr-x 2 labuser labuser 4096 12:35 2   فروری archive
-rw-r----- 1 labuser labuser   0 12:29 2   فروری info.txt
-rw-r----- 1 labuser labuser   0 12:29 2   فروری records.txt
$
```

Task#5:

```
-rw-r----- 1 labuser labuser   0 12:29 2   فروری records.txt
$ cd /home/labuser/WORKSPACE
$ ls -l info.txt records.txt
-rw-r----- 1 labuser labuser   0 12:29 2   فروری info.txt
-rw-r----- 1 labuser labuser   0 12:29 2   فروری records.txt
$ ls -l archive/info_backup.txt
-rw-r----- 1 labuser labuser   0 12:31 2   فروری archive/info_backup.txt
$
```

The permission `rw-r-----`(640) means

1. owner(labuser): has read(r) and write(w) permissions so the owner can view and modify the file
2. Group: has read(r) permissions only so group member can view the file but cannot modify it
3. otherusers: have no permissions so they cannot read,write or access the file.