National University of Computer & Emerging Sciences

Multivariable Calculus (MT-2008)

Date: March 1st, 2024 Time: 8:30 am - 9:30 am Course Instructor(s)

Dr. Fahad Riaz, Dr. Nazish Kanwal

Ms. Fareeha Sultan, MS. Alishba, & Ms. Uzma.

Sessional-I Exam

Total Time: 1 Hour Total Marks: 30 Total Questions: 04 Semester: SP-2024 Campus: Karachi

Dept: CS, CY, SE & AI.

Student Name

Roll No

Section

Student Signature

Instructions:

- 1. Answer all questions on answer script . Credit will be awarded for correct content and clarity of presentation.
- 2. All the answers must be solved according to the sequence given in the question paper.
- 3. There are 4 questions and 2 pages.

CLO#2: Apply the theory to calculate the gradients, directional derivatives, arc length of curves, area of surfaces, and volume of solids. [6 marks]

Question 1

- (a) 3 points Find and sketch the domain of $f(x,y) = \sqrt{4-x^2-y^2} + \sqrt{1-x^2}$.
- (b) 3 points Identify and sketch the level curves for specified values of k.

$$z = \sqrt{36 - 9x^2 - 4y^2}, \quad k = -1, 0, 6.$$

CLO#2: Apply the theory to calculate the gradients, directional derivatives, arc length of curves, area of surfaces, and volume of solids. [5 marks]

Question 2

- (a) 2 points Determine whether the limit $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\mathbf{x}\mathbf{y}-\mathbf{y}^2}{\mathbf{y}^2+\mathbf{x}}$ exists. If it does find the limit, if not, explain why not?
- (b) 3 points Determine whether the function f(x,y) is continuous at (0,0). Justify your answer.

$$f(x,y) = \begin{cases} \frac{2xy}{x^2 + y^2} & \text{if } (x,y) \neq (0,0) \\ 0 & \text{if } (x,y) = (0,0) \end{cases}$$

CLO#2: Apply the theory to calculate the gradients, directional derivatives, arc length of curves, area of surfaces, and volume of solids. [10 marks]

Question $\overline{3}$

(a) 3 points Let $z = \ln(e^x + e^y)$ be the function whose all second order partial derivatives are exist. Show that

$$\frac{\partial^2 z}{\partial x^2} + \frac{\partial^2 z}{\partial x \partial y} = 0.$$

- (b) 3 points Let $f_x(3,2) = 12.2$, $f_x(3,2.2) = 16.8$ & $f_x(3,1.8) = 7.5$. Estimate the value of $f_{xy}(3,2)$.
- (c) 4 points The length a of a side of a triangle is increasing at a rate of 3 inch/sec, the length b of another side is decreasing at a rate of 2 inch/sec, and the contained angle θ is increasing at a rate of 0.05 radian/sec. How fast is the area $A = \frac{1}{2}ab\sin\theta$ of the triangle changing with time when a = 40 inch, y = 50 inch, and $\theta = \pi/6$.

Question 4

- (a) 5 points Find the local linear approximation of the function $f(x, y, z) = \sqrt{x^2 + y^2 + z^2}$ at the point P(3, 2, 6) and use it to approximate at point Q(3.26, 1.97, 5.99). Compare your result with the actual value of the distance between the given points.
- (b) 3 points Use implicit differentiation to find $\frac{\partial \mathbf{z}}{\partial \mathbf{x}}$ at the given point (where f(x, y, z) = 0 defines z implicitly).

$$xe^y + ye^z + 2\ln x - 2 - 3\ln 2 = 0;$$
 (1, ln 2, ln 3).

(c) 1 point Determine whether the statement is true or false. Explain your answer. If the graph of z = f(x, y) is a plane in 3-space, then both f_x and f_y are constant functions.