


BAZIL UDDIN KHAN


24K-0559

BSCS-1H


TASK1:




TASK2:




TASK3 :




TASK4:



TASK5:



TASK6:



Cisco Packet Tracer Student

File Edit Options View Tools Extensions Help

Logical [Root] New Cluster Move Object Set Tiled Background Viewport

PC-PT PC0 Laptop-PT Laptop0

2960-24TT Switch0

PC-PT PC1 Laptop-PT Laptop1

Time: 00:31:38 Power Cycle Devices Fast Forward Time

Connections

Copper Straight-Through

Scenario 0

New Delete

Toggle PDU List Window

PC1

Physical Config Desktop Custom Interface

Command Prompt

```
Packet Tracer PC Command Line 1.0
PC>ping 192.168.1.4

Pinging 192.168.1.4 with 32 bytes of data:

Reply from 192.168.1.4: bytes=32 time=3ms TTL=128
Reply from 192.168.1.4: bytes=32 time=3ms TTL=128
Reply from 192.168.1.4: bytes=32 time=0ms TTL=128
Reply from 192.168.1.4: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.1.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 2ms

PC>
```

Type here to search

9:25 AM 10/25/2024