


BAZIL UDDIN KHAN

24K-0559

BSCS-1H

TASK2 : COMMAND PROMPT

1).



```
Command Prompt
C:\Users\DELL>COLOR /?
Sets the default console foreground and background colors.

COLOR [attr]

    attr          Specifies color attribute of console output

Color attributes are specified by TWO hex digits — the first
corresponds to the background; the second the foreground. Each digit
can be any of the following values:

    0 = Black      8 = Gray
    1 = Blue       9 = Light Blue
    2 = Green      A = Light Green
    3 = Aqua       B = Light Aqua
    4 = Red        C = Light Red
    5 = Purple     D = Light Purple
    6 = Yellow     E = Light Yellow
    7 = White      F = Bright White

If no argument is given, this command restores the color to what it was
when CMD.EXE started. This value either comes from the current console
window, the /T command line switch or from the DefaultColor registry
value.

The COLOR command sets ERRORLEVEL to 1 if an attempt is made to execute
the COLOR command with a foreground and background color that are the
same.

Example: "COLOR fc" produces light red on bright white

C:\Users\DELL>COLOR A
C:\Users\DELL>
```

2).

attr Specifies color attribute of console output

Color attributes are specified by TWO hex digits -- the first corresponds to the background; the second the foreground. Each digit can be any of the following values:

0 = Black	8 = Gray
1 = Blue	9 = Light Blue
2 = Green	A = Light Green
3 = Aqua	B = Light Aqua
4 = Red	C = Light Red
5 = Purple	D = Light Purple
6 = Yellow	E = Light Yellow
7 = White	F = Bright White

If no argument is given, this command restores the color to what it was when CMD.EXE started. This value either comes from the current console window, the /T command line switch or from the DefaultColor registry value.

The COLOR command sets ERRORLEVEL to 1 if an attempt is made to execute the COLOR command with a foreground and background color that are the same.

Example: "COLOR fc" produces light red on bright white

```
C:\Users\DELL>COLOR A
```

```
C:\Users\DELL>D;
```

```
'D' is not recognized as an internal or external command,  
operable program or batch file.
```

```
C:\Users\DELL>D;
```

```
'D' is not recognized as an internal or external command,  
operable program or batch file.
```

```
C:\Users\DELL>D:
```

```
D:\>
```

3).

```
D:\>c;
'c' is not recognized as an internal or external command,
operable program or batch file.

D:\>c:

C:\Users\DELL>dir /?
Displays a list of files and subdirectories in a directory.

DIR [drive:][path][filename] [/A[:attributes]] [/B] [/C] [/D] [/L] [/N]
  [/O[:sortorder]] [/P] [/Q] [/R] [/S] [/T[:timefield]] [/W] [/X] [/4]

  [drive:][path][filename]
                        Specifies drive, directory, and/or files to list.

  /A                   Displays files with specified attributes.
attributes            D Directories          R Read-only files
                     H Hidden files          A Files ready for archiving
                     S System files          I Not content indexed files
                     L Reparse Points        O Offline files
                     - Prefix meaning not

  /B                   Uses bare format (no heading information or summary).
  /C                   Display the thousand separator in file sizes. This is the
                        default. Use /-C to disable display of separator.
  /D                   Same as wide but files are list sorted by column.
  /L                   Uses lowercase.
  /N                   New long list format where filenames are on the far right.
  /O                   List by files in sorted order.
sortorder              N By name (alphabetic)      S By size (smallest first)
                     E By extension (alphabetic)  D By date/time (oldest first)
                     G Group directories first   - Prefix to reverse order

  /P                   Pauses after each screenful of information.
  /Q                   Display the owner of the file.
  /R                   Display alternate data streams of the file.
  /S                   Displays files in specified directory and all subdirectories.
  /T                   Controls which time field displayed or used for sorting
timefield              C Creation
                     A Last Access
                     W Last Written

  /W                   Uses wide list format.
  /X                   This displays the short names generated for non-8dot3 file
                        names. The format is that of /N with the short name inserted
                        before the long name. If no short name is present, blanks are
                        displayed in its place.
  /4                   Displays four-digit years

Switches may be preset in the DIRCMD environment variable. Override
preset switches by prefixing any switch with - (hyphen)—for example, /-W.
```

4). File created in d drive

```
Switches may be preset in the DIRCMD environment variable. Override
preset switches by prefixing any switch with - (hyphen)—for example, /-W.
```

```
C:\Users\DELL>mkdir Ict_LAB
```

```
C:\Users\DELL>d:
```

```
D:\>mkdir Ictlab1
```

```
D:\>rmdir Ictlab1
```

```
D:\>mkdir TestFolder
```

Name	Date modified	Type	Size
 Ictlab1	9/6/2024 8:39 PM	File folder	

File removed

switches may be preset in the DIRCMD environment variable. Override preset switches by prefixing any switch with - (hyphen)--for example, /-W.

```
C:\Users\DELL>mkdir Ict_LAB
```

```
C:\Users\DELL>d:
```

```
D:\>mkdir Ictlab1
```

```
D:\>rmdir Ictlab1
```

```
D:\>mkdir TestFolder
```

```
D:\>rmdir TestFolder
```

```
C:\Users\DELL>cd ..
```


```
C:\Users>cd ..
```

```
C:\>|
```

5).

```
C:\Users\DELL>mkdir Ict_LAB  
  
C:\Users\DELL>d:  
  
D:\>mkdir Ictlab1  
  
D:\>rmdir Ictlab1  
  
D:\>mkdir TestFolder  
  
D:\>rmdir TestFolder  
  
D:\>dir > Diroutput.txt  
  
D:\>dir > Dirdirectory_list.txt  
  
D:\>
```

6).



The screenshot shows a Notepad window titled 'Dirdirectory_list.txt'. The menu bar includes 'File', 'Edit', and 'View'. The text content is as follows:

```
Volume in drive D has no label.  
Volume Serial Number is 94D2-5D84  
  
Directory of D:\  
  
09/06/2024  09:46 PM                0 Dirdirectory_list.txt  
09/06/2024  09:41 PM            247 Diroutput.txt  
                2 File(s)                247 bytes  
                0 Dir(s) 256,046,587,904 bytes free
```

7).

```
D:\>dir > Diroutput.txt

D:\>dir > Dirdirectory_list.txt

D:\>mkdir Testfolder

D:\>rmdir Testfolder
```

8).

9).

```
Microsoft Windows [Version 10.0.22631.4037]
(c) Microsoft Corporation. All rights reserved.

C:\Users\DELL>ping google.com

Pinging google.com [172.217.19.238] with 32 bytes of data:
Reply from 172.217.19.238: bytes=32 time=23ms TTL=119
Reply from 172.217.19.238: bytes=32 time=24ms TTL=119
Reply from 172.217.19.238: bytes=32 time=27ms TTL=119
Reply from 172.217.19.238: bytes=32 time=25ms TTL=119

Ping statistics for 172.217.19.238:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 23ms, Maximum = 27ms, Average = 24ms
```