

24k-0559

Bazil Uddin khan

SCS 1H

Task1:

Oracle SQL Developer: C:\Users\DELL\Downloads\ictlab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

SQL Worksheet: History

Worksheet Query Builder

```
INSERT INTO employees (employee_id, first_name, last_name, job_id, department_id, salary) VALUES (101, 'John', 'Doe', 'ACCT_CLRK', 10, 4500);
```

```
CREATE TABLE jobs (
  job_id VARCHAR2(10) PRIMARY KEY,
  job_title VARCHAR2(35),
  min_salary NUMBER(8,2),
  max_salary NUMBER(8,2)
);
```

```
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('ACCT_CLRK', 'Accounting Clerk', 3000, 6000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('HR_REP', 'HR Representative', 4000, 8000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('IT_PROG', 'IT Programmer', 5000, 10000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MGR_SLS', 'Sales Manager', 7000, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_ANA', 'Financial Analyst', 6000, 12000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('R_D_ENG', 'Research Engineer', 6500, 13000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MKT_DIR', 'Marketing Director', 8000, 16000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('OPS_MGR', 'Operations Manager', 7000, 14000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('LEGAL_AD', 'Legal Advisor', 7500, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_CTRL', 'Financial Controller', 9000, 18000);
```


```
select * from employees;
```

Query Result

All Rows Fetched: 10 in 0.032 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	DEPARTMENT_ID	SALARY
1	101	John	Doe	ACCT_CLRK	10	4500
2	102	Jane	Smith	HR_REP	50	5000
3	103	Mark	Jones	IT_PROG	60	6000
4	104	Sarah	Lee	MGR_SLS	30	12000
5	105	Emma	Brown	FIN_ANA	90	8000
6	106	Michael	Taylor	R_D_ENG	20	10000
7	107	Lucas	Clark	MKT_DIR	70	14000
8	108	Olivia	Johnson	OPS_MGR	40	13000
9	109	Noah	Williams	LEGAL_AD	80	9000
10	110	Ava	Davis	FIN_CTRL	100	15000

Task2 :



Oracle SQL Developer : C:\Users\DELL\Downloads\ict lab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Connections
- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

Worksheet

```
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('HR_REP', 'HR Representative', 4000, 8000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('IT_PROG', 'IT Programmer', 5000, 10000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MGR_SLS', 'Sales Manager', 7000, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_ANA', 'Financial Analyst', 6000, 12000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('R_D_ENG', 'Research Engineer', 6500, 13000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MKT_DIR', 'Marketing Director', 8000, 16000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('OPS_MGR', 'Operations Manager', 7000, 14000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('LEGAL_AD', 'Legal Advisor', 7500, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_CTRL', 'Financial Controller', 9000, 18000);

--2
select FIRST_NAME, LAST_NAME, salary, DEPARTMENT_ID, EMPLOYEE_ID, job_id
from EMPLOYEES
where SALARY > 10000;


select * from employees;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x | Query Result 5 x | Query Result 6 x | Query Result 7 x | Query Result 8 x

All Rows Fetched: 4 in 0.003 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY	DEPARTMENT_ID	EMPLOYEE_ID	JOB_ID
1	Sarah	Lee	12000	30	104	MGR_SLS
2	Lucas	Clark	14000	70	107	MKT_DIR
3	Olivia	Johnson	13000	40	108	OPS_MGR
4	Ava	Davis	15000	100	110	FIN_CTRL

TASK3:



Oracle SQL Developer : C:\Users\DELL\Downloads\ict lab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Connections
- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

Worksheet

```
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('HR_REP', 'HR Representative', 4000, 8000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('IT_PROG', 'IT Programmer', 5000, 10000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MGR_SLS', 'Sales Manager', 7000, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_ANA', 'Financial Analyst', 6000, 12000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('R_D_ENG', 'Research Engineer', 6500, 13000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('MKT_DIR', 'Marketing Director', 8000, 16000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('OPS_MGR', 'Operations Manager', 7000, 14000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('LEGAL_AD', 'Legal Advisor', 7500, 15000);
INSERT INTO jobs (job_id, job_title, min_salary, max_salary) VALUES ('FIN_CTRL', 'Financial Controller', 9000, 18000);

--2
select FIRST_NAME, LAST_NAME, salary, DEPARTMENT_ID, EMPLOYEE_ID, job_id
from EMPLOYEES
where SALARY > 10000;

update employees
set salary = salary + 500
where employee_id = 101;


select * from employees;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x | Query Result 5 x | Query Result 6 x | Query Result 7 x | Query Result 8 x | Query Result 9 x

All Rows Fetched: 10 in 0 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	DEPARTMENT_ID	SALARY
1	101 John	Doe	ACCT_CLERK	10	5000
2	102 Jane	Smith	HR_REP	50	5000
3	103 Mark	Jones	IT_PROG	60	6000
4	104 Sarah	Lee	MGR_SLS	30	12000
5	105 Emma	Brown	FIN_ANA	90	8000
6	106 Michael	Taylor	R_D_ENG	20	10000
7	107 Lucas	Clark	MKT_DIR	70	14000
8	108 Olivia	Johnson	OPS_MGR	40	13000
9	109 Noah	Williams	LEGAL_AD	80	9000
10	110 Ava	Davis	FIN_CTRL	100	15000

TASK4:



Oracle SQL Developer: C:\Users\DELL\Downloads\ict lab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Connections
- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

SQL Worksheet | History

Worksheet Query Builder

```
--2
select FIRST_NAME, LAST_NAME, salary, DEPARTMENT_ID, EMPLOYEE_ID, job_id
from EMPLOYEES
where SALARY > 10000;
--3
update employees
set salary = salary + 500
where employee_id = 101;
--4
delete from employees
where employee_id = 108;


select * from employees;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x | Query Result 5 x | Query Result 6 x | Query Result 7 x | Query Result 8 x | Query Result 9 x

All Rows Fetched: 9 in 0 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	DEPARTMENT_ID	SALARY
1	101 John	Doe	ACCT_CLRK	10	5000
2	102 Jane	Smith	HR_REP	50	5000
3	103 Mark	Jones	IT_PROG	60	6000
4	104 Sarah	Lee	MGR_SLS	30	12000
5	105 Emma	Brown	FIN_ANA	90	8000
6	106 Michael	Taylor	R_R_ENG	20	10000
7	107 Lucas	Clark	MKT_DIR	70	14000
8	109 Noah	Williams	LEGAL_AD	80	9000
9	110 Ava	Davis	FIN_CTRL	100	15000

TASK5:



Oracle SQL Developer: C:\Users\DELL\Downloads\ict lab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Connections
- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

SQL Worksheet | History

Worksheet Query Builder

```
--2
select FIRST_NAME, LAST_NAME, salary, DEPARTMENT_ID, EMPLOYEE_ID, job_id
from EMPLOYEES
where SALARY > 10000;
--3
update employees
set salary = salary + 500
where employee_id = 101;
--4
delete from employees
where employee_id = 108;
--5
select * from employees
where employee_id <= 105;

select * from employees;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x | Query Result 5 x | Query Result 6 x

All Rows Fetched: 5 in 0 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	DEPARTMENT_ID	SALARY
1	101 John	Doe	ACCT_CLRK	10	5000
2	102 Jane	Smith	HR_REP	50	5000
3	103 Mark	Jones	IT_PROG	60	6000
4	104 Sarah	Lee	MGR_SLS	30	12000
5	105 Emma	Brown	FIN_ANA	90	8000

TASK6:

The screenshot shows the Oracle SQL Developer interface. The main window displays a SQL script with the following content:

```
where employee_id = 101;

__4
delete from employees
where employee_id = 108;

__5
select * from employees
where employee_id <= 105;

__6
insert into employees(employee_id,first_name,last_name,job_id,department_id,salary) values(111,'Charlie','Adams','IT_PROG',60,7500);

select * from employees;
```

The Results pane shows the output of the script, displaying a table with 10 rows and 6 columns: EMPLOYEE_ID, FIRST_NAME, LAST_NAME, JOB_ID, DEPARTMENT_ID, and SALARY.

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	JOB_ID	DEPARTMENT_ID	SALARY	
1	101	John	Doe	ACCT_CLERK	10	5000
2	102	Jane	Smith	HR_REP	50	5000
3	103	Mark	Jones	IT_PROG	60	6000
4	104	Sarah	Lee	MGR_SLS	30	12000
5	105	Emma	Brown	FIN_ANA	90	8000
6	106	Michael	Taylor	R_D_PROG	20	10000
7	107	Lucas	Clark	MKT_DIR	70	14000
8	109	Moah	Williams	LEGAL_AD	80	9000
9	110	Ava	Davis	FIN_CTRL	100	15000
10	111	Charlie	Adams	IT_PROG	60	7500

TASK7:

The screenshot shows the Oracle SQL Developer interface. The main window displays a SQL script with the following content:

```
where employee_id = 101;

__4
delete from employees
where employee_id = 108;

__5
select * from employees
where employee_id <= 105;

__6
insert into employees(employee_id,first_name,last_name,job_id,department_id,salary) values(111,'Charlie','Adams','IT_PROG',60,7500);

__7
select first_name,last_name,salary
from employees
order by salary DESC;

select * from employees;
```

The Results pane shows the output of the script, displaying a table with 10 rows and 3 columns: FIRST_NAME, LAST_NAME, and SALARY.

FIRST_NAME	LAST_NAME	SALARY	
1	Ava	Davis	15000
2	Lucas	Clark	14000
3	Sarah	Lee	12000
4	Michael	Taylor	10000
5	Moah	Williams	9000
6	Emma	Brown	8000
7	Charlie	Adams	7500
8	Mark	Jones	6000
9	Jane	Smith	5000
10	John	Doe	5000

TASK8:

Oracle SQL Developer: C:\Users\DELL\Downloads\ict lab.sql

File Edit View Navigate Run Source Team Tools Window Help

Connections

- Connections
- ICTLAB
- Oracle NoSQL Connections
- Database Schema Service Connections

Reports

- All Reports
- Analytic View Reports
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- TimesTen Reports
- User Defined Reports

Worksheet | Query Builder

```
select * from employees
where employee_id <= 105;

__6
insert into employees(employee_id,first_name,last_name,job_id,department_id,salary) values(111,'Charles','Adams','IT_PROG',60,7500);

__7
select first_name,last_name,salary
from employees
order by salary DESC;

__8
select job_title
from jobs

select * from employees;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Result 4 x | Query Result 5 x | Query Result 6 x | Query Result 7 x |

SQL | All Rows Fetched: 10 in 0 seconds

JOB_TITLE
1 Accounting Clerk
2 HR Representative
3 IT Programmer
4 Sales Manager
5 Financial Analyst
6 Research Engineer
7 Marketing Director
8 Operations Manager
9 Legal Advisor
10 Financial Controller