



Introduction to Programming - Fall 2026

Working with text, then teaching your program to decide 🧠

WEEK 4 – STRINGS & CONDITIONALS

Agenda

-
- | | |
|----|--|
| 01 | String operations, methods & f-strings |
|----|--|
-
- | | |
|----|-------------------------|
| 02 | Exercise – Profile card |
|----|-------------------------|
-
- | | |
|----|--------------------------------|
| 03 | Comparison & logical operators |
|----|--------------------------------|
-
- | | |
|----|-------------------|
| 04 | Exercise – Checks |
|----|-------------------|
-
- | | |
|---|----------------|
| – | Break (15 min) |
|---|----------------|
-
- | | |
|----|---|
| 05 | If, elif, else, nesting & conditional expressions |
|----|---|
-
- | | |
|----|----------------------------|
| 06 | Exercise – Weather advisor |
|----|----------------------------|
-
- | | |
|----|---------------------------------|
| 07 | Closing exercise – Weather quiz |
|----|---------------------------------|
-

Recap from last week

Last week we covered:

- 🐍 **Python basics** – `print()`, comments, running a script
- 📦 **Variables & data types** – `str`, `int`, `float`, `bool`
- ➕ **Arithmetic** – all the operators and how to use them
- 🖨️ **Input & output** – `input()`, `print()`, type conversion with `int()` and `float()`

Today we go deeper on **text**, then teach our programs to **make decisions**.

01 - String Operations

A **string** is text. In Python it lives between quotes: `"hello"` or `'hello'`.

Strings have their own operations – they are not the same as maths:

```
first = "Hello"
second = "World"

print(first + " " + second)    # Hello World    – concatenation
print("ha" * 3)                # hahaha        – repetition
print(len("Python"))           # 6            – length
```

`+` joins strings. `*` repeats a string. `len()` counts characters, including spaces.

WEEK 4 – STRINGS & CONDITIONALS

String Operations in Practice

```
city = "Copenhagen"
country = "Denmark"

print(city + ", " + country)    # Copenhagen, Denmark
print(len(city))                # 10
print("-" * 12)                 # -----

# You cannot add a string and a number
age = 30
# print("Age: " + age)          # TypeError!
print("Age: " + str(age))       # Age: 30
```

`str()` turns a number into text, so it can be joined with `+`.

⚠️ `"10" + "3"` is `"103"`, not `13`. If you want maths, convert with `int()` or `float()` first.

WEEK 4 – STRINGS & CONDITIONALS

String Methods

Strings come with built-in **methods** – actions you call with a dot `.`:

```
name = "  alice  "

print(name.upper())          #  ALICE      (spaces kept)
print(name.lower())          #  alice      (spaces kept)
print(name.strip())          # alice
print(name.strip().capitalize()) # Alice

greeting = "Hello, World!"
print(greeting.replace("World", "Python")) # Hello, Python!
```

💡 Methods do **not** change the original variable. They return a **new** string.

WEEK 4 – STRINGS & CONDITIONALS

Methods Don't Change the Original

```
name = "  alice  "  
clean = name.strip().capitalize()  
  
print(name)      #  alice      - still the same, spaces and all  
print(clean)     # Alice       - the new string
```

If you want to keep the result, store it:

```
answer = input("yes or no? ")  
answer = answer.strip().lower()
```

`.strip()` removes spaces the user typed by accident. `.lower()` makes "Yes", "YES", and "yes" all become "yes".

Useful Methods for User Input

Method	What it does	Example
<code>.lower()</code>	all lowercase	<code>"Yes".lower()</code> → <code>"yes"</code>
<code>.upper()</code>	all uppercase	<code>"ok".upper()</code> → <code>"OK"</code>
<code>.strip()</code>	remove spaces at the ends	<code>" hi ".strip()</code> → <code>"hi"</code>
<code>.capitalize()</code>	first letter uppercase	<code>"alice".capitalize()</code> → <code>"Alice"</code>
<code>.replace(a, b)</code>	swap one piece of text	<code>"hi-there".replace("-", " ")</code> → <code>"hi there"</code>
<code>.startswith()</code>	does it begin with this?	<code>"Python".startswith("Py")</code> → <code>True</code>
<code>.endswith()</code>	does it end with this?	<code>"notes.txt".endswith(".txt")</code> → <code>True</code>

WEEK 4 – STRINGS & CONDITIONALS

String Formatting

Building sentences with `+` gets messy fast. **f-strings** are the clean way.

Put an `f` before the quote, and drop expressions inside `{}` :

```
name = "Alice"
age = 30
city = "Copenhagen"

print(f"My name is {name}, I am {age} years old.")
print(f"I live in {city}.")
print(f"Next year I will be {age + 1}.")
```

Output:

```
My name is Alice, I am 30 years old.
I live in Copenhagen.
Next year I will be 31.
```

WEEK 4 – STRINGS & CONDITIONALS

f-Strings in Practice

You can put **any expression** (code that produces a value) inside `{}`. For example, variables, maths, and method calls:

```
name = "maria"
city = "berlin"
age = 30

print(f"Hi, {name}!")           # variable
print(f"Next year you will be {age + 1}.") # maths
print(f"You live in {city.capitalize()}")  # method call
print(f"{name.upper()} is {age * 12} months old.") # combined
```

```
Hi, maria!
Next year you will be 31.
You live in Berlin.
MARIA is 360 months old.
```

f-strings are the **modern, recommended** way to format text in Python.

WEEK 4 – STRINGS & CONDITIONALS

Multiline f-Strings

Use three quotes `"""` to write one f-string over several lines. The line breaks show up in the output too:

```
name = "Maria"  
city = "Berlin"  
hobby = "hiking"  
  
print(f"""👤 {name}  
📍 {city}  
❤️ {hobby}""")
```

```
👤 Maria  
📍 Berlin  
❤️ hiking
```

💡 Close the `"""` at the end of the last line, or you get an extra empty line.

Exercise 1 – Profile Card · 20 min

Ask for a name, a city, and a hobby. Print a short profile.

● Basic

- Clean the name with `.strip().capitalize()`
- Print three lines with f-strings
- Print how many letters are in the name (`len`)

● Advanced – a full profile card

Also ask for a last name, birth year, and bio. Print a card with:

- the full name in capitals, underlined with `=`
- a username: lowercase, `_` instead of spaces
- the age, worked out from the birth year
- the city, hobby, and bio, each with an emoji

MARIA JENSEN

=====

👤 @maria_jensen

🎂 30 years old

📍 Berlin

❤️ Hiking

📝 I love maps and coffee.

Copy emojis from getemoji.com

Exercise 1 – Hints

● Basic

1. One `input()` per question. Store each answer.
2. `name = name.strip().capitalize()`
3. `print(f"Hi, my name is {name}.")`
4. `print(f"My name has {len(name)} letters.")`

● Advanced

1. `"ha" * 3` gives `hahaha`. The `=` line has to fit **any** name, not just `MARIA JENSEN`.
2. `"2026-10-03".replace("-", "/")` gives `2026/10/03`, which is handy for the username.
3. Build the username and the line first, then print everything with one `"""` f-string.
4. Test with messy input like `" anna maria "`. Does everything still line up?

From Text to Decisions

So far every line runs, top to bottom, every time.

Next we teach the program to **choose**:

- Is this password correct?
- Is the user old enough?
- Did they type "yes" , or something else?

To choose, Python needs to **compare** values – numbers and strings – and get back `True` or `False` .

03 - Comparison Operators

Comparison operators **compare two values** and always return `True` or `False` :

Operator	Meaning	Example	Result
<code>==</code>	Equal to	<code>5 == 5</code>	<code>True</code>
<code>!=</code>	Not equal to	<code>5 != 3</code>	<code>True</code>
<code>></code>	Greater than	<code>10 > 3</code>	<code>True</code>
<code><</code>	Less than	<code>2 < 1</code>	<code>False</code>
<code>>=</code>	Greater than or equal	<code>5 >= 5</code>	<code>True</code>

WEEK 4 – STRINGS & CONDITIONALS

Comparing Numbers and Text

```
age = 20
print(age >= 18)           # True

password = "abc123"
print(password == "abc123") # True
print(password == "ABC123") # False – case sensitive!

city = "Copenhagen"
print(city.lower() == "copenhagen") # True
print(len(city) > 5)                # True
```

⚠ Don't confuse `=` (store a value) with `==` (compare two values).

Strings compare **character by character**. `"Yes"` and `"yes"` are not equal.

WEEK 4 – STRINGS & CONDITIONALS

Is It Inside? The `in` Operator

`in` checks whether a piece of text appears **anywhere** inside a string:

```
email = "maria.jensen@example.com"

print("@" in email)           # True
print("jensen" in email)      # True
print("gmail" in email)       # False
print("JENSEN" in email)      # False – case sensitive!
print("JENSEN".lower() in email) # True
```

`not in` checks the opposite:

```
password = "sunny2026"
print("123" not in password)  # True
```

Logical Operators

Logical operators let you **combine multiple conditions**:

Operator	Meaning	Result is <code>True</code> when...
<code>and</code>	Both must be true	Both conditions are <code>True</code>
<code>or</code>	At least one must be true	Either condition is <code>True</code>
<code>not</code>	Reverses the result	The condition is <code>False</code>

WEEK 4 – STRINGS & CONDITIONALS

Logical Operators in Practice

```
age = 25
has_ticket = True
city = "aarhus"

print(age >= 18 and has_ticket)      # True
print(age < 18 or has_ticket)        # True
print(not has_ticket)                # False

print(city == "copenhagen" or city == "aarhus")  # True
```

Clean user input first, then combine the checks:

```
answer = input("Do you have a ticket? ").strip().lower()
print(answer == "yes" or answer == "y")
```

Exercise 2 – Checks · 20 min

● Basic – player sign-up

Store a player's `age`, `password`, `city`, and `points` in variables. Print `True` or `False` for each:

- `age` is at least 18
- `password` is `"secret"`
- `city` is `"Copenhagen"`
- `points` is not 0

Example: `age = 20` → `True`

● Advanced – password checker

Players must have strong passwords for their account. Write a program that reads a username and a password with `input()` and prints `True` if the password is strong, or `False` otherwise. A password is strong if it:

- has at least 8 characters
- does not start with `123`
- is not `password`, in any case
- does not contain the username, in any case

Example: `Sunny2026` → `True` · `Maria2026`
for user `maria` → `False`

Exercise 2 – Hints

Basic

```
age = 20
password = "secret"
city = "Copenhagen"
points = 10
```

Then `print(age >= 18)`, `print(password == "secret")`, and so on.

Advanced

1. `"Python".startswith("Py")` gives `True`. Which operator flips it?
2. Lowercase both before comparing, so `Password` and `MARIA2026` are caught too.
3. Store each rule in a variable, like `long_enough = len(password) >= 8`, then combine them with `and`.

QUESTIONS BEFORE THE BREAK?



Break (15 min)

05 - If Statements

An `if` runs code **only when a condition is** `True` :

```
temperature = 30

if temperature >= 25:
    print("T-shirt weather ☀️")

print("Have a nice day!")
```

- The condition ends with a colon `:`
- The indented line runs only if the condition is `True`
- `"Have a nice day!"` is not indented, so it **always** runs

Indentation Decides What's Inside

The lines indented under the `if` are its **block**. Moving one line changes the program:

```
temperature = 10

if temperature >= 25:
    print("T-shirt weather ☀️")
    print("Bring sunscreen 🧴")
print("Have a nice day!")
```

Have a nice day!

```
temperature = 10

if temperature >= 25:
    print("T-shirt weather ☀️")
print("Bring sunscreen 🧴")
print("Have a nice day!")
```

Bring sunscreen 🧴
Have a nice day!

- **Tab** indents, **Shift + Tab** removes the indent. VS Code uses **4 spaces**
- VS Code also indents for you when you press Enter after a `:`
- No indentation after `:` gives `IndentationError: expected an indented block`

WEEK 4 – STRINGS & CONDITIONALS

Adding Else

`else` runs when the condition is `False` :

```
weather = input("What's the weather like? ").strip().lower()

if weather == "rain":
    print("☔ Take an umbrella!")
else:
    print("😎 Leave the umbrella at home.")
```

Only **one** of these two lines will ever print – never both.

WEEK 4 – STRINGS & CONDITIONALS

Adding Elif

`elif` ("else if") adds more choices in between:

```
weather = input("What's the weather like? ").strip().lower()

if weather == "rain":
    print("☔ Take an umbrella!")
elif weather == "snow":
    print("🧤 Wear gloves and boots!")
elif weather == "sun":
    print("🧴 Don't forget sunscreen!")
else:
    print("😕 Hmm, I don't know that weather.")
```

Python checks the conditions **from top to bottom** and runs only the first one that is `True`. If none of them match, the `else` block runs.

You can add as many `elif` as you need, and `else` is optional.

WEEK 4 – STRINGS & CONDITIONALS

Combining Conditions

Logical operators and string methods belong **inside** `if` statements:

```
weather = input("What's the weather like? ").strip().lower()
wind = input("Is it windy? (yes/no) ").strip().lower()

if weather == "rain" and wind == "yes":
    print("☔ Wear a raincoat, an umbrella will flip!")
elif weather == "rain" or weather == "snow":
    print("☂ Take an umbrella!")
else:
    print("😎 No umbrella needed.")
```

Order matters: windy rain is checked **before** plain rain, otherwise the umbrella would always win.

WEEK 4 – STRINGS & CONDITIONALS

Nested Conditionals

You can put an `if` **inside** another `if` – this is called nesting:

```
weather = input("What's the weather like? ").strip().lower()

if weather == "snow":
    driving = input("Do you have to drive? (yes/no) ").strip().lower()
    if driving == "yes":
        print("🚗 Leave early, the roads are slippery!")
    else:
        print("🛷 Go sledding!")
else:
    print("😊 No snow plans needed today.")
```

The inner `if` only runs when the outer one is `True`, so we only ask about driving when it snows.

WEEK 4 – STRINGS & CONDITIONALS

Truthy & Falsy Values

In Python, **every value has a boolean meaning** – not just `True` and `False` .

These values are treated as `False` :

```
False    # the boolean False
0        # zero
0.0      # zero as a float
""       # empty string
```

Everything else is treated as `True` – any non-zero number, any non-empty string, etc.

WEEK 4 – STRINGS & CONDITIONALS

Truthy & Falsy in Practice

An empty string is falsy, so this checks "did they type anything?":

```
city = input("Which city are you in? ").strip()

if city:
    print(f"Checking the weather in {city.capitalize()}...")
else:
    print("You didn't enter a city.")
```

```
rain_mm = int(input("How many mm of rain today? "))

if rain_mm:
    print(f"{rain_mm} mm of rain today. 💧 ")
else:
    print("No rain today! ☀️ ")
```

💡 This is a very **Pythonic** pattern – you'll see it everywhere in real code.

WEEK 4 – STRINGS & CONDITIONALS

Conditional Expressions

An `if` statement chooses which **code** runs. A conditional expression chooses which **value** to use:

```
temperature = 30
clothes = "a T-shirt" if temperature >= 25 else "a jacket"
print(f"Wear {clothes}.")    # Wear a T-shirt.
```

The pattern is: `value_if_true if condition else value_if_false`

It gives the same result as this longer `if / else` :

```
if temperature >= 25:
    clothes = "a T-shirt"
else:
    clothes = "a jacket"
```

WEEK 4 – STRINGS & CONDITIONALS

Conditional Expressions in Practice

```
temperature = int(input("How many degrees is it? "))  
feel = "warm" if temperature >= 20 else "cold"  
print(f"It's {feel} outside.")  
  
city = input("Your city: ").strip()  
place = city.capitalize() if city else "your area"  
print(f"Here's the forecast for {place}.")
```

⚠ Use it to **pick between two values**. To run different code, use a normal `if / else`.

WEEK 4 – STRINGS & CONDITIONALS

Predict the Output 🤔

What does this program print? Discuss with your neighbour for a minute.

```
weather = "snow"
temperature = 2
wind = "yes"

if weather == "rain" or weather == "snow":
    if temperature < 0 and wind == "yes":
        print("🌨 Stay inside!")
    elif wind == "yes":
        print("🧥 Wear a hood, it's windy!")
    else:
        print("☂ Take an umbrella!")
elif temperature < 0:
    print("🧤 Wear gloves!")
else:
    print("😎 Enjoy your day!")
```

And with `weather = "sun"` and `temperature = -5` ?

Exercise 3 – Weather Advisor · 20 min

● Basic – what to wear

Ask for the temperature and whether it's raining (yes / no). Print what to wear:

- 20° or more → Wear a T-shirt.
- 10° to 19° → Wear a jacket.
- below 10° → Wear a warm coat.
- raining → also Take an umbrella.

Example: 14 , yes

```
Wear a jacket.  
Take an umbrella.
```

● Advanced – daily report

Read the weather, temperature, and wind (km/h). Print a report like the example:

- wind 75+: a storm warning instead of advice
- wind 30+: feels 5° colder, dress for that
- rain or snow: umbrella, or raincoat if windy
- rain or snow below 0°: Icy roads!

Example: " RAIN " , -1 , 40

```
Rain, -1°C, wind 40 km/h  
Feels like -6°C  
Wear a warm coat.  
Wear a raincoat.  
Icy roads!
```

Exercise 3 – Hints

● Basic

1. The temperature is a number, so convert it with `int()` .
2. Check from the warmest down: `>= 20` first, then `>= 10` , then `else` .
3. The umbrella is a separate `if` **after** the outfit, so both lines can print.

● Advanced

1. Which rule stops all the others? Make it the outer `if` , and put the rest in its `else` .
2. Work out the feels-like temperature **once**, before you choose clothes.
3. Rain gear and icy roads can both print. Do they belong in the same `if` / `elif` chain?

Closing Exercise – Weather Quiz · 20 min

● **Basic** – three questions

Build a weather quiz. Start `score` at `0`, add `1` for each correct answer, and print the total at the end.

- At what °C does water freeze? → `0`
- What falls from clouds as frozen flakes? → `snow`
- What appears when the sun shines during rain? → `rainbow`

Example: You scored 2 out of 3.

● **Advanced** – a fairer quiz

Players complain the quiz marks right answers as wrong. Make it fairer:

- `" Snow "` and `"SNOW"` count as correct
- answers like `"a rainbow"` or `"snowflakes"` count too
- add a fourth weather question of your own
- after the score, print a different message for 4/4, 3/4, and below

Example: You scored 4 out of 4. then
Perfect forecast! 🌞

Closing Exercise – Hints

Basic

1. `score = 0` before the questions.
2. After each answer, an `if` checks it. Inside, indented: `score = score + 1`
3. The freezing question needs `int(input(...))`.
4. One f-string at the end for the score.

Advanced

1. Clean every text answer before you check it.
2. Look back at the `in` operator slide.
3. Use `if` / `elif` / `else` on the score for the final message.

What We Learned Today

- ✓ **String operations** – concatenation with `+`, repetition with `*`, `len()`
- ✓ **String methods** – `.lower()`, `.strip()`, `.capitalize()`, `.replace()`
- ✓ **f-strings** – `f"Hello, {name}!"` to build clean output
- ✓ **Comparison operators** – `==`, `!=`, `<`, `>`, `<=`, `>=`, and `in` to look inside text
- ✓ **Logical operators** – `and`, `or`, `not`
- ✓ **if / elif / else** – and nested conditionals
- ✓ **Truthy & falsy** – an empty string is `False`
- ✓ **Conditional expressions** – `value if condition else other` to pick a value

Homework



Finish the weather quiz if you didn't, then extend it:



Basic – add 2 more questions and keep the score correct (out of 5).



Advanced – turn it into a game show:

- Wrong answer? Print a hint and give **one** more try.
- 2 points on the first try, 1 on the second.
- All answers right on the first try? Unlock a **bonus question**.



Remember: Commit your work to GitHub when you're done!

Example:

```
Frozen flakes? rain
Hint: it's white and cold.
Try again: snow
+1 point
```



See you next week!