

AFTER VISIT SUMMARY

Brandon Davis MRN: 12395948
CEID: WXS-TRL2-0ZGG-78RT

5/23/2026 SSH EMERGENCY 423-542-1343

Instructions

Return if any new or worsening symptoms. Follow-up with primary care for recheck.



Your medications have changed

➔ **START taking:**
albuterol

azithromycin (Zithromax)

losartan (Cozaar)

Review your updated medication list below.



Read the attached information

Asthma: Adult (English)



Pick up these medications at CVS/pharmacy #4196 -
BURNSVILLE, NC - 115 RESERVOIR RD AT HIGHWAY
19 EAST BYPASS

albuterol • azithromycin • losartan

Address: 115 RESERVOIR RD, BURNSVILLE NC 28714

Phone: 828-682-6171



Follow up with SSH EMERGENCY

Why: If symptoms worsen

Specialty: Emergency Medicine

Contact: 1501 West Elk Avenue

Elizabethton Tennessee 37643-2874

423-542-1343



Schedule an appointment with NO PCP as soon as
possible for a visit

Today's Visit

You were seen by Zachary D Miller

Reason for Visit

Illness

Diagnoses

- Hypertension, unspecified type
- Asthma flare

Lab Tests Completed

B-Type Natriuretic Peptide

CBC with Differential (Automated or
Manual Diff as Indicated)

Comprehensive Metabolic Panel

D-Dimer, Quantitative

Magnesium Level

Troponin-I



Imaging Tests

XR Chest 2 View



Medications Given

labetalol Last given at 9:28 PM



Blood
Pressure

175/104



Temperature
(Temporal)

98.7 °F



Pulse

77



Respiration

18



Oxygen
Saturation

94%

What's Next

You currently have no upcoming appointments scheduled.

After Visit Summary

This document contains confidential and personal health information related to your health and care. It is provided directly to you for your personal, private use only. It is important you safeguard this document and not throw it in the trash.

Below is a summary of your visit with us today. It contains several important pieces of information regarding your health, your care team, as well as instructions you should follow. Should you have any questions about the information contained in this document or about the care you received today, please contact your physician's office.

Your Medication List

Active medications



START

albuterol 108 (90 Base) MCG/ACT inhaler

Inhale 2 puffs into the lungs every 4 (four) hours as needed for wheezing.



START

azithromycin 250 MG tablet
Commonly known as: Zithromax

Take 1 tablet (250 mg total) by mouth daily for 5 days.
Take first 2 tablets together, then 1 every day until finished.



START

losartan 25 MG tablet
Commonly known as: Cozaar

Take 1 tablet (25 mg total) by mouth daily.

ASK your doctor about these medications



ASK

fluticasone 50 MCG/ACT nasal spray
Commonly known as: Flonase



ASK

loratadine 10 MG tablet
Commonly known as: Claritin



ASK

omeprazole 20 MG tablet
Commonly known as: PriLOSEC OTC

Hand Hygiene After Your Visit

Hand Hygiene

- It is very important for caregivers and individuals to wash their hands properly. This is the single best way to prevent the spread of infections. Hand-washing can help keep you from getting sick.

Hand Hygiene After Your Visit (continued)

- Always wash your hands after toileting. If you have young children wash your hands before and after changing a diaper.
- Always wash your hands before eating, smoking, taking your medications, or any activity where you touch something before it enters your mouth.
- If you have a wound, wash your hands, or have your caregiver wash their hands, before and after wound care.
- An alcohol based hand sanitizer is fine most of the time, but use soap and water if your hands are visibly dirty.

4 WAYS TO GET AHEAD OF SEPSIS

**GET AHEAD
OF SEPSIS**

KNOW THE RISKS. SPOT THE SIGNS. ACT FAST.

Infections put you and your family at risk for a life-threatening condition called sepsis.

Sepsis is the body's extreme response to an infection. It is life-threatening, and without timely treatment, sepsis can rapidly lead to tissue damage, organ failure, and death. Sepsis happens when an infection you already have—in your skin, lungs, urinary tract or somewhere else—triggers a chain reaction throughout your body.

Anyone can get an infection, and almost any infection can lead to sepsis.

1 PREVENT INFECTIONS

Talk to your doctor or nurse about **steps** you can take to prevent infections.



Take good care of chronic conditions



Get recommended vaccines

2 PRACTICE GOOD HYGIENE

Remember to **wash your hands** and **keep cuts clean and covered** until healed.



Handwashing



Keep cuts clean and covered until healed.

3 KNOW THE SYMPTOMS

Symptoms of sepsis can include any one or a combination of these:



Confusion or disorientation



Shortness of breath



High heart rate



Fever, or shivering, or feeling very cold



Extreme pain or discomfort



Clammy or sweaty skin

4 ACT FAST

Get medical care **IMMEDIATELY** if you suspect sepsis or have **an infection that's not getting better or is getting worse.**

Sepsis is a medical emergency. Time matters.

To learn more about sepsis and how to prevent infections, visit **www.cdc.gov/sepsis**.



Nurse Connection

For information or if you need assistance to establish a primary care physician, call Nurse Connection at 1-833-822-5523

View Your Health Information Online

Get connected with MyChart

MyChart connects you and your care team by providing you with the tools you need to make better, healthier and more economical decisions. You can simply and securely send a message to your doctor, review certain test results, renew prescriptions, request appointments and more.

To sign up, visit www.balladhealth.org/mychart and click the **Sign Up Now** link located below the Username and Password fields.

Enter your MyChart activation code exactly as it appears below. Then complete a few quick fields to confirm your information and finish the sign-up process.

Your MyChart Activation Code: **N2TK8-NS3VT-4PH6V**
Expires: 6/22/2026 9:56 PM

For your security, activation codes will expire if not used within 30 days. If you do not sign up within that time, we will need to provide you with a new activation code.

If you have questions, please contact us at 866-517-5873 for assistance.

Remember, MyChart should not be used for urgent needs. For medical emergencies, please dial 911.



Suicide Hotline Information

If you experience an increase in depression and start to have suicidal thoughts please call 911 immediately.

National Suicide Prevention Hotline: 1-800-273-8255 The Lifeline provides 24/7, free and confidential support for people in distress, prevention and crisis resources for you or your loved one.

Antibiotics Information

Why have you been prescribed an antibiotic?

To treat an infection caused by bacteria in your body.

Why is it important to take antibiotics exactly as instructed by your healthcare provider?

- To make sure your infection is cured
- To reduce side effects from the antibiotics
- To help prevent antibiotic resistance (when antibiotics lose the ability to kill the bacteria)

What else can you do to help?

- Complete the full course of antibiotics, even if you start to feel better
- Only take antibiotics prescribed for you
- Do not share antibiotics
- Do not ask for antibiotics if your provider states they are not needed

Prescription Savings


You may have prescription savings available. Check your MyChart for any RX coupons related to your medications.

Community Resources

No notes found.

Asthma in Adults: Care Instructions

Overview



Asthma makes it hard for you to breathe. During an asthma attack, the airways swell and narrow. Severe asthma attacks can be dangerous, but you can usually prevent them. Controlling asthma and treating symptoms before they get bad can help you avoid bad attacks. You may also avoid future trips to the doctor.

Follow-up care is a key part of your treatment and safety. Be sure to make and go to all appointments, and call your doctor if you are having problems. It's also a good idea to know your test results and keep a list of the medicines you take.

How can you care for yourself at home?

- Follow your asthma action plan so you can manage your symptoms at home. An asthma action plan will help you prevent and control airway reactions and will tell you what to do during an asthma attack. If you do not have an asthma action plan, work with your doctor to build one.
- Take your asthma medicine exactly as prescribed. Medicine plays an important role in controlling asthma. Talk to your doctor right away if you have any questions about what to take and how to take it.
 - Take your controller medicine. If you have symptoms often, you will likely need to take it every day. Controller medicine usually includes an inhaled corticosteroid. The goal is to prevent problems before they occur.
 - Use your quick-relief medicine when you have symptoms of an asthma attack. Some people need to use quick-relief medicine before they exercise to prevent asthma symptoms. Albuterol is a quick-relief medicine that is often used. In some cases, a certain type of controller inhaler is used as a quick-relief medicine. Ask your doctor what to use for quick relief.
 - If your doctor prescribed corticosteroid pills to use during an attack, take them as directed. They may take hours to work, but they may shorten the attack and help you breathe better.
 - Keep your quick-relief medicine with you at all times.
- Talk to your doctor before using other medicines. Some medicines, such as aspirin, can cause asthma attacks in some people.

- Check yourself for asthma symptoms to know which step to follow in your action plan. Watch for things like being short of breath, having chest tightness, coughing, and wheezing. Also notice if symptoms wake you up at night or if you get tired quickly when you exercise.
- If you have a peak flow meter, use it to check how well you are breathing. This can help you predict when an asthma attack is going to occur. Then you can take medicine to prevent the asthma attack or make it less severe.
- See your doctor regularly. These visits will help you learn more about asthma and what you can do to control it. Your doctor will monitor your treatment to make sure the medicine is helping you.
- Keep track of your asthma attacks and your treatment. After you have had an attack, write down what triggered it, what helped end it, and any concerns you have about your asthma action plan. Take your diary when you see your doctor. You can then review your asthma action plan and decide if it is working.
- Don't smoke, vape, or use other tobacco or nicotine products. If you need help quitting, talk to your doctor about quit programs and medicines. Try to avoid being around smoke or the aerosol mist from vaping.
- Learn what triggers an asthma attack for you, and avoid the triggers when you can. Common triggers include colds, smoke, air pollution, dust, pollen, mold, pets with fur, cockroaches, stress, and cold, dry air.
- Avoid infections such as COVID-19, colds, and the flu. Wash your hands often. Talk to your doctor about getting pneumococcal and respiratory syncytial virus (RSV) vaccines. Get a flu vaccine every fall. Stay up to date on your COVID-19 vaccines.

Call 911 anytime you think you may need emergency care, and **keep using your asthma action plan until help arrives**. For example, call if:

- You have severe trouble breathing.

Call your doctor now or seek immediate medical care if:

- Your symptoms do not get better after you have followed your asthma action plan.
- You cough up yellow, dark brown, or bloody mucus (sputum).

Watch closely for changes in your health, and be sure to contact your doctor if:

- Your coughing and wheezing get worse.
- You need to use quick-relief medicine on more than 2 days a week (unless it is just for exercise).
- You need help figuring out what is triggering your asthma attacks.

Where can you learn more?

To learn more about "**Asthma in Adults: Care Instructions**" first, log into your MyChart personal health record. Then, from the menu, navigate to the search medical library and enter **P597** into the search box.

Current as of: July 31, 2024

Content Version: 14.6

© 2024-2025 Ignite Healthwise, LLC.

Care instructions adapted under license by Ballad Health. If you have questions about a medical condition or this instruction, always ask your healthcare professional. Ignite Healthwise, LLC, disclaims any warranty or liability for your use of this information.