


```

Command Prompt
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Users\dines>tracert google.com

Tracing route to google.com [2404:6800:4007:804::200e]
over a maximum of 30 hops:

  1    6 ms    3 ms    3 ms    2401:4900:627e:cbe3::ef
  2    *      *      *      Request timed out.
  3   103 ms   29 ms   26 ms   2401:4900:c4:46b5::1
  4    70 ms   25 ms   22 ms   2401:4900:0:6f9::a
  5   206 ms   46 ms   21 ms   2401:4900:0:6f9::1
  6    *      *      *      Request timed out.
  7    86 ms   28 ms   46 ms   2404:a800:3a00:1::4c5
  8    51 ms   28 ms   43 ms   2404:a800::92
  9    60 ms   25 ms   39 ms   2404:6800:8202:4c0::1
 10   44 ms   21 ms   45 ms   2404:6800:8202:4c0::1
 11   72 ms   20 ms   21 ms   2001:4860:0:1::33ca
 12   24 ms   14 ms   25 ms   2001:4860:0:1::5721
 13   35 ms   36 ms   26 ms   pnmaaa-ap-in-x0e.1e100.net [2404:6800:4007:804::200e]

Trace complete.

C:\Users\dines>ping google.com

Pinging google.com [2404:6800:4007:804::200e] with 32 bytes of data:
Reply from 2404:6800:4007:804::200e: time=93ms
Reply from 2404:6800:4007:804::200e: time=43ms
Reply from 2404:6800:4007:804::200e: time=81ms
Reply from 2404:6800:4007:804::200e: time=38ms

Ping statistics for 2404:6800:4007:804::200e:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    approximate round trip times in milli-seconds:
        Minimum = 38ms, Maximum = 93ms, Average = 63ms

C:\Users\dines>ipconfig

Windows IP Configuration

```

```
Command Prompt
Windows IP Configuration

Ethernet adapter Ethernet 3:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::473:825e:b724%14
    IPv4 Address. . . . . : 192.168.56.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Wireless LAN adapter Local Area Connection* 1:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Wireless LAN adapter Local Area Connection* 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Ethernet adapter VMware Network Adapter VMnet1:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::439a:492f:5e0f:a17b%3
    IPv4 Address. . . . . : 192.168.255.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Ethernet adapter VMware Network Adapter VMnet8:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2cc7:f27c:393c:253c%12
    IPv4 Address. . . . . : 192.168.126.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Wireless LAN adapter Wi-Fi:

    Connection-specific DNS Suffix  . :
```

```
Command Prompt
Wireless LAN adapter Local Area Connection* 2:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

Ethernet adapter VMware Network Adapter VMnet1:

Connection-specific DNS Suffix . :
Link-local IPv6 Address . . . . . : fe80::439a:492f:5e0f:a17b%3
IPv4 Address. . . . . : 192.168.255.1
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . :

Ethernet adapter VMware Network Adapter VMnet8:

Connection-specific DNS Suffix . :
Link-local IPv6 Address . . . . . : fe80::2cc7:f27c:393c:253c%12
IPv4 Address. . . . . : 192.168.126.1
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . :

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . :
IPv6 Address. . . . . : 2401:4900:627e:cbe3:66bb:50cb:68cc:859b
Temporary IPv6 Address. . . . . : 2401:4900:627e:cbe3:7ccc:2db8:9b64:4971
Link-local IPv6 Address . . . . . : fe80::6286:18e1:9a31:75c5%20
IPv4 Address. . . . . : 10.32.114.194
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : fe80::f0b2:6ff:fe2c:fff7%20
                             10.32.114.175

Ethernet adapter Ethernet:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

C:\Users\dines>
```