



Transaction Specs - Batch Totals

Public - Security Level 0

May 2021

REVISION HISTORY

Date	Version	Author(s)	Comments
5/23/16	2.0	C. Meaney	Reformatting

CONFIDENTIALITY STATEMENT

This document contains confidential and proprietary information that belongs exclusively to Electronic Payment Exchange (EPX). Receipt of this document imposes the obligation on the recipient to protect the information from loss or disclosure to other parties.

This publication may not be reproduced or distributed for any purpose without the written permission of EPX.

© 2021 Electronic Payment Exchange. All rights reserved.

Contents

Batch Totals overview	1
Payload field definitions	2
Full detail request in KVP	2
Full detail response	2
Full detail PAYLOAD_1 after being decoded from Base64	3
Summary request in KVP	4
Summary response	4
Summary PAYLOAD_1 after being decoded from Base64	4

Batch Totals overview

In the EPX system, merchants use a unique BATCH_ID/TRAN_NBR combination for each transaction. The Batch Totals transaction (transaction type SS02) will provide a response that contains the transaction totals for the BATCH_ID provided during the request. The response tag of PAYLOAD_1 will contain the batch total information encoded in Base64 format. The VERBOSE_RESPONSE field will determine if the payload will contain full detail or just a summary. To receive full detail by card type, Verbose Response must equal Y; for a summary, it should be N. The payload field definitions and examples of both responses are provided in this document.

Payload field definitions

The payload fields are described as follows:

- TYPE (attribute)—The AUTH_CARD_TYPE, as defined in the *Data Dictionary*, of the transaction detail.
- CURR_CODE (attribute)—Currency code of the transaction detail.
- DR_TOT—Total amount of transaction debits within the batch.
- DR_CNT—Total count of transaction debits within the batch.
- CR_TOT—Total amount of transaction credits within the batch.
- CR_CNT—Total count of transaction credits within the batch.

Full detail request in KVP

```
CUST_NBR=1234&MERCH_NBR=1234567&DBA_
NBR=1&TERMINAL_NBR=1&TRAN_TYPE=SS02&BATCH_ID=9999&TRAN_
NBR=001308&VERBOSE_RESPONSE=Y
```

Full detail response

```
<RESPONSE>
<FIELDS>
<FIELD KEY="CUST_NBR">1234</FIELD>
<FIELD KEY="MERCH_NBR">1234567</FIELD>
<FIELD KEY="DBA_NBR">1</FIELD>
<FIELD KEY="TERMINAL_NBR">1</FIELD>
<FIELD KEY="TRAN_TYPE">SS02</FIELD>
<FIELD KEY="BATCH_ID">9999</FIELD>
<FIELD KEY="TRAN_NBR">001308</FIELD>
<FIELD KEY="LOCAL_DATE">050812</FIELD>
<FIELD KEY="LOCAL_TIME">231552</FIELD>
<FIELD KEY="AUTH_GUID">0N200NNGKLA00ATM1QW</FIELD>
<FIELD KEY="AUTH_RESP">00</FIELD>
<FIELD KEY="AUTH_RESP_TEXT">APPROVAL</FIELD>
<FIELD KEY="AUTH_TRAN_DATE_GMT">05/09/2012 06:15:52 AM</FIELD>
<FIELD KEY="PAYLOAD_
1">PENBUkQ+PERFVEFJTCBUWVBFPJSJSiIBDVVJSX0NPREU9Ijg0MCI+PERSX1R
PVD4zMC4wMDwvRFJfVE9UPjxEU19DTlQ+MzwvRFJfQ05UPjxDU19UT1Q+NS4wM
DwvQ1JfVE9UPjxDU19DTlQ+MTwvQ1JfQ05UPjwvREVUQU1MPjxERVRBSUwgVF1
QRT0iTSIgQ1VSU19DT0RFPSI4NDAiPjxEU19UT1Q+NDUuMDA8L0RSX1RPVD48R
FJfQ05UPjU8L0RSX0NOVD48Q1JfVE9UPjAuMDA8L0NSX1RPVD48Q1JfQ05UPjA
```

```

8L0NSX0NOVD48L0RFVEFJTD48REVUQULMIFRZUEU9IlyiIENVUlJfQ09ERT0iO
DQwIj48RFJfVE9UPjYuMDA8L0RSX1RPVD48RFJfQ05UPjY8L0RSX0NOVD48Q1J
fVE9UPjEuMDA8L0NSX1RPVD48Q1JfQ05UPjE8L0NSX0NOVD48L0RFVEFJTD48R
EVUQULMIFRZUEU9IIMiIENVUlJfQ09ERT0iODQwIj48RFJfVE9UPjQuMDA8L0R
SX1RPVD48RFJfQ05UPjQ8L0RSX0NOVD48Q1JfVE9UPjEuMDA8L0NSX1RPVD48Q
1JfQ05UPjE8L0NSX0NOVD48L0RFVEFJTD48REVUQULMIFRZUEU9IjQiIENVUlJ
fQ09ERT0iODQwIj48RFJfVE9UPjIwLjAwPC9EUL9UT1Q+PERSX0NOVD4yPC9EUL
9DT1Q+PENSX1RPVD4xMC4wMDwvQ1JfVE9UPjxDU19DT1Q+MTwvQ1JfQ05UPjwvR
EVUQULMPjwvQ0FSRD4=/FIELD>
</FIELDS>
</RESPONSE>

```

Full detail PAYLOAD_1 after being decoded from Base64

```

<CARD>
<DETAIL TYPE="R" CURR_CODE="840">
<DR_TOT>30.00</DR_TOT>
<DR_CNT>3</DR_CNT>
<CR_TOT>5.00</CR_TOT>
<CR_CNT>1</CR_CNT>
</DETAIL>
<DETAIL TYPE="M" CURR_CODE="840">
<DR_TOT>45.00</DR_TOT>
<DR_CNT>5</DR_CNT>
<CR_TOT>0.00</CR_TOT>
<CR_CNT>0</CR_CNT>
</DETAIL>
<DETAIL TYPE="V" CURR_CODE="840">
<DR_TOT>6.00</DR_TOT>
<DR_CNT>6</DR_CNT>
<CR_TOT>1.00</CR_TOT>
<CR_CNT>1</CR_CNT>
</DETAIL>
<DETAIL TYPE="S" CURR_CODE="840">
<DR_TOT>4.00</DR_TOT>
<DR_CNT>4</DR_CNT>
<CR_TOT>1.00</CR_TOT>
<CR_CNT>1</CR_CNT>
</DETAIL>
<DETAIL TYPE="4" CURR_CODE="840">
<DR_TOT>20.00</DR_TOT>
<DR_CNT>2</DR_CNT>
<CR_TOT>10.00</CR_TOT>
<CR_CNT>1</CR_CNT>
</DETAIL>
</CARD>

```

Summary request in KVP

```
CUST_NBR=1234&MERCH_NBR=1234567&DBA_  
NBR=1&TERMINAL_NBR=1&TRAN_TYPE=SS02&BATCH_ID=9999&TRAN_  
NBR=001308&VERBOSE_RESPONSE=N
```

Summary response

```
<RESPONSE>  
<FIELDS>  
<FIELD KEY="CUST_NBR">1234</FIELD>  
<FIELD KEY="MERCH_NBR">1234567</FIELD>  
<FIELD KEY="DBA_NBR">1</FIELD>  
<FIELD KEY="TERMINAL_NBR">1</FIELD>  
<FIELD KEY="TRAN_TYPE">SS02</FIELD>  
<FIELD KEY="BATCH_ID">9999</FIELD>  
<FIELD KEY="TRAN_NBR">001308</FIELD>  
<FIELD KEY="LOCAL_DATE">050812</FIELD>  
<FIELD KEY="LOCAL_TIME">231552</FIELD>  
<FIELD KEY="AUTH_GUID">0N200NNGKLA00ATM1QW</FIELD>  
<FIELD KEY="AUTH_RESP">00</FIELD>  
<FIELD KEY="AUTH_RESP_TEXT">APPROVAL</FIELD>  
<FIELD KEY="AUTH_TRAN_DATE_GMT">05/09/2012 06:15:52 AM</FIELD>  
<FIELD KEY="PAYLOAD_  
1">PENBUkQ+PERFVEfJTD48RFJfVE9UPjEwNS4wMDwvRFJfVE9UPjxEU19DTlQ  
+MjA8L0RSX0NOVD48Q1JfVE9UPjE3LjAwPC9DU19UT1Q+PENSX0NOVD40PC9DU  
19DTlQ+PC9ERVRBSUw+PC9DQVJEPg==</FIELD>  
</FIELDS>  
</RESPONSE>
```

Summary PAYLOAD_1 after being decoded from Base64

```
<CARD>  
<DETAIL>  
<DR_TOT>105.00</DR_TOT>  
<DR_CNT>20</DR_CNT>  
<CR_TOT>17.00</CR_TOT>  
<CR_CNT>4</CR_CNT>  
</DETAIL>  
</CARD>
```