



hour

Be Connected

S05E11

Mercoledì 25/03/2026

17.00-18.00



Luca Vitali

Microsoft MVP
Modern Work Infrastructure Lead
@FAR Networks



Raffaele Colavecchi

Microsoft MVP
Modern Work Architect @Com.Tel SpA



Fabrizio Volpe

Senior Solutions Consultant M365
@Exponential-e



Guido Imperatore

Microsoft Security MVP | Microsoft Purview
Italian User Group | Azure Meetup Veneto Staff
| Senior Cybersecurity Consultant @ Var Group

Nella puntata di oggi....

- News from Copilot e M365
- News from Teams e Teams Phone
- News from Purview
- News from Defender
- News from Exchange, Outlook e MDO



News from Copilot e M365

Retirement of SharePoint One-Time Passcode (SPO OTP) and transition to Microsoft Entra B2B

Summary:

SharePoint One-Time Passcode (SPO OTP) authentication will retire by August 31, 2026, transitioning external sharing and authentication in OneDrive and SharePoint to Microsoft Entra B2B starting May 2026. External users must have Entra B2B guest accounts for access, enabling consistent governance and Conditional Access across Microsoft 365.

We are retiring SharePoint One-Time Passcode (SPO OTP) authentication in OneDrive and SharePoint starting July 2026. Beginning in May 2026, new external sharing invitations and authentication will start using Microsoft Entra B2B instead of SPO OTP.

This transition simplifies external collaboration, aligns authentication with Microsoft identity standards, and enables consistent guest lifecycle management, governance, and Conditional Access coverage across Microsoft 365.

When this will happen]

May 2026: Invitation and authentication for new external sharing begins transitioning to Microsoft Entra B2B. Users who previously authenticated via SPO OTP will continue to have access to specific people links even without a B2B guest account yet.

July 2026: Retirement of SPO OTP authentication begins. External users without a guest account get access denied on previously shared specific people links. To restore access, a guest account must be created in Entra B2B, or an allowed user must share/re-share at least one file/folder/site.

Retirement is expected to complete by August 31, 2026.

<https://app.cloudscout.one/evergreen-item/mc1243549/>



Microsoft Entra PrivateAccess: BYOD for Windows (Public Preview)

What's changing

VPN replacement extended to unmanaged devices

Previously, Entra Private Access (ZTNA via Global Secure Access) required devices to be Entra joined or hybrid joined. BYOD support removes that restriction — personal and unmanaged Windows PCs can now securely access internal resources.

Automatic Entra device registration

On first sign-in via the Global Secure Access client, the device is automatically registered as Entra registered and a device object is created in the tenant — no manual enrolment or MDM required.

Private Access only — Internet Access not included

BYOD devices get tunnelled access to internal apps and private resources. The Internet Access traffic profile (web filtering, CASB controls) is not available for Entra-registered devices at this stage.

No additional licence required

BYOD support is included within the existing Microsoft Entra Private Access licence (Entra Suite or standalone add-on). No extra SKU needed.

Requirements

Client version

Global Secure Access client v2.26.108 or later

Device state

Microsoft Entra registered (auto-created on first sign-in)

Existing config

Entra Private Access must already be configured with Private Network Connectors

Admin notes

- Assign the Private Access traffic profile to users/internal guests to enable
- Use CA policy requiring compliant device to *block* BYOD if not desired
- Entra-registered devices appear under the user's device list in the admin centre
- On Entra joined/hybrid joined devices, GSA always connects to the joined tenant

MC — Entra What's New (Feb/Mar 2026)



Custom name for the local OneDrive sync folder

If you've worked with deeply nested folders in OneDrive sync, you've probably hit the Windows path length limit at some point. And one of the reasons it happens sooner than expected is the default sync folder name: "OneDrive – Organization Name."

Microsoft is finally fixing this. Admins can now set a custom name for the local OneDrive sync folder on Windows devices using a new policy called CustomSyncRootFolderName.

The idea is simple: choose a shorter folder name so the overall file path doesn't grow unnecessarily long.

- 👉 This only affects the local sync folder name on Windows.
- 👉 New users will automatically get the new folder name when they set up OneDrive sync.
- 👉 Existing users will need to unlink and relink OneDrive for the change to apply.
- 👉 The name shown in File Explorer navigation and the OneDrive UI will remain the same. Only the local folder path changes.
- 👉 The setting is optional, so admins have to configure it manually.


If you manage environments where users sync deep folder structures, this can be really helpful.

News from Mezba Uddin


LINK: <https://learn.microsoft.com/en-us/sharepoint/use-group-policy#set-a-custom-name-for-the-onedrive-folder>

One New Setting to Avoid OneDrive Path Length Problems

Problem



Solution



Shorter OneDrive sync folder → Fewer path length issues



SPO: expiration control to org-wide links

Microsoft is finally bringing expiration control to org-wide links in Microsoft SharePoint and Microsoft OneDrive! 🤖

Until now, “People in your organization” links never expired by default. Once created, they stayed active forever. That meant long-term access, link sprawl, and a clear governance gap.

Starting mid-March 2026, admins can set expiration policies for these internal links.

Here is how you can finally take control of your internal data:

- 👉 Set tenant-wide and site-level expiration limits
- 👉 Configure expiration timeframes separately for SharePoint and OneDrive
- 👉 Set recommended expiration values that appear as the default when users create sharing links

What happens to existing links?

The policy mainly affects new links. However, existing internal links will receive an expiration date the next time they’re accessed after rollout.

Rollout Timeline

Standard tenants: Mid-March to late May 2026

GCC / DoD: Mid-March to late June 2026

Admins need SharePoint Online Management Shell to configure link expiration settings using the cmdlet parameters:

- **CoreOrganizationSharingLinkMaxExpirationInDays (for SharePoint)**
- **OneDriveOrganizationSharingLinkMaxExpirationInDays (for OneDrive)**

A small configuration change, but a big step forward for internal data governance.

Source: <https://lnkd.in/e36ETJ6v>



Microsoft Entra: Passkeys su Windows (Public Preview)

Advantages

Passwordless authentication on any Windows device
Phishing-resistant access with Windows Hello (face, fingerprint, or PIN) even on PCs that are not Entra-joined or not registered

Support for unmanaged devices Ideal for personal, shared, and unmanaged PCs: extends passwordless authentication beyond the managed environment

Multi-account on the same device. Each Entra account registers its own independent passkey: no conflicts between different corporate accounts

CA Policies and Authentication Strength unchanged No modifications to existing policies; passkeys on Windows automatically honour Conditional Access

Timeline

Public Preview

Fine marzo 2026 - maggio 2026

Note per gli admin

- Opt-in required: enable the passkey policy in Entra ID
- Device-bound: separate registration for each PC
- WHfB remains recommended for managed Entra-joined devices
- Does not support device sign-in: cloud resources only

MC1247893



Microsoft Entra ID: Passkey Profiles: Auto-Enabling Now

Microsoft is automatically enabling passkey profiles across all Entra ID tenants. The GA rollout began in early March 2026 and introduces a new schema replacing the legacy FIDO2 authentication configuration.

New: passkeyType property

Admins can now explicitly allow device-bound passkeys, synced passkeys, or both — replacing the single all-or-nothing FIDO2 toggle

Group-based configuration

Policies can now be scoped per group rather than applying a single tenant-wide setting

Existing FIDO2 config auto-migrated

Current FIDO2 authentication settings are moved into a new default profile automatically to ensure service continuity

Registration campaigns updated

Where synced passkeys are enabled, Microsoft-managed campaigns will prompt all MFA-capable users for passkeys instead of Authenticator

Rollout Timeline

Early March 2026

GA rollout begins — opt-in available for all tenants

Early April → Late May 2026

Auto-enablement for tenants that have not opted in

June 2026

Auto-enablement for GCC / GCC High / DoD

Admin Action Required

Opt in early to review and customise the default passkey profile before auto-migration applies defaults

MC1221452




Admin Tasks in Intune

Admin Tasks reached general availability in January 2026. It does not add new capabilities, it unifies the operational workflows for Endpoint Privilege Management (EPM), Defender, and Multi Admin Approval into a single node under the Tenant Administration > Admin tasks node, with search, filtering, and sorting across all of them.

What Gets Consolidated

The Admin tasks node supports EPM file elevation requests, Microsoft Defender security tasks, Multi Admin Approval (MAA) requests, and Device Offboarding tasks.

The original locations still exist and still work. Selecting a task opens the same interface and workflow as the source location, nothing changes about how you act on a task, only where you find it.





News from Teams e
Teams Phone

Microsoft Teams: delete meeting generated content in recap

Microsoft Teams: delete meeting generated content in recap

■ □ □ IN DEVELOPMENT

ROLLOUT START
April 2026

- Microsoft Teams
- Microsoft Copilot (Microsoft 365)

Meeting organizers can now easily delete meeting generated content including recording, transcript, AI summary, and notes through the new delete button in recap page. Shared files in the meeting won't be deleted.

Roadmap ID	Cloud instances(s)	Platform(s)	Release phases(s)
557170	Worldwide (Standard Multi-Tenant), GCC	Desktop	General Availability

Added to roadmap: 03/04/2026 | Last modified: 03/04/2026



Niente più mail per la scadenza della registrazione dei meeting

(Updated) Upcoming change: disabling Teams meeting recording expiration notification emails

 Leggi in italiano  Archivia  Condividi  Copia collegamento  Segna come da leggere

Riepilogo

Starting June 1, 2026, Microsoft will disable Teams meeting recording expiration notification emails for all Microsoft 365 tenants to reduce notification noise. Recording expiration and deletion remain unchanged. No admin action is needed, but organizations can notify users or update documentation if desired.

Questo riepilogo è utile?  

Rilevanza ⓘ

   Media

Servizio

 Microsoft Teams

ID messaggio

MC1245635

Pubblicato

6 mar 2026

Ultimo aggiornamento

9 mar 2026

Tag

AGGIORNAMENTO IMPORTANTE

IMPATTO SUGLI UTENTI

PENSIONE

Updated March 9, 2026: We have updated the content. Thank you for your patience.

Introduction

To reduce notification noise and improve signal quality, Microsoft will disable **Teams Meeting Recording (TMR)** expiration notification emails. Customer feedback indicates these emails generate high volume with minimal engagement. Only the email notifications are being removed; recording expiration and deletion behavior remains unchanged.

When this will happen

June 1, 2026



Teams automatically enables file attachments and Loop sharing in external 1:1, group, and meeting chats

Microsoft Teams is introducing a change that automatically enables file attachments and Loop sharing in external 1:1, group, and meeting chats.

Previously, users often needed to manually adjust file permissions when sharing content with external participants. This update simplifies that experience by automatically provisioning access when files are shared in chat.

Here's what the update introduces:

- 👉 **Automatic file access provisioning:** Files shared in external chats automatically grant access to chat participants.
- 👉 **Loop components in external chats:** Loop content can now render directly inside chats with external users.
- 👉 **Guest file uploads from home tenants:** Entra B2B guest users can upload files from their own OneDrive or SharePoint environment.
- 👉 **External labeling for clarity:** Files shared by external participants will display an External tag and open on the web.
- 👉 **Admin policy control:** Admins can disable automatic provisioning using the `AutoShareFilesInExternalChats` attribute in `TeamsMessagingPolicy`.


A few things to know:

- Applies to Teams for Windows, Mac, and Web
- Works across 1:1 chats, group chats, and meeting chats with external users
- External users access files as Entra B2B guests in the resource tenant
- MFA or consent may be required depending on your B2B policy

Rollout timeline:

- Targeted Release: Late October 2025 → Mid-November 2025
- General Availability: Worldwide rollout begins January 2026

Automatic Access Provisioning for External Chats in Microsoft Teams



News from Mezba Uddin



Teams: identify bots joining your Teams meeting

A new feature coming to Microsoft Teams in May will give meeting organisers much more visibility and control over third-party bots joining meetings.

- External 3P bots will now be clearly identified when waiting in the lobby — no more ambiguity about what's trying to join
- Organisers will need to explicitly and separately admit bots — they won't slip in alongside regular participants
- This means no one accidentally accepts a bot into a meeting without realising what it is

With the explosion of AI meeting assistants uninvited bots joining meetings has become a real pain point. Many organizations have struggled with transcription bots appearing in sensitive meetings without proper consent.

Microsoft Teams: Identify bots joining your Teams meetings

Microsoft Teams

■ □ □ IN DEVELOPMENT

ROLLOUT START

May 2026

During Teams meetings, if there is an external 3P bot trying to join the meeting, organizers will be able to see a clear representation of the bots while they wait in the lobby. Organizers will be required to explicitly and separately admit these bots into the meeting, if really required. This approach will ensure that no one inadvertently accepts the external bots into the meeting ensuring that the organizers have full control over the presence of these bots.

Roadmap ID

558107



+39 Teams Phone Italia Experts

Chat di Teams con 51 tecnici superspecializzati

- Scambio di opinioni sulle funzionalità della telefonia tradizionale (PSTN) in MS Teams
- Chiarimenti su tecniche di configurazione di SBC, Media Gateway, telefoni nativi e compatibili in MS Teams
- Condivisione di esperienze ed appuntamenti tecnici sulle tematiche specifiche del gruppo

Link alla form per la richiesta di adesione al gruppo
No LiveID account, solo M365 Business o Ent. ----->>>>

Sconsigliamo l'adesione a chi non lavora quotidianamente sugli argomenti indicati in precedenza





News from Purview

Investigazioni di sicurezza dei dati con categorie Insider Risk

Vantaggi

Miglior classificazione degli incident di sicurezza

Le nuove categorie permettono di organizzare i casi di investigazione in modo più chiaro e strutturato

Individuazione più rapida dei rischi interni

Aiuta i team di sicurezza a identificare più facilmente comportamenti sospetti legati alla gestione dei dati in quanto è possibile creare casi di indagine senza scaricare contenuti

Analisi degli Incident più efficace


La categorizzazione facilita l'analisi delle attività degli utenti e il contesto degli eventi di sicurezza

Traige più rapido

E' possibile creare casi di investigazione senza scaricare i contenuti, velocizzando la fase iniziale di analisi

Migliore tracciabilità della attività degli utenti

Consente di correlare più facilmente le azioni degli utenti coinvolti negli Incident legati ai dati sensibili dell'organizzazione



Miglioramento delle protezioni dei documenti scaricati da SharePoint

Vantaggi

Protezione dei documenti anche fuori da SharePoint

Le autorizzazioni definite nella libreria possono continuare ad applicarsi ai file anche dopo il download

Riduzione del rischio di condivisioni non autorizzate

I documenti sensibili restano accessibili solo agli utenti autorizzati, anche quando sono salvati localmente

Continuità delle policy di protezione dei dati

Le regole definite tramite Sensitivity Labels continuano a proteggere il contenuto anche la di fuori dell'ambiente Cloud di Microsoft

Applicazione automatica delle autorizzazioni ai file scaricati

Le impostazioni di accesso definite nel sito o nella libreria possono essere stese automaticamente ai documenti al momento del download

Supporto alla compliance e alla governance dei dati

La protezione persistente dei documenti aiuta le organizzazioni a mantenere controlli di sicurezza e requisiti normative anche quando i file vengono utilizzati al di fuori del mondo Microsoft 365



Sensitivity Labels per le sezioni di OneNote

Vantaggi

Classificazione dei Contenuti di OneNote

Le sezioni di OneNote possono essere etichettate per classificare le informazioni in base al livello di sensibilità

Protezione dei dati sensibili nei contenuti di collaborazione

Le informazioni salvate in OneNote possono essere protette con le stesse policy di sicurezza applicate ad altri documenti di Microsoft 365

Applicazione manuale delle etichette di sensibilità


Gli utenti possono assegnare manualmente le Sensitivity Label alle sezioni per proteggere contenuti sensibili

Integrazione con Policy di Information Protection

Le etichette applicate in OneNote seguono le stesse regole e configurazioni definite in Microsoft Purview

Estensione della protezione ai principali strumenti di lavoro

La sicurezza delle informazioni viene estesa anche a strumenti di collaborazione quotidiana utilizzati per appunti e condivisione interna



Quali novità in Microsoft Purview ?


Marzo 2026

- **Authoring Custom data quality Rules using SQL (GA)**
- **Data Security Investigation** Category include Standard and Advanced
- **Insider Risk Management (Preview):** Disable content download to create cases without content to reduce triage Time
- **Sensitivity Label (GA):** Manual Label now supported for the section in OneNote
- **Sensitivity Label (Preview):** Auto-Label new flow to apply automatically apply label into SharePoint and OneDrive

Febbraio 2026

- **Data Governance:** incremental data quality scans (preview) using time-based filtering for more efficient assessments.
- **Data Quality:** ability to run scans on standalone data assets without linking them to a data product first (preview).
- **General Availability:** full support for Azure SQL Managed Instance for data quality scanning in Microsoft Purview.
- **Insider Risk Management:** new Microsoft Fabric (Lakehouse) indicators and a quick policy to detect data theft from non-Microsoft 365 apps (preview).
- **Sensitivity Labels:** client-side improvements that extend SharePoint permissions to downloaded documents, now also available in the Monthly Enterprise Channel.

[What's new in Microsoft Purview](#) | [Microsoft Learn](#)



Microsoft Purview | Information Protection – Override manually applied labels and Remove labels with Auto-labeling

We are introducing new auto-labeling actions for SharePoint and OneDrive in Microsoft Purview as part of the convergence of Microsoft Defender for Cloud Apps (MDA) into Purview.

These enhancements allow administrators to automatically override manually applied sensitivity labels or remove existing labels at scale when content no longer meets labeling criteria.

This update helps organizations maintain accurate and consistent data classification as policies, label taxonomies, and business requirements evolve—without relying on end users to manually update labels. It also improves governance and control for data at rest across Microsoft 365.

This message is associated with Microsoft 365 Roadmap ID [558342](#).

What type of auto-labeling policy do you want to create?



Automatically apply labels only

This action only applies a sensitivity label, or replaces existing labels, to items in Exchange, SharePoint, OneDrive, and cloud apps.



Automatically remove labels only (preview)

This action only removes a sensitivity label from items in SharePoint and OneDrive. [Learn More](#)

Auto-labeling policies > New policy

✓ Info to label

✓ Name

✓ Label

✓ Admin units

✓ Locations

● Policy rules

✓ OneDrive accounts

● Additional label settings

Additional label settings

Choose whether you want to override labels. If not selected, standard auto-labeling applies: lower-priority auto labels may be replaced, but manual labels stay. [Learn about label priority](#)

☐ All locations (preview)

Replace existing labels if their priority is lower for all locations (Exchange, SharePoint, OneDrive) regardless of whether the existing label was applied automatically or manually.

Microsoft Purview | Information Protection – Override manually applied labels and Remove labels with Auto-labeling

When this will happen:

General Availability (Worldwide): Rollout will begin in **mid-April 2026** and is expected to complete by **mid-April 2026**.

What will happen:

Admins can configure new auto-labeling actions in the Microsoft Purview portal.

Auto-labeling policies can now:

- Override existing sensitivity labels, including labels applied **manually** by users.

- Remove a specific sensitivity label from files that no longer meet policy conditions.

These actions apply to files at rest in SharePoint Online and OneDrive.

The feature is **not enabled by default** and only **takes effect when configured by an admin**.

Auto-labeling policies > New policy

Info to label

Name

Label

Admin units

Locations

Policy rules

OneDrive accounts

Additional label settings

Additional label settings

Choose whether you want to override labels. If not selected, standard auto-labeling applies: lower-priority auto labels may be replaced, but manual labels stay. [Learn about label priority](#)

☐ All locations (preview)

Replace existing labels if their priority is lower for all locations (Exchange, SharePoint, OneDrive) regardless of whether the existing label was applied automatically or manually.





News from Defender for Endpoint

Proactive User Containment

Vantaggi

Contenimento immediate delle minacce

Blocca automaticamente le attività sospette di un utente prima che l'attacco si diffonda nella rete aziendale

Riduzione dei tempi di risposta agli incident

Automatizzando il contenimento, il Sistema reagisce in pochi secondi senza attendere l'intervento di un analista

Limitazione di Lateral Movement


Impedisce a un account compromesso di accedere ad altre risorse o sistemi, riducendo il rischio di propagazione dell'attacco

Maggiori protezione degli asset aziendali

Protegge dati, applicazioni e infrastrutture bloccando attività anomale prima che possano causare danni

Supporto ai team di sicurezza

Riduce il carico operativo del SOC permettendo agli analisti di concentrarsi sull'analisi dell'incident invece che sul contenimento manuale



The screenshot displays a security event viewer interface. At the top, a title bar shows window controls and a lightning bolt icon. The main header reads: "A remote procedure call (RPC) access attempt by contained user was blocked". Below this, a status bar indicates "T1003.006: DCSync" and "Attack Disruption". The event details are organized into sections: "Event info" (Event: A remote procedure call (RPC) access attempt by contained user was blocked), "Event time" (Jul 24, 2023 9:06:29 PM), "Action type" (ContainedUserRpcAccessBlocked), "User" (User icon), "Mitre Techniques" (T1003.006: DCSync), "Entities" (Entities icon), "Event details" (RPC Interface ID, RPC Interface Friendly Name: Directory Replication Service (DRS)), "Remote IP" (Remote IP icon), "Techniques info" (Techniques info icon), and "Event entities graph" (Event entities graph icon). The "Event entities graph" section shows a graph with a node for "IP Address" (50327) and a node for "User name". A button at the bottom right says "Hunt for related events".



Perché usare Live Response Library Management

Vantaggi

Gestione centralizzata degli strumenti

Script e Tool di risposta agli Incident sono archiviati in un'unica libreria facilmente gestibile

Maggior coerenza nelle attività di risposta

Gli analisti utilizzano gli stessi strumenti approvati, garantendo procedure uniformi tra i diversi interventi

Migliore collaborazione nel Team SOC


Gli strumenti condivisi permettono agli analisti di lavorare con le stesse risorse e metodologie

Upload degli script semplificato

Non è più necessario avviare una sessione di Live Response per caricare script: è possibile gestirli direttamente dalla libreria centralizzata

Interventi più rapidi sugli Endpoint

Gli strumenti già disponibili nella libreria possono essere utilizzati immediatamente durante le attività di risposta



Effective Settings Tab

Vantaggi

Visibilità completa delle configurazioni applicate

Permette di Vedere chiaramente quali impostazioni di sicurezza sono effettivamente attive sui dispositivi

Identificazione rapida dei conflitti tra policy

Aiuta a individuare configurazioni “sovrapposte” o in conflitti provenienti da diverse policy

Risoluzione più veloce di problem alle configurazioni

Permette agli amministratori IT di invidurare in modo rapido le impostazioni che sono in errore o non applicate correttamente

Maggior trasparenza sulle policy applicate

Mostra quali policy o quale strumento di gestione ha applicato una determinata configurazione

Miglior controllo della sicurezza degli Endpoint

Permette agli amministratori di verificare facilmente lo stato di sicurezza reale dei dispositivi

Device Inventory > aadj-guido

aadj-guido
■■■ Informational ■■■ Criticality: None ● Active Critical Endpoint XDR-Client-Windows

Overview Incidents and alerts Timeline Configuration management Security recommendations Inven...

Security policies Effective settings

Setting name ⓘ ↑ ↓	Policy Type ▾	Effective Value ▾
Microsoft Defender Antivirus (88)		
[Deprecated] Enable Dns Sinkhole	Microsoft Defender Antivirus	DNS Sinkhole is enabled
Allow Archive Scanning	Microsoft Defender Antivirus	Allowed. Scans the archive files.
Allow Behavior Monitoring	Microsoft Defender Antivirus	Allowed. Turns on real-time behavior monitoring
Allow Cloud Protection	Microsoft Defender Antivirus	2
Allow Datagram Processing On Win Ser...	Microsoft Defender Antivirus	Datagram processing on Windows Server is dis...
Allow Email Scanning	Microsoft Defender Antivirus	Allowed. Turns on email scanning.
Allow Full Scan On Mapped Network D...	Microsoft Defender Antivirus	Allowed. Scans mapped network drives.
Allow Full Scan Removable Drive Scanni...	Microsoft Defender Antivirus	Allowed. Scans removable drives.
Allow Network Protection Down Level	Microsoft Defender Antivirus	Network protection will be disabled downlevel.
Allow Network Protection On Win Server	Microsoft Defender Antivirus	Disallow





News from Exchange,
Outlook e MDO

Buon Compleanno Exchange



Il 2 aprile 1996 (??) usciva Microsoft Exchange Server 4.0, la base dell'attuale Active Directory (2000) passando per ExchangeLabs (2007) ed almeno fino al 2035!!!

Ci rivediamo il...

Venerdì 24 Aprile 2026
dalle 11 alle 12

Nuova serie S06



Tutte le slides del BCH sono su GitHub

<https://github.com/BeConnected-hour/BCHSeries>



Seguici; avrai sempre con te le ultime novità targate #BCH e caricate prontamente al termine di ogni diretta.

