



hour Be Connected

S05E05

Venerdì 19/09/2025

11.00-12.00



Luca Vitali

Microsoft MVP
Modern Work Infrastructure Lead
@FAR Networks



Raffaele Colavecchi

Microsoft MVP
Modern Work Architect @Com.Tel SpA



Fabrizio Volpe

Senior Solutions Consultant M365
@Exponential-e

Nella puntata di oggi....


- News from Copilot e M365
- News from Teams e Teams Phone
- News from Purview
- News from Exchange, Outlook e MDO



News from Copilot e M365

Cosa c'è sotto al cofano di Microsoft 365 Local

Sono **Exchange**, **SharePoint** e **Skype for Business** in versione **Subscription Edition** installati in **Azure Local** su macchine certificate nel proprio datacenter o in datacenter convenzionati.



Estensione del supporto per i prodotti OnPrem

Exchange, SharePoint e Skype for Business in versione **Subscription Edition** hanno il supporto garantito fino al 2035.

Additional support for select server products following Modern Lifecycle Policy

08/05/2025

The statements on this page only apply to the products listed below.

Products Impacted

The below products will remain in support until at least the date specified. The products in this list do not currently have a planned end of support, but they will not reach end of support before the date listed.

[Expand table](#)


Product Name	Earliest Possible EoS Date
Exchange Server Subscription Edition	December 31, 2035
SharePoint Server Subscription Edition	December 31, 2035
Skype for Business Subscription Edition	December 31, 2035



Rilasciate ed installabili le Microsoft365 Companion Apps

Per ora solo:

- People
- File search
- Calendar



<https://support.microsoft.com/en-us/office/get-started-with-microsoft-365-companions-a27df74a-cc41-4e74-8216-51091dc30194>



Microsoft Teams Copilot without transcription becomes default for meetings - conversation history now persists

- Microsoft Teams Copilot in meetings will default to "without transcription" for newly scheduled meetings, affecting new tenants and users.
- Conversation history will now persist during meetings, allowing users to switch features without losing insights.
- Existing users will inherit the new default unless custom policies are applied; transcription must be manually enabled if needed.
- IT admins can manage default settings through Teams meeting policy.
- Updated behaviors enhance AI-driven insights and user interaction with Copilot.

Introduction

We're updating the default behavior of Microsoft Teams Copilot in meetings. Copilot without transcription will become the default mode for newly scheduled Teams meetings where Copilot is allowed. Additionally, conversation history will now persist during meetings, improving multitasking and continuity of insights.

This update is associated with Microsoft 365 Roadmap ID 478611.

How this affects your organization

•Copilot without transcription becomes default:

- Applies to new tenants and new users.
- Existing users without a set policy will inherit the host configuration and receive this new default.
- Custom policies will remain unchanged.
- In Teams meeting policy, the default property value for "Copilot" will change from **EnabledWithTranscript** to **Enabled**. This affects how Copilot behaves in newly scheduled meetings unless overridden by custom policy.
- Starting Copilot during a meeting will no longer automatically start transcription.
- Transcription must be manually enabled in Meeting Options or during the meeting if users want post-meeting insights or access to Copilot conversation history.

•Conversation history now persists during meetings:

- Users can switch between meeting features (chat, participant list) without losing Copilot insights.
- This change applies to all users using Copilot without transcription.



Microsoft will deprecate legacy MFA and SSPR policy settings on September 30, 2025

- Microsoft will deprecate legacy MFA and SSPR policy settings on September 30, 2025, requiring all users to migrate their authentication methods to the unified Authentication Methods policy in Microsoft Entra ID.
- After this date, you can no longer manage authentication methods like SMS or the Microsoft Authenticator app through the legacy configurations.
- To prepare, you should migrate to the new policy, which combines MFA and SSPR management, by selecting the "Migration in Progress" option in the new policy and then completing the migration before the deadline.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home >

Authentication methods | Policies

Microsoft Entra ID Security

Search

+ Add external method (Preview)

Refresh

Got feedback?

Manage

Policies

Password protection

Registration campaign

Authentication strengths

Settings

Monitoring

Activity

User registration details

Registration and reset events

Bulk operation results

Manage migration

On September 30th, 2025, the legacy multifactor authentication (MFA) and self-service password reset (SSPR) policies will be deprecated and the settings will be managed here. Use the options below to manage your migration status – how your policies are respected – and utilize the migration wizard to quickly migrate legacy policies to the new unified policies. [Learn more](#)

Migration status

In progress (change)

Begin automated guide

Authentication method policies

Use authentication methods policies to configure the authentication methods your users may register and use. If a user is in scope for a method, they may use it to authenticate and for password reset (some methods aren't supported for some scenarios). [Learn more](#)

Method	Target	Enabled
Built-in		
Passkey (FIDO2)	All users	Yes
Microsoft Authenticator	All users, excluding 1 group	Yes
SMS	All users	Yes
Temporary Access Pass	All users	Yes
Hardware OATH tokens (Preview)	All users	Yes
Third-party software OATH tokens	All users	Yes
Voice call		No
Email OTP	All users	Yes
Certificate-based authentication		No

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

Home >

Authentication methods | Policies >

Authentication method settings migration

Overview

Review + migrate

Migrating to the new authentication method policies

The authentication methods policy is the recommended way to manage authentication methods, including modern methods like passwordless authentication. This guide will help you automatically convert the authentication methods enabled in your legacy multifactor authentication (MFA) and legacy self-service password reset (SSPR) policies to corresponding authentication method policies. We will offer recommendations to help you increase your security posture.

Why is this important?

Current authentication method settings

Legacy MFA method settings

Legacy SSPR method settings


Migrating to the new authentication method policies

Next



MC1150662 - Action Required – Configure Browser Policy to Preserve OneDrive and SharePoint Web Performance and Offline Capability

- Upcoming privacy-related changes in Chromium-based browsers (Google Chrome and Microsoft Edge) will increase restrictions on local network access. When enforcement begins, users accessing OneDrive for Web (and some integrated Microsoft 365 experiences such as Microsoft Lists and SharePoint Document Libraries) will encounter a browser permission prompt for local network access unless the required policy is in place.
- If the permission is not allowed, performance optimizations and offline capabilities powered by OneDrive and Share Point will not be available.



- If no action is taken:
- Users will see a new browser prompt requesting permission for local network access when opening OneDrive for Web and Lists.
- If users do not click Allow, the following results occur on that device:
- Performance acceleration will not be available (loss of faster data access behavior).
- Offline functionality in OneDrive Web will not be available.


MC1150662 - Action Required – Configure Browser Policy to Preserve OneDrive and SharePoint Web Performance and Offline Capability

What you need to do to prepare:

- Identify Required Domains
- Include your organization's SharePoint Online and OneDrive endpoints, for example: <https://YOURTENANT-my.sharepoint.com> or <https://YOURTENANT.sharepoint.com>
- Add additional sanctioned SharePoint Online host variations if applicable (e.g., specialized cloud environments). Avoid overly broad wildcards—conform to internal security governance.
- Configure Browser Policy
 - Set the Chromium policy LocalNetworkAccessAllowedForUrls (Chrome Enterprise / Edge policy) to pre-authorize the listed domains.
 - Apply via: ADMX / JSON for Windows; plist or configuration profile for macOS (Chrome and Edge).
 - Roll out to all managed device groups (Windows, macOS, VDI as applicable).
- Even if the following policies are currently enabled by policy, deploy the allow-list to prevent future prompts and avoid user confusion.
 - DisableNucleusSync
 - DisableOfflineMode

Microsoft Word to Automatically Saves New Documents to the Cloud

- Microsoft Word for Windows now automatically saves new documents to the cloud (OneDrive, SharePoint or whichever cloud location you set as default) by default.
- AutoSave is turned on automatically for new files. You don't need to save locally first – the file is being backed up continuously.
- New files will initially get generic names (e.g. based on date) until you save/rename them.



MS drops charges for metered Graph APIs

Effective from August 25, 2025, "Metered" Graph APIs will no longer incur charges.

These include APIs for exporting chat, channels, meeting transcripts and recordings.

Announced in message center MC1122144 with no detail as to the reasoning, but good news for customers and ISVs.

The API calls that were previously consumption-charged/Metered are:

- Teams chat export
- Teams chat retained export
- Teams channel export
- Teams channel retained export
- Teams chat/channel change notifications
- Teams conversation Member change notifications
- Teams chat/channel message PATCH operations
- Teams meeting transcript
- Teams meeting transcript metadata
- Teams meeting recording
- SharePoint and OneDrive for Business assign Sensitivity Label
- SharePoint prioritization

Microsoft Drops Charges for Metered Graph APIs



**From
Aug 25,
2025**





News from Teams e
Teams Phone

New enhancements in Private Channels in Microsoft Teams unlock their full potential

What’s Changing—and Why It Matters

To support growing usage and help simplify compliance, private channels will now use a group mailbox (like shared channels) instead of storing messages in individual user mailboxes. This change unlocks several key benefits:

 **Expanded Limits**

Feature	Current	New
Max private channels per team	30	1000
Max members per private channel	250	5000
Meeting scheduling	✗	✓ Supported
Simplified Compliance	At a user level	Group

Helping to Simplify Compliance

By aligning private channels with group-based storage, compliance policies (e.g., retention, legal hold, DLP, eDiscovery) can be applied at the **team (Microsoft 365 group) level**, helping to reduce complexity and driving consistency across channel types. For example, one retention policy can be applied to the team’s group, instead of managing a separate policy for private channels.

Organizations with compliance policies (retention, legal hold, DLP, eDiscovery) for private channels must ensure those policies are also applied to the team’s group scope before migration begins. Existing policies for user mailboxes will continue to apply; post-migration, new private channel data will be governed by policies of the group mailbox.



Teams malicious URL protection in chats and channels for EVERYONE

Microsoft Teams is introducing malicious URL protection in chats and channels, providing a pre-click warning to users about phishing links.

This new feature is for all users.



It scans URLs using Microsoft Defender reputation data and alerts the user in the chat before they click (see screenshot).

Link protection is enforced if at least one participant in the conversation has the feature enabled.



Teams for Windows desktop, Teams for Mac desktop, Teams for the web, and Teams for iOS/Android.

Rolling out from September to November 2025. The feature requires admin activation during preview, but will be on by default at general availability.

Message Center: MC1148539




Teams Phone extensibility



<https://learn.microsoft.com/en-us/azure/communication-services/concepts/interop/tpe/teams-phone-extensibility-overview>



Shift integration nelle CallQueue di Teams Phone



The screenshot shows the Microsoft Teams admin center interface. On the left, a sidebar lists navigation options: General info, Greeting and music, Call answering (selected), Agent selection, Callback, Exception handling, and Authorized users. The main area is titled 'Call answering' and contains instructions: 'You can choose either a channel, or groups and individual users to answer incoming calls for the call queue.' Below this are three radio button options: 'Choose a team', 'Choose users and groups', and 'Choose a shift' (which is selected). An 'Add a Shift' button is located below the 'Choose a shift' option. At the bottom of the main area, there is a 'Conference mode' toggle switch set to 'On' and a note: 'Call agents who use the Skype for Business client won't receive calls when conference mode is enabled.' At the very bottom are 'Back', 'Next', and 'Submit' buttons. A modal dialog titled 'Add a Shift' is open on the right. It contains the instruction: 'To select a Scheduling group for call agents, first select the team, then select the scheduling group.' Below this is a search bar with '00-c' entered. Under the 'Selected team' section, '00-COLIN-TEAM' with '3 Members' is listed. Below that, a dropdown menu for 'Select the scheduling group' shows '00-COLIN-SCHEDULE-GROUP' selected. At the bottom of the dialog are 'Apply' and 'Cancel' buttons.

Microsoft Teams admin center

Search

Call queues \ Edit a call queue: 00-COLIN-CQ-02

Call answering

You can choose either a channel, or groups and individual users to answer incoming calls for the call queue.

☐ Choose a team

☐ Choose users and groups

☒ Choose a shift

Add a Shift

Conference mode ⓘ

☒ On

Call agents who use the Skype for Business client won't receive calls when conference mode is enabled.

Back Next Submit

Add a Shift

To select a Scheduling group for call agents, first select the team, then select the scheduling group.

00-c

Selected team

0 00-COLIN-TEAM
3 Members

Select the scheduling group

00-COLIN-SCHEDULE-GROUP

Apply Cancel

Moving Teams Android Devices to AOSP Device Management



TabishJ



MICROSOFT

May 16, 2024

IMPORTANT!

Please ensure your devices are updated to AOSP builds by **October 3rd**. If auto updates did not update all devices in your organization, please manually update them. This is to ensure continuous and secure access to device resources, as AOSP contains security fixes within the Microsoft Entra ID authentication stack, and ESTS service side changes are coming in early October to check for this build. If devices are not on an AOSP build, they will sign out and not be able to sign in again, until migrating to an AOSP device management build..

Microsoft Teams: Dynamic video tile resizing based on occupancy count from Teams Rooms on Android

■ □ □ IN DEVELOPMENT

ROLLOUT START
October 2025

Microsoft Teams

The room video tile dynamically adjusts size based on the number of people in the room. When one person is in the room, the tile matches the remote participant's size. With two or more people, the room tile expands to be four times larger. Admins can enable or disable the people count feature.

Roadmap ID
500635

Cloud instances(s)
Worldwide (Standard Multi-Tenant)

Platform(s)
Teams and Surface Devices

Release phases(s)
General Availability

Added to roadmap: 08/15/2025 | Last modified: 08/15/2025



Detect sensitive content during screen sharing

Meeting options

Meeting access

Advanced protection

Roles

Production tools

Participation

Recording & transcription

Copilot and other AI

Turn off copying and forwarding of meeting chat and transcripts

When this is off, copying messages, links, transcripts, and AI-generated insights in the meeting recap will be disabled. Forwarding and sharing messages to Outlook will also be disabled.

End-to-end encryption

Apply a watermark to shared content

Apply a watermark to everyone's video feed

Detect sensitive content during screen sharing

Organizers and presenters will get a notification when someone is sharing content that contains personal or other sensitive info. One notification will be sent for each piece of sensitive data.

Roles

Choose co-organizers:

Apply

Stop sharing

Looks like you're sharing sensitive content

Stop sharing if it contains info you don't want others to see. [Learn more](#)

Stop sharing

Status	Charge-Off
Social Security	663-95-6621
High Credit	\$ 10,000.00
Credit Limit	Monthly (due every month)
Terms Frequency	\$ 10,873.00
Balance:	\$ 10,873.00
Amount Past Due:	N/A
Actual Payment Amount:	
Date of Last Activity:	
Months Reviewed:	82
Activity Designator:	Closed
Deferred Payment Start Date:	
Balloon Payment Date:	
Type of Loan	Credit Card

16	Charge Off Amount	\$	10,873.00
17	Balloon Payment Amount		
18	Date Closed		
19	Date of Firm Delinquency	Apr-07	
20	Comments	Consumer disputes this account information charged off account	
21			
22			




Control External Access by Domain for Specific Users and Groups

MC1150123

- Admins will be able to create custom external access policies by user or group in Teams.
- Previously, external access (i.e. who from outside your organization you allow Teams chats / meetings / federation with) was only controllable at the tenant level.
- These policies allow setting which external domains specific users or groups can or cannot interact with. This gives more granularity.
- Five policy options will be available per user/group:
 - Use organization settings (inherit tenant-wide default)
 - Allow all external domains
 - Allow only specific external domains
 - Block only specific external domains
 - Block all external domains Microsoft 365 Message Center
- Roll-out / timeline:
 - Targeted Release (preview) begins early September 2025; to complete by mid-September 2025. Microsoft 365 Message Center
 - General Availability (worldwide) from late October 2025 through mid-December 2025. Microsoft 365 Message Center
- How it's managed:
 - Initially via PowerShell (using cmdlets like Set-CsExternalAccessPolicy etc.) during preview. Microsoft 365 Message Center
 - Later via the Teams Admin Center UI once general availability is reached. Microsoft 365 Message Center

New Meeting Search in Teams Desktop

- Microsoft will upgrade Teams desktop search to let you quickly find meetings by title or participant, then join, RSVP, view recaps, or access chats—all from the search bar results.
- A new “Meeting” pill and tab will focus your search.
- Now due mid-August to late September 2025.



Cambio licenze (a consumo) per le chiamate da CQ e AA (Calling plan e Operator Connect)

📘 Important

Changes to licensing required for Auto attendant and Call queue outbound PSTN calling

As of November 1, 2025, Calling Plan licenses on resource accounts will no longer be supported for On-Behalf-Of PSTN outbound calls. A [Pay-As-You-Go](#) license will be required.

Expand the sections for more information.

- ▶ For Calling Plan customers who received MC1123835
- ▶ For Operator Connect customers who received MC1123837

There is no change for Direct Routing phone numbers.



+39 Teams Phone Italian Experts

Chat di Teams con 48 tecnici superspecializzati

- Scambio di opinioni sulle funzionalità della telefonia tradizionale (PSTN) in MS Teams
- Chiarimenti su tecniche di configurazione di SBC, Media Gateway, telefoni nativi e compatibili in MS Teams
- Condivisione di esperienze ed appuntamenti tecnici sulle tematiche specifiche del gruppo

Link alla form per la richiesta di adesione al gruppo
No LiveID account, solo M365 Business o Ent. ----->>>>

Sconsigliamo l'adesione a chi non lavora quotidianamente sugli argomenti indicati in precedenza





News from Purview

Sensitivity Labels Groups! Public Preview: Rolling out now through late August 2025

Microsoft is rolling out a simplified sensitivity labeling scheme

Labels + Label Groups

Instead of using parent labels with nested sublabels (which often caused confusion and configuration issues), organizations can now group sensitivity labels into label groups.

Why migrate to Label Groups?

- Simplifies label management by removing confusing parent/child label hierarchies.
- Prevents accidental publishing of non-applicable parent labels
- A new dynamic architecture means you can move labels between groups without breaking anything
- Cleaner structure, better flexibility
- No impact for end users – everything looks the same on their side
- Scalability for large estates with diverse data sensitivity needs

To reduce complexity, label groups don't support any settings other than name, description, color, and priority

Sensitivity labels

Sensitivity labels are used to classify email messages, documents, and sites based on the settings you choose. For example, you can protect specific sites. [Learn more about sensitivity labels](#).

Migrate to the modern label scheme. Start the migration process for parent labels with 'label groups', allowing you to better organize your labels. [Learn more about the modern label scheme](#)

+ Create a label
 Publish labels
 Export

☐ Name

Migrate to the modern label scheme

The current label scheme consists of 3 types of labels: parent labels, sublabels, and standalone labels. To simplify this structure, the modern label scheme replaces parent labels with "label groups", effectively reducing label types to just standalone labels and sublabels within a group.

Before migrating to new label scheme	After migrating to new label scheme
Total number of labels 11	Total number of labels 11
Parent labels 2	Label group 2
Standalone and child labels 9	Labels 11

Sensitivity labels

You can now create sensitivity labels with privacy and access control settings for Teams, SharePoint sites, and Microsoft 365 Groups. To do this, you must first [complete these steps](#) to enable the feature. Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can create labels that encrypt files, add content marking, and control user access to specific sites. [Learn more about sensitivity labels](#)

Congrats...you've been migrated to the modern label scheme. [Learn more about the modern label scheme](#)

+ Create
 Publish labels
 Export
 Refresh
13 items

☐		Name	Priority	Scope	Created by	Last modified
☐		Non-Business	3	Files & other data assets, Email, Me...	lanadine	Apr 15, 2025 1:37:42 PM
☐		Public	1	Files & other data assets, Email, Me...	lanadine	Apr 15, 2025 1:37:43 PM
☐		General	2	Files & other data assets, Email, Me...	lanadine	Apr 15, 2025 1:37:47 PM
☐		Personal	3	Files & other data assets, Email, Me...	Microsoft Corporation	Apr 24, 2025 2:41:07 PM
☐		(P)Confidential	4		Microsoft Corporation	Apr 24, 2025 2:41:10 PM
☐		Any User (No Protection)	5	Files & other data assets, Email	lanadine	Apr 24, 2025 2:41:09 PM

Migrate
Review new scheme

IRM – Personal email triggers

(Updated) Microsoft Purview | Insider Risk Management - Personal email triggers

 Archive  Share  Copy link  Mark as unread

This message is associated with Microsoft 365 Roadmap ID [496149](#).

When this will happen:

General Availability (Worldwide, GCC, GCC High, GCC DoD): Rollout will begin in early December 2025 (previously early September) and is expected to complete by late December 2025 (previously late September).

How this affects your organization:

- **Who is affected:** Admins managing *Insider Risk Management* policies.
- **What will happen:**
 - Two new email triggers will be available:
 - *Sending email with attachments to free public domains.*
 - *Sending email with attachments to self* (personal email).
 - These indicators can be enabled from the *IRM settings page*.
 - Sequence detections will now include these indicators as exfiltration activities.
 - *IRM quick policy templates* will be updated:
 - **Email exfiltration:** These two indicators will be set as default triggers and indicators. Sending email with attachments to external recipients will not be enabled by default.
 - **Data leaks:** Both indicators will be added to triggers and indicators, with no changes to existing ones.
 - **Data theft by users leaving your org:** Indicators will be added; existing triggers and indicators remain unchanged.
 - **Critical asset protection:** Both indicators will be added to triggers and indicators, with no changes to existing ones.
 - Existing policies created from quick templates will not be affected.

What you can do to prepare:

- No action is required. The new triggers will automatically become available for configuration in the *IRM policy wizard*.

Last updated
Sep 9, 2025

Tag

ADMIN IMPACT

NEW FEATURE






News from Exchange,
Outlook e MDO

Rimozione dell'ultimo Exchange Server 1/2

Admin Experience today requiring Last Exchange Server




<https://techcommunity.microsoft.com/blog/exchange/introducing-cloud-managed-remote-mailboxes-a-step-to-last-exchange-server-retire/4446042>

Rimozione dell'ultimo Exchange Server 2/2

Cambiare alla mailbox
l'attributo IsExchangeCloudManaged
\$false Comanda Active Directory
\$true Comanda EntraID

Nella fase due, fine 2025, solo in
presenza di EntraID Cloud Sync (non
EntraID Connect Sync) si potrà fare il
writeback degli attributi

Manage exchange attributes from cloud and remove LES



Quali proprietà saranno editabili? -> <https://learn.microsoft.com/en-us/exchange/hybrid-deployment/enable-exchange-attributes-cloud-management>



Limitazione delle spedizioni da domini MOERA

- Il dominio MOERA (Microsoft Online Email Routing Address) è il dominio di default di un tenant dal quale nascono molti oggetti (MS365 group, Booking, NDR ecc...) che spediscono posta.
- I domini MOERA sono usati per fare spam e phishing.
- Verrà introdotto il limite di 100 email al giorno con questi domini per ogni tenant.
- Controllare e modificare tutti gli oggetti che spediscono posta con questo dominio.

MOERA outgoing email throttling starts	Exchange seats in the tenant
October 15, 2025	Trial
December 1, 2025	< 3
January 7, 2026	3 – 10
February 2, 2026	11 – 50
March 2, 2026	51 – 200
April 1, 2026	201 – 2,000
May 4, 2026	2,001 – 10,000
June 1, 2026	10,001 >

EmailEvents

| where SenderFromDomain contains "azienda.onmicrosoft.com"

| summarize EmailCount = count()

<https://techcommunity.microsoft.com/blog/exchange/limiting-onmicrosoft-domain-usage-for-sending-emails/>




Limitazione nel DirectSend

Il DirectSend è la capacità di inviare email anonime al tenant usando indirizzi di posta con domini accettati dal tenant stesso:

- Il mittente non necessita di licenza
Es: invii di stampanti in anonimo
- Se il record MX non punta a MS365?
- Implicazioni SPF, DKIM e DMARC

Nuova opzione per chiudere il DirectSend su domini accettati, in futuro diventerà il default.



<https://techcommunity.microsoft.com/blog/exchange/introducing-more-control-over-direct-send-in-exchange-online/4408790>

<https://techcommunity.microsoft.com/blog/exchange/direct-send-vs-sending-directly-to-an-exchange-online-tenant/4439865>



Tutte le slides del BCH sono su GitHub

<https://github.com/BeConnected-hour/BCHSeries>



Seguici; avrai sempre con te le ultime novità targate #BCH e caricate prontamente al termine di ogni diretta.

