


[Obrigatoria] Active Directory - DNS


Monta o DNS no controlador de dominio e realiza o seguinte:

1. Crea unha zona inversa.



Nombre	Tipo	Datos	Marca de tiempo
(igual que la carpeta princip...	Inicio de autoridad (SOA)	[2], scdc-01.sanclemente.l...	static
(igual que la carpeta princip...	Servidor de nombres (NS)	scdc-01.sanclemente.local.	static
10.1.1.10	Puntero (PTR)	probas-01.sanclemente.lo...	static

2. Crea un cliente de pruebas denominado "probas-01".



Propiedades de probas-01

Host (A) Seguridad

Host (si se deja en blanco, se usa el nombre del dominio primario):
probas-01

Nombre de dominio completo (FQDN):
probas-01.sanclemente.local

Dirección IP:
10.1.1.10

☐ Actualizar registro del puntero (PTR) asociado

Aceptar Cancelar Aplicar

3. Saca capturas da resolución inversa e directa do servidor e do cliente co comando nslookup.

```
ca. Administrador: Símbolo del sistema
Microsoft Windows [Versión 10.0.20348.2322]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Administrador>nslookup probas-01
DNS request timed out.
    timeout was 2 seconds.
Servidor: UnKnown
Address:  ::1

Nombre:  probas-01.sanclemente.local
Address: 10.1.1.10

C:\Users\Administrador>nslookup 10.1.1.10
DNS request timed out.
    timeout was 2 seconds.
Servidor: UnKnown
Address:  ::1

Nombre:  probas-01.sanclemente.local
Address: 10.1.1.10

C:\Users\Administrador>
```