



UTOPIA ?  $\Delta\delta$  OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022

I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY.

Monetary Option 1922 BY DAVID L. HAMMES



STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS  
Little Biggies  $\Delta\delta$

Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFi DeFi  
Eco Econ Incentives TIME- SPACE METRICS METERS  
HEARTBEAT % REAL GDP ("108")  
ALGORITHMIC REGULATION

# World Game Fulcrum



Schelling point: a.k.a. focal point, is a solution people tend to choose by default in the absence of communication to avoid coordination failure introduced by the economist Thomas Schelling in his book "The Strategy of Conflict" published in 1960.

Schelling points are particularly useful in **multiplayer games** where players respond based on what they think the other person's response will be.


Give me a lever long enough and a fulcrum on which to place it, and I shall move the world.  
Archimedes



Fulcrum = lever's support point  $\Delta\delta$




Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



Schelling Point Conference: This conference focuses on the intersection of **cryptocurrency and social good**, bringing together innovators, thought leaders, and advocates to explore how **blockchain** tech can create positive change. Schelling points are not always definite solutions and their conspicuousness can depend on time, place, and individuals

# Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"




Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





# Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.  
ANTONINVS  
AVG. TR. P. XXV.

## THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC  
"world currency" Bernard A. Lietaer  
Belgian economist proposed 1991  
Basket of 9-12 most important  
commodities. Public issued  
demurrage fees for storage,  
shipping, handling..



### Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


### BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]

### Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



### LEADING ECONOMIC INDICATORS






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



## TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart  
Beacon Cycle Time – Space  
Meter / Adaptive Template



## SCOTUS Alice in Wonderland Ruling 2014 ABSTRACTIONS MAY NOT BE CLAIMED:

Chain Abstraction: Simplifying the Complex World of Blockchain

The Net, Net of Money (Cryptocurrency)

Does not have / has no:

- LAYERS i.e., seven layer internet model
- BLOCKS on the BLOCKCHAIN
- Blockchain data stored in a CUBE
- QUBIT (S) quantum two state system
- Packets i.e., Vinton Cerf's "ode to a packet"  
**"QUANTUM AI"**

Lightchain AI introduces Proof of Intelligence (PoI), consensus mechanism designed to reward nodes for performing AI computations i.e., model training, inference, optimization...

**INTERNET, NET OF \$\$\$ TRUTH / WORKFLOW**

All computing is essentially workflow logic

If, then, else then do {'task'} multicasted, Unicasted, anycasted / filtered over TCP / IP



**Qubit vs bit:** Qubits are represented by a superposition of multiple possible states. A qubit uses the quantum mechanical phenomena of superposition to achieve a linear combination of two states. A classical binary bit can only represent a single binary value, such as 0 or 1, meaning that it can only be in one of two possible states. A qubit, however, can represent a 0, a 1, or any proportion of 0 and 1 in superposition of both states, with a certain probability of being a 0 and a certain probability of being a 1.

Q: ARE WE ABSOLUTELY CERTAIN QUBITS EXIST ?


Q: IF CUBITS DO NOT EXIST, THEN ARE THEY SIMPLY A WAY TO ACHIEVE GROUP THINK FASTER ???

Q: 1/3 of an event (transaction) ... really ???


**ABSTRACT VS NATURE:  
573 U.S. 134 S.Ct 2347**  
"BITCOIN'S VALUE = TIME ITSELF"  
TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

**ACOUSTIC PHONON**



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP



Net of **\$\$\$** formed with:  
**1 EPOCH TIME CYCLES**

**2 {"Syntax"} "The Word"**

**"In the Beginning" Genesis Block**

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

A blockchain is a consensus-based system. It only works if all nodes reach an identical state

# Circle USDC


Investopedia

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.

Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies, Source JDSUPRA



**Circle Financial Ltd**  
lawsuit brought by  
Veritasium Capital for  
alleged infringement of  
its digital-asset trading  
patent. U.S. District  
Court for the Eastern  
District of Texas,  
No. 2:22-cv-00498





## NOSTRADAMUS of FRANCE CENTURY 8: QUATRAIN 28:

"The copies of gold and silver inflated,  
after the theft were thrown into the lake,  
At the discovery that all is exhausted and  
dissipated by the debt,  
All scripts and bonds will be wiped out."



"FutureMan"  
13/573,002



**"THE FINANCIAL  
NOSTRADAMUS"**  
REGGIE MIDDLETON

**Reggie Middleton**  
"Father of DeFi"

**US11196566**  
**US11895246**  
**JP6813477**



# SCOTUS ALICE CORP VS CLS BANK 2014 RULING: ABSTRACT VS TANGIBLE

USPTO 13/573,002 PRIOR ART

Physical = Opposite of Abstract

Q: WHO IS "SATOSHI NAKAMOTO" ?

## HONUS WAGNER

THE LIFE OF BASEBALL'S "FLYING DUTCHMAN"



Arthur D. Hittner



Baseball fields have standard measurements for various components, including the infield and outfield. The infield consists of a diamond with 90 feet between the bases and a pitching distance of 60 feet 6 inches for adult and senior leagues. Home plate is located 90ft away from first base to The right and third base on the left. Bases are positioned at 90-degree angles from home plate.



A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time..

XRP = 10,000 Each ?

RIPPLE LABS / XRP

Honus Wagner NFT Non-Fungible Cryptocurrency Token

Honus Wagner is a legendary baseball player

T206 Honus Wagner card sold \$6.6 million August 2021

This highlights the cultural and financial significance of Honus Wagner memorabilia, which could potentially be replicated in the digital space with NFTs (AI web search)

Defunct crypto exchange Mt. Gox has said that a repayment date will be set in "due course" February 7<sup>th</sup> 2014 trading halted

**MT.GOX**  
MIT Technology Review listed Ripple Labs as one of 2014s "50 Smartest Companies"





## FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME





# World Game Annex K

## Signals & Telemetry



{“URN”} {“URN”} {“URN”} 300 + Use Case message sets  
 OPSCODE BREVITY CODES - Symbols, symbol sets




Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants.

SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2

“Build a new model that makes the old model obsolete” Buckminster Fuller



“Build a new model that makes the old model obsolete” Buckminster Fuller



“Build a new model”  
Standing on the shoulders of giants





**Eco Economic Epochs**  
For Programmable \$\$\$  
Programmable Economy  
Re Monetize (Crypto) Currency  
Symbol / Message Sets A.I.  
FIREFLY Inspired  
Heartbeat Algorithm  
Message Event Bus






# The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE

1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 "Alice in Wonderland Ruling"




Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

**Use Case:** Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity

OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface

Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS

Of system of systems engineering architecture structure data exchange (DoD) (NATO)




**SOUND WAVES enable**  
Different types of  
quantum tech to "talk"



## TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart  
Beacon Cycle Time – Space  
Meter / Adaptive Template



# Economics of Microtransactions in Video Games: The Intelligent Economist



**Microtransactions:** in-game purchases that unlock specific features or give user special abilities, characters or content.

Q: is the main purpose of the (technically non-existent) #blockchain derived from the video game industry adapted to #cryptocurrency industry is about adding/ overlaying #micropayments / #microtransactions converting the world into a massive, virtual open world video game ?

<https://intelligenteconomist.com/microtransactions/>



REPLACEMENT SHEET


## BUILDING BLOCKS

201





TASK ON / OFF





B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



Net, net of money \$\$\$ formed w:

1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus





- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements  
**- STRUCTURED DATA EXCHANGE**  
 Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org\_ID>  
 {"URN"} </URN> = COMMODITY



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo-meme Eco sustainable incentives "We can synchronize ourselves, DAO Trade Federations in time - space for common purposes" Eco sustainable, Equitable Economic econometrics.



# Eco Economic Epochs

# Distributed Event Processing

## Distributed State Machine

# DEFI FINTECH IP WARS / Litigation Foundation Tech




# SWORDS to PLOWSHARES





The logo features a blue digital camera icon on the left, followed by a blue circular icon containing a white brain-like waveform. To the right of these icons, the text "USPTO 13/573,002" is displayed in large, bold, black letters. Below it, "573 U.S. 134 SCt 2347" is shown in a slightly smaller, bold, black font. At the bottom, the words "Alice in Wonderland Ruling" are written in a bold, black, sans-serif font.



**Symbols  
Rule  
The World  
OPSCODE  
BREVITY  
CODES  
Mapped  
To symbols  
2525A,C D**

- Battlefield Digitization, Net Centric Warfare for OOTW Operations Other Than War
  - Net, Net of \$\$\$ Foundation Tech
  - Structured Data Exchange with 300 + use cases
  - Use Cases: A.I., Big data, Quantum
  - Blockchain, Distributed Ledger Tech
  - DAO Distributed Autonomous Organization
  - Consensus, Signals, Telemetry, Standards




Federation  
Gateway

## In the beginning (of time).. There was the word (syntax)

**Net, Net of \$\$\$ money consists:**

- 1) Epoch Time Cycles**
- 2) Syntax used / not in epochs**




**MEMO #1421**



## HET START-STOP Time to LIVE





MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:



- 1) Organization Identifiers {"Org\_ID"} routing / organizing
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) TARIFF TOOL ZONE CALCULATION w Space – Time Metrics
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex












The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"









# IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix  
<Org\_ID> Trie (NPT)



**NDN NAMES**

NDN NAMED DATA NETWORK RIB /  
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



NDN INTEREST LENGTH  
= DISTANCE BY HOPS

NDN  
INTEREST

IS DATA  
FRESH ?

**TRIANGULATION**



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

INTEREST in <URNs>

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAPSHOTS


# GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS, TARIFF

INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



XML	INFOCON
MTF	5
300 +	4
MSG	3

INFOCON  
INFORMATION CONDITION



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:



Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NIST TIME BEACON

<CONTENT> TEMPLATES

OASIS

IEEE 802.15.4  
OASIS MQTT

TELEMETRY TRANSPORT



IDMAPS  
SONARHOPS  
INTERNET TRIANGULATION



ALERT LEVEL >  
> NEWSCAST ZONE

time synchronized,  
self-organizing,  
mesh Net



SINE-WAVE



TRIGGERS

CAP XML

NDN

<INTEREST> BY

INTENSITY / FREQUENCY



# 13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus  
Internet of Everything "ability to hear the world's heartbeat"


## The four dimensions of Big Data

vector

VECTOR: quantity having direction and magnitude  
position of a point in space relative to another point



TIME STAMP BY Org\_ID, URN Before FUSION CENTER




\* Truthfulness, accuracy or precision, correctness

FIREFLY - HEARTBEAT {"108"}  
Stochastic Harmonization UTZ SYNC

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest OPTEMPO HEARTBEAT

State Meta Data  
Heartbeat Snaps



SYNC  
ASYNC  
Flash HB Messages

ERLANG




Universal Event / Alert Bus  
HASHGRAPH  
Consensus Algorithm  
Time Averaged Time Stamping



+ 2  
+ 1  
+ 1  
+ 2  
Distance Est  
Service  
Geo-spatial  
IDMaps  
SonarHops

FOAM spatial protocol  
Ethereum Blockchain

World Computer  
Neural Network



PAUL REVERE MEME  
LINEAR SEQUENTIAL


< / = / >  
HEARTBEAT SYNCRONIZATION  
FIREFLY SYNC CONSENSUS



FOAM



# ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS




# Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:  
 1) Epoch time cycle intervals ex: chip oscillations  
 2) Syntax parsed, processed in epoch time intervals

## Time Epochs / Syntax:

How the net, net of \$ actually work...




All things internet, programmable net of money are formed using:  
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

## Epoch Time Cycles / Syntax


Internet / Internet of Money building blocks

Satoshi Bitcoin Blockchain  
Time Stamp Server



TIME Block chain TIME

What does a block look like?



GENESIS TIME STAMP / Genesis Block

Header (Contains service information (version info, nonce, previous block id and timestamp)).  
Metadata (A summary field from the block's transaction fields).  
Transactions (id list - list of transaction's identification hashes, that was included into the block's merkle tree)

Semantic blockchain

BASEBALL "DIAMOND"  
A diamond is a square is a block in 3D

2nd Base  
The solution we propose begins with a STAMP SERVER

90 feet

MACRO CYCLES  
RULES / ROLES  
INSTRUCTIONS  
WORKFLOW  
UMPIRE  
COACH

3rd Base  
STATISTICIAN  
Metrics, Meters  
Stat Mean Value Index

Blockchain BLOCK in 3D = CUBE  
Cube has Length, Depth, Height, Volume

first base  
RUNNER Message Ball

90 feet

SETTLEMENTS / EXCHANGES  
+ TAXABLE EVENTS  
AKO TO PROPERTY

IRS #421  
FLASH MESSAGE EVENT BUS

State Meta  
Data Snapshots Survey Point

MICRO CYCLES

TIME STAMP SERVER

90 feet

FIX ("10B")

FLASH MESSAGE EVENT BUS

Sync

Filters Deltas


Sync

Sync

Sync

Sync

Sync



2nd Base

The solution we propose begins with a STAMP SERVER

90 feet

Blockchain BLOCK in 3D = CUBE  
Cube has Length, Depth, Height, Volume

first base  
RUNNER Message Ball

90 feet

SETTLEMENTS / EXCHANGES  
+ TAXABLE EVENTS  
AKO TO PROPERTY

IRS #421  
FLASH MESSAGE EVENT BUS

State Meta  
Data Snapshots Survey Point

MICRO CYCLES

TIME STAMP SERVER

90 feet

FIX ("10B")

FLASH MESSAGE EVENT BUS

Sync

Filters Deltas

Sync

Sync

Sync

Sync

Sync

Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Structured Data Exchange




SYNTAX LEXICON  
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED  
<CONTENT>  
EXCHANGE  
TEMPLATES

MIL STD 2525ABC



"SYMBOLS RULE THE WORLD"

11.8 - Kinematic  
11.8.1 - Pos  
11.8.1.1 -  
11.8.1

XBRL™  
THE BUSINESS REPORTING STANDARD  
BINARY XML  
Decision

UBL  
1.1 - Observers  
1.2.3 - Predicted  
1.2.4 - Smoothed Data  
3 - Position  
1.3.1 - Bearing Angle  
1.3.2 - Location; 2D Hor  
1.3.3 - Vertical  
4 - Velocity

DDL DATA  
DEFINITION  
LANGUAGE  
1 - Horizontal  
2 - Vertical  
TOSCA  
Confidence  
Bearing Angle  
Bearing Angle Rate  
Covariance Matrix  
YAML

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org\_ID1><Org\_ID2><Org\_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID  
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN"} {"URN"}

{"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"ASSET\_CLASS"}

{"ASSET\_TYPES"}



ISO 10383 – MIC



Market Identifier Codes



DAO



{"URN"}

{"Org\_ID"}



BLOCKTIME

ARBITRAGE

ERLANG

TIME

EQUATIONS



FILTERS



STOCK

NDN NAMED DATA

EXCHANGE

NETWORKING

MIC CODES

PRECEDENCE

PROCESSING



BLOCKTIME

ARBITRAGE

ERLANG

TIME

EQUATIONS

FROM	TO					CODE GUIDE
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F014 F015 F541 S201 S309 S507
TOKENS	OPSCODE BREVITY CODES	<b>USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages</b> info exchange sets using common, <b>CONSENSUS Message Text Formats</b> MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a <b>highly efficient info payload to overhead ratio</b>				
AMDPCS	F002 F014 F015 F541 S201	F002 F015 S201	C203 C400 D630 E500 F002 F014	A.I.	INFOCON 5 4 3 2 1 INFORMATION CONDITION	
AFATDS	F002 F014 F015 F541 S201	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone Syntax Lexicon Coder's Guide	A423 C203 C505 F002 F014 F541 S201	M2M "SYMBOLS RULE THE WORLD"
MCS	NEWS SIOP FMN	NEWS SIOP FEDERATED MISSION NETWORKING FEDERATE * SHARE * WIN	ASSET TOKENS Token Economy			

## MESSAGE CATALOG 300 + Use Cases

Data Elements: entity, attribute, relationship equivalents


HEARTBEAT MESSAGE =  
K00.99 </108> {"108"}

Information Categories and Examples

Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	COA targeting, reconitering	{"Java JS"}
Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language MTL network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	YAML expansion
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Entity	Class	Table	Class	Element
			Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute
			Domain Value	PURCHASE CODES	Instance, Value	TADILs	MTF
						DUI	FUD

Information Elements Roles		OPERATIONAL NODES / ACTIVITIES	
• COI Determination Org Interaction		DATA SYSTEM FUNCTIONS	
• Search and Discovery		PERFORMANCE	
• Ontologies STANDARDS		11.4 - Classification	11.8 - Kinematics
• Taxonomies REFERENCE		11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
• Metadata Attributes / Filters		11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
('Org_ID" {{"URN"} </URN></URN> FILTERS		11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
FFUDN: Field Format Unit Designator #		11.4.1.2.1 - Alternative	11.2 - Linear
FFIRN Field Format Index Reference #		11.4.1.2.2 - Evaluated D	2 - Estimate Type
Structured military messaging ID's messages, message sets, data element, symbol fields </108>		11.4.1.3 - Value	1.2.1 - Estimated
BY Form Field Position & NUMBER		PURCHASE CODES	1.2.2 - Observed
{"108"} NDN		1.2.3 - Predicted	1.2.4 - Smoothed Data
Firefly-Heartbeat Flash Messages		SYMBOL	HOSTILE
PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS		Friend	Neutral
COMPETITOR		2525C	Partner
11.4.1.3.4 - Substance		11.4.1.3.5 - Surface	4 - Velocity
11.4.1.3.5 - Surface		11.4.1.4 - Feature Type	1.4.1 - Horizontal
11.4.2 - Platform / Point / Feature Type		11.4.2 - Vertical	1.4.2 - Vertical
11.4.3 - Specific Type		VA Confidence	1 - Bearing Angle
11.4.4 - Type Modifier		2 - Bearing Angle Rate	2 - Bearing Angle Rate
11.4.5 - Unit		3 - Covariance Matrix	3 - Covariance Matrix





## **Foundation Technology Trinity:**

- 1. EPOCH (s) = Time intervals, cycles
  - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
  - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

**THESES:** All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
  - 2) Syntax parsed, processed in epoch time intervals

**ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STANDARD MAN – MACHINE INTERFACE**

Signal operating instructions (SOI): technical control coordination of INFOCOM

USE CASE: standards adherence support for IEEE, NIST SP 2000A, B, C, D, </URN> ISO Exchange signaling, telemetry current situational awareness, data dictionary, network identification, channels, network directory, brevity code, 4 3 2

**USE CASE: standards adherence support for IEEE, TU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards**

**Systemic, signaling, synchronization of state  
meta data encoded as brevity OPSCODE  
tokens stochastically harmonized over the UTZ**

FROM	GCCS-A C002 C203 F002 F014 F015 F541 S201 S309	TAIS C002 C203	ASAS C002 C203	TO AMDPCS C002 C203	AFATDS C002 C203 F014 F541 S305 S309	CODE GUIDE MCS C002 C203 E400 E502 F014 F015 F541 S201 S309 S507
ASAS	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio					
AMDPACS						
AFATDS	F002 F014 F015 F541 S201					
 <b>MCS</b>	A423 C203 C505 F002 F014 F541 S201	 <b>SIOP</b>	A423 C203 C505 F002 C447 C486 C501 C503 C504 C505 C507 C508 C509 E400 F002 F014 F015 F541 F656 G489 G489 K01.1 S201 S303	 <b>ASSET TOKENS</b>  <b>Token Economy</b> 	 <b>Rosetta Stone</b>  <b>Syntax Lexicon</b>  <b>Coder's Oracle</b>	 <b>M2M</b>  <b>"SYMBOLS RULE THE WORLD"</b> 

MESSAGE CATALOG  
300 + Use Cases

Object Categories		Information Categories and Examples						
Category	Example	Location	Movement	Identify	Status	Activity	Intent	
OOB	<b>SYNTAX LEXICON</b>	STRUCTURED DATA	EXCHANGE	MESSAGE SETS	TRANSFERRING, RECONSIDERING	COA	{"Java JS"}	
		lat/long, spid/hrid	country / alliance, business	readiness	handover			
Infrastructure	Comm., power, transportation, water/sewer	Machine Trust Language MTL	Machine Trust Language MTL	CDL	Contract Description Language	YAML	expansion Indiana	
	network, grid		throughput, flow rates, name, part-of, relationships	BDA, op. parameters	repair, characterize			
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADILs
			Entity	Class	Table	Class	Element	Message
Geophysical	Terrain, weather, climatology, oceanography, astrophysics	feature, lat/long, alt/depth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI
			Domain Value	PURCHASE CODES	instance, instance	tokens	FFRN / FNN	FUD

Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

**Understanding syntax is essential for developers to write readable, maintainable, and scalable code**



DOD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

## BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN-MACHINE INTERFACE

#### **STANDARD CONSISTENT SYMBOLS**



- COI Determination Org Interaction
- Search and Discovery
- Ontologies STANDARDS
- Taxonomies REFERENCE
- Metadata Attributes / Filters

**FUDN: Field Format Unit Designator #**  
**FIRN Field Format Index Reference #**  
Structured military messaging ID's  
messages, message sets, data  
element, symbol fields <108>   
**FIRN Field Position & NUMBER**

#### **PROCESS MESSAGE BY PRECEDENCE**

#### **OPERATIONAL NODES / ACTIVITIES**

ATA	SYSTEM FUNCTIONS	PERFORMANCE
1.4 - Classification	11.6 - Unperformed	
11.4.1 - Category	11.6.1 - Post / Val / Acc (PVA)	11.6.1.1 - Acceleration
11.4.1.1 - Confidence Level		11.6.1.1.1 - Angular
11.4.1.2 - Estimate Type		1.1.2 - Linear
11.4.1.2.1 - Alternative		1 - Estimate Type
11.4.1.2.2 - Evaluated D	PURCHASE	1.1 - Estimated
11.4.1.3 - Value		1.2 - Actual
		1.2.2 - Executed

SYMBOL	Friend	Neutral	Hostile	Competitor
2525C	Partner			
11.4.1.3.5 - Surface			11.4.1 - Horizontal	
11.4.2 - Platform / Point / Feature Type			11.4.2 - Vertical	
11.4.3 - Specific Type			11.4.3 - Bearing Angle	
11.4.4 - Type Modifier			11.4.4 - Bearing Angle Rate	



Syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles

# Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System  
Information Sharing and  
Analysis Center

**IDENTITY:** <UUID> = Devices, sensors

<ORG\_ID> Organizations

Federation  
Gateway

**INVENTORY:** Uniform Resource Name <URN>

<URN><URN>  
<URN><URN>  
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS  
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

**ACTIVITY:** <EVENT><ALERT> <TIME\_STAMP><ORG\_ID><URN>

CONTENT LEXICON  
ROSETTA STONE






CYBER SECURITY CONTENT  
LEXICON ROSETTA STONE

AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS  
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN  
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

FROM	TO	MCS
OCB01	TAIB	AMOPCS
OCB02	TAIB	AFAT01
OCB03	TAIB	FS001
OCB04	TAIB	FS002
OCB05	TAIB	FS003
OCB06	TAIB	FS004
OCB07	TAIB	FS005
OCB08	TAIB	FS006
OCB09	TAIB	FS007
OCB10	TAIB	FS008
OCB11	TAIB	FS009
OCB12	TAIB	FS010
OCB13	TAIB	FS011
OCB14	TAIB	FS012
OCB15	TAIB	FS013
OCB16	TAIB	FS014
OCB17	TAIB	FS015
OCB18	TAIB	FS016
OCB19	TAIB	FS017
OCB20	TAIB	FS018
OCB21	TAIB	FS019
OCB22	TAIB	FS020
OCB23	TAIB	FS021
OCB24	TAIB	FS022
OCB25	TAIB	FS023
OCB26	TAIB	FS024
OCB27	TAIB	FS025
OCB28	TAIB	FS026
OCB29	TAIB	FS027
OCB30	TAIB	FS028
OCB31	TAIB	FS029
OCB32	TAIB	FS030
OCB33	TAIB	FS031
OCB34	TAIB	FS032
OCB35	TAIB	FS033
OCB36	TAIB	FS034
OCB37	TAIB	FS035
OCB38	TAIB	FS036
OCB39	TAIB	FS037
OCB40	TAIB	FS038
OCB41	TAIB	FS039
OCB42	TAIB	FS040
OCB43	TAIB	FS041
OCB44	TAIB	FS042
OCB45	TAIB	FS043
OCB46	TAIB	FS044
OCB47	TAIB	FS045
OCB48	TAIB	FS046
OCB49	TAIB	FS047
OCB50	TAIB	FS048
OCB51	TAIB	FS049
OCB52	TAIB	FS050
OCB53	TAIB	FS051
OCB54	TAIB	FS052
OCB55	TAIB	FS053
OCB56	TAIB	FS054
OCB57	TAIB	FS055
OCB58	TAIB	FS056
OCB59	TAIB	FS057
OCB60	TAIB	FS058
OCB61	TAIB	FS059
OCB62	TAIB	FS060
OCB63	TAIB	FS061
OCB64	TAIB	FS062
OCB65	TAIB	FS063
OCB66	TAIB	FS064
OCB67	TAIB	FS065
OCB68	TAIB	FS066
OCB69	TAIB	FS067
OCB70	TAIB	FS068
OCB71	TAIB	FS069
OCB72	TAIB	FS070
OCB73	TAIB	FS071
OCB74	TAIB	FS072
OCB75	TAIB	FS073
OCB76	TAIB	FS074
OCB77	TAIB	FS075
OCB78	TAIB	FS076
OCB79	TAIB	FS077
OCB80	TAIB	FS078
OCB81	TAIB	FS079
OCB82	TAIB	FS080
OCB83	TAIB	FS081
OCB84	TAIB	FS082
OCB85	TAIB	FS083
OCB86	TAIB	FS084
OCB87	TAIB	FS085
OCB88	TAIB	FS086
OCB89	TAIB	FS087
OCB90	TAIB	FS088
OCB91	TAIB	FS089
OCB92	TAIB	FS090
OCB93	TAIB	FS091
OCB94	TAIB	FS092
OCB95	TAIB	FS093
OCB96	TAIB	FS094
OCB97	TAIB	FS095
OCB98	TAIB	FS096
OCB99	TAIB	FS097
OCB100	TAIB	FS098
OCB101	TAIB	FS099
OCB102	TAIB	FS100
OCB103	TAIB	FS101
OCB104	TAIB	FS102
OCB105	TAIB	FS103
OCB106	TAIB	FS104
OCB107	TAIB	FS105
OCB108	TAIB	FS106
OCB109	TAIB	FS107
OCB110	TAIB	FS108
OCB111	TAIB	FS109
OCB112	TAIB	FS110
OCB113	TAIB	FS111
OCB114	TAIB	FS112
OCB115	TAIB	FS113
OCB116	TAIB	FS114
OCB117	TAIB	FS115
OCB118	TAIB	FS116
OCB119	TAIB	FS117
OCB120	TAIB	FS118
OCB121	TAIB	FS119
OCB122	TAIB	FS120
OCB123	TAIB	FS121
OCB124	TAIB	FS122
OCB125	TAIB	FS123
OCB126	TAIB	FS124
OCB127	TAIB	FS125
OCB128	TAIB	FS126
OCB129	TAIB	FS127
OCB130	TAIB	FS128
OCB131	TAIB	FS129
OCB132	TAIB	FS130
OCB133	TAIB	FS131
OCB134	TAIB	FS132
OCB135	TAIB	FS133
OCB136	TAIB	FS134
OCB137	TAIB	FS135
OCB138	TAIB	FS136
OCB139	TAIB	FS137
OCB140	TAIB	FS138
OCB141	TAIB	FS139
OCB142	TAIB	FS140
OCB143	TAIB	FS141
OCB144	TAIB	FS142
OCB145	TAIB	FS143
OCB146	TAIB	FS144
OCB147	TAIB	FS145
OCB148	TAIB	FS146
OCB149	TAIB	FS147
OCB150	TAIB	FS148
OCB151	TAIB	FS149
OCB152	TAIB	FS150
OCB153	TAIB	FS151
OCB154	TAIB	FS152
OCB155	TAIB	FS153
OCB156	TAIB	FS154
OCB157	TAIB	FS155
OCB158	TAIB	FS156
OCB159	TAIB	FS157
OCB160	TAIB	FS158
OCB161	TAIB	FS159
OCB162	TAIB	FS160
OCB163	TAIB	FS161
OCB164	TAIB	FS162
OCB165	TAIB	FS163
OCB166	TAIB	FS164
OCB167	TAIB	FS165
OCB168	TAIB	FS166
OCB169	TAIB	FS167
OCB170	TAIB	FS168
OCB171	TAIB	FS169
OCB172	TAIB	FS170
OCB173	TAIB	FS171
OCB174	TAIB	FS172
OCB175	TAIB	FS173
OCB176	TAIB	FS174
OCB177	TAIB	FS175
OCB178	TAIB	FS176
OCB179	TAIB	FS177
OCB180	TAIB	FS178
OCB181	TAIB	FS179
OCB182	TAIB	FS180
OCB183	TAIB	FS181
OCB184	TAIB	FS182
OCB185	TAIB	FS183
OCB186	TAIB	FS184
OCB187	TAIB	FS185
OCB188	TAIB	FS186
OCB189	TAIB	FS187
OCB190	TAIB	FS188
OCB191	TAIB	FS189
OCB192	TAIB	FS190
OCB193	TAIB	FS191
OCB194	TAIB	FS192
OCB195	TAIB	FS193
OCB196	TAIB	FS194
OCB197	TAIB	FS195
OCB198	TAIB	FS196
OCB199	TAIB	FS197
OCB200	TAIB	FS198
OCB201	TAIB	FS199
OCB202	TAIB	FS200
OCB203	TAIB	FS201
OCB204	TAIB	FS202
OCB205	TAIB	FS203
OCB206	TAIB	FS204
OCB207	TAIB	FS205
OCB208	TAIB	FS206
OCB209	TAIB	FS207
OCB210	TAIB	FS208
OCB211	TAIB	FS209
OCB212	TAIB	FS210
OCB213	TAIB	FS211
OCB214	TAIB	FS212
OCB215	TAIB	FS213
OCB216	TAIB	FS214
OCB217	TAIB	FS215
OCB218	TAIB	FS216
OCB219	TAIB	FS217
OCB220	TAIB	FS218
OCB221	TAIB	FS219
OCB222	TAIB	FS220
OCB223	TAIB	FS221
OCB224	TAIB	FS222
OCB225	TAIB	FS223
OCB226	TAIB	FS224
OCB227	TAIB	FS225
OCB228	TAIB	FS226
OCB229	TAIB	FS227
OCB230	TAIB	FS228
OCB231	TAIB	FS229
OCB232	TAIB	FS230
OCB233	TAIB	FS231
OCB234	TAIB	FS232
OCB235	TAIB	FS233
OCB236	TAIB	FS234
OCB237	TAIB	FS235
OCB238	TAIB	FS236
OCB239	TAIB	FS237
OCB240	TAIB	FS238
OCB241	TAIB	FS239
OCB242	TAIB	FS240
OCB243	TAIB	FS241
OCB244	TAIB	FS242
OCB245	TAIB	FS243
OCB246	TAIB	FS244
OCB247	TAIB	FS245
OCB248	TAIB	FS246
OCB249	TAIB	FS247
OCB250	TAIB	FS248
OCB251	TAIB	FS249
OCB252	TAIB	FS250
OCB253	TAIB	FS251
OCB254	TAIB	FS252
OCB255	TAIB	FS253
OCB256	TAIB	FS254
OCB257	TAIB	FS255
OCB258	TAIB	FS256
OCB259	TAIB	FS257
OCB260	TAIB	FS258
OCB261	TAIB	FS259
OCB262	TAIB	FS260
OCB263	TAIB	FS261
OCB264	TAIB	FS262
OCB265	TAIB	FS263
OCB266	TAIB	FS264
OCB267	TAIB	FS265
OCB268	TAIB	FS266
OCB269	TAIB	FS267
OCB270	TAIB	FS268
OCB271	TAIB	FS269
OCB272	TAIB	FS270
OCB273	TAIB	FS271
OCB274	TAIB	FS272
OCB275	TAIB	FS273
OCB276	TAIB	FS274
OCB277	TAIB	FS275
OCB278	TAIB	FS276
OCB279	TAIB	FS277
OCB280	TAIB	FS278
OCB281	TAIB	FS279
OCB282	TAIB	FS280
OCB283	TAIB	FS281
OCB284	TAIB	FS282
OCB285	TAIB	FS283
OCB286	TAIB	FS284
OCB287	TAIB	FS285
OCB288	TAIB	FS286
OCB289	TAIB	FS287
OCB290	TAIB	FS288
OCB291	TAIB	FS289
OCB292	TAIB	FS290
OCB293	TAIB	FS291
OCB294	TAIB	FS292
OCB295	TAIB	FS293
OCB296	TAIB	FS294
OCB297	TAIB	FS295
OCB298	TAIB	FS296
OCB299	TAIB	FS297
OCB300	TAIB	FS298
OCB301	TAIB	FS299
OCB302	TAIB	FS300
OCB303	TAIB	FS301
OCB304	TAIB	FS302
OCB305	TAIB	FS303
OCB306	TAIB	FS304
OCB307	TAIB	FS305
OCB308	TAIB	FS306
OCB309	TAIB	FS307
OCB310	TAIB	FS308
OCB311	TAIB	FS309
OCB312	TAIB	FS310
OCB313	TAIB	FS311
OCB314	TAIB	FS312
OCB315	TAIB	FS313
OCB316	TAIB	FS314
OCB317	TAIB	FS315
OCB318	TAIB	FS316
OCB319	TAIB	FS317
OCB320	TAIB	FS318
OCB321	TAIB	FS319
OCB322	TAIB	FS320
OCB323	TAIB	FS321
OCB324	TAIB	FS322
OCB325	TAIB	FS323
OCB326	TAIB	FS324
OCB327	TAIB	FS325
OCB328	TAIB	FS326
OCB329	TAIB	FS327
OCB330	TAIB	FS328
OCB331	TAIB	FS329
OCB332	TAIB	FS330
OCB333	TAIB	FS331
OCB334	TAIB	FS332
OCB335	TAIB	FS333
OCB336	TAIB	FS334
OCB337	TAIB	FS335
OCB338	TAIB	FS336
OCB339	TAIB	FS337
OCB340	TAIB	FS338
OCB341	TAIB	FS339
OCB342	TAIB	FS340
OCB343	TAIB	FS341
OCB344	TAIB	FS342
OCB345	TAIB	FS343
OCB346	TAIB	FS344
OCB347	TAIB	FS345
OCB348	TAIB	FS346
OCB349	TAIB	FS347
OCB350	TAIB	FS348
OCB351	TAIB	FS349
OCB352	TAIB	FS350
OCB353	TAIB	FS351
OCB354	TAIB	FS352
OCB355	TAIB	FS353
OCB356	TAIB	FS354
OCB357	TAIB	FS355
OCB358	TAIB	FS356
OCB359	TAIB	FS357
OCB360	TAIB	FS358
OCB361	TAIB	FS359
OCB362	TAIB	FS360
OCB363	TAIB	FS361
OCB364</td		

Interface Name	HEARTBEAT Administration Interface [SCOP]							
Documentation URL	<a href="http://scop.sourceforge.net/">http://scop.sourceforge.net/</a> <a href="http://linuxvirtualserver.org/software/index.html">http://linuxvirtualserver.org/software/index.html</a>							
API Information	 <p>#leT</p> <p>#Big_Data</p> <p>API Operation Count</p> <p>Web service access type</p> <p>Network Effects / A.I.</p> <p>LANGUAGE / PLATFORM BINDINGS</p> <p>Interface Characteristics</p>							
Programmable Money World Computer / Blockchain	 <p>NIST TIME BEACON</p>	 <p>Functionality Areas</p>  <p>Idea</p>	<p>Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)</p> <p>LOCATE &lt;CONTENT&gt; IDMAPS / SonarHOPS</p>         <p>THE SKY WITHOUT LIMITATIONS</p>					
"The external environment could update resources at random... One solution is a heartbeat: defining a default lease duration delaying updates until the next cycle"	 <p>QubitCoin Interval: Every 30 Seconds</p>	 <p>Satoshi Bitcoin Blockchain Time Stamp Server</p> <p>E. Timestamp Server</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>What does a block look like?</p> <p>Block chain</p> <p>Block 101</p> <p>Block 100</p> <p>Block 99</p> <p>Block 98</p> <p>Block 97</p> <p>Block 96</p> <p>Block 95</p> <p>Block 94</p> <p>Block 93</p> <p>Block 92</p> <p>Block 91</p> <p>Block 90</p> <p>Block 89</p> <p>Block 88</p> <p>Block 87</p> <p>Block 86</p> <p>Block 85</p> <p>Block 84</p> <p>Block 83</p> <p>Block 82</p> <p>Block 81</p> <p>Block 80</p> <p>Block 79</p> <p>Block 78</p> <p>Block 77</p> <p>Block 76</p> <p>Block 75</p> <p>Block 74</p> <p>Block 73</p> <p>Block 72</p> <p>Block 71</p> <p>Block 70</p> <p>Block 69</p> <p>Block 68</p> <p>Block 67</p> <p>Block 66</p> <p>Block 65</p> <p>Block 64</p> <p>Block 63</p> <p>Block 62</p> <p>Block 61</p> <p>Block 60</p> <p>Block 59</p> <p>Block 58</p> <p>Block 57</p> <p>Block 56</p> <p>Block 55</p> <p>Block 54</p> <p>Block 53</p> <p>Block 52</p> <p>Block 51</p> <p>Block 50</p> <p>Block 49</p> <p>Block 48</p> <p>Block 47</p> <p>Block 46</p> <p>Block 45</p> <p>Block 44</p> <p>Block 43</p> <p>Block 42</p> <p>Block 41</p> <p>Block 40</p> <p>Block 39</p> <p>Block 38</p> <p>Block 37</p> <p>Block 36</p> <p>Block 35</p> <p>Block 34</p> <p>Block 33</p> <p>Block 32</p> <p>Block 31</p> <p>Block 30</p> <p>Block 29</p> <p>Block 28</p> <p>Block 27</p> <p>Block 26</p> <p>Block 25</p> <p>Block 24</p> <p>Block 23</p> <p>Block 22</p> <p>Block 21</p> <p>Block 20</p> <p>Block 19</p> <p>Block 18</p> <p>Block 17</p> <p>Block 16</p> <p>Block 15</p> <p>Block 14</p> <p>Block 13</p> <p>Block 12</p> <p>Block 11</p> <p>Block 10</p> <p>Block 9</p> <p>Block 8</p> <p>Block 7</p> <p>Block 6</p> <p>Block 5</p> <p>Block 4</p> <p>Block 3</p> <p>Block 2</p> <p>Block 1</p> <p>Header</p> <p>Timestamp</p> <p>Transactions</p> <p>Block 0</p> <p>Block 102</p> <p>Block 103</p> <p>Block 104</p> <p>Block 105</p> <p>Block 106</p> <p>Block 107</p> <p>Block 108</p> <p>Block 109</p> <p>Block 110</p> <p>Block 111</p> <p>Block 112</p> <p>Block 113</p> <p>Block 114</p> <p>Block 115</p> <p>Block 116</p> <p>Block 117</p> <p>Block 118</p> <p>Block 119</p> <p>Block 120</p> <p>Block 121</p> <p>Block 122</p> <p>Block 123</p> <p>Block 124</p> <p>Block 125</p> <p>Block 126</p> <p>Block 127</p> <p>Block 128</p> <p>Block 129</p> <p>Block 130</p> <p>Block 131</p> <p>Block 132</p> <p>Block 133</p> <p>Block 134</p> <p>Block 135</p> <p>Block 136</p> <p>Block 137</p> <p>Block 138</p> <p>Block 139</p> <p>Block 140</p> <p>Block 141</p> <p>Block 142</p> <p>Block 143</p> <p>Block 144</p> <p>Block 145</p> <p>Block 146</p> <p>Block 147</p> <p>Block 148</p> <p>Block 149</p> <p>Block 150</p> <p>Block 151</p> <p>Block 152</p> <p>Block 153</p> <p>Block 154</p> <p>Block 155</p> <p>Block 156</p> <p>Block 157</p> <p>Block 158</p> <p>Block 159</p> <p>Block 160</p> <p>Block 161</p> <p>Block 162</p> <p>Block 163</p> <p>Block 164</p> <p>Block 165</p> <p>Block 166</p> <p>Block 167</p> <p>Block 168</p> <p>Block 169</p> <p>Block 170</p> <p>Block 171</p> <p>Block 172</p> <p>Block 173</p> <p>Block 174</p> <p>Block 175</p> <p>Block 176</p> <p>Block 177</p> <p>Block 178</p> <p>Block 179</p> <p>Block 180</p> <p>Block 181</p> <p>Block 182</p> <p>Block 183</p> <p>Block 184</p> <p>Block 185</p> <p>Block 186</p> <p>Block 187</p> <p>Block 188</p> <p>Block 189</p> <p>Block 190</p> <p>Block 191</p> <p>Block 192</p> <p>Block 193</p> <p>Block 194</p> <p>Block 195</p> <p>Block 196</p> <p>Block 197</p> <p>Block 198</p> <p>Block 199</p> <p>Block 200</p> <p>Block 201</p> <p>Block 202</p> <p>Block 203</p> <p>Block 204</p> <p>Block 205</p> <p>Block 206</p> <p>Block 207</p> <p>Block 208</p> <p>Block 209</p> <p>Block 210</p> <p>Block 211</p> <p>Block 212</p> <p>Block 213</p> <p>Block 214</p> <p>Block 215</p> <p>Block 216</p> <p>Block 217</p> <p>Block 218</p> <p>Block 219</p> <p>Block 220</p> <p>Block 221</p> <p>Block 222</p> <p>Block 223</p> <p>Block 224</p> <p>Block 225</p> <p>Block 226</p> <p>Block 227</p> <p>Block 228</p> <p>Block 229</p> <p>Block 230</p> <p>Block 231</p> <p>Block 232</p> <p>Block 233</p> <p>Block 234</p> <p>Block 235</p> <p>Block 236</p> <p>Block 237</p> <p>Block 238</p> <p>Block 239</p> <p>Block 240</p> <p>Block 241</p> <p>Block 242</p> <p>Block 243</p> <p>Block 244</p> <p>Block 245</p> <p>Block 246</p> <p>Block 247</p> <p>Block 248</p> <p>Block 249</p> <p>Block 250</p> <p>Block 251</p> <p>Block 252</p> <p>Block 253</p> <p>Block 254</p> <p>Block 255</p> <p>Block 256</p> <p>Block 257</p> <p>Block 258</p> <p>Block 259</p> <p>Block 260</p> <p>Block 261</p> <p>Block 262</p> <p>Block 263</p> <p>Block 264</p> <p>Block 265</p> <p>Block 266</p> <p>Block 267</p> <p>Block 268</p> <p>Block 269</p> <p>Block 270</p> <p>Block 271</p> <p>Block 272</p> <p>Block 273</p> <p>Block 274</p> <p>Block 275</p> <p>Block 276</p> <p>Block 277</p> <p>Block 278</p> <p>Block 279</p> <p>Block 280</p> <p>Block 281</p> <p>Block 282</p> <p>Block 283</p> <p>Block 284</p> <p>Block 285</p> <p>Block 286</p> <p>Block 287</p> <p>Block 288</p> <p>Block 289</p> <p>Block 290</p> <p>Block 291</p> <p>Block 292</p> <p>Block 293</p> <p>Block 294</p> <p>Block 295</p> <p>Block 296</p> <p>Block 297</p> <p>Block 298</p> <p>Block 299</p> <p>Block 300</p> <p>Block 301</p> <p>Block 302</p> <p>Block 303</p> <p>Block 304</p> <p>Block 305</p> <p>Block 306</p> <p>Block 307</p> <p>Block 308</p> <p>Block 309</p> <p>Block 310</p> <p>Block 311</p> <p>Block 312</p> <p>Block 313</p> <p>Block 314</p> <p>Block 315</p> <p>Block 316</p> <p>Block 317</p> <p>Block 318</p> <p>Block 319</p> <p>Block 320</p> <p>Block 321</p> <p>Block 322</p> <p>Block 323</p> <p>Block 324</p> <p>Block 325</p> <p>Block 326</p> <p>Block 327</p> <p>Block 328</p> <p>Block 329</p> <p>Block 330</p> <p>Block 331</p> <p>Block 332</p> <p>Block 333</p> <p>Block 334</p> <p>Block 335</p> <p>Block 336</p> <p>Block 337</p> <p>Block 338</p> <p>Block 339</p> <p>Block 340</p> <p>Block 341</p> <p>Block 342</p> <p>Block 343</p> <p>Block 344</p> <p>Block 345</p> <p>Block 346</p> <p>Block 347</p> <p>Block 348</p> <p>Block 349</p> <p>Block 350</p> <p>Block 351</p> <p>Block 352</p> <p>Block 353</p> <p>Block 354</p> <p>Block 355</p> <p>Block 356</p> <p>Block 357</p> <p>Block 358</p> <p>Block 359</p> <p>Block 360</p> <p>Block 361</p> <p>Block 362</p> <p>Block 363</p> <p>Block 364</p> <p>Block 365</p> <p>Block 366</p> <p>Block 367</p> <p>Block 368</p> <p>Block 369</p> <p>Block 370</p> <p>Block 371</p> <p>Block 372</p> <p>Block 373</p> <p>Block 374</p> <p>Block 375</p> <p>Block 376</p> <p>Block 377</p> <p>Block 378</p> <p>Block 379</p> <p>Block 380</p> <p>Block 381</p> <p>Block 382</p> <p>Block 383</p> <p>Block 384</p> <p>Block 385</p> <p>Block 386</p> <p>Block 387</p> <p>Block 388</p> <p>Block 389</p> <p>Block 390</p> <p>Block 391</p> <p>Block 392</p> <p>Block 393</p> <p>Block 394</p> <p>Block 395</p> <p>Block 396</p> <p>Block 397</p> <p>Block 398</p> <p>Block 399</p> <p>Block 400</p> <p>Block 401</p> <p>Block 402</p> <p>Block 403</p> <p>Block 404</p> <p>Block 405</p> <p>Block 406</p> <p>Block 407</p> <p>Block 408</p> <p>Block 409</p> <p>Block 410</p> <p>Block 411</p> <p>Block 412</p> <p>Block 413</p> <p>Block 414</p> <p>Block 415</p> <p>Block 416</p> <p>Block 417</p> <p>Block 418</p> <p>Block 419</p> <p>Block 420</p> <p>Block 421</p> <p>Block 422</p> <p>Block 423</p> <p>Block 424</p> <p>Block 425</p> <p>Block 426</p> <p>Block 427</p> <p>Block 428</p> <p>Block 429</p> <p>Block 430</p> <p>Block 431</p> <p>Block 432</p> <p>Block 433</p> <p>Block 434</p> <p>Block 435</p> <p>Block 436</p> <p>Block 437</p> <p>Block 438</p> <p>Block 439</p> <p>Block 440</p> <p>Block 441</p> <p>Block 442</p> <p>Block 443</p> <p>Block 444</p> <p>Block 445</p> <p>Block 446</p> <p>Block 447</p> <p>Block 448</p> <p>Block 449</p> <p>Block 450</p> <p>Block 451</p> <p>Block 452</p> <p>Block 453</p> <p>Block 454</p> <p>Block 455</p> <p>Block 456</p> <p>Block 457</p> <p>Block 458</p> <p>Block 459</p> <p>Block 460</p> <p>Block 461</p> <p>Block 462</p> <p>Block 463</p> <p>Block 464</p> <p>Block 465</p> <p>Block 466</p> <p>Block 467</p> <p>Block 468</p> <p>Block 469</p> <p>Block 470</p> <p>Block 471</p> <p>Block 472</p> <p>Block 473</p> <p>Block 474</p> <p>Block 475</p> <p>Block 476</p> <p>Block 477</p> <p>Block 478</p> <p>Block 479</p> <p>Block 480</p> <p>Block 481</p> <p>Block 482</p> <p>Block 483</p> <p>Block 484</p> <p>Block 485</p> <p>Block 486</p> <p>Block 487</p> <p>Block 488</p> <p>Block 489</p> <p>Block 490</p> <p>Block 491</p> <p>Block 492</p> <p>Block 493</p> <p>Block 494</p> <p>Block 495</p> <p>Block 496</p> <p>Block 497</p> <p>Block 498</p> <p>Block 499</p> <p>Block 500</p> <p>Block 501</p> <p>Block 502</p> <p>Block 503</p> <p>Block 504</p> <p>Block 505</p> <p>Block 506</p> <p>Block 507</p> <p>Block 508</p> <p>Block 509</p> <p>Block 510</p> <p>Block 511</p> <p>Block 512</p> <p>Block 513</p> <p>Block 514</p> <p>Block 515</p> <p>Block 516</p> <p>Block 517</p> <p>Block 518</p> <p>Block 519</p> <p>Block 520</p> <p>Block 521</p> <p>Block 522</p> <p>Block 523</p> <p>Block 524</p> <p>Block 525</p> <p>Block 526</p> <p>Block 527</p> <p>Block 528</p> <p>Block 529</p> <p>Block 530</p> <p>Block 531</p> <p>Block 532</p> <p>Block 533</p> <p>Block 534</p> <p>Block 535</p> <p>Block 536</p> <p>Block 537</p> <p>Block 538</p> <p>Block 539</p> <p>Block 540</p> <p>Block 541</p> <p>Block 542</p> <p>Block 543</p> <p>Block 544</p> <p>Block 545</p> <p>Block 546</p> <p>Block 547</p> <p>Block 548</p> <p>Block 549</p> <p>Block 550</p> <p>Block 551</p> <p>Block 552</p> <p>Block 553</p> <p>Block 554</p> <p>Block 555</p> <p>Block 556</p> <p>Block 557</p> <p>Block 558</p> <p>Block 559</p> <p>Block 560</p> <p>Block 561</p> <p>Block 562</p> <p>Block 563</p> <p>Block 564</p> <p>Block 565</p> <p>Block 566</p> <p>Block 567</p> <p>Block 568</p> <p>Block 569</p> <p>Block 570</p> <p>Block 571</p> <p>Block 572</p> <p>Block 573</p> <p>Block 574</p> <p>Block 575</p> <p>Block 576</p> <p>Block 577</p> <p>Block 578</p> <p>Block 579</p> <p>Block 580</p> <p>Block 581</p> <p>Block 582</p> <p>Block 583</p> <p>Block 584</p> <p>Block 585</p> <p>Block 586</p> <p>Block 587</p> <p>Block 588</p> <p>Block 589</p> <p>Block 590</p> <p>Block 591</p> <p>Block 592</p> <p>Block 593</p> <p>Block 594</p> <p>Block 595</p> <p>Block 596</p> <p>Block 597</p> <p>Block 598</p> <p>Block 599</p> <p>Block 600</p> <p>Block 601</p> <p>Block 602</p> <p>Block 603</p> <p>Block 604</p> <p>Block 605</p> <p>Block 606</p> <p>Block 607</p> <p>Block 608</p> <p>Block 609</p> <p>Block 610</p> <p>Block 611</p> <p>Block 612</p> <p>Block 613</p> <p>Block 614</p> <p>Block 615</p> <p>Block 616</p> <p>Block 617</p> <p>Block 618</p> <p>Block 619</p> <p>Block 620</p> <p>Block 621</p> <p>Block 622</p> <p>Block 623</p> <p>Block 624</p> <p>Block 625</p> <p>Block 626</p> <p>Block 627</p> <p>Block 628</p> <p>Block 629</p> <p>Block 630</p> <p>Block 631</p> <p>Block 632</p> <p>Block 633</p> <p>Block 634</p> <p>Block 635</p> <p>Block 636</p> <p>Block 637</p> <p>Block 638</p> <p>Block 639</p> <p>Block 640</p> <p>Block 641</p> <p>Block 642</p> <p>Block 643</p> <p>Block 644</p> <p>Block 645</p> <p>Block 646</p> <p>Block 647</p> <p>Block 648</p> <p>Block 649</p> <p>Block 650</p> <p>Block 651</p> <p>Block 652</p> <p>Block 653</p> <p>Block 654</p> <p>Block 655</p> <p>Block 656</p> <p>Block 657</p> <p>Block 658</p> <p>Block 659</p> <p>Block 660</p> <p>Block 661</p> <p>Block 662</p> <p>Block 663</p> <p>Block 664</p> <p>Block 665</p> <p>Block 666</p> <p>Block 667</p> <p>Block 668</p> <p>Block 669</p> <p>Block 670</p> <p>Block 671</p> <p>Block 672</p> <p>Block 673</p> <p>Block 674</p> <p>Block 675</p> <p>Block 676</p> <p>Block 677</p> <p>Block 678</p> <p>Block 679</p> <p>Block 680</p> <p>Block 681</p> <p>Block 682</p> <p>Block 683</p> <p>Block 684</p> <p>Block 685</p> <p>Block 686</p> <p>Block 687</p> <p>Block 688</p> <p>Block 689</p> <p>Block 690</p> <p>Block 691</p> <p>Block 692</p> <p>Block 693</p> <p>Block 694</p> <p>Block 695</p> <p>Block 696</p> <p>Block 697</p> <p>Block 698</p> <p>Block 699</p> <p>Block 700</p> <p>Block 701</p> <p>Block 702</p> <p>Block 703</p> <p>Block 704</p> <p>Block 705</p> <p>Block 706</p> <p>Block 707</p> <p>Block 708</p> <p>Block 709</p> <p>Block 710</p> <p>Block 711</p> <p>Block 712</p> <p>Block 713</p> <p>Block 714</p> <p>Block 715</p> <p>Block 716</p> <p>Block 717</p> <p>Block 718</p> <p>Block 719</p> <p>Block 720</p> <p>Block 721</p> <p>Block 722</p> <p>Block 723</p> <p>Block 724</p> <p>Block 725</p> <p>Block 726</p> <p>Block 727</p> <p>Block 728</p> <p>Block 729</p> <p>Block 730</p> <p>Block 731</p> <p>Block 732</p> <p>Block 733</p> <p>Block 734</p> <p>Block 735</p> <p>Block 736</p> <p>Block 737</p> <p>Block 738</p> <p>Block 739</p> <p>Block 740</p> <p>Block 741</p> <p>Block 742</p> <p>Block 743</p> <p>Block 744</p> <p>Block 745</p> <p>Block 746</p> <p>Block 747</p> <p>Block 748</p> <p>Block 749</p> <p>Block 750</p> <p>Block 751</p> <p>Block 752</p> <p>Block 753</p> <p>Block 754</p> <p>Block 755</p> <p>Block 756</p> <p>Block 757</p> <p>Block 758</p> <p>Block 759</p> <p>Block 760</p> <p>Block 761</p> <p>Block 762</p> <p>Block 763</p> <p>Block 764</p> <p>Block 765</p> <p>Block 766</p> <p>Block 767</p> <p>Block 768</p> <p>Block 769</p> <p>Block 770</p> <p>Block 771</p> <p>Block 772</p> <p>Block 773</p> <p>Block 774</p> <p>Block 775</p> <p>Block 776</p> <p>Block 777</p> <p>Block 778</p> <p>Block 779</p> <p>Block 780</p> <p>Block 781</p> <p>Block 782</p> <p>Block 783</p> <p>Block 784</p> <p>Block 785</p> <p>Block 786</p> <p>Block 787</p> <p>Block 788</p> <p>Block 789</p> <p>Block 790</p> <p>Block 791</p> <p>Block 792</p> <p>Block 793</p> <p>Block 794</p> <p>Block 795</p> <p>Block 796</p> <p>Block 797</p> <p>Block 798</p> <p>Block 799</p> <p>Block 800</p> <p>Block 801</p> <p>Block 802</p> <p>Block 803</p> <p>Block 804</p> <p>Block 805</p> <p>Block 806</p> <p>Block 807</p> <p>Block 808</p> <p>Block 809</p> <p>Block 810</p> <p>Block 811</p> <p>Block 812</p> <p>Block 813</p> <p>Block 814</p> <p>Block 815</p> <p>Block 816</p> <p>Block 817</p> <p>Block 818</p> <p>Block 819</p> <p>Block 820</p> <p>Block 821</p> <p>Block 822</p> <p>Block 823</p> <p>Block 824</p> <p>Block 825</p> <p>Block 826</p> <p>Block 827</p> <p>Block 828</p> <p>Block 829</p> <p>Block 830</p> <p>Block 831</p> <p>Block 832</p> <p>Block 833</p> <p>Block 834</p> <p>Block 835</p> <p>Block 836</p> <p>Block 837</p> <p>Block 838</p> <p>Block 839</p> <p>Block 840</p> <p>Block 841</p> <p>Block 842</p> <p>Block 843</p> <p>Block 844</p> <p>Block 845</p> <p>Block 846</p> <p>Block 847</p> <p>Block 848</p> <p>Block 849</p> <p>Block 850</p> <p>Block 851</p> <p>Block 852</p> <p>Block 853</p> <p>Block 854</p> <p>Block 855</p> <p>Block 856</p> <p>Block 857</p> <p>Block 858</p> <p>Block 859</p> <p>Block 860</p> <p>Block 861</p> <p>Block 862</p> <p>Block 863</p> <p>Block 864</p> <p>Block 865</p> <p>Block 866</p> <p>Block 867</p> <p>Block 868</p> <p>Block 869</p> <p>Block 870</p> <p>Block 871</p> <p>Block 872</p> <p>Block 873</p> <p>Block 874</p> <p>Block 875</p> <p>Block 876</p> <p>Block 877</p> <p>Block 878</p> <p>Block 879</p> <p>Block 880</p> <p>Block 881</p> <p>Block 882</p> <p>Block 883</p> <p>Block 884</p> <p>Block 885</p> <p>Block 886</p> <p>Block 887</p> <p>Block 888</p> <p>Block 889</p> <p>Block 890</p> <p>Block 891</p> <p>Block 892</p> <p>Block 893</p> <p>Block 894</p> <p>Block 895</p> <p>Block 896</p> <p>Block 897</p> <p>Block 898</p> <p>Block 899</p> <p>Block 900</p> <p>Block 901</p> <p>Block 902</p> <p>Block 903</p> <p>Block 904</p> <p>Block 905</p> <p>Block 906</p> <p>Block 907</p> <p>Block 908</p> <p>Block 909</p> <p>Block 910</p> <p>Block 911</p> <p>Block 912</p> <p>Block 913</p> <p>Block 914</p> <p>Block 915</p> <p>Block 916</p> <p>Block 917</p> <p>Block 918</p> <p>Block 919</p> <p>Block 920</p> <p>Block 921</p> <p>Block 922</p> <p>Block 923</p> <p>Block 924</p> <p>Block 925</p> <p>Block 926</p> <p>Block 927</p> <p>Block 928</p> <p>Block 929</p> <p>Block 930</p> <p>Block 931</p> <p>Block 932</p> <p>Block 933</p> <p>Block 934</p> <p>Block 935</p> <p>Block 936</p> <p>Block 937</p> <p>Block 938</p> <p>Block 939</p> <p>Block 940</p> <p>Block 941</p> <p>Block 942</p> <p>Block 943</p> <p>Block 944</p> <p>Block 945</p> <p>Block 946</p> <p>Block 947</p> <p>Block 948</p> <p>Block 949</p> <p>Block 950</p> <p>Block 951</p> <p>Block 952</p> <p>Block 953</p> <p>Block 954</p> <p>Block 955</p> <p>Block 956</p> <p>Block 957</p> <p>Block 958</p> <p>Block 959</p> <p>Block 960</p> <p>Block 961</p> <p>Block 962</p> <p>Block 963</p> <p>Block 964</p> <p>Block 965</p> <p>Block 966</p> <p>Block 967</p> <p>Block 968</p> <p>Block 969</p> <p>Block 970</p> <p>Block 971</p> <p>Block 972</p> <p>Block 973</p> <p>Block 974</p> <p>Block 975</p> <p>Block 976</p> <p>Block 977</p> <p>Block 978</p> <p>Block 979</p> <p>Block 980</p> <p>Block 981</p> <p>Block 982</p> <p>Block 983</p> <p>Block 984</p> <p>Block 985</p> <p>Block 986</p> <p>Block 987</p> <p>Block 988</p> <p>Block 989</p> <p>Block 990</p> <p>Block 991</p> <p>Block 992</p> <p>Block 993</p> <p>Block 994</p> <p>Block 995</p> <p>Block 996</p> <p>Block 997</p> <p>Block 998</p> <p>Block 999</p> <p>Block 1000</p>	 <p>Epoch Time Cycles</p> <p>E0 E1 E2 E3...</p> <p>En</p> <p>MICRO CYCLES</p> <p>MACRO CYCLES</p>					

# What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE  
USPTO 13/573,002  
SURVEY METHODS


## SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



## Mined Bitcoins



BLOCKS / COINS PENDING ISSUE

B  
A  
C


$\Delta\delta$

## Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:


IDMaps-SONARHOPS distance estimation query-reply service



## TRIANGULATION




## DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:  
latency (round-trip delay)  
available bandwidth estimation



- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org\_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org\_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer



$\Delta\delta$



# Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



ALGORITHMIC STABLE COIN    EQUILIBRIUM ALGORITHMS  
COMMODITY INDEX BASKET    PRICE DISCOVERY ALGOS




COMMODITY FUTURES TRADING COMMISSION



SLA Service Level Agreement  
CLOSER = CHEAPER = CLOSER

**FIREFLY – HEARTBEAT ALGORITHM CHINA:** nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Źak) 2010, 2013



**Edison's Monetary Option**  
**Cambridge University Press 2009**

**"Crops hold their value best over time"**

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922

["URN"] </Organizational\_ID> ["URN"]  
["Org\_ID"] </Personal\_ID> ["Org\_ID"] ["Org\_ID"]

# Tokenization of Physical Assets Enables Economy Of Everything




## ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$



BELT and ROAD  
Trade Initiative



**FIREFLY – HEARTBEAT ALGORITHM CHINA:** nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK  
CENTRIC  
OPERATIONS  
**INFOCON**  
4 3 2 1  
INFORMATION  
CONDITION



# Thomas Edison's Monetary Option Cambridge University Press 2009


"Crops hold their value best over time"




COMMODITY RWA  
REAL WORLD ASSET  
STABLE COIN INDEX


BY DAVID L. HAMMES


"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.







Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


**US 7865358 CLAIM 1.** method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.




System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3



COMPONENT		
PK	CP_OID	{"URN"}
FK1	CP_NAME	
FK2	CP_SUBSTANCE (BOOL)	
	CP_PRIMTYPE	
	CP_CLASSTYPE	
	CP_CLOUD	
	CP_COLLECTION	

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME



# Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: [https://en.wikipedia.org/wiki/Physical\\_symbol\\_system](https://en.wikipedia.org/wiki/Physical_symbol_system)

data from a first form to a second form

CONDITION

Rosetta  
Stone  
Syntax  
LEXICON



2525 Series  
Symbol Set  
Libraries



"SIGNS AND SYMBOLS  
NATO RULE THE WORLD, NOT  
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,  
Symbol sets = structured data


FRZ TLP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)  
representations

Neural Networks  
(Deep Learning)



Brevity  
Codes



Symbols

Symbol

Sets 2525

Symbolic AI



Reasoning




Incorporate common sense reasoning and

Breaking the world into symbols (rather than  
atoms, strings, bits, etc.)




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



# USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",  
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL  
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP  
DETECTION

IEEE 802.11  
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop  
Geo-Spatial Temporal  
Metrics, Meters

DISTANCE  
INFO SERVICE

Time Series

RISK

Value

Time

WATER DROP IN POND MEME IS

SONAR NAVY METAPHOR / MEME

NDN </INTEREST>

NDN {"DISTANCE"}

NAMED DATA

NETWORKING

IEEE C37.118

Harmonization

& Sync heartbeat

update Interval

IDMaps

SonarHops

5

602

4

+3

3

+2

2

+1

1

0

+

1

+

2

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3

+

3


+


3

+

3

+





# BUILDING BLOCKS



TASK ON / OFF

201

**B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION**




MACRO CYCLES



.0001


MICRO CYCLES

216



**202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS**

**B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS**



ADHOC / AGILE  
FEDERATED <ID>  
GROUPS SYNC'D  
IN TIME / SPACE

215 LEADER'S  
INTENT  
DECISIONS




SYNC DELTA METRICS IN SLA CLAUSES AS  
MOE, MOP METER IN TAX CODES, TRANCHE  
CLASSES / RATINGS ARBITRAGE TRIGGERS

203


**B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS**



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



LENGTH, THRESHOLD, INTENSITY, DURATION



208



APPLIQUE' OVERLAYS



**B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL**

MAP VIEWS GEO-LOCATION SPECIFIC  
SHOW SYNC DELTAS BY GROUP /  
RESOURCE TYPE, EVENT CLASS /  
NEWSCAST BY TRANCHE <CLASSES>

209



204


# Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File


**"BLOCKCHAIN" = LEDGER / Database**

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

NET, Net of programmable \$\$\$ Programming Reality Ground Truth

No Layers L0, L1, L2... only GENESIS EPOCH, Follow on Epoch time cycles, intervals, cycles



THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..


**Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?**

Blockchain Consensus Algorithms & Mechanisms




In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

**Proof of Formulation:** PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.




# **BLOCKCHAIN CONSENSUS ALGORITHMS**

# ULTIMATE GUIDE FOR BEGINNERS



The collage features several distinct elements: 1) A central green circle containing a white clock face with a red second hand, set against a background of blue brain-like patterns and two cartoon insects. 2) Below the clock, the text "QUANTUM RANDOM NUMBER BEACON" is displayed in large, bold, white letters. 3) To the left of the main text, there is a smaller image of a globe with yellow continents, overlaid with several curved, glowing orange lines representing signal transmission. 4) At the bottom left, the words "NON REPUDIATION" are written in large, bold, white capital letters. 5) On the right side, there is a circular icon with a blue border and a white interior, featuring a stylized white "B" shape with three concentric arcs above it.



# Tolerance structured Data Exchange

## STRUCTURED DATA EXCHANGE VNTAX LEXICON

# SYNTAX LEXICON

## ESCODES - Symbol Sets

e:  
**Simplified**

## Simplified Byzantine Fault

## **Tolerance**

Page 58 of 61

Practical

## Byzantine Fault

[www.elsevier.com](http://www.elsevier.com)

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

# STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

**1) DeFi-Native collateral backing:** stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

## 2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

## 3) RWA-Backed by off-chain real-world assets



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements



### - STRUCTURED DATA EXCHANGE

Reuse brevity codes mapped to 2525D symbol sets comprised of 300

+ message sets for A.I. - machine

Block-Time DLT arbitrage among Trade Federations </Org\_ID>

{“URN”} </URN> = COMMODITY



Spatial / temporal UTZ

synchronization, stochastic

harmonization, Time - Space

Distance Estimation Service

Common Consensus Algo meme

Eco sustainable incentives

“We can synchronize ourselves,

DAO Trade Federations in time -

space for common purposes”

Eco sustainable, Equitable

Economic econometrics.




## ERC 20 TOKENS STANDARDS LIST



Blockchain<sup>TM</sup>  
Council

All things net, net of money formed with 1. Epochs 2 Syntax

www.blockchain-council.org



BIN/UTZ

URN Org\_ID

Heartbeat

Flash Memory Event Bus

STAT MEAN INDEX

Firefly Heartbeat Sync

Algorithm Stochastic

Harmonization

STATE META DATA Snapshot SYNCDELTA

Federation  
Gateway

MEDIATE  
 $\Delta\delta$  MITIGATE

Bitcoin's value is determined by supply and demand

UNIVERSAL MEME

Purchased Bitcoins

Akin to property

I.R.S.

Clock ROLES

Meters

RULES Metrics

SLA / O

FEDERATION: Latin: foedus, foederis, 1. covenant, union of partially self-governing states under a central government 2. League or confederacy. People, groups retain autonomy 3. A federated body formed by a number of nations, states, societies, unions, retaining control of own internal affairs SC Alice Corp “claims may not direct”

USPTO 13/573,002 Alpha-Numeric Procedural

BREVITY CODES / TOKENS

“Bitcoin is a language”

STRUCTURED DATA EXCHANGE

V CLS Bank To abstract ideas”

SYNTAX LEXICON

CODER’S GUIDE

ISO 20022 2525C/D

NATO

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

XBRl / CDL / DAML

ROSETTA STONE

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORMS

“LOGIC”

“FILTERS”

Message Sets

ISO 9001

SWIFT

NETOPS

TEMPLATE FORM



All things internet of money are formed w CPU time cycles used to process instructions / code sys




## Bitcoin is a language”



**WIRED**

'BITCOIN MAKES USPTO 13/573,002  
MONEY HEART BEACON CYCLE  
PROGRAMMABLE. TIME – SPACE METER  
MONEY IS STRUCTURED DATA  
SIMPLY DATA" EXCHANGE



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).<sup>[2]</sup> The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.




**"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"** - BILLY



# **BLOCKCHAIN = TIME / SYNTAX**





# Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



**BLOCKTIME: A General Temporality of Blockchains** Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS  
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



### Functional Sequential Erlang

- Data types:
  - Integers (incl. BigNums), floats, atoms
  - tuples/records, lists/plists, binaries, funs
  - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)


### SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"  
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio  $\Delta\delta$  queueing systems wait times  
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL

distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over


Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization\_ID") Global name resolution


FROM	TO/CC-A	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRIDAY	SATURDAY	SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
XBRL	/ CDL / DAML																		
ALPHA	NUMERIC																		
BREVITY	CODES																		
AZURE	BLETCHLEY																		
STRUCTURED																			
MILITARY	MESSAGE																		
TEMPLATE	FORMS																		
LOGIC	/ FILTERS																		



# PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State  
•target = maximum value of 8 bytes Snap  
( $2^{64}$ ) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess  
Effectively, it begins at infinity.



**Proof-of-Work:** users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates


FORM	CODEC	FORMAT	ABSTRACT	DATAFILE	AFAB	WTF
ABAB	CODEC1	FORMAT1	ABSTRACT1	DATAFILE1	AFAB1	WTF1
ANAN	CODEC2	FORMAT2	ABSTRACT2	DATAFILE2	AFAB2	WTF2
CBCB	CODEC3	FORMAT3	ABSTRACT3	DATAFILE3	AFAB3	WTF3
DDBD	CODEC4	FORMAT4	ABSTRACT4	DATAFILE4	AFAB4	WTF4
METH	CODEC5	FORMAT5	ABSTRACT5	DATAFILE5	AFAB5	WTF5
PERIOD	CODEC6	FORMAT6	ABSTRACT6	DATAFILE6	AFAB6	WTF6
PERIOD	CODEC7	FORMAT7	ABSTRACT7	DATAFILE7	AFAB7	WTF7

LOGIC FILTERS  
LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series







real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a FEDERATION based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery Provides information about total costs of the transaction



Workflows are serially executed Except first two work flow are workflows are based on event pull model



1. **FEDERATION:** Latin: foedus, foederis, covenant, union of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain AUTONOMY
3. A federated body formed by nations, states, and... unions

each retaining control of internal affairs

Net joins, drops, splits, merges, moves  
Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS



Neutral transaction protocol

secured REST messaging API's

Interledger Protocol ILP


ripple

Ripple Consensus Ledger (RCL)



# Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

## BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

## USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG\_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

## 00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.





## TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone



The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$




TIME BLOCK



IPFS

On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.

Attribute Series




Geo Spatial

Temporal Series



$\Delta \delta$

$\Sigma$



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



$\Delta \delta$



# OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG  
BLOCKCHAIN ARBITRAGE




OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

## PROJECT PHILOSOPHY: *MAKE TRADE FREE*


Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE  
Fees REFERENCE CURRENCY  
“Money of Peace”




COMMODITIES  
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE  
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in  
Time and Space  
Methods and Practice

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services  
that cannot be perfectly solved with technology

• Privacy </Org\_ID>



HASH Values  
Nonce Values </Org\_ID>



COMMODITIES

Federation

ORG ID

Gateway

FIREFLY – HEARTBEAT ALGO

SYNC EVENTS

UTZ SYNC

TO CLOSEST  
HB CYCLE

$\Delta\delta$

BTC

ETH

Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution

## DON: DECENTRALIZED ORACLE NETWORKS



### Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




## DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

# Heart Beacon Cycle

### FEDERATE / TRADE FEDERATIONS

#### Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$



IoT  
Microsoft Orleans  
TIME-SPACE EQUATIONS  
ALGORITHMS  
BLOCKCHAIN  
PARSING  
ERLANG

EVENT BUS




$\Delta \delta$





## Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

### Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.<sup>2</sup> The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002





## VERITAS TOKENS

## P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE  
access conventional, legacy financial data to  
price, value, trade & settle OTC, P2P financials



**INFOCON**  
5 4 3 2 1  
**INFORMATION CONDITION**



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

## STATISTICAL MEAN VALUE INDEX PULSE

## GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.  
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X ritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

**DeFi Ve TOKENS** VeriDAO **UTZ SYNC STOCHASTIC HARMONIZATION**

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

#DeFi All Market Orders (108) Search (108)

Pay: (TAGGED) CRYPTO Expiry: 16w Advanced

Switch » INTC (Org\_ID) (URN) (Tagged\_Bitcoins)

Heartbeat Flash Messages Precedence Processing

Collateral	Notional	Expiry
------------	----------	--------

**FIREFLY HEARTBEAT ALGO EVENT MSG BUS**

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

(Org\_ID) (Tagged) (URN)

**LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE**

STOP TTL

$t_1$   $t_2$   $t_3$

**SYNTAX LEXICON OPSCODE**  
Brevity Codes mapped to symbols sets for A.I. / Man – machine interface / interop

# Proof of Authority



{"GROUP ID"}  
{"Org\_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions** each retaining control of internal affairs

Federation  
Gateway



{"GLOBAL"}  
{"SHARED"}  
{"DOMAIN"}  
{"COMMUNITY"}  
{"PRIVATE"}


Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the CHANNEL

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

## Heart Beacon Cycle

### FEDERATE / TRADE FEDERATIONS




123e4567-e89b-12d3-a456-426655440000  
123e4567-e89b-12d3-a456-426655440001  
123e4567-e89b-12d3-a456-426655440002

UUID

STOCK EXCHANGE

MIC MARKET IDENTIFIER

CODES / BREVITY CODES




# SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



## PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes  
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

## TOURNAMENT LEAGUE BOARD




## FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS



Capture ledger's state  $\Delta \delta$   
Transaction language changes ledger state  
Consensus, transaction acceptance protocol




# NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





**Hashgraph consensus algorithm for replicated state machines**

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses


data structure that records who gossiped to whom in what order  $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.  
Consensus is enhanced via "gossip about gossip"




DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

The Heart Beacon Cycle Time – Space Meter  
Adaptive Procedural Template Checklist  
Heartbeat Sync Delta state meta data  
structured data exchange snapshots  
300 + Use Case message template sets  
Rosetta Stone Syntax lexicon Coder's guide




UTZ TIME ZONE SYNC  
Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"  $\Delta\delta$

DAG finite directed graph  
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

**Consensus Order**

$$\sum \Delta\delta \times$$

Round created Witness 0 / 1


Famous witness Election

Vote See

Strongly see Supermajority Decide

Round created Round received

Consensus timestamp Consensus order  $\Delta\delta$



Micro-Cycle State Meta Data Snapshots

Hash Nonce


# Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.<sup>2</sup>

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization  
Harmonization Heartbeat update Interval  
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.

(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.




TAG	Volume / Size + / - Of rig	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State

# Proof of Capacity PoC



**consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions**

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




# PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.






PoST users / nodes must prove that they are spending a certain amount of space for storage.



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO



## Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



# BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

## KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

## MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS




SYNTAX  
LEXICON LIBRARY

CPU CHIP  
EPOCHS




long exponential  
intervals (10 min)



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



COMMAND SYNTAX  
RESTFUL State Transfer

MACRO – CYCLES



short deterministic  
intervals (10 sec)

MICRO-CYCLES



Block Size [Byte, log scale]




## PROTON A CHAIN Virtual Machine

## CONTRACT C CHAIN Smart contract

## PLATFORM P CHAIN Meta Data

## EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

    preference := response with >=

α

    if preference == old preference:

        consecutiveSuccesses++

    else:

        consecutiveSuccesses = 1

    else:

        consecutiveSuccesses = 0

if consecutiveSuccesses > β:  
    decide(preference)

EOSIO computer function emulation  
NET, CPU bandwidth, RAM data  
Publishing, Voting based not mining

Delegated Proof  
of Stake {"Org\_ID"}



coordinates validators, keeps track  
of active subnets, SNOWMAN  
consensus Token representation of  
real-world resources (e.g., equity,  
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$


1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0      Block 1      Block 2



SECURITY TOKEN: A DIGITAL ASSET THAT'S BACKED UP BY TANGIBLE ASSETS IN THE REAL WORLD

</URN>  
</URN>  
</URN>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" get paid"







OTA: Internet Of Things IOT distributed ledger  
with microtransactions without fees

# Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

**Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees**

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree







# EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

**The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises**



# TEMPLATE ENGINE LANGUAGE ETF

ONWELL


## NAMED DATA NETWORKING, corrections

## Time Series Databases

## BLOCKCHAIN PARSING, SYNCHRONIZATION



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**



**Microsoft Blockchain modular framework:**  
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds  
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract



ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED	
MILITARY MESSAGE	
TEMPLATE FORMS	
LOGIC / FILTERS	

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

FIREFLY EVENTS  
FLASH MESSAGES  
SYNC TO CLOSEST  
HEARTBEAT EPOCH







EVENT BUS

FIREFLY HEARTBEAT ALGORITHM



MULTI-MEME MULTI-METER





**DFINITY**

**RANDOM # BEACON**

**NIST Beacon**  
A Public Randomness Service

**QUANTUM RANDOM #**

**BLOCKCHAIN NERVOUS SYSTEM**  
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

**STATEFUL DECENTRALIZED NET PROTOCOL:**  
Decentralized process workflows instead of  
Centralized Server farms

**GROUP Signature is random number**

- Number selects next group {"Org\_ID"} {"Org\_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org\_ID"} {"Org\_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

**HYPER GEOMETRIC PROBABILITY CALCULATOR**

**CONSENSUS / RANDOM BEACON**

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

**Each process has mining identity**

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

**UTZ TIME ZONE SYNC**

**USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER**

**CLOCK FACE 360'**  
90 / 90 / 90 / 90  
330 360 30 60 90  
300 270 240 210 180 150

**BASEBALL "DIAMOND"**  
A diamond Is a square Is a block in 3D  
2nd Base

Satoshi Nakamoto:  
"The solution we propose begins with a TIME STAMP SERVER"

**MACRO CYCLES**

**90 feet**

Blockchain BLOCK in 3D = CUBE  
Cube has Length, Depth, Height, Volume

**3rd Base**

**STATISTICIAN Metrics, Meters**

**Universal Heartbeat Message Event Bus**

**3 X 5 HASH TABLES STATE META DATA SHARDS**

**SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY**

**IRS #1421**

**State Meta Data Snapshots Survey Point**

**MICRO CYCLES**

**home plate**

**Fix {"108"}**

**FLASH MESSAGE EVENT BUS**

**TIME STAMP SERVER**

**EVENTS**

**Firefly – Heartbeat Algo**

**STOCHASTIC HARMONIZATION**

**3 X 5 INDEX CARDS**

**INDEX CARD = SHARD**

**HBC "ORG\_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE**

**INDEX CARD = SHARD**

**CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS**

**Physical = Opposite of abstract = ALICE**

**HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002**

**first base**

**RUNNER Message Bus**

**Epoch Time Cycles**



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

**ERLANG API FOR BLOCKCHAIN**



**ORACLES:** crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

**CROSS – CHAIN ATOMIC SWAPS**

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.


**ACCOUNTS & IDENTITY:** æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG\_ID")

("ORG\_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



**EVENT BUS FIREFLY INSPIRED NEARTBEAT SYNC**

**HEARTBEAT FLASH MESSAGES EMULATE NEURAL NETWORKS**

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


**AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS**



Terra Trade Reference Currency TRC "world currency" Bernard A. Liettaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

**TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES**

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET




**ROLES Metrics**

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org\_ID for Ecosphere friendly trade



**Federation Gateway**  
("ORG\_ID")



**RULES Metrics**




American Registry for Internet Numbers

# HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$  Shared Ledger



HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002


FEDERATION  
**Federation Gateway**

METRICS ("Organization ID")  
METERS


RESTFUL SYNC DELTA  
CHANGE MANAGEMENT  
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



ROSETTA STONE



XBR / CDL / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS

SYNTAX  
SYMBOL LIBRARY

300 + MESSAGE  
TEMPLATES  
USE CASES / GROUPED  
DATA TRANSACTIONS  
Alpha-Numeric Data  
Element ID -- #'s are the  
UNIVERSAL LANGUAGE

HYPER LEDGER USES  
JSON ("tag") / YAML  
Text indentation –  
UNIVERSAL LANGUAGE  
= ALPHA-NUMERICS

MICRO-MACRO CYCLE SCHEDULE



FFIRNS  
FFUDNS

# DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"



**InstantX:** To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions receive payments for their service to the network

**DAO: RAND THINK TANK TERM COINED + / - 2001**

NETWORK CENTRIC WARFARE  
Developing and Leveraging Information Superiority



[dreamtime.com](http://dreamtime.com)



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



**STATE:** stored data at a given instant in time

**STATE CHANNELS:** blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.



2. Participants update the state amongst themselves by constructing and signing transactions that could be submitted to the blockchain, but instead are made available for a new update "trumps" previous update.





3. Finally, participants submit the state back to the blockchain, which closes the state channel.



$\Delta \delta$


**NEW UPDATES OVERWRITE THE PREVIOUS:** simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

# TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

## TWAP GOAL: provide a Time Weighted Average Price Benchmark




FIREFLY HEARTBEAT ALGO  
STAT MEAN VALUE INDEX



EPOCH TIMES

STATE META  
DATA SNAPSHOTS



**TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle**



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



## Autonomous Device Coordination Framework



Rules of engagement  
**FEDERATION AGREEMENTS**  
**PROCEDURAL TEMPLATE**

Registration

Authentication

Proximity based rules

Consensus based rules

Contracts

Checklists

## FEDERATION

&lt;UUID&gt; &lt;ORG\_ID&gt; &lt;URN&gt;

## LDAP DIRECTORY

Physical proximity



Social proximity

Temporal proximity


Agreements

Payments

Barter



## ADEPT Standard Peer Architecture – Logical View




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS

<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW &lt;XML\_Wf&gt;



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG\_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

**Block-Weighted-Average-Price (B-WAP) API** creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

**Key Features:**

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.






"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL  
EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Estimated	
11.8.6 - Predicted	
11.8.7 - Smoothed Data	
11.8.8 - Position	
11.8.9 - Bearing Angle	
11.8.10 - Horizontal	
11.8.11 - Vertical	
11.8.12 - Vertical	
11.8.13 - Covariance Matrix	
11.8.14 - Covariance Rate	
11.8.15 - Covariance Rate	
11.8.16 - Covariance Rate	

Federation  
Gateway

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE

TEMPLATE FORMS

LOGIC / FILTERS

300+ Use Case Templates




300+ Use Case Templates




**transactions sent over / off chain  
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




## LIGHTNING



Hashed TIME LOCK contracts component for global consensus

OP\_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

## FIREFLY – HEARTBEAT ALGORITHM



**FIREFLY – HEARTBEAT**

CLOCK FACE 360'  
90 / 90 / 90 / 90



RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

**3rd Base**

STATISTICIAN  
Metrics, Meters

Stat Mean Value Index



State Meta

Data Snapshots

**Survey Point**

MICRO CYCLES



**BASEBALL "DIAMOND"**  
A diamond Is a square Is a block in 3D  
**2nd Base**

Satoshi Nakamoto:  
"The solution we propose  
begins with a **TIME STAMP SERVER**"

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,


Height, Volume

90 feet

Blockchain

**Electronic Product Code Information Services (EPCIS)**

## GS1 Standard for creating, sharing visibility event data



## Core Business Vocabulary (CBV)

## What identifiers of object(s) or entities / subject of the event

**When date time when event took place, local time zone in effect**

**Where location identifier where event occurred, identifier of**

**location where object(s) are expected to be following the**


**Why** Information about the business context, including:  
**a Identifier that indicates the business step taking place**



## CLOSER IS CHEAPER



MICRO CYCLES



**Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message**

## RFID Configuration TCP/IP heartbeat message

## **STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES**

FROM	TO		CASES SYNTAX LEXICON CODE GUIDE										BREVITY CODES
ASAS	<b>COMBAT FIELD DIGITIZATION</b>		<b>NETCENTRIC WARFARE</b>										NC8
AMDPICS	<b>SYSTEM OF SYSTEMS</b>		<b>BEST PRACTICE</b>										C835 C460 D530 E500 F541 G510 F541 S201
AFATDS	<b>MESSAGE DATA SETS</b>		<b>“ORG_ID” “URN” “UUID”</b>										C400 F002 C401 F014 F541 S201
CCSCS	<b>TEMPLATES / FORMS</b>		<b>“FILTERS”</b>										C400 F002 C401 F014 F541 S201
IMETS	<b>ROLES / PERMISSIONS</b>		<b>“ROLES” / “FILTERS”</b>										C400 F002 C401 F014 F541 S201
ISYICON	<b>NETOPS SOP</b>		<b>“ROSETTA STONE”</b>										K01.1 K04.1 K05.17 K06.17 K07.1 K08.17
FBCB2	<b>NIA</b>		<b>“ROSETTA STONE”</b>										K01.1 K04.1 K05.1 K05.17


# !st Compiler DESIGN Still the **BEST**



# How 'Bitbanks' Could Solve Bitcoin's Volatility Problem



$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange:  $MV=PQ$ . The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate





**Gamification** is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



## HOW GAMIFICATION WORKS:

### 5 COMMON MECHANICS

#### POINTS



Measure a user's achievements in relation to others  
Can double as currency to exchange for rewards

#### BADGES




Reward achievements visually

#### LEVELS




Encourage users to progress and unlock new rewards

#### LEADERBOARDS



Organise players by rank

#### CHALLENGES



Encourage engagement by offering specific tasks to complete

### 4 MAIN WAYS TO DRIVE ENGAGEMENT

#### ACCELERATED FEEDBACK CYCLES



#### CLEAR GOALS AND RULES OF PLAY






#### A COMPELLING NARRATIVE



#### CHALLENGING BUT ACHIEVABLE TASKS



## QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:  
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples




Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




CLOSER = < Infrastructure  
= CHEAPER SLA

# ElectroMagnetic waveforms



ENERGY / DATA  
Over  
Transmission  
Lines / Airwaves

Hertzian waves  
transmit Energy  
in a PLANAR transverse  
EM waveform  
producing 'Radio waves'



All Photons and EM waves  
can have various directions  
of polarisation with respect to  
their direction of propagation



Teslian waves  
transmit Energy  
in a LONGITUDINAL waveform  
producing  
'Action at a Distance'

Although they utilise the same EM energies,  
different EM waveforms can be produced  
where the Electric fields are in 90°  
opposition to each other thus  
leading to conflicting theories  
of EM wave propagation

The E fields are co-linear with the direction of propagation

Through longitudinal waves, Tesla transferred energy to receiving devices.  
He sent electrostatic forces through the air, transferred electrical energies  
and noted the lethal forces produced by these waves.


In 1887, Heinrich Hertz demonstrated the reality of  
Maxwell's electromagnetic waves by experimentally  
generating radio waves in his laboratory.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.  
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories  
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day




Volts per Second

V

## ENERGY PRODUCTION

**ABSTRACT:** A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in energy production and on change of time decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum.. the creation of a repulsion point in space through the interference of two or more longitudinal electro dynamic (micro) waves



IEEE C37.118 Time Synchronization  
Harmonization Heartbeat update Interval  
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.



(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.







# PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

## ENERGY PRODUCTION


**ABSTRACT:** A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves




WATER DROP MEME

**THESIS:** All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





## BELL STATE QUANTUM COMPUTING



### STANDING ELECTRO-MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.




"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)





# TESLA Harmonic Sphere Flux Resonator


ENERGY / DATA

**"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein**

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION  
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




**THESIS:** All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)



BELL STATE QUANTUM COMPUTING



**STANDING ELECTRO-MAGNETIC WAVE**  
A standing electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla





OPSCODE Brevity  
Codes / Symbols

USPTO 13/573,002  
573 U.S. 134 SCt 2347  
"Alice in Wonderland Ruling"

</Org\_ID> TIME CHAIN


{"URN, URN, URN"}




A.I.



SYSTEM OF SYSTEMS  
STRUCTURED DATA



WATER DROP  
PHYSICAL NATURAL  
MEME  
USPTOb13/573,002



Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter






Figure 3.6. The 200,000 second. We chose the variables for computing a three-dimensional EPOCH

$$\Delta \theta = \nabla \cdot \left[ \rho \mathbf{F} \left( \frac{\partial \Delta \theta}{\partial \theta} + \mathbf{F}(\theta) \right) \right]$$

where  $\Delta \theta = 10^\circ$  and initial conditions consisting of some Gaussian. As other cases, we also want to integrate evolution until eliminate an unphysical evolution. As seen in Fig. 3.6, the solution is converging to the equilibrium state  $\theta = 10^\circ$ , more rapidly. The final function contains periodic and quasi-periodic oscillations of the modulated wave component with our satisfied with the current approximation model unphysical or general models.



## Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESIS: All things net, net of programmable \$\$\$ are formed using:

## ENERGY / DATA WAVE METRICS / METERS



## BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)




### STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the  $E$  and  $B$  fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency  $t=1/f$ .

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

**Physical Reality:** 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light,  $\sim 3 * 10^8$  m/s, the wavelength is the Compton wavelength  $\sim 10^{-12}$  m, and the frequency  $\sim 10^{20}$  Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) \* Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional.  $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".  
(Leonardo da Vinci)


# ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the  $\Gamma$ -point (wave vector  $k \approx 0$ ) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of  $N$  unit cells, there are  $2N$  atoms and  $2N$  degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by  $2N$  harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"




FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM


"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

Δδ

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SOUND WAVES enable Different types of quantum tech to "talk"



</EVENT>

SYNC DELTA Δδ



**Eric Trump: "Bitcoin to 1 MILLION"**  
VS QUANTUM SUPREMACY



**TRUMP** Quantum SPEED BUMP ???

SOUND WAVES enable Different types of quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND  
ORG\_ID in CLEAR / Person ID encrypted  
'wave-particle duality' is simply the quantum 'uncertainty principle'

## TIME EPOCHS & SYNTAX = FOUNDATION TECH


USPTO 13/573,002 The Heart  
Beacon Cycle Time – Space  
Meter / Adaptive Template




**ABSTRACT VS NATURE:**  
**573 U.S. 134 S.Ct 2347**  
"BITCOIN's VALUE = TIME ITSELF"  
"TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

## ACOUSTIC PHONON



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE



Net of \$\$\$ formed with:  
**1 EPOCH TIME CYCLES**



2 {"Syntax"} "The Word"  
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"




[www.RLighthouse.com](http://www.RLighthouse.com)



### Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a **TIME-AVERAGED value**”



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




USPTO 13/573,002  
[sawconcepts.com/index](http://sawconcepts.com/index)

NDN {“Distance”} {“Interest”}  
IDMaps SonarHops




Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics




vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”





## Three ideas combined

HOW TRUTHCOIN WORKS:

### 1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

### 2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



### 3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

## 2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

## 3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 <sup>th</sup> of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



**NIST RANDOMNESS BEACON:** broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



## NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING



SECURE AUTHENTICATION

SECURE MULTI

PARTY /  
AUTHENTICATION

Entanglement  
Source


RANDOM  
NUMBER  
GENERATOR



**NIST**

**NON  
REPUDIATION**

Legend:  
■ App: software application  
■ DB: database  
■ Fw: firewall  
■ HSM: hardware security module  
■ RNG: random-number generator



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA  
NETWORKING**



NDN  
</Interest>  
</Distance>

SURVEY METHODS + TRIANGULATION  
Euclidian Geometry

Geodesic System Routing Info Base RIB


ACCOUNT BELONGS TO </Org\_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State Snap Shots

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **Stochastic Harmonization**










Figure 2. Illustration of the generation of the  $i^{\text{th}}$  pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons




## NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements

ALL THINGS NET FORMED WITH: Building Blocks:  
 1) EPOCH TIME CYCLES  
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

## NIST Quantum Random Number Beacon



"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:  
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain  
Time Stamp Server

### 3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves for the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.

THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER

TIME SPACE


05:08:57

NIST TIME BEACON Metrics / Meters

It's a common practice for block chains to include a timestamp every time a block is created, which is included with the block's Merkle tree root.



Block chain  
What does a block look like?



WORLD ECONOMIC Heartbeat  
ALGORITHMIC REGULATION HEARTBEAT SYNC DELTAS



Epoch Time Cycles  
E0 E1 E2 E3...



Structured Data Exchange



## QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS





# The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

# BLOCH SPHERE




## Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A  $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.






# THE 1919 WORLD SERIES

## *What Really Happened?*

**William A. Cook**



**TROLLS  
ARE DRAGGING  
DOWN AMERICAN  
INNOVATORS.**

**Stop patent trolls,  
join The Alliance.**

Application Developers Alliance



**RULING: “claims may not direct towards abstract ideas”**



# USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
  - Admin forms, fees, amendments.. MUTED
  - NO Time Stamps = TEMPORAL AMBIGUITY
  - Screen captures before / after filing 

LOCK FACE 360'  
0 / 90 / 90 / 90

## **BASEBALL "DIAMOND"**

A diamond Is a square Is a block in 3D



TOWARDS ABSTRACT IDEAS  
Physical = Opposite  
of abstract = ALICE  
HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002

- o first base  
RUNNER  Message Bus

## Firefly – Heartbeat Algo

Stochastic  
Harmonization

**FLASH**

A black arrow pointing right containing the words "FLASH MESSAGE". To its right is a blue circle with a white waveform line, and further right is a cartoon-style green ant.

INT BUS  
TIME

TIME  $\Delta t$   
TAMP Epoch

Time Cycles




USPTO APPLICATION 13/573 002

## The Heart Beacon Cycle Time-Space Meter



Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme







First  
Baseball  
Players  
Union  
Formed  
1870



Satoshi Bitcoin Blockchain  
Time Stamp Server



## Metatron's Cube and the Platonic Solids





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




## THE GREAT CONJUNCTION IN AQUARIUS

**HERALDING THE NEW AGE**  
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



**"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."**

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.


The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.

**Milton Friedman**

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



CAPITALISM AND FREEDOM  
MILTON FRIEDMAN  
WITH THE ASSISTANCE OF ROBERT FRIEDMAN



**The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10<sup>th</sup> 1960**


**Buckminster Fuller "build a new model that makes the old model obsolete"**

**Socrates: focus all your energy on building the new, not fighting the old"**

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



**METATRON'S CUBE**  
GENESIS OF ALL FORM



**THE OZ KEY**




**THE LAW OF TIME**



"Time is a created thing" Lao Tzu

"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration." - Nikola Tesla




HOPF FIBRATION






USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template




**DISNEY'S FANTASIA**



**UNIVERSAL LAW**  
**CAUSE / EFFECT**  
**ACTION /**  
**INACTION**  
**IF / Then /**  
**or.. ELSE**








# World Game Great Reset Signals Telemetry Annex K



Net, net of money \$\$\$ formed w:

1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus





Syntax lexicon comprised of 300 +

Structured data messages, message sets =

Comprehensive list of use cases, data elements supporting Internet of Everything





IoE net of value. Reference guide, data dictionary standards support










Data elements mapped to SYMBOL SETS



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE

SOUND WAVES = INTEROP







## R. Buckminster Fuller Utopia or Oblivion: the Prospects for Humanity

A challenging blueprint for the future by the world-renowned revolutionary thinker and inventor

**World (Peace) Game**  
1961 simulation by Buckminster to help create solutions to overpopulation, the uneven distribution of global resources.

**The World Game**  
Annex K  
Signals & Telemetry  
*r. buckminster fuller operating manual for spaceship earth*



**Spatial Econometrics**  
TOKEN ECONOMICS  
EVENT / ALERT BUS  
**MONEYBALL**  
ECONOMICS



What does your name mean?

Steven + McGee  
Intellectual Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!

Feb 10, 1960 Aquarius / Aquarius Rising

**The Time Keeper**  
Borderlands 4

## Alice Corp. v. CLS Bank International

573 U.S. 134

S. Ct. 2347

2014



"Claims may not direct towards abstract ideas"

Bloomberg Law:

Crypto Lawsuit Deluge




Has Big Firms Scrambling to Keep Up





Satoshi Nakamoto Reveal #2

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"

The Great Pyramid's slope angles match the angles necessary to perceive a rainbow



KANDAS Cube Remix



MYSTIC YOD

Wayward Son




The Timekeeper is the primary antagonist in Borderlands 4, a ruthless dictator who rules over the planet Kairos from on high.

A world-altering catastrophe threatens his perfect Order, unleashing mayhem across Kairos, the most dangerous planet discovered so far in the Borderlands universe

BORDERLANDS 4



USPTO 13/573,002



# FUTURE MAN

Born: February 10<sup>th</sup> 1960 & 06:44 AM

Aquarius

Aquarius Rising

Mystic Yod



**QUOTE: "As in nature, all is ebb and tide, all is wave motion, so that in all branches of industry, alternating currents, electric wave motion will have sway." Nikola Tesla**

Because abstract ideas, laws of nature, and natural phenomenon "are the basic tools of scientific and technological work", the Supreme Court has expressed concern that monopolizing these tools by granting patent rights may impede innovation rather than promote it. See Alice Corp., 573 U.S. at 216, 110 USPQ2d at 1980; Mayo Collaborative Servs. v. Prometheus Labs., Inc., 566 U.S. 66, 71, 101 USPQ2d 1961,

