
The Heart Beacon
Time – Space Meter
TERRACYCLE
Cycle
BIOCOIN
{"URN"}
{"Org_ID"}
CODE MONKEY
K %
Rule
Bitcoin Army
Skycoin
Obelisk: The Skycoin Consensus Algorithm
Hcash
Open Source
Coder's Guide
SAVE WORLD
www.codemonkeycomix.com
- 300+ Structured Data Template Use Cases
- Syntax Lexicon Library Code Repository
- IeT / IoT, Big Data, net of $ Bitcoin Blockchain Sync
- Ecologically supportive Econometrics Metrics, Meters
- Swords To Plowshare Network Enabled Operations NEO Reuse
Jouliette'
EXERGY
SYMBOLS ARE THE UNIVERSAL LANGUAGE
SYNTAX LEXICON
TERRA TRC
300+ Templates
ROSETTA STONE
STRUCTURED DATA SETS
FFIRNS
FFUDNS
BREVITY CODES
NET
NEO
Enabled Operations
HEART BEACON
Sculpture
Beacon Communities
TERRACYCLE
Spatial Econometrics
BFI
THE WORLD GAME
Federation Gateway
EVENT / ALERT BUS
ANNEX
SIGNALS & TELEMETRY
r. buckminster fuller
"Build a new model
operating manual
for spaceship earth"
Vernetzte Operationsführung
OOTW: Operations Other Than War
BLOCK
OFF SHORE
OUTER BANKS
UNIVERSAL MEME / METAPHOR
JAEGER
FIREFLY
HEARTBEAT
ALGORITHM
EVENT / ALERT Flash Heartbeat Message Bus
KAIJU
MONEYBALL
ECONOMICS

MINIMUM LIST OF COMPONENTS, BUILDING BLOCKS, PROCESSES, PROCEDURES AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DISTRIBUTED AUTONOMOUS ORGANIZATION CONSENSUS

HEART BEACON CYCLE

TERRACYCLE

Series of systemic actions to achieve goals ex: form, maintain ECO sustainable Trade Federations i.e., closer = < fuel, $$

PROCEDURAL TEMPLATE

Checklist Items refers to detailed treatises

{"Org_ID"}
{"URN"}
{"URN"}

Federation Gateway

Off Site connect

PROXIMITY BEACONS

TESLA

Cloudcenter

Sync to Closest Heartbeat

Firefly-Heartbeat Algorithm

{"EVENT_BUS"}

A continuous action, operation, or series of changes, sync deltas i.e., price indexes

Universal Event Bus Algorithm
Process Events by Precedence

Flash Heartbeat Neural Net messages

Sync geo-spatial temporal Eco econometrics across time-space

MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

1) Organize by assigning Organization Identifiers {"Org_ID"}
2) Track Resources by Uniform Resource Name </URN>
3) Take State Meta Data heartbeat snapshots @ 15 / N min
4) Honor Satoshi's intent for Bitcoin to be paired w markets
5) Use NIST Quantum Random Non-Repudiation Beacon
6) Earth Day Everyday / Spaceship Earth's Signals & Telemetry Annex

NAMED DATA NETWORKING

{"Interest"}
{"Distance"}

Bitcoin Army

Erlang Time equations

MONEYBALL ECONOMICS

{"Org_ID"} {"URN"} {"URN"}
Multi-Meme Multi-Meter

Spatial Econometrics

ERLANG

Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities"... German Bundeswehr : concepts of "Network Centric Warfare" in the United States of America, "Network Enabled Operations" in Great Britain or "Vernetzte Operationsführung" in Germany

JBFSA "PAINT IT A DIFFERENT COLOR" Joint Blue Force Situational Awareness

Federation Gateway

"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"

TERRACYCLE

300 +TEMPLATE FORMS STUCTURED DATA EXCHANGE

https://neo.org

DISTRIBUTED SMART ECONOMY NETWORK

NEO





WORLDBEYONDWAR.org a global movement to end all wars

Reuse best practice procedural template guides from Battlefield Digitization describing when, where, how, how often systemically among a systems of systems improving synergy and synchronicity

DOD SITUATION AWARENESS PROGRAM SWORDS TO PLOWSHARES OOTW IDEA BY GERMAN MILITARY CIRCA 2003

OPERATIONS OTHER THAN WAR

Beacon Communities

OFF SHORE OUTER BANKS

Vernetzte Operationsführung

Closer < $$$ < FUEL

Proximity Beacons

JAEGERS

BIOCOIN SUPPORT YOUR LOCAL FARMER

FIREFLY HEARTBEAT ALGORITHM

EVENT / ALERT Flash Heartbeat Message Bus

DAO: Distributed Autonomous Organization

RAND term circa 2000 / The TAO OF THE DAO

SWARMING AND THE FUTURE OF CONFLICT







http://cointelegraph.com/news/112077/the-new-frontier-after-cryptocurrency-cryptoequity

Taoism Philosophy

Taoism represents:

- Contraction of the past to the future.
- The transcendence of time and place.
- The balance of the old and the new.
- The balance between opposing forces and desires.

Overall the Taoism Philosophy represents "The Way" in which to live.

(An ancient philosophy tradition. This article involves the yin-yang the principle of harmony and change.)

Eris, The Dawn of Distributed Autonomous Organizations and The Future of Governance

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

1. FEDERATION: Latin: foedus, foederis, covenant, union of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain AUTONOMY
3. A federated body formed by nations, states, and… unions

each retaining control of internal affairs

Federation Gateway

{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}

{"GROUP ID"}

Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the CHANNEL

Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – FEDERATED ID {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION

DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp
term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name

IeT DEVICE / PLATFORM
IoT SENSOR DEVICE

{"Asset_Type"}

FIREFLY FLASH
HEARTBEAT MESSAGES
</RESOURCE> {"URN"}
{"Asset_Class"} </URN>

EVENT BUS
Signaling, Telemetry

UUID
123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002

STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES

{"DUNS #"}{"Org_ID"} Heartbeat Snaps
QR CODE
{"URN"{"URN"}{"URN"}
MICRO-CYCLES

Net / Net of $$$ formed:

Time Epoch Cycles {"Syntax"} Instructions

"In the beginning" "The Word"

"Bitcoin is a LANGUAGE"
DIGINOMICS

"Bitcoin's Value is TIME itself"
"Time is specified in units of transaction block confirmation times"

FUTURE MEMES DOT COM

WIRED

"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA"

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

BITCOIN BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE *METAPHORS / MEMES*

ALICE CORP VS CLS BANK
"claims may not be directed towards an abstract idea"
US SC 573 US 134 2347

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

DAG
Acyclic
Cyclic

Gideon Greenspan "Beware the impossible smart contract"

BNC. BRAVE NEW COIN

CoinDesk

"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL., DAML Digital Asset Modeling Language"

ARTICLE LINK

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

HASH TABLE
Nonce / Syntax
3 X 5

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

90 feet

90 feet

I.R.S. Org ID

#1421
Blockchain Blocks / Coins Awarded

EVENT BUS

first base

FIX {"108"}
Firefly Heartbeat
Algo

UMPIRE

home plate

SYNC Deltas

MICRO-CYCLES

Survey Point

SC 573 US 134 2347
Physical = Opposite Of abstract
Euclidian Geometry
TRIANGULATION..



"Closest path to Knowledge of Truth is nature" Luxor Temple

XBRL / CDL / DAML
STOCK MIC CODES
STRUCTURED DATA EXCHANGE TEMPLATE FORMS
300+ USE CASES
LOGIC / FILTERS
SYNTAX / SYMBOL LEXICON LIBRARY

NATO SYNTAX LEXICON Library

1st Compiler

Alpha Numeric Brevity Codes

SYMBOLS ARE THE UNIVERSAL LANGUAGE

Coder Guide Rosetta Stone

Firefly - Heartbeat Algo

University of Bologna Italy / Hungary

TERRACYCLE

THE HEART BEACON CYCLE ("108")

K%

ECONOMIC MACRO CYCLES ECONOMIC HEARTBEAT

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

Luxor Temple Egypt:
"The shortest road towards knowledge of truth is nature"

DFINITY WORLD COMPUTER NEURAL NET EMULATION

æternity blockchain

ERLANG

BLOCKCHAIN PARSING TIME EQUATIONS

COMMODITY PRICE INDEX

STAT MEAN VALUE INDEX

SCHELLING POINT TRUTH

Price Indexes in Time and Space

Methods and Practice

FRIEDMAN's K% RULE

ALGORITHMIC REGULATION

ASSET TOKENIZATION

HEARTBEAT FLASH MESSAGE EVENT BUS

PRECEDENCE PROCESSING ETHEREUM GAS THRESHOLD METRICS

Crypto Currency TIME STAMP SERVER / SERVICE

LEAD ECONOMIC INDICATORS

currencyindex

ETF

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

SYNC TO CLOSEST HEARTBEAT

STOCHASTIC HARMONIZATION

HEARTBEAT EVENT FLASH MESSAGE BUS

FIX {"108"} $$$

{"Org_ID"} CURRENCY PAIR

MFID EVENTS SAMPLING

{"URN"} {"URN"} {"URN"}

Universal Metrics / Meters

Sustainable Stock Exchange

World Economic Heartbeat

Geo-Spatial Temporal Pulse

ON / OFF SHORE

SYNC DELTA STATE META DATA SNAPSHOTS

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

{"URN"} {"URN"}

{"DAO_ORG_ID"}

$$$

MICRO Payments

DEMURRAGE PARKING Logistic Fee Incentives

EVENT STATE SNAP | SYNTAX NONCE HASH | EVENT STATE SNAP | SYNTAX NONCE HASH | EVENT STATE SNAP

BITCOIN BLOCKCHAIN ASIC Chip CLOCK CYCLE EPOCHS

cycle n → n + 1 → n + 2

"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"

THE TERRA (TRC)

Trade Reference Currency



Friedman's K % Rule

{"TAGGED BITCOINS"}
{"URN"} {"URN"}
</URN> </URN>
{"URN"} {"URN"}

SHELLING POINT



Price Indexes in Time and Space

currencyindex



$0.49 USD

Ƀ 0.001076 BTC

DEMURRAGE FEES

Obitcoin

MICRO PAYMENTS

Terra Trade Reference Currency TRC "world currency"
Bernard A. Lietaer Belgian economist proposed 1991
Basket of 9-12 most important commodities. Public
issued demurrage fees for storage, shipping, handling

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UNIVERSAL TIME ZONE UTZ



Example: 100 Terra = 1 barrel oil
+ 10 bushels of wheat
+ 20 kg of copper + 1/10 Oz gold

STOCHASTIC HARMONIZATION

UNIVERSAL MESSAGE EVENT BUS

{"Org_ID"} {"URN"}

("Commodity_Tokens"
{"TAGGED BITCOINS"}

FIREFLY – HEARTBEAT ALGO
MATCH FIREFLY EVENT SYNC
TO CLOSEST CLOCK CYCLE

vector vector
Closer is Cheaper Closer is Faster

Proximity Beacons

Int'l Date Line

Logistics Demurrage fees

Process Events By Precedence

Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes agree on it eventually"

EVENT BUS

Time Series

Int'l Date Line

Value

Time

EVENT BUS
HEARTBEAT
FLASH MESSAGES
</URN> {"ORG_ID"}

Geo Spatial Temporal Series

French newspaper "Le Fédériste"
"L'Europa monnaie de la paix"
Money of peace" Born Jan 1st 1933 $$$

EDISON / FORD
MONITARY
OPTION 1921

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



'K-Percent Rule Macro economic money-supply automatically adjust money supply by a set amount ("K" variable) regardless of the cyclical state of the economy e.g., set growth variable at rate = to real yearly % GDP $\Delta\delta$

LEADING ECONOMIC INDICATORS



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



DAO TRADE FEDERATIONS USE COMMON COMPONENTS, PROCESSES, METHODS, METRICS, METERS SIGNALING TELEMETRY SCHEDULE IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS / OPERATIONS SLA/O

MINIMUM LIST OF COMPONENTS, BUILDING BLOCKS, PROCESSES, PROCEDURES AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DISTRIBUTED AUTONOMOUS ORGANIZATION DAO CONSENSUS




ADAPTIVE
PROCEDURAL
TEMPLATE
CHECKLIST
SHARED
BUILDING
BLOCKS
BITNATION
GOVERNANCE 2.0
CODE for AMERICA
Bitcoin Army
PAX
NGO
MIL
ACA
LEA
CIV
GOV
COM
MDA
Earth Intelligence Network
Creating a Prosperous World at Peace
RIG
#UNRIG
TERRACYCLE
BLOCKTIME ARBITRAGE
Monnaie de la paix 1933
TERRA
TRC
TRADE
REFERENCY
CURRENCY
ECONOMIC
HEARTBEAT
WorldCoinIndex
K%
GDP
USDe
PANGEA TOKENS
ALGORITHMIC REGULATION
Statistical Mean Value Index
1. FEDERATION: Latin: foedus, foederis, covenant, union of partially self-governing states or regions under a central Gov
2. League or confederacy. Individuals, groups retain AUTONOMY
3. Formed by nations, states, unions each retaining control of their own internal affairs, economy, sovereignty
Federation Gateway
STELLAR LUMEN
Dogezer
golem
WORLDWIDE SUPERCOMPUTER
TOKEN WEB 3.0
æternity
blockchain
NEO
OFF-SITE/ PAGE
MEDIATION
GATEWAY
SHYNET
Earth Intelligence Network
{"URN"}
{"URN"}
Veritaseum
district0x
DISTRIBUTED
SMART ECONOMY
99%
.01%
PANTERRA PCA
CREDIT UNIONS
CU Ledger
P2P Foundation
NEO
KARMA
ECONOMY OF TRUST
FAIR
ONE WORLD
TRADE
FAIR
TRADE
Spatial Econometrics
BFI
THE WORLD GAME
ANNEX
SIGNALS
&
TELEMETRY
r. buckminster fuller
"Build a new model
operating manual
for
spaceship earth"
Beacon Communities
Vernetzte Operationsführung
OOTW: Operations Other Than War
news
JAEGERS
OFF SHORE
OUTER BANKS
EVENT / ALERT BUS
MONEYBALL
ECONOMICS
KAIJU
FIREFLY
HEARTBEAT
ALGORITHM
EVENT / ALERT Flash Heartbeat Message Bus

NAMED DATA NETWORKING

<CONTENT> CENTRIC NETWORKING

ICS-ISAC

<ORG_ID>
<ORG_ID>
<ORG_ID>
<URN>
<URN>

URI

URL | URN

ARIN

American Registry for Internet Numbers

<GLOBAL> <JOINT> <COMMUNITY><DOMAINS><SHARED><PRIVATE>
</INTEREST> <STRAT_ML> <IODEF_RID> </DISTANCE>

Uniform *Resource Names* (*URNs*): A Uniform Resource Identifier (URI). Both URNs (names) and URLs (locators) are URIs, and a particular URI may be a name & locator Each plays a specific role:

- URNs IDENTIFICATION (SENSORS, DEVICES)
- URCs INCLUDE META-INFORMATION
- URLs LOCATE / FIND RESOURCES

<DATA CLASS TYPES>

Situational Awareness Reference Architecture (SARA)

IDENTITY, Inventory, Activity, and Sharing

<Federated ID> <URN> <type_event> <Data Class Types>

STRUCTURED MIILITARY MESSAGING FORMS: FIELD TYPES, FILTERS, TAGS
PARSED, PROCESSED, COMPILED TELEMETRY SIGNALING STANDARDIZATION

SITUATION AWARENESS

NEWSCAST

USMTF / XML MTF FORMATTED MESSAGE CATALOG
Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio

MIL STD 2525A

STRUCTURED <CONTENT> TEMPLATES

FILTERS LOGIC

DISTANCE ESTIMATE SERVICE

IDMaps
SonarHOPS

SURVEY METHOD
ID <ITEMS><INTEREST>
GEO-SPATIAL AREA
TEMPORAL INTENSITY
MEASURES / METRICS

BY <TAG_TYPES>

Ledgers
Contracts
Trade SLA
Agreements

K00.99 Heartbeat Message

CrowdSourcing

TRIANGULATION

TELCO MESH FABRIC

vector

CROWD SOURCING / FUNDING

</Organizational_Identifier_Org_ID>
Organizational Units OU, OU, OU



<Org_ID>
<Org_ID>
<Org_ID>
<Party>
<Party>
<Party>
<URN>
<URN>
<URN>
<URN>

KEYSTONE FEDERATION

-ROLES:
- <OPS>
-<INTEL>

Identity Provider
- Mapping
- Protocol

openstack

PARTIDO X:
Distributed
Democratic
Participation

ETHEREUM:
Decentralized
Autonomous
Organizations

DAO

VOTE ON BLOCKCHAIN

PARTIDO DEL FUTURO

FEDERATED ID

THE BITCOIN BLOCKCHAIN FOR DUMMIES

What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakimoto Bitcoin Paper

Satoshi Nakamoto

Craig WRIGHT a.k.a. Satoshi Nakamoto

"Bitcoin is a LANGUAGE"



Wright Brother's 1st Flight Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

Bitcoin Protocol for Dummies
Part 4 Timestamp Server



alphanumeric string a.k.a hash

Event Bus

"All things internet, net of money formed with 1) time epoch cycles 2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"

BITCOIN BLOCKCHAIN ASIC Chip CLOCK CYCLES / EPOCHS

cycle n → n + 1 → n + 2 → Δ δ

JapanNet Crypto Time Authentication Service (Timestamp Service)



Event Bus

{"EVENTS"}



peer-to-peer time stamp distributed server generates computational proof of the chronological order of transactions

TIME EPOCH CYCLES

MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp)... {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.
Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

3 X 5

HASH TABLE
Nonce / Syntax

90 feet

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

MICRO-CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume



Org ID

#1421

Blockchain Blocks / Coins Awarded

EVENT BUS

90 feet

90 feet

Survey Point

home plate

UMPIRE

first base

SC 573 US 134 2347
Physical = Opposite Of abstract Euclidian Geometry
TRIANGULATION..

FIX {"108"}
Firefly Heartbeat

Algo



All things internet of money are formed w CPU time cycles used to process, syntax, instruction / code

USPTO 13/573,002
HEART BEACON CYCLE
TIME – SPACE METER

"Bitcoin is a Language"

WIRED

"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA"

Alice Corp. v. CLS Bank International, 573 U.S. __, 134 S. Ct. 2347 (2014),[1] was a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.

EVENT BUS



Block #2A4
prev #473
txn 634...
txn a98...
txn 44c...
...

Block #7CF
prev #2A4
txn 43e...
txn 12a...

Block #8FA
prev #7CF
txn 8be...
txn 839...
txn 326...
...

BLOCKCHAIN = TIME / SYNTAX

TIME

DATA ELEMENTS
ID'd by Alpha-Numerics

$\Delta\,\delta$ CODE SYNTAX

CODE RUNNER

BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"

USPTO 13/573,002
PHYSICAL MEME
MAIN EMBODIMENT

BLOCK

State Meta Data Snapshots

XBRL / CDL / DAML
STOCK MIC CODES

RULES
Metrics
$\Delta\,\delta$

ROLES
Meters

Multi-Meme Multi-Meter

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

$\Delta\,\delta$

TIME EPOCH CYCLES

SYNTAX LEXICON LIBRARY



Fig. 1

Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or SYNTAX, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

ORACLE Veritaseum

US Patent No: 7,257,455
DISCOVERY MACHINE Inc.
Williamsport PA
Little League
Baseball Capital of
the World

Fig. 8

Discovery Machine® Inc.



System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3

13/573,002 HBC
Physical Meme



FINANCIAL NOSTRADAMUS
REGGIE MIDDLETON
("Tagged_Bitcoins")

"BITCOIN IS A LANGUAGE"

UNIVERSAL DATA EVENT BUS
FIREFLY EVENTS FLASH MESSAGES
Sync To Closest
FIREFLY HEARTBEAT ALGORITHM
ERLANG BLOCKCHAIN PARSING
HEARTBEAT EPOCH

Stochastic Harmonization



Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>

NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M

AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID

GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

vector

{"URN"{"URN"}

{"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O /O // (NU) MESSAGE IDENTIFIER

M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

M // (NU) REFERENCED MESSAGE

DATE-TIME GROUP

M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M // (NU) 1.A ENEMY FORCES / COMPETITORS

M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M // (NU) 1.C ATTACHMENT / DETACHMENT

M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 // (NU) 4 ATERIEL AND SERVICES

DICAL EVAC & HOSPITALISATION

- MILITARY OPERATIONS

SYMBOLS	Friend	Neutral	Hostile
	Partner		Competitor

NUMBERS ARE THE UNIVERSAL LANGUAGE / Symbols Rule the World"

ΔδINDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99

PURCHASE CODES

FEDERATED PEGS

{"ASSET_CLASS"}

{"ASSET_TYPES"}

{"URN"}

{"URN"}

ISO 10383 – MIC

Market Identifier Codes

DAO

{"URN"}

{"Org_ID"}

K00.99 / FIX / SWIFT / E-911 Heartbeat Message

STOCK EXCHANGE MIC CODES

NDN NAMED DATA NETWORKING PRECEDENCE PROCESSING

FILTERS

INFOCON 5 4 3 2 1 INFORMATION CONDITION

STRUCTURED <CONTENT> EXCHANGE TEMPLATES

XML

MIL STD 2525ABC

Universal Parser

json

"SYMBOLS RULE THE WORLD"

SIOP

STRATML

XAML

xBRL

BINARY XML

UBL

DDL DATA DEFINITION LANGUAGE

TOSCA

YAML

11.8 - Kinemati
11.8.1 - Pos
11.8.1.1 -
11.8.1.
1.2.3 - Predicted
1.2.4 - Smoothed Data
3 - Position
1.3.1 - Bearing Angle
1.3.2 - Location; 2D Hor
1.3.3 - Vertical
4 - Velocity
1 - Horizontal
2 - Vertical
Confidence
Bearing Angle
Bearing Angle Rate
Covariance Matrix

ALPHA-NUMERIC BREVITY CODES

USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, **CONSENSUS** Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a **highly efficient info payload to overhead ratio**

FROM | GCCS-A | ASAS | C002 C203 F002 F014 F015 S201 S309 | C002 C203 | C002 C203 | C002 | ATDS | C203 F014 F541 S305 S309 | CODE GUIDE MCS | C002 C203 E400 F002 F014 F015 F541 S201 S309 S507 | F002 F015 S201 | C203 C400 D630 E500 F002 F014

INFOCON 5 4 3 2 1 INFORMATION CONDITION

A423 C203 C505 F002 F014 F015 F541 S201 | MCS | SIOP

A423 C400 C505 F002 F014 F015 F541 S201

"SYMBOLS RULE THE WORLD"

Information Elements Roles

- COI Determination Org Interaction
- Search and Discovery
- Ontologies STANDARDS
- Taxonomies REFERENCE
- Metadata Attributes / Filters FILTERS

('Org_ID"} {"URN"}

FFUDN: Field Format Unit Designator #

FFIRN Field Format Index Reference #

Structured military messaging ID's messages, message sets, data element, symbol fields BY Form Field Position & NUMBER

NDN

Firefly-Heartbeat Flash Messages

HEARTBEAT MESSAGE = K00.99

PROCESS MESSAGE BY PRECEDENCE
UNIVERSAL EVENT / ALERT MESSAGE BUS

MESSAGE CATALOG 300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

Object Categories	Examples	Information Categories and Examples: Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA EXCHANGE Message Sets					
		lat/long	spd/hdg	country / alliance, type/class	readiness	targeting, reconitering	COA {"Java JS"}
		Machine Trust Language MTL			CDL Contract Description Language		YAML
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationships	BDA, op levels	repair, broadcasts	expansion plans
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures					
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth					

E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADILs	MTF
Entity	Class	Table	Class	Element	Message	Message
Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFIRN / FFN / FUDN
Domain Value	PURCHASE CODES	Instance, Value	FEDERATE		DUI	FUD

OPERATIONAL NODES / ACTIVITIES

DATA SYSTEM FUNCTIONS PERFORMANCE

11.4 - Classification
11.4.1 - Category
11.4.1.1 - Confidence Level
11.4.1.2 - Estimate Type
11.4.1.2.1 - Alternative
11.4.1.2.2 - Evaluated D
11.4.1.3 - Value
11.4.1.3.5 - Surface
11.4.2 - Platform / Point / Fea
11.4.3 - Specific Type
11.4.4 - Type Modifier
11.4.5 - Unit

11.8 - Kinematics
11.8.1 - Pos / Vel / Acc (PVA)
11.8.1.1 - Acceleration
11.8.1.1.1 - Angular
1.1.2 - Linear
2 - Estimate Type
1.2.1 - Estimated
1.2.2 - Observed
1.2.3 - Predicted
4 - Velocity
1.4.1 - Horizontal
1.4.2 - Vertical
VA Confidence
1 - Bearing Angle
2 - Bearing Angle Rate
3 - Covariance Matrix

PURCHASE CODES

ture Type

SYMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor

NEO NET Enabled Ops: individuals are monitored within groups for Logistics, operational readiness. Groups are defined by statistical readiness / availability to support goals / projects

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = sync to the closest OPTEMPO HEARTBEAT

NEURAL NET EMULATION

NATO NEO NETOPS Situation Awareness

INFOCON 5 4 3 2 1 INFORMATION CONDITION

FMN FEDERATE SHARE, WIN

GLOBAL ECONOMIC HEARTBEAT

FIX ("108") K %

FED USDe COIN

BLOCKTIME ARBITRAGE STATISTICALMEAN VALUE INDEX

Universal Event / Alert Bus

PROCESS BY PRECEDENCE

{"URN"} {"URN"} {"ORG_ID"} {"ORG_ID"}

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UNIVERSAL EVENT / ALERT FLASH HEARTBEAT MESSAGE BUS

-11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 +1 +2 +3 +4 +5 +6 +7 +8 +9 +10 +11 +12 -12

TIME – SPACE EQUATIONS

BLOCKCHAIN PARSING

ERLANG

ERICSSON MONEY OF PEACE

ERICSSON

ECO RESPONSIBLE ECONOMETRICS CLOSER = < FUEL

UTZ TIME ZONE STOCHASTIC HARMONIZATION

Firefly- Heartbeat Algorithm

ON / OFF SHORE

UNIVERSAL MEME METRECS / METERS

PROXIMITY BEACONS

STATISTICAL MEAN VALUE INDEXES SCHELLING POINT TRUTH

{"URN"}

IRS #1421

Int'l Date Line

+14

Int'l Date Line

vector

Unused Resources

vector UNMET NEEDS

State Meta Data Heartbeat Snaps

Δ δ

MICRO CYCLES

IDMaps SonarHops

TIME / DISTANCE ESTIMATION SERVICE

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

NET ENABLED OPERATIONS

NEO NET Enabled Ops: individuals are monitored within groups for Logistics, operational readiness. Groups are defined by statistical readiness / availability to support goals / projects

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = sync to the closest OPTEMPO HEARTBEAT

NEURAL NET EMULATION

NATO NETOPS

SHYNET

FMN FEDERATE

GLOBAL ECONOMIC HEARTBEAT

Universal Event / Alert Bus

PROCESS BY PRECEDENCE

Dogezer software development platform allows team members to become product investors by investing their time, labor. The Dogezer Platform combines the functionality of Kickstarter, UpWork, GitHub, Slack, Jira, Google Docs, Dropbox and ICO analogues with a set of defined processes how these solutions relate to each other in a clear, transparent and predictable way. Dogezer gives an opportunity to start a project in minutes; organize a set of teams working on the project; define how project contributions are rewarded, driving a project to completion by using independent contributor skills around the world.

TOOLSET: Kickstarter, UpWork, GitHub, Slack, Jira, Google Docs, Dropbox, ICO…

CODER'S GUIDE

NATO

STRUCTURED DATA EXCHANGE

300+ TEMPLATES

PROJECT HBCnet: build artificial intelligence neural network supporting #UNRIG's Earth Intelligence Network EIN with Signals, Telemetry Mesh

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.


DAO
Federation Gateway
ECONOMIC HEARTBEAT
{"108"}
K %
TRC TRADE REFERENCE CURRENCY
STATISTICAL MEAN VALUE INDEX
ALGORITHMIC REGULATION
TERRA
TRC
BIOCOIN
SUPPORT YOUR LOCAL FARMER
FARMERS COOP ASSOC.
SCHELLING POINT = "TRUTH"
CONTRIBUTIONS TO STATISTICS
LEADING ECONOMIC INDICATORS
{"URN"}
LEADING ECONOMIC INDICATORS
currencyindex
COMMODITIES
TERRACYCLE
Spatial Econometrics
$0.49 USD
MICRO
Obitcoin
PAYMENTS
Demurrage
INFOCON
5 4 3 2 1
INFORMATION CONDITION
MONEYBALL ECONOMICS
Price Indexes in Time and Space
Methods and Practice
SchellingPoint
Service Level Agreements SLA / O
incentivize Eco sustainable transactions
leveraging Crypto-currency Micro -
payments for TERRA Trade
Reference Currency demurrage fees
smartlands
{"URN"}
{"Org_ID"}
The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. UTZ TIME ZONE STOCHASTIC HARMONIZATION
TIME – SPACE EQUATIONS
BLOCKCHAIN PARSING
ERLANG
ERICSSON MONEY OF PEACE
ERICSSON
PROXIMITY BEACONS
NEURAL NETWORK CONSENSUS ALGORITHM
MATCH EVENT ALERTS to CLOSEST OPTEMPO HEARTBEAT
{"URN"}
UNIVERSAL EVENT / ALERT FLASH HEARTBEAT MESSAGE BUS
Firefly- Heartbeat
Algorithm
UNIVERSAL MEME METRECS / METERS
INFOCON
5 4 3 2 1
INFORMATION CONDITION
I.R.S.
IRS #1421
ON / OFF SHORE
Int'l Date Line
vector
Unused Resources
vector
UNMET NEEDS
State Meta Data
Heartbeat Snaps
IDMaps
SonarHops
MICRO CYCLES
TIME / DISTANCE ESTIMATION SERVICE
The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.


High Frequency Trading
With
FIX TRADING COMMUNITY
INDUSTRY-DRIVEN • INDEPENDENT • NEUTRAL
START
STOP
{"EVENT"}
CIRCUIT BREAKER
START / STOP
TIME TO
LIVE TTL
FIX {"108"}
HEARTBEAT
Sustainable
Stock Exchanges
Initiative
SSE
TTL
ECONOMIC
HEARTBEAT
FIX "108" Heartbeat
{"EVENT"}
FIX
{"108"}
Lead Econ Indicators
WORKER/TASK
HEARTBEATS
STORM
Equilibrium
Game
Theory
NASH
Equilibrium
Algorithms
K % ALGORITHMIC REGULATION
UTZ TIME ZONE Stochastic Harmony
HFT / BLOCKCHAIN SPEED PARITY
LAST LOSS
STOP
AAA/
Aaa
AA/Aa
A/A
BBB/
Baa
B/B
500
400
300
200
100
STOP
5
4
3
2
1
RISK CORRELATION
IBM = $50.25
IBM = $50.15
IBM = $50.00
Stock Price Server in
New York
Stock Trader in
Chicago
Stock Trader in
London
10 msec
500 msec
1000 msec
2000 msec
{"108"}
{"108"}
{"108"}
{"108"}
Figure 1: Latency induces uncertainty for traders "further"
away from a centralized resource.
Blockchain
ItBit
Tranch{"class"}PRECEDENCE
{"Asset_class"} PROCESSING
The current standard time common throughout the world is based on a 24-hour clock, with
zones that are are either 12 hours ahead or behind Coordinated Universal Time (UTC).
However, these time zones are decided upon by individual governments, without overall coordi-
nation and can even extend fourteen hours ahead UTC
MASTER
CONTROLLER
Send signal to</108>
Master process ID #
= new config /
Lord
Business
Worker process
checks new
config
NGINX
-11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 +1 +2 +3 +4 +5 +6 +7 +8 +9 +10 +11 +12
-12
TTL
SAMPLE PRICE, TRANSACTION RATE, SPEED, LOCATION
Server on /off floor adjust
STOCHASTIC HARMONIZATION
</108>
</108>
SYNC TO CLOSEST
MFID II
IDMaps
I.R.S.
SonarHops
Time-Space
Meters
Metrics
IP
Pairs
HB Cycle
SYNC
SYNC
On Shore /Taxable Events
Off Shore
"LENGTH OF REAL TIME CYCLE IS
ARBITRARY AS LONG AS NODES
EVENTUALLY AGREE
Int'l
Date
Line
+14
Int'l
Date
Line
{"ORG_ID"} {"URN"}{"URN"}
FIREFLY
HEARTBEAT
ALGO
{"EVENT"}
{"EVENT"}
STATE
META
DATA
SNAPS
Veritaseum
{"Tagged_Bitcoins"}
Crypto Currency ASYNC TRANSACTION EVENTS
Flash Message
Event Bus
The proposed Universal Timezone System would do away with all these differ-
ent time zones. Instead, it would be the same time all over the world, all the time.
High-Speed Traders, A.I. Bandits, and the
Threat to the Global Financial System
DARK POOLS
{"ORG_ID"} {"URN"}
SCOTT PATTERSON

Blockchain : linked list of records of transactions involving data state changes over time. Linkage of blocks of records is done using cryptographic algorithms, that merge together information about transactions recorded in the current block, and information about the preceding block.



BLOCK: container (or simply a descriptor) of data relevant to this blockchain. The data is typically a collection of transactions that describe changes to the data. Blocks contain a header holding meta-information about blocks, including a reference to the preceding block.

HASH: value computed by an algorithm uniquely identifying input data without revealing the contents of that data. Hash values are used to ensure the veracity of data on the blockchain. Block headers contain the previous block's hash, ensuring integrity of entire chain

GENESIS BLOCK: first block in the chain created when a blockchain is first deployed, serving as the anchor to which all other blocks link.

TRANSACTION: record of change to data set (s). Transactions are based on rules defined by the blockchain e.g., . rules comprise contracts

SMART CONTRACT: may include behavior / actions to trigger events that independently create transactions.

Node: host in a network capable of adding blocks to chain (s). The way nodes are able to do this varies based on the needs of the chain.

Distributed Ledger: recording of transactions shared across nodes. A blockchain on which many nodes contribute blocks

Consensus: distributed ledger blockchain nodes strategy determines chain's correctness
Consensus strategies: "proof of work," "proof of stake," and "delegated proof of stake"

Proof of work (PoW)– A consensus strategy with a computationally difficult challenge to solve to find the hash of a new block, the discovered solution is easy to verify, allowing the other participating nodes to quickly agree that new block is correct

Proof of stake (PoS)– A consensus strategy that relies on nodes which hold collateral to participate in contributing blocks to the chain.

Delegated proof of stake (DPoS): variation of proof of stake where responsibility of the creating blocks is delegated to third party nodes, known as "witnesses."

Witness– A node in a DPoS blockchain that performs the task of creating new blocks.



PROOF-OF-WORK

THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER

Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address. Nonce allows checking the work without retracing all the procedural steps.

TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner

THROTTLE equivalent to difficulty.
•target = maximum value of 8 bytes (2^64) divided by the difficulty.

NONCE increments from 0..N until the target is met.

GUESS stores the guess
Effectively, it begins at infinity.

FIREFLY-HEARTBEAT ALGORITHM
STOCHASTIC HARMONY ACROSS TIME ZONES

MESSAGE ex:
•Hashing string
•Hash Table

300+Message Templates

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

HASH TABLE
Nonce / Syntax
3 X 5

90 feet

State Snap Shots

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

SC 573 US 134 2347
Physical = Opposite Of abstract
Euclidian Geometry
TRIANGULATION..



first base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

90 feet

90 feet

Survey Point

UMPIRE

home plate

MICRO-CYCLES

FIX {"108"}
Firefly Heartbeat
Algo

SYNC

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX



CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

HASH TABLE
Nonce / Syntax
3 X 5
90 feet

crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta
Data Snapshots

MICRO-CYCLES

I.R.S.

Org ID

#1421

Blockchain Blocks / Coins Awarded

EVENT BUS

90 feet

90 feet

Survey Point

home plate

UMPIRE

SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

first base

FIX {"108"}
Firefly Heartbeat
Algo

SYNC
Deltas

A BASEBALL DIAMOND IS A SQUARE. HBC USES A BASEBALL METAPHOR TO DESCRIBE METRICS, METERS. ROUNDING BASES FORM A BLOCK. METRICS, METERS & SURVEY METHODS MEASURE COIN MINING COMPLETION % AWARDS

Euclidean Geometry

STRUCTURED {"CONTENT"} TEMPLATES

SYNTAX, SYMBOLS
LEXICON LIBRARY

LOGIC – FILTERS
CODE SEQUENCE

ROLES / RULES

Firefly – Heartbeat Event Bus

Attribute Series

Digital Asset Modeling Language DAML

Contract Description Language CDL

{"INTEREST"}
{"DISTANCE"}

FBI

4DMaps
SonarHops

NAMED DATA NETWORKING

Time Series

Value

Time

time

FIX {"108"}

</INTEREST>

distance

NDN

1: prove coin ownership <Org_ID> Coin Issuer
2: # coins sent where, when Lat / Long, DTG
3: NIST Random # Beacon Non-Repudiation
4. Issuing {"Org_ID"} adjudicates w buyers

TRANSACTIONS PER CYCLE METRICS

COMPUTER CHIP EPOCHS

cycle n | n + 1 | n + 2

SPATIAL TEMPORAL Series

PROOF-OF-STAKE

FIREFLY-HEARTBEAT ALGORITHM EVENT BUS

Stake-Time algorithm favors both # of coins held & how often, frequently coins are staked

Velocity based selection PoSV encourages velocity i.e. coin movement between people Vs hoarding.

O'REILLY
Time Series Databases

Coin Age proof-of-stake system combines randomization with the concept of "coin age," a number derived from the product of the number of coins times the number of days the coins have been held.

Randomized block selection randomization predicts following generator by using a formula that looks for the lowest hash value stake size

Voting based selection Instead of only using the stake size, the block generators can be selected by votes ex: League MVP

Voting Based Selection: stake size & block generators selected by votes

VOTE

Little League BIG LEAGUE 75

I.R.S.

IRS Memo #1421
Bitcoin purchase
= property

UXTO

Mined Bitcoins

Survey Methods

Proximity Beacons

MICRO-CYCLES

Unmined Bitcoins

CALENDAR

UTXO: unspent transaction output'. bitcoins sent somewhere but not yet spent. Unspent transaction output set= latest STATE of every Bitcoins ever mined" % Block Mined / % Block owned

ripple

real-time gross settlement system, currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery
Provides information about total costs of the transaction

Workflows are serially executed
Except first two work flow are workflows are based on event pull model

Multi-Meme
Multi-Meter



TIME-SPACE
EQUATIONS
ALGORITHMS
BLOCKCHAIN
PARSING



HASHGRAPH

Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- *Virtual voting:* each member has a Hashgraph copy

- *Famous witnesses*

data structure that records who gossiped to whom in what order

Gossip In Bitcoin: transactions and mined blocks are gossiped. Consensus is enhanced via "gossip about gossip"

DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"… information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite **directed** graph = no **directed** cycles

Hashgraph
Member
Event
Transaction
Consensus
Order
Timestamp
Gossip protocol
Self-parent
Other-parent
Graph Hash
Hashgraph

Hash
Nonce

Consensus Order

Synchronous

Asynchronous

Micro-Cycle
State Meta
Data Snapshots

Round created
Witness
Famous witness
Election
Vote
See
Strongly see
Supermajority
Decide
Round created
Round received
Consensus timestamp
Consensus order

0 / 1

0 / 1

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



USPTO 13/573,002
sawconcepts.com/index

Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



eGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

eGaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.

The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

TEMPLATE ENGINE LANGUAGE ETF

DEMURRAGE FEES changes, corrections SYNCHRONIZATION

COLLABORATIVE FILTERING

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO – FRIENDLY TRANSACTIONS

ENVIRONMENT FRIENDLY ECO INCENTIVES

Neural Net

CLOSER = LESS FUEL
CLOSER = FASTER

G7 Carbon

vector

ON

"INTEREST"}
"DISTANCE"}

Named Data Networking
NDN

STOCHASTIC HARMONIZATION

STAT MEAN
VALUE INDEX

Unused Resources

Int'l Date Line

CO_2 Credits

Unmet Needs

OFF

Sync
To
Closest
HEARTBEAT
EPOCH

Multi
Meme
Meter

IDMaps
SonarHops

FIREFLY HEARTBEAT
ALGORITHM

FIREFLY EVENT BUS FLASH

HEARTBEAT {108"} MESSAGES

STATE META DATA SNAPSHOTS

SHORE

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.


NET ENABLED OPERATIONS
NEO
DISTRIBUTED SMART ECONOMY NETWORK
NEO
smart economy
WORLD ECONOMIC Heartbeat
("108")
ETF
ALGORITHMIC REGULATION
QUANTUM NIST Beacon
A Public Randomness Service
NON-REPUDIATION
TERRA
TRC
TOKENIZED CURRENCIES
TERRACYCLE
ECO-COIN
Spatial Econometrics
NEO NET Enabled Ops
Users are monitored
As individuals within
Groups. Groups are
Defined by statistical
Readiness / availability
Earth is a spaceship that cannot be resupplied = Vector user's / groups to efficiently locate, obtain resources for Ecologically Responsible Econometrics
Closer = LESS FUEL, less C02 emissions
INCENTIVIZE ECOLOGICALLY RESPONSIBLE ECONOMICS
Re-use of NATO's system of systems best practice Is shortest, least resistance path
TRADE FEDERATIONS
COLLABORATIVE FILTERING
$0.49 USD
Micro Payments
bitcoin
DEMURRAGE FEES
currencyindex
COMMODITIES
CREDIT UNION
CULedger
("URN")
("ORG_ID")
Closer = cheaper, faster, less fuel..
INFOCON
5 4 3 2 1
INFORMATION CONDITION
vector
ORG_ID Organizational Identifier Based Filtering
Geo-Spatial Temporal
Time – Space Metrics
GEO-LOC
Time Stamps
Optimal hop
By hop best
Route_Select
Eco-Sound
Econometrics
IDMaps
SonarHops
DISTANCE ESTIMATION SERVICE
("INTEREST") {"URN"}
{"DISTANCE"} {"URN"}
NDN
MONEYBALL ECONOMICS
MULTI-MEME MULTI BITCOIN BLOCKCHAIN SYNTAX / SYMBOL LEXICON LIBRARY
STRUCTURED DATA EXCHANGE 300 + TEMPLATE FORMS
LOGIC / FILTERS
ALPHA-NUMBERIC BREVITY CODES
STOCK MIC CODES
DATA ELEMENTS
SYNTAX LEXICON CODER'S GUIDE
INTERNET OF MONEY SYNTAX LEXICON $$$
ROSETTA STONE
LEADING ECONOMIC INDICATORS
Lead Econ Indicator Brevity Codes
Stat Mean Index
Time-Space Algorithms BLOCKCHAIN PARSING
NAMED DATA NETWORKING
("URN") ["URN"}
("ORG_ID") {"ORG_ID"}
ERLANG
EVENT
EVENT
EVENT
Firefly HB ALGO
Time Series
Value
Time
MICRO-CYCLE STATE META DATA HEARTBEAT SNAPSHOTS
{"Org_ID"}
GROUP ACTIVITIES SAMPLED DURING MICRO-CYCLES
STATE META DATA SNAPSHOPS FORM
MACRO CYCLE REPORT

"EARTHDAY EVERYDAY ON THE BITCOIN BLOCKCHAIN"
"GIVE A HOOT, DON"T POLLUTE" Woodsy The Owl

GNOSIS

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy

PREDICTION MARKETS

GnosisAMA

Gnosis trading interface alpha

WIZ token fee payment

TERRACYCLE

Price Oracle

INFORMATION ARBITRAGE ECONOMICS

HBC Time – Space Meter

{"108"}

ECONOMIC HEARTBEAT

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to $1 USD worth of fees. WIZ acts as coupon for $1 of Gnosis

SLA SLO

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

THE TERRA (TRC)

Trade Reference Currency

fungible

{"URN"}

{"Org_ID"}

currencyindex

COMMODITIES

$0.49 USD

MICRO PAYMENTS

Obitcoin

Need Bitcoin?

Tokenized Currencies

SLA SLO

Demurrage Fees

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UNIVERSAL EVENT / ALERT BUS

{"Org_ID"} {"URN"} {"URN"}

LEADING ECONOMIC INDICATORS

NAMED DATA NETWORKING

{"INTEREST"}

{"DISTANCE"}

Syntax

Lexicon

Brevity

Codes

Spatial Econometrics

TELCO MESH FABRIC

Stochastic Harmonization

PROXIMITY BEACONS

IDMaps

SonarHops

Distance Estimation Service

Int'l Date Line

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

Universal Meme

Geo-Spatial Temporal Econometrics meters

BLOCK

ROLES Meters

RULES Metrics

Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as length is bounded & all nodes agree eventually"

ZEPPELIN

ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language

zeppelinOS, operating system for smart contracts

"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."

ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, nspired by OpenZeppelin Libraries

Create and customize your own ERC20 Token.

- **Create capped, refundable and/or whitelisted crowd sale contracts**
- **Create a trustless bug bounty.**
- **Create pausable, ownable, balance-limited contracts**
- **Set up a token vesting or token locking contract.**



WORLD ECONOMIC HEARTBEAT

HEART BEACON CYCLE TIME – SPACE METER

ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN



STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics

UNIVERSAL MEME

Blockchain Parsing



TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

TWAP GOAL: provide a Time Weighted Average Price Benchmark

FIREFLY HEARTBEAT ALGO

STAT MEAN VALUE INDEX

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle

The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP

VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..

ERLANG

Erlang programming language / mini OS massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance

Ericsson Open Money For Society Patent App

20130166398 "System And Method For Implementing A Context Based Payment System."

ERICSSON ERLANG API FOR BLOCKCHAIN ERICSSON

"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA" WIRED MAG

"BITCOIN IS A LANGUAGE" "ITS VALUE IS TIME ITSELF" ----DIGINOMICS

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS" "When money is open, the way we send, spend and receive money will change forever"

- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints . RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comms

Functional Sequential Erlang

- Data types:
  - Integers (incl. BigNums), floats, atoms
  - tuples/records, lists/plists, binaries, funs
  - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

Rho ratio *Arrival Rate* Δδ *Service Rate per unit time*

queueing systems wait times stochastic processes, function scheduling Start, Stop TTL

distributed "noSQL" database,embedded right into Erlang, supports **indexing, replication, transactions, and fail-over** Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID"} **Global name resolution**



XBRL / CDL / DAML
ALPHA NUMERIC
BREVITY CODES
AZURE BLETCHLEY
STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.

HASH TABLE

HASH TABLE

ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX

HASH TABLES
NONCE VALUES

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

HASH TABLE
Nonce / Syntax
3 X 5
90 feet

Runner = Messages Signals / Telemetry
90 feet

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta
Data Snapshots

I.R.S.
Org ID
#1421
Blockchain Blocks / Coins Awarded

EVENT BUS

first base

FIX {"108"}
Firefly Heartbeat
Algo

90 feet
90 feet

Survey Point

UMPIRE

MICRO-CYCLES

home plate

SYNC
Deltas

SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited.

HASH
NONCE
VALUES

INTERNET OF MONEY = TIME CYCLES USED TO PARSE PROCESS SYNTAX

cycle n → n + 1 → n + 2 →

Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point Unlimited introduces a level of democracy into development, management of the implementation, the community votes on changes.

MVP

FIREFLY – HEARTBEAT ALGO

EVENT BUS

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS

Price Indexes in Time and Space

SchellingPoint

Microsoft Bletchley modular framework: choose combination of technologies best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

MULTI-MEME MULTI-METER

Microsoft AZURE BLETCHLEY

MYRIAD MEMES MEDIATION

BLOCKCHAIN

Blockchain Startups

Top Blockchain startups disrupting non-financial markets

Venture Radar

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds unique identity for owned artifacts

{"URN"}

{"Org_ID"}

OFF-SITE

OFF-PAGE

CONNECTOR

{"URN"}

{"Org_ID"}

DAO

Utility Cryptlets encryption, time & date events, external data access, authentication "CryptoDelegate" / adapter

Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services Interledger-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys. Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract

CLOCK FACE 360'

90 / 90 / 90 / 90

MACRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

HASH TABLE

Nonce / Syntax

3 X 5

90 feet

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE

Cube has Length, Depth, Height, Volume

RULES / ROLES

INSTRUCTIONS

UMPIRE

COACH

3rd Base

I.R.S.

Org ID

#1421

Blockchain Blocks / Coins Awarded

EVENT BUS

first base

STATISTICIAN

Metrics, Meters

State Meta Data Snapshots

90 feet

90 feet

Survey Point

MICRO-CYCLES

UMPIRE

home plate

FIX {"108"}

Firefly Heartbeat Algo

SYNC Deltas

SC 573 US 134 2347

Physical = Opposite

Of abstract

Euclidian Geometry

TRIANGULATION..

Rosetta Stone Syntax

LEXICON

ALPHA NUMERIC

BREVITY CODES

SYMBOL CODES

STRUCTURED MILITARY MESSAGE

TEMPLATE FORMS

LOGIC / FILTERS

EVENT BUS

FIREFLY EVENTS

FLASH MESSAGES

SYNC TO CLOSEST

HEARTBEAT EPOCH

FIREFLY HEARTBEAT ALGORITHM

Δ δ

HEART BEACON CYCLE

STATE META DATA SNAPSHOTS

IoT

Microsoft Orleans

TIME-SPACE EQUATIONS ALGORITHMS BLOCKCHAIN PARSING

ERLANG

DFINITY

RANDOM # BEACON

BLOCKCHAIN NERVOUS SYSTEM

NIST Beacon

A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of Centralized Server farms

FIREFLY-HEARTBEAT FLASH Msg EVENT BUS

GROUP Signature *is* random number
- **Number *selects* next group** {"Org_ID"} {"Org_ID"}
- **Next group use previous no. as message**
- **Verifiable Random Function**
- Numbers verifiable using group public key
- New values produced in threshold agreement

- Random members {"Org_ID"} {"Org_ID"}

- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members

- BLS signature scheme

- **Math magic...** If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON
Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached

- IDs mediate participation

- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

3 x 5

HBC "ORG_ID"} {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE

INDEX CARD="SHARD"

Threshold Relay Chain techniques

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches
Choosing Leaders Randomness selects priority list block forgers at height h
Short Term Convergence Correct processes build on highest scoring chain
Threshold Timestamping group signs blocks at h until next group appends another

Scalable Global Validation Layer: Each additional level of the tower validates new state transitions applied to storage shard, is built by processes selected by the RANDOM BEACON

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

USCt 573 134 2347 Alice Corp V CLS Bank = ABSTRACT IDEAS = NO NO = PHYSICAL MEMES

UTZ TIME ZONE SYNC

NIST TIME BEACON

FIREFLY FLASHES MSGs EMULATE NEURAL NET

FIREFLY EVENTS = THRESHOLD VALUES

NIST Beacon

A Public Randomness Service

QUANTUM RANDOM #

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

HASH TABLE
Nonce / Syntax

3 X 5

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

I.R.S.

Org ID

#1421

Blockchain Blocks / Coins Awarded

EVENT BUS

first base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

90 feet

90 feet

Survey Point

MICRO-CYCLES

UMPIRE

home plate

SC 573 US 134 2347
Physical = Opposite Of abstract Euclidian Geometry
TRIANGULATION..

FIX {"108"}
Firefly Heartbeat Algo

SYNC Deltas

Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRt dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMaRt needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK
PHYSICAL = OPPOSITE OF ABSTRACT



DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}
ADDS, JOINS, DROPS, MOVES TO / FROM DAO
CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

K00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOT





FIREFLY-HEARTBEAT ALGORITHM

Bitcoin Blockchain Multi-Meme Multi-Meter



MICRO-CYCLE STATE META DATA SNAPSHOTS AGGREGATED INTO MACRO OPERATION CYCLE RECONFIG MESSAGE

BUILDING BLOCKS:
- TIME CYCLE EPOCHS
- SYNTAX INSTRUCTIONS

- LINEAR, SEQUENTIAL
- GEO SPATIAL, TEMPORAL

Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

Δδ Shared Ledger

Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers

Alpha-Numerics

Block #7CF
prev #2A4
txn 43e...
txn 12a...
...

Block #8FA
prev #7CF
txn 8be...
txn 839...
txn 326...
...

TIME

HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

FEDERATION

Federation Gateway

METRICS ("Organization ID")
METERS

RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE

BLOCKTIME ARBITRAGE

OBC APIs, SDKs, CLI

MEMBERSHIP | BLOCKCHAIN | TRANSACTIONS | CHAINCODE

Membership Services
- Registration
- Identity Management
- Auditability

Blockchain Services
- Consensus Manager
- Distributed Ledger
- P2P Protocol
- Ledger Storage

Chaincode Services
- Secure Container
- Secure Registry

Event Stream

EVENT BUS

OBC Services

Code Guide

ROSETTA STONE

XBRL / CDL / DAML
STOCK MIC CODES
STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS
SYNTAX
SYMBOL LIBRARY

300 + MESSAGE TEMPLATES
USE CASES / GROUPED DATA TRANSACTIONS
Alpha-Numeric Data Element ID -- #'s are the UNIVERSAL LANGUAGE

HYPER LEDGER USES JSON ("tag"" / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

BLOCK

ROLES
Meters

RULES
Metrics
TIME
SPACE

cycle n → n + 1 → n + 2

MICRO-MACRO CYCLE SCHEDULE

FFIRNS
FFUDNS

CorDapp Store

R3 CEV Corda shared ledger

e.g. Derivatives: App | App | App | App

e.g. Trade Finance: App | App | App

e.g. KYC / AML: App | App

Concord Platform Services

- CorDapp Store
- Notaries
- Network Map Service
- Trusted Digital Backbone Network
- Regulatory Reporting
- Oracles
- Service Provider Gateways
- Bank-Internal Gateways

Concord Vault

Interoperability

- Asset Registry
- Trade Registry
- Cash
- Identity Vault

Concord Operations Centre

- Business Monitoring
- Technical Alerting
- Management Information
- Compliance Audit

Inter-Network Adapters

Existing Market Services

- FEDWIRE
- CHIPS
- DTCC
- CLS

Corda Core Node Services

- Agreement States
- Transactions
- Sandbox
- Digital Signing
- Interaction Protocols
- Contract Verification



UNIVERSAL EVENT BUS

- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..

BITCOIN NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION

MVP

Coder Guide

$\Delta\delta$ TIME SPACE



MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION

NDN

XBRL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
LEXICON LIBRARY

EVENT BUS



SYNTAX CODE

BITCOIN BLOCKCHAIN BLOCKS= CPU TIME CYCLES

cycle n → ← n + 1 → ← n + 2 →

CPU CHIP EPOCHS

long exponential intervals (10 min)

COMMAND SYNTAX
RESTFUL State Transfer

MACRO – CYCLES

short deterministic intervals (10 sec)

MICRO-CYCLES

Subjective Time to Prune



ETHER:
Compensate Resource Contribution

Gas: price to Run contract transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an EVENTUALLY CONSISTANT blockchain-based consensus protocol. CASPER favors availability over consistency (see the CAP theorem).



Ether hedged against other crypto / FIAT currencies price changes

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time… EVENTUALLY

Txs	State transition:		Txs	State transition:		Txs	State transition:	
0cb4 9f12	123:	400	5581 2fc3	905:	560	7ce6	123:	440
	8723:	0		1141:	8021		1141:	7981
	42:	15776		42:	15775			

SWARM (storage) WHISPER (messaging) EVM (consensus)

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

HASH TABLE
Nonce / Syntax
3 X 5

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

#1421
Org ID
Blockchain Blocks / Coins Awarded

EVENT BUS

first base

FIX {"108"}
Firefly Heartbeat Algo

90 feet

90 feet

Survey Point

UMPIRE

home plate

SYNC Deltas

MICRO-CYCLES

SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

HEARTBEAT FLASH MESSAGES
BLOCKCHAIN HASH TABLES

UNIVERSAL EVENT BUS
STATISTICAL MEAN SAMPLING
STOCHASTIC HARMONIZATION

MACRO ECONOMIC CYCLES

MICRO CYCLE SAMPLING

STAT MEAN VALUE INDEX
SUM, ADD, AGGREGATE

SPACE-TIME METRICS

STATE META-DATA
HEARTBEAT SNAPSHOTS

BITCOIN MULTI MEME
MULTI-METER

BIGCHAINDB

STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.

1.Part of the blockchain state is locked via multisignature or some sort of smart contract, so that a specific set of participants must completely agree with each other to update it.

2.Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are merely held onto for now. Each new update "trumps" previous updates.

3.Finally, **participants submit the state back to the blockchain**, which closes the state channel and unlocks the state again (usually in a different configuration than it started with)

EACH NEW UPDATE TRUMPS THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later transactions didn't happen.

LINK: http://jeffcoleman.ca/state-channels/

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base
3rd Base
first base
90 feet
90 feet
90 feet
90 feet

HASH TABLE
Nonce / Syntax
3 X 5

Runner = Messages Signals / Telemetry

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH

STATISTICIAN
Metrics, Meters
State Meta
Data Snapshots

MICRO-CYCLES

Survey Point

UMPIRE

home plate

I.R.S.
Org ID
#1421
Blockchain Blocks / Coins Awarded

EVENT BUS

SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

FIX {"108"}
Firefly Heartbeat
Algo
SYNC
Deltas

ASIC CHIP TIME / EPOCH INTERVALS / CYCLES
cycle n → n + 1 → n + 2

FLASH HEARTBEAT MESSAGES
HEARTBEAT STATE META-DATA SNAPSHOTS EVERY 10, N MIN MICRO TO MACRO ECON CYCLE

HASH TABLES

STATE SNAPS

Time Series
Value
Time

HASH
SYNTAX

Geo
Spatial
Temporal Series

Attribute Series
META-DATA

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE


FUNGABILITY
BITCOIN's 6 ISSUES
FEDCOIN / WORLDCOIN
STATISTICAL MEAN VALUE INDEX
FIX 108
FIX 108
Trade w Earth?
BITCOIN's VALUE IS TIME ITSELF
BLOCKTIME ARBITRAGE
PHYSICAL
CURRENCY CONVERTER
FRIEDMAN's K % RULE
DENARIUM
1 to 1 CONVERSION
CURRENCY PULSE X % GDP @ Y MACRO Economic Cycle
IDENTITY
{"Org_ID"}
{"Org_ID"}
Organizational ID
Organizational Unit OU
FINCEN > { "Org_ID" "} "OU" > WALLET 1, 2,3,4,5.. }
Multi-SIG e.g.., select TRIBAL COUNCIL MEMBERS
Federation Gateway
WAVES
TIME SERIES DATABASE
TERRA TRC
namecoin
MONEYBALL ECONOMICS
currencyindex
COMMODITIES
VOLATILITY
MV = PQ
COMMODITY BASKET PRICE INDEX
STATISTICAL MEAN VALUE INDEX
Time Series Dbase
MEDIATION GATEWAY
MICROSOFT
BLETCHLEY
WORLD COMPUTER
Price Indexes in Time and Space
Statistical Mean VALUE INDEX
</DOMAIN>.COM
{"DOMAIN"} MSFT.COM
NO INTRINSIC VALUE
EVENT BUS
ETH BaaS
ETHEREUM
Little League Baseball Tournament main embodiment
13,573,002 SC Alice Corp V CLS Bank
Multi-Meme
Azure
Cloudcenter
Cloudcenter
INCONSISTENT MEMES
- WORK / STAKE
- Property / Land
- POET TIME
IRS Memo 1421
BLOCK
Roles Meters
Rules Metrics
Attribute Series
Time Series
Value
Time
Geo Spatial Temporal Series
WORLD COMPUTER
NIST TIME BEACON
Quantum Random Number Beacon
Contract Definition Language
Digital Asset Modeling Language
HEARTBEAT MESSAGES
On / Off Shore Non-Repudiation Cyber Beacon
Non-Repudiation
BLOCKCHAIN SCALEABILITY
LIGHTNING NETWORK
Sync Deltas
{"INTEREST"}
{"DISTANCE"}
FIREFLY – HEARTBEAT
TIME-SPACE ALGORITHM
Stochastic Harmonization
IDMaps
SonarHops
Hashed TIME LOCK contracts component for global consensus
OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON
Payment channels multi-hop hub spoke model like internet routing
Server nodes, miners only keep recent blocks
Sync Delta
State Meta
Data Snaps

ETHER:
Compensate Resource Contribution

Gas: price to Run contract transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an EVENTUALLY CONSISTANT blockchain-based consensus protocol. CASPER favors availability over consistency (see the CAP theorem).



Ether hedged against other crypto / FIAT currencies price changes

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time… EVENTUALLY

Txs	State transition:		Txs	State transition:		Txs	State transition:	
0cb4 9f12	123:	400	5581 2fc3	905:	560	7ce6	123:	440
	8723:	0		1141:	8021		1141:	7981
	42:	15776		42:	15775			

SWARM (storage) WHISPER (messaging) EVM (consensus)

CLOCK FACE 360'
90 / 90 / 90 / 90
MACRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

HASH TABLE
Nonce / Syntax

3 X 5

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

SC 573 US 134 2347
Physical = Opposite Of abstract
Euclidian Geometry
TRIANGULATION..

RULES / ROLES
INSTRUCTIONS
UMPIRE
COACH
3rd Base

STATISTICIAN
Metrics, Meters
State Meta Data Snapshots

#1421
Org ID
Blockchain Blocks / Coins Awarded

EVENT BUS

first base

FIX {"108"}
Firefly Heartbeat Algo

90 feet

90 feet

Survey Point

UMPIRE

home plate

SYNC Deltas

MICRO-CYCLES

HEARTBEAT FLASH MESSAGES
BLOCKCHAIN HASH TABLES

UNIVERSAL EVENT BUS
STATISTICAL MEAN SAMPLING
STOCHASTIC HARMONIZATION

MACRO ECONOMIC CYCLES

STAT MEAN VALUE INDEX
SUM, ADD, AGGREGATE

MICRO CYCLE SAMPLING

SPACE-TIME METRICS

STATE META-DATA

BITCOIN MULTI MEME MULTI-METER

HEARTBEAT SNAPSHOTS

BIGCHAINDB

FIREFLY – HEARTBEAT ALGORITHM

FIREFLY – HEARTBEAT

EVENT REPORTING ACROSS TIME-SPACE

MESSAGE EVENT BUS

SEGWIT

SEGREGATED WITNESS

SegWit

ADJACENT FIELDS

SEPARATE STATE CHANNELS

transactions sent over / off chain

micropayment channels

LIGHTNING



Millions of Transactions. Milliseconds of Delay.

CLOCK FACE 360'

90 / 90 / 90 / 90

MACRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block

2nd Base

Runner = Messages Signals / Telemetry

90 feet

HASH TABLE

Nonce / Syntax

3 X 5

90 feet

Crypto currency fractions

BLOCK in 3D = CUBE

Cube has Length, Depth, Height, Volume

RULES / ROLES

INSTRUCTIONS

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

State Meta

Data Snapshots

I.R.S.

Org ID

#1421

Blockchain Blocks / Coins Awarded

EVENT BUS

first base

FIX {"108"}

Firefly Heartbeat Algo

90 feet

90 feet

Survey Point

UMPIRE

home plate

MICRO-CYCLES

SYNC Deltas

SC 573 US 134 2347

Physical = Opposite Of abstract

Euclidian Geometry

TRIANGULATION..

ADJACENT FIELDS

SEPARATE STATE CHANNELS

HASH TABLES

NONCE

SYNTAX / SYMBOL TAGS

MESSAGES

Digital Signature

OUT OF BAND / CHANNEL

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON

Server nodes, miners only keep recent blocks

Payment channels multi-hop hub spoke model like internet routing

ADJACENT FIELDS

SEPARATE CHANNELS

Sync Delta State Meta Data Snaps

Segregated witness = Separated signatures

- signatures are cryptographic proofs also known as witnesses
  - moving signatures out of transactions
  - keeping a separate repository of the signatures
  - making them optional in propagation and storage
  - signature are the biggest part of transactions
  - can be implemented as a **soft-fork** vs a **hard-fork**

SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

*"PoET for 'Proof of Elapsed Time', is a lottery protocol that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting,** is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."*

PROOF OF ELAPSED TIME

POET

Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes

ex: League MVP

MVP

Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD

SCt #573 ALICE CORP V CLS BANKPHYSICAL UNIVERSAL MEME"BITCOIN IS A LANGUAGE"



SC 573 US 134 2347
Physical = Opposite Of abstract
Euclidian Geometry
TRIANGULATION..



FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS

"BITCOIN's VALUE IS TIME ITSELF – DIGINOMICS"



Capture ledger's state Δ δ
Transaction language changes ledger state
Consensus, transaction acceptance protocol

Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.

Built using historic bitcoin price index - the BNC BLX.

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transactio

•Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC Bitcoin Liquid Index (BLX) bitcoin price calculation.
•Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.

BRAVE NEWCOIN. Digital Currency Insights

"Blocks are a measure of time": The Bitcoin Blockchain 'B-WAP'



FIREFLY – HEARTBEAT ALGORITHM UNIVERSAL EVENT BUS



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

LINK http://bitcoinist.net/how-dash-dao-work/

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" — all get paid to do so"
"consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to Dash's miners. Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions.

Masternodes receive payments for their service to the network.





STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS

SC ALICE CORP VS CLS BANK: "claims may not direct towards abstract ideas"

TRIANGULATION

UTXO: unspent transaction output'. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.

Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



TIME

DISTANCE



EUCLIDIAN GEOMETRY

Mined Bitcoins



Unmined Bitcoins

Un-mined coins -- think of them as parcels of land on "Bitcoin Island" not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

- End-state Bitcoin quantity will be fixed like land

"Bitcoin as protocol of ownership, not transfer"

Coins never travel, but simply switch owners"

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, Time Stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer





IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs

IDMaps Distance Metrics: latency (round-trip delay) available bandwidth estimation

IDMaps: Global Internet Host Distance Estimation Service

NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance

SonarHops

NAMED DATA NETWORKING

NDN INTEREST
Closer = Faster
Closer = Cheaper

TCP/IP HOP By HOP COUNT

GEO-SPATIAL TEMPORAL INTENSITY METRICS / METERS

IDMaps

vector

SonarHops

Cloudcenter Cloudcenter

Sync ta Snaps

IDMaps scalable Internet-wide architecture measures, disseminates distance information

HOP COUNTS

REACHABILITY

/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair

time

NDN

vector

distance

IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix Trie (NPT)

<Org_ID>

NDN_NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification

NDN INTEREST LENGTH = DISTANCE BY HOPS

NDN INTEREST

IS DATA FRESH ?

Distance information adjusts to "permanent" topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition

NDN RIB

TRIANGULATION

vector

Time Series

Value

Time

NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

INTEREST in <URNs>

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

05:08:57

NIST TIME BEACON

Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.

MICRO-CYCLES

.0001 .05 .01 .1 0 5 15 30 99

NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAP SHOTS

USPTO 13/573,002

sawconcepts.com/index

Heart Beacon Cycle Time – Space Meter

Geo-Spatial Temporal Intensity Metrics





Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




13/573,002 HEART BEACON CYCLE
Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything "ability to hear the world's heartbeat"
The four dimensions of Big Data
vector
VECTOR: quantity having direction and magnitude
position of a point in space relative to another point
TIME STAMP BY Org_ID, URN Before FUSION CENTER
Volume
Velocity
Variety
Veracity*
TIME STAMP 1
TIME STAMP 2
TIME STAMP 3
MACRO CYCLES
INFOCON
4 3 2 1
INFORMATION CONDITION
SIOP
"THE GRAIL"
TIME
Metrics
SPACE
Meters
COMMON PICTURE
SLA
RFid
SYNC
SEED
CLOUD
E-ZPass
Data at Rest
Data in Motion
Data in Many Forms
Data in Doubt
{"108"}
Cloudcenter
Cloudcenter
FILTER BY ROLE <TYPE> <CLASS>
{"URN"}
Uniform Resource Name
URN
URN
URN
URN
QUANTUM NIST Beacon
A Public Randomness Service
NON-REPUDIATION
FLASH Messag
UNIVERSAL DATA EVENT BUS
Syntax Lexicon
PRECEDENCE PROCESSING
<Org_ID> {"URN"} {"URN"}
NIST CYBER BEACON
RANDOM # BEACON
* Truthfulness, accuracy or precision, correctness
REST ARREST-D
{"FILTERS"}
FIREFLY – HEARTBEAT {"108"}
Stochastic Harmonization UTZ SYNC
ALGORITHM
Universal Event / Alert Bus
Geo-spatial
IDMaps
SonarHops
Distance Est Service
Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest OPTEMPO HEARTBEAT
SYNC
ASYNC
Flash HB Messages
HASHGRAPH
Consensus Algorithm
Time Averaged
Time Stamping
WATER
DROP IN POND MEME
+ 2
+ 1
+ 1
+ 2
FOAM spatial protocol
Ethereum Blockchain
World Computer
Neural Network
Functional Sequential Erlang
PAUL REVERE MEME
LINEAR SEQUENTIAL
SPACE – TIME Equations
BLOCKCHAIN PARSING
{"URN"}
{"Org_ID"}
< / = / >
HEARTBEAT SYNCRONIZATION
FIREFLY SYNC CONSENSUS
State Meta Data
Heartbeat Snaps
MICRO
CYCLES
ERLANG
FOAM

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data

REGISTERED ORGANISATION VOCABULARY

Edge

{"URN"}{"URN"}

{"ORG_ID"}

Enterprise

MACRO CYCLES

EPCIS DATA MODEL

WebLogic RFID Edge Server

Custom RFID Application

SERVICE LAYER

XML

ObjectEvent

AggregationEvent

QuantityEvent

TransactionEvent

RFID Enterprise Server

To EPCIS Query engine

To Reporting engine

Event engine

To Master Data engine

Data Definition Layer

Event repository

HTTP
JMS
SOAP

Event capture interface

Event Service

HASH TABLE

NONCE

Query Interface:
POLL
SUBSCRIBE
UNSUBSCRIBE
getSubscribeID
getQueryName
getStandard Ver
getVendorVersion

Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event
When date time when event took place, local time zone in effect
Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event
Why Information about the business context, including:
a Identifier that indicates the business step taking place

MICRO CYCLES

CLOSER IS CHEAPER
CLOSER IS FASTER

HBC
SYSTEM OF SYSTEMS
TIME-SPACE SYNC

UNIVERSAL EVENT BUS

("108")

HEART BEACON CYCLE
FIREFLY – HEARTBEAT ALGO

IDMaps
ON / OFF SHORE
SonarHops
DISTANCE ESTIMATION SERVICE

FIREFLY – HEARTBEAT
ALGORITHM
STOCHASTIC
HARMONIZATION

Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES

BIZ USE CASES
SYNTAX
LEXICON
CODE GUIDE

ALPHA NUMERIC BREVITY CODES

BATTLEFIELD DIGITIATION
NETWORK CENTRIC WARFARE
SYTEM OF SYSTEMS
BEST PRACTICE

{"ORG_ID"}
{"URN"}
{"UUID"}

MESSAGE DATA SETS

TEMPLATES / FORMS

ROLES / RULES {"FILTERS"}

NETOPS SOP

ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS

< GLOBAL >
0

IC / DOD/ NGO / COALITION
INDUSTRY GOVERNANCE

GOVERNANCE TAGS BY TYPE PRECEDENCE

< JOINT >
1

0 NORMAL
1 EMERGENCY

STRATML/ IODEF RID CLASSES

IC / DOD
JOINT GOVERNANCE

StratML

PRECEDENCE

< COMMUNITY>
2

PRECEDENCE

MULTI-MODAL PROCESSING
OF PRECEDENCE: PRIORITY
IS SITUATION DEPENDENT
ACCORDING TO INFOCON, HAZCON
I.E. EMERGENCY BROADCASTS TO
THE WORLD – EVERY ENTITY
CANNOT HAVE LEVEL 5 PRECEDENCE

IC: INTERNAL COMMUNITY USE
MEDICAL / ENERGY /
TRANSPORTATION
COMMUNITY SPECIFIC GUIDANCE

<DOMAINS>
3

<SHARED ELEMENT>
4

MANAGED RESOURCES GOVERNED BY
ELEMENT E.G., AGENCY, PROGRAM
HOWEVER – EXPOSED AND MADE
AVAILABLE TO ORG ID / URN GROUPINGS

GOVERNANCE TAGS BY TYPE PRECEDENCE

NORMAL OPERATIONS
PAY FOR PRECEDENCE
AS A QUALITY OF SERVICE
SLA SERVICE LEVEL AGREEMENT
PRIVACY FOR PRIVATE DATA

EVENT / ACTIVITY / LOCATION CLASS
0 NULL / 1 / 2 / 3 / 4

<PRIVATE ELEMENT>
5

MANAGED RESOURCES GOVERNED BY
ELEMENT E.G., AGENCY, PROGRAM
FOR UTILIZATION ONLY BY THAT ELEMENT

USE ORG ID / URN TAGS TO ROUTE BASED ON TYPE
OF ORGANIZATION / COMMODITY / VIRTUAL ORG
MEASURE BROADCAST / UNICAST BY ZONE BY
THRESHOLD / INTENSITY / DURATION AS MOE / MOP

< NIEM >
NIEM
BRIDGING INFORMATION SYSTEMS

Situational Awareness Reference Architecture (SARA)

: Identity, Inventory, Activity, and Sharing http://ics-isac.org/sara/

ICS–ISAC

IDENTITY:

<UUID> = Devices, sensors

<ORG_ID> Organizations

Federation Gateway

<ELEMENTS>

STRATML/ IODEF RID CLASSES:

<GLOBAL><JOINT><SHARED>

<DOMAIN><FEDERATION>

<CITY><STATE><PRIVATE>

STRATEGIC MARKUP LANGUAGE

StratML

IODEF

Industrial Control System Information Sharing and Analysis Center

INVENTORY: Uniform Resource Name <URN>

<URN><URN>

<URN><URN>

<URN><URN>

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

vector

GEO-SPATIAL TEMPORAL INTENSITY METRICS

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

GEO-SPATIAL TEMPORAL INTENSITY METRICS / METERS

IDMaps

SonarHops

vector

tripwire

ACTIVITY: <EVENT><ALERT>

<TIME_STAMP><ORG_ID><URN>

<GEO_LOC_GPS ><STATUS>

<Halt><Moving><Stale><Ready>

CONTENT LEXICON ROSETTA STONE

NDN

<INTEREST>

TAXII

STIX

AVALANCHE

SHARING:

COMMON <TAGS>

<Organizational_ID>

Resource Names <URN>

<Time_Stamps>

<State-Meta_Data

<DATA_CLASS_TYPE>

<Heartbeat_snapshots>

NDN

<INTEREST>

CybOX

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

CYBER SECURITY CONTENT LEXICON ROSETTA STONE

MIL-STD 2525A

STRUCTURED <CONTENT> TEMPLATES

<TAG> LIBRARY

CYBER BEACON

NIST TIME BEACON

NIST RANDOMNESS BEACON

SYNC SEED _CLOUD

<TAG>LIBRARY TEMPLATES

NIEM

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates

NAMED DATA

<Content> Centric

NETWORKING

INBOUND SHARING / MICRO-CYCLES

OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions

- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG

ECONOMIC HEARTBEAT

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: ***MAKE TRADE FREE***

Mission: *shift trade to a decentralized platform*

•**VALUES:**

Demurrage Fees

TERRATRC TRADE REFERENCE CURRENCY

"Money of Peace"

Commodity / Currency Index

Free and open markets:

Creating open, competitive markets for services that cannot be perfectly solved with technology

HASH Values
Nonce Values

•**Privacy**

- Users should fully control their data. **Users** have freedom to reveal as much personal identifiable information as they want, when they want

Bitcoin: OpenBazaar transactional currency

Cyrptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution

SCt Alice V Cls Bank

Federation Gateway

ORG ID

STAT MEAN VALUE INDEX



</DATA>
{"FILTERS"}



Price Indexes in Time and Space

Methods and Practice

SchellingPoint

Trans-Pacific Partnership is great for elites. Is it good for anyone else? *by Timothy B. Lee on April 17, 2015*

How the TPP empowers elites. The nature of trade agreements has shifted. They're no longer just about removing barriers to trade. They've become a mechanism for setting global economic rules more generally. This system for setting global rules has some serious defects. We expect the laws that govern our economic lives will be made in a transparent, representative, and accountable fashion. The TPP negotiation process is none of these — it's secretive, it's dominated by powerful insiders, and it provides little opportunity for public input. Attributed to CATO Institute







HEART BEACON CYCLE: ALL THINGS INTERNET ARE PROGRAMMED USING TIME CYCLES USED / NOT USED TO PROCESS / NOT PROCESS SYNTAX

TradeNet

json

Programmable Money $$$



RIED HOFFMAN 15 May 2015 LINK

"The CODE that secures Bitcoin could also power an alternate Internet LINK

Bitcoin and the blockchain function as a medium of exchange, a store of value, a unit of account. Bitcoin adds digital, cryptographic, distributed server functions to currencies. Because it functions simultaneously as a currency, an asset and a platform, Bitcoin is better described as a global cryptoCAP (currency, asset, platform) -- a synergistic form of "cryptocapital" to unleash the full economic power of the networked age. **Bitcoin makes money PROGRAMMABLE. MONEY IS SIMPLY DATA - a simple way to measure and keep track of exchanges in value wealth accumulation. Bitcoin aggregates data in a distributed global ledger accessible to anyone, and software. First open platform for financial services. Color coins represent stocks, bonds, currencies, properties as E-assets.**

WIRED



300 + MESSAGE TEMPLATES SYNTAX LIBRARY PROGRAMMING

STRUCTURED <CONTENT> EXCHANGE

BREVITY CODES MARKET ID CODES

USE CASE TEMPLATES SIGNALLING, TELEMETRY

ORGANIZATIONS

</Org_ID>
{"URN"}
Organizational Units OU, OU

http://en.wikipedia.org/wiki/Organizational_unit_(computing)

In computing, an organizational unit (OU) is a way of classifying directories objects, or names in a DIGITAL CERTIFICATE HIERARCHY

SOVEREIGN FIRST NATIONS

DAO / DAC TRADE FEDERATIONS

namecoin DOMAINS

MUNICIPALITIES Local MICRO Currencies

NATO OTAN

FEDERATED MISSION NETWORKING
FEDERATE SHARE WIN
FMN

SWORDS PLOW SHARES

MONEYBALL ECONOMICS

Price Indexes in Time and Space

SLA SLA-O

GEO LOC LAT / LONG

STATE META DATA

SNAPSHOTS



Veritaseum

{"TAGGED"} BITCOINS

Decentralized Trading Platform DAO ORACLE access conventional, legacy financial data to price, value, trade & settle OTC, P2P financials

FINANCIAL NOSTRADAMUS REGGIE MIDDLETON

Zero Trust Transaction: money performs according to terms agreed to by the parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Global stock, currency, commodities exchanges, letters of credit, insurance underwriting, trading, intellectual property...

ECONOMIC HEARTBEAT

STATISTICAL MEAN VALUE INDEX PULSE



Cost will be our stated rates that will fluctuate with VeUSD exchange rate. Veritas holders get priority. The ability to redeem Ve against USD gives our clients instant value.

VERITAS TOKENS = KEYS TO P2P Capital Market! Proprietary P2P smart contracts combined with the transformational power of blockchain, allow the entire world to participate in the reimagining of global capital markets. Purchasing Veritas tokens is analogous to purchasing keys to the internet of money – the most monumental paradigm shift since the advent of the net

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON



SEC REGULATION:
{"Org_ID"}
In the clear
Issuing Org tracks User Accounts
NIST Cyber BEACON = Non-Repudiation

USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

NDN
</Interest>
</Distance>

SURVEY METHODs
+ TRIANGULATION
Euclidian Geometry



Geodesic System Routing Info Base RIB
ACCOUNT BELONGS TO </Org_ID>
RESOURCE TYPE: <URN><URN><URN>
DEVICE / SENSORS <UUID><UUID>
Higher-level services collect distance data to build virtual distance map of Internet & estimates distance between any IP address pair

State Snap Shots

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordi- and can even extend fourteen hours ahead UTC. Stochastic Harmonization

The proposed **Universal Timezone System** would do away with all these differ-

A decentralized exchange called BitSquare has launched a campaign on the decentralized crowd fundingapp Lighthouse. Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

STOCHASTIC HARMONIZATION / PROCESS BY PRECEDENCE

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

SOFTWARE DEFINED NETWORKING

Command Syntax

REST State Transfer

NETOPS

COMMAND SYNTAX
STATE TRANSFER
Unicast / Multicast
Flow Tables / Workflow
Dynamic Network Configuration Management

NET CENTRIC WARFARE

SYSTEM OF SYSTEMS TELEMETRY

COMMON COMPONENTS, BUILDING BLOCKS USED WITHIN FEDERATION PROMOTING COMMON GOALS, PROCESSES

- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."

SIOP

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs

SDN FRAMEWORK

Rule | Action | Statistics

Policy Control

Broadcast

STATE

Multicast

Flow Table

VLAN ID

RESTFUL API

TIME SLOT SWITCH

CONTEXT MATCH MAPPING INSTRUCTIONS

TIME SLOT: Period of time activities governed by specific regulations.

FORWARDING INFORMATION BASE FIB

TIME OUTS TTL

PACKETS ARE TIME CYCLES USED / NOT USED TO PROCESS / NOT PROCESS INSTRUCTIONS
DESCRIBED AS SYNTAX = STATE META DATA
TYPED BY DATA </CLASS> / DATA </CONTEXT>

ACTIONS: DROP / GROUP

DISTRIBUTED APPS AND WORKFLOW AUTOMATION

Socket Plane = TEMPLATEs = vendors use one standard, while optimizing own technologies for differentiation.

COMPONENT factory multi-platform

docker

socketplane

NCW FRAMEWORK

Unicast
Multiple Data Streams

Multicast
Single Data Stream

STATE / CONTEXT META DATA

INTEREST BY <ORG_ID><URN><ROLES><DATA_CLASS>

WORKFLOW
</CONTENT>
</FILTERS>
</CONTEXT>

REACHABILITY BY HOP COUNTS

</TAGS>

</StratML>
</IODEF RID>

STRUCTURED <CONTEXT> EXCHANGE

Content Library

TIME TO LIVE TTL

STATE SNAPSHOTS

WORKFLOW
<CONTENT>
<FILTERS>

ACTIONS
ADD / DROP
JOIN / MERGE

AGILE AD HOC GROUP / UNGROUP

<TIME STAMP>

<FILTERS>

<ORG_ID>

</URN>

<DATA>

<CLASS_TYPES>

<ROLE>

<RULES>

RULE: IF UNIT / SENSOR NET = / < N members / platforms, then show AS Non Mission Capable or if no reports within n cycles, UNIT = STALE, NMC. IF NMC, Take ACTION based on statistics = drop, merge, add

WHO, WHAT, WHERE
HOW OFTEN, HOW MUCH
SNAPSHOT SYNC DELTAS

IBM / SAMSUNG ADEPT Autonomous Decentralized Peer-to-Peer Telemetry

HBC PROCEDURAL TEMPLATE FRAMEWORK

https://scribd.com/doc/252917347/IBM-ADEPT-Practictioner-Perspective-Pre-Publication-Draft-7-Jan-2015

Autonomous Device Coordination Framework

NET CENTRIC WARFARE

Rules of engagement

- Registration
- Authentication
- Proximity based rules
- Consensus based rules

FEDERATION AGREEMENTS

- Contracts

PROCEDURAL TEMPLATE

- Checklists

FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter

/localhost/nfd/fib/add-nexthop

PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS

<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>

ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>

FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer

How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

MV=PQ Money x Velocity = Price x Quantity

MV=PQ
Internet of Everything
Every Where Value Index

The most important equation in monetary economics, the equation of exchange: MV=PQ. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate

Spatial Econometrics

MONEYBALL ECONOMICS

MACRO ECONOMIC CYCLES

M = MONEY BITCOINs FIXED
= FINITE # OF COINS 21 Million

X

V = VELOCITY = RATE SPENT
RATE COINs MINED % OVER TIME

=

P = PRICE of Everything Bought
TIME SERIES DATABASE Coin SUM
Coin / Currency Type Mediation Services

X

Q = QUANTITY
SUM / AGGREGATE

Land Survey
Triangulation
IDMaps / Sonar Hops

RATE % MINED

$\Delta\delta$



URN = Uniform Resource Name

Memo #1421: Purchased Bitcoins akin to land

Memo 1421

Mined Bitcoins

$\Delta\delta$

<ORG_ID>

Unmined Bitcoins

$\Delta\delta$

AGGREGATOR

Firefly Event Bus

FIREFLY | FLASH MSGS

<URN>
<URN>
<URN>
<URN>
<URN>
<URN>
<URN>
<URN>
<URN>

Asset Class
Asset Type

BlockTime Arbitrage

Δ

$\Delta\delta$

Commodities

Time Series Dbase

FIX {"108"}
Bitcoin Types

Firefly-Heartbeat Algorithm Events

SHARED COINS / SCHELLING MODEL

Price Indexes in Time and Space

MICRO-CYCLES
MICRO - ECONOMICS

SchellingPoint

Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.

STRATML/ IODEF RID

<GLOBAL>
<JOINT>
<DOMAIN> <SHARED
<COMMUNITY>
<PRIVATE>

CLASSES

Cooperate, Federate and Graduate

HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS
100 PT

Measure a user's achievements in relation to others

Can double as currency to exchange for rewards

BADGES
Reward achievements visually

LEVELS
Encourage users to progress and unlock new rewards

LEADERBOARDS
2 1 3

Organise players by rank

CHALLENGES
Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES

CLEAR GOALS AND RULES OF PLAY

A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS







TESLA

IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:
(1) Active ID
(2) Heartbeat 1.
(3) Heartbeat 2.
(4) Device Status 1.
(5) Device Status 2.

Paul Revere = Linear, Sequential meme

Geo Spatial
Temporal Series
Water Drop Meme
Geospatial Radius



BLOCK TIME – SPACE ARBITRAGE TRADE
ENERGY TOKENS FOR FOOD, WATER,
TRANSPORTATION LOCALLY, REGIONALLY

WATER DROP
MEME= RADIUS
DISTANCE FROM
ENERGY SOURCE
Micro Payments
Demurrage Fees

IEC 61850 Objects logical nodes, data objects or data attributes resends message with the heartbeat cycle

TAG vector	ENERGY TOKENS ExDesc / COMMODITIES	digitalset
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1) Δδ	[UFO2_STATE:#]	Δδ IF_State
IF2_State (IF-Node2) Δδ	[UFO2_STATE:#]	Δδ IF_State



SYNC
DELTA
HEART
BEAT
Match
events to
Closest HBC

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL
< HOPS = CHEAPER Sync Delta Heartbeat Messages
CROSS LEVEL OVERAGES / SHORTAGES ADJUST FOR
TIME / DISTANCE BETWEEN NETWORK NODES

FIREFLY EVENT BUS

UniInt does not examine the remaining attributes, the point source and location must match
Micro Payments
Demurrage Fees

Heartbeat
State meta
Data snapshots

Micro
Payments

FIREFLY-HEARTBEAT ALGO EVENT MESSAGE BUS


USPTO 13,573,002 THE HEART BEACON CYCLE TIME – SPACE METER / METRICS & INTERNET SURVEY METHODS
ENERGY MICROGRIDS CLOSER + CHEAPER
BLOCKCHAIN MICROGRIDS
Demurrage Charges
FRIEDMAN'S K % RULE
MONEYBALL ECONOMICS
COMMODITIES
TERRACYCLE
TERRA TRC
currencyindex
ECONOMIC MACRO CYCLES
Constant % Rate
Increase Per Terra Cycle
</CLASS_TYPE>
{"Org_ID"}{"URN"}
<URN>
POOL
LAST LOSS
AAA/ Aaa
AA/Aa
A/A
BBB/ Baa
B/B
FIRST LOSS
500
400
300
200
100
5
4
3
2
1
RISK CORRELATION
HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD
TESLA
Bitcoin Memes
MEDIATION CONVERSION GATEWAY
HEARTBEAT STATE META DATA SNAPSHOTS
Cloudcenter
Cloudcenter
Time Series Database
Price Indexes in Time and Space
B B B B
{"TAGGED BITCOINS"}
Veritaseum
IEEE 802.15.4 OASIS MQTT TELEMETRY TRANSPORT
IEEE 802.1AG HOP BY HOP DETECTION
IEEE C37.118 Harmonization & Sync heartbeat update Interval
IEEE 802.11
HOP BY HOP CONTROL
Paul Revere Linear, Sequential
Bitcoin = Property
PROCESS BY </PRECEDENCE>
SonarMaps ID_Hops
IRS Memo #1421
I.R.S.
% Block Mined
% Block owned
Mined Bitcoins
Unmined Bitcoins
Land Use Meme
BLOCK
BLOCKTIME ARBITRAGE
Blockchain Timestamps
NDN
ON / OFF SHORE
PROXIMITY BEACONS
BITCOIN / FIAT Convert
PofW PofS POET..
PoA, Age, Vote..
Triangulation
Euclidian Geo
GPS GEO LOC
DATE TIME STAMP
Multi-Meme Metrics
EVENT BUS
Match to Closest
Heartbeat Cycle
FIREFLY-HEARTBEAT ALGORITHM
BLOCKCHAIN PARSING
Clock
Clock adjusted
5:45 PM
ERLANG
Firefly Events
Strive to Sync
To Closest
Heartbeat Cycle
HOPS / RADIUS = REACHABILITY
WATER DROP IN POND MEME
SEARCH IN AREA
RADIUS
</FILTERS>
BY ORG ID / URN
NDN </INTEREST>
</DISTANCE>
{"FILTERS"}
</FILTERS>
NDN </INTEREST>
NDN {"DISTANCE"}
Spatial Econometrics
vector
Heartbeat Snapshots
MICRO CYCLES


601
SEVERITY METRICS TEMPLATE
THRESHOLD TRIGGERS INCREASE
BEACON BROADCAST AREA / RADIUS
IN ZONES e.g. STOCK MARKET TRANCHES
GEO-SPATIAL, TEMPORAL INTENSITY
NUMBERS ARBITRARY BUT MUST MATCH
E.G., 5 OR 4 OR 3 BUT NOT 5 AND 4, 5 AND 3
REPLACEMENT SHEET
607
ALERT LEVEL >
> NEWSCAST ZONE
500
400
300
200
100
INFOCON
5 4 3 2 1
INFORMATION CONDITION
5
4
3
2
1
RISK CORRELATION
602
+4
+ 3
+ 2
+ 1
+ 2
+ 3
+4
M2M MACHINE TO MACHINE PARSING RELIES
ON CONSISTENT NUMBERING SCHEME
GEO-SPATIAL TEMPORAL INTENSITY
METRICS / VECTORS
TRIGGERS
6
CAP
XML
AAA – BBB - D
NIEM
EQUITABLE METERING
+6 TO +8
+3 TO +5
-1 TO +2
- 4 TO -2
-8 TO -5
605
EVENT SEVERITY INDEX
TRACK BY ORG ID / URN
vector
603
ALERT LEVEL CHANGES
CAP
XML
RESPONDERS
vector
vector
vector
GEO-SPATIAL RADII DEFINED
BY WATER DROP AREA ZONES
CHILD SCHEMAS, DATA ISLANDS
5 LEVEL ALERT SYSTEM
COLOR CODE CONDITION LEVEL
604
HOMELAND SECURITY ADVISORY SYSTEM
COMBINED COMMUNICATION ELECTRONICS BOARD CCEB
INFOCON LEVELS OF CONCERN
RED
SEVERE
CLOSE FACILITIES
STOP PROCESSES
SEVERE/DELTA
FINE
FLASH OVERRIDE
FINE
INFOCON 4
ORANGE
HIGH
TAKE PRECAUTIONS
COORDINATE
W/OTHER GROUPS
HIGH/CHARLIE
DOES
FLASH (Z)
DOES
INFOCON 3
YELLOW
ELEVATED
INCREASE
SURVEILLANCE
ELEVATED/BRAVO
BOY
IMMEDIATE (O)
BOY
INFOCON 2
BLUE
GUARDED
- CHECK
- REVIEW
GUARDED/ALPHA
GOOD
PRIORITY (P)
GOOD
INFOCON 1
GREEN
LOW
PLANNING
LOW/NORMAL
EVERY
ROUTINE (R)
EVERY
INFOCON 0

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS

vector

INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING

Geo-Spatial Temporal Intensity
NOVEL METRICS / METERS:

Paul Revere = linear, sequential

TCP/IP hop by hop counts, by hop controls

Water Drop = AREA / INTENSITY
Cyclic Frequency

NAMED DATA NETWORKING

XML
MTF
300 + MSG

INFOCON
5 4 3 2 1
INFORMATION CONDITION

</IoT>
MQTT



<CONTENT> TEMPLATES

OASIS

IEEE 802.15.4
OASIS MQTT
TELEMETRY TRANSPORT

ARRESTED-D





CLOSER = FASTER, CHEAPER > CYCLE = > INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION





vector WirelessHART

ALERT LEVEL > > NEWSCAST ZONE

time synchronized, self-organizing, mesh Net



SINE-WAVE



TRIGGERS

CAP
XML



NDN
<INTEREST> BY
INTENSITY / FREQUENCY

Interface Name	HEARTBEAT Administration Interface [SCOP]
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html
API Information	Functionality Areas: Cloud Interface Management, configuration, start, stop cloud services, edit configuration (heartbeat messages)
	API Operation Count
	Web service access type: Web application, front end to [network, device, system] heartbeat]
	LANGUAGE / PLATFORM BINDINGS: PHP
Interface Characteristics	SCOP is a web application, PHP based, that is a front-end to heartbeat, IP Virtual Server ipvs and ldirectord [check interval e.g., every 5 seconds] software. With SCOP you can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, make backups, take a server online/offline, add/ remove virtual/real servers, etc.

#IeT

#Big_Data

"The external environment could update resources at random...One solution is a heartbeat: defining a default lease duration and delaying updates until the next cycle"

QubitCoin Interval: Every 30 Seconds

MICRO ECONOMIC CYCLES


REPLACEMENT GRAPHIC
PRECONDITIONS
135
137 "HEART BEACON CYCLE" 137
SOP - 3 PLAYBOOK
136
LITTLE LEAGUE COMMISSION
120
122
107
DIRECTORY PROCESS
DATA FUSION CENTER
119
9C
134
DISPLAY BOARD
9B
101 + 102 +103.. 136 = 137
9A
9
LEAGUES
132
8
105
109
108
109
DIRECTORY PROCESS
7
STATISTICIAN
6
CARD
RUNNER
CARD
STATISTICIAN
107
117
STATE PROCESS
106
STATE PROCESS
106
105
TEAMS
133
SECTION 1 LEAGUES
129
121
120
122
STORED DATA
114
OFF FIELD CONNECTOR
5B
125
LEAGUE HQ > TO COMMISSION
LOCAL: OCEANPORT NJ
<TEAM>
133
106
107
2A
STORED DATA
114
DISPLAY BOARD
134
3
115
4C
5A
101
PLAYER
TEAM TASK ORDER TTO
118
110
4B
COACH
102
1
2B
109
108
128
DELAY
0
127
2C
MANAGER
103
2
127
4A
<ACTIVITY>
<TAG><TAG>
UMPIRE
104
0
0
3
5
122
5A
120
STATISTICIAN
105
106
107
4
REPORTS
<RESOURCE>
<TAG>
110
RUNNER 108
111
SECTION 2 BENCH
UNEXPECTED EVENT
N
131
131
131
131
13
126
N
CONCENTRIC
124
130
4
Y
X
X
Y
+ / -
SEQUENTIAL HOP COUNTS
123
113
T TIME
108
126
1 2 3 4
PRECEDENCE
112
RUNNER 108
HEARTBEAT GET / PUT
HEARTBEAT TIMESTAMP
SECTION 3 FIELDS


PLAYER
101
COACH
102
MANAGER
103
UMPIRE
104
STATISTICIAN
105
STATE PROCESS
106
DIRECTORY PROCESS
107
RUNNER
108
DATA
109
CARD
<ACTIVITY>
<EVENT>
<LOCATION>
<RESOURCE>
110
UNEXPECTED <EVENT>
111
HEARTBEAT TIMESTAMP
112
GET / PUT
113
STORED DATA
114
SYNC DELTA
115
ELEMENT TAGS
116
SEARCH
117
TEAM TASK ORDER TTO
118
DATA FUSION CENTER
119
MERGE
120
SORT
121
SUMMING FUNCTION
122
HOP COUNTS
123
AREA / CLUSTER
124
OFF FIELD CONNECTOR
125
126 SEQUENTIAL
1 2 3 4
PRECEDENCE
PRECONDITIONS
135
DECISION
127
DELAY
128
OR
129
130
131
BASEBALL DIAMOND
LEAGUES
132
T
133
TEAM
MACRO CYCLE
136
SOP-3
STANDARD
OPERATIONS
PROCEDURES
PRECONDITIONS
PLAYBOOK
MICRO CYCLE
REPORTS: <SITREP>
<BASE COUNT> (HOPS)
<RBI> = ROUND BASE
<HITS> <TEAM RANK>
<TIMES AT BAT>
<BATTING AVERAGE>
<SCORE> <SPOT>
<PITCHER RATING>
<HASTY>
<DELIBERATE>
GREASE PENCIL
ACETATE DISPLAY BOARD
134
PREDEFINED PROCESS "HEART BEACON CYCLE"
137
TEAM IDENTIFIERS<TEAM ID>
in federated ID organizations
Alphabetical, numeric or both
TEAM TASK ORDERS <118>:
<JOIN> <ADD> <MOVE>
< MERGE> <HASTY - FRAG>
<SPLIT> <CHANGE> <DROP>
TEAM / LEAGUE TAGS
<COMMISSION> <LEAGUE>
<TEAM> <SHARED>
<PRIVATE> <JOINT>
PRECEDENCE / PRIORITY
<NULL 0> <ROUTINE 1>
<PRIORITY 2 > <IMMEDIATE 3>
<FLASH 4>
CONCENTRIC HOPS:
<GREEN = NULL>
< BLUE = 1>
<YELLOW = 2>
< ORANGE = 3>
< RED = 4>
PRECEDENCE
SALUTE-R: REPORT:
SIZE = # of Team Players
ACTIVITY = Playing Ball
LOCATION = grid location
UNIT = measure / metric
TIME = date and time
EQUIPMENT = bat, hat
RESOURCE: dues, water
TAG CLASS TYPES: URNz; Uniform Resource Name:
< EVENT> Tournament, Pre-planned, hasty = card fragment
< RESOURCE> Quantity Unit of Measure
< LOCATION > Geospatial, place specific
< ACTIVITY > Running bases as hops
< FREQUENCY> seconds, minutes, hours, days, weeks
< AREA> by # of grouped players, actors, teams, leagues
REPLACEMENT GRAPHIC



SAW Concepts LLC Owner's Father is from Blackfoot First Nation Native American Indian Tribe

Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
"claims may not direct towards abstract ideas"

13/573,002

USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- No need for forms, fees, amendments
- No Time Stamps = Temporal Ambiguity
- Screen captures before / after filing





Patent Worthy

Screen Capture Software

Idea Formed CIRCA 2006

TCP/IP "Heartbeat"

UNITED STATES PATENT AND TRADEMARK OFFICE

uspto



USPTO citation directs to SAW Concepts LLC's web pages suspending regular, formal process, content, format rules

Cape Hatteras Light House Completed 1870

LITTLE LEAGUE BASEBALL TOURNAMENT EMBODIMENT

13,573,002 October 16, 2014 Revived

LETTER USPTO Office Action Nov 6th 2015

National Association of Baseball Players Formed 1870

1. Transco V Performance

citation screen capture web images not time stamped

METHOD / PROCESS / PROCEDURE TO ENABLE: THE HEART BEACON RAINBOW FORCE TRACKING

10/709,358 April 29, 2004
METHOD TO ENABLE HEARTBEAT 911

12/856,715 Aug. 16, 2010

2

Screen Captures with No Time Stamps mailed by USPTO

2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015

11/601,035 Nov. 17, 2006 METHOD TO ENABLE THE HEARTBEAT BEACON FOR HOMELAND SECURITY AND HOMELAND DEFENSE INTEROPERABILITY

13/573,002 Heart Beacon Cycle Aug. 13, 2012

10/605,144 Sep. 11 , 2003
Method to commercialize structured military messaging

USPTO screen capture circa 2006 sent to applicant without date time stamps thus suspending regular patent procedures, formatting etc. for an Indefinite period. Screen capture established that a patent worthy idea was formed. Many use cases i.e., stock, currency, commodities may be theme variants.

Stare decisis et non quieta movere

A court may Not reverse itself

300 + structured military message templates form syntax library, lexicon. Reuse of parsing, processing procedures logic establishes syntax consensus among a distributed system of systems

10/709,358 continuation further established all things related to the internet are formed using time cycles to parse, process syntax as instructions.

13/573,002 Baseball theme main embodiment addresses "221 errors" using real world, physical world concrete terms as compared to internet metaphors, memes such as packets, frames, Bitcoin, Blockchain, hops, "HEARTBEAT" pings that are abstract, abstractions. 13,573,002 is compliant with Alice Corp V CLS Bank ruling.

2 USA Supreme Court June 19, 2014
ALICE CORPORATION PTY. LTD. v. CLS BANK INTERNATIONAL ET AL.
claims ineligible for patent protection under 35 U. S. C. §101 "claims may not be directed to an abstract idea"

10/708,000 Jan. 30, 2004 continuation of 10/605,144 Method to enable a Homeland Security "Heartbeat" Parenthesis around term "heartbeat" describes Internet TCP/IP metaphor as an abstraction. "Heartbeat" describes time cycles, intervals, periods created by a Central Processing Unit. Time intervals are used to parse, process or not process syntax as instructions thus forming the basis of all things, artifacts internet related. This patent worthy idea forms the main embodiment upon which all other embodiments and claims are based. All filings, embodiments, claims after this point in time related to 10/708,000 do not constitute new material or new claims as variations on main embodiment.

USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS", "PACKETS", FRAMES = METAPHOR

TIME / DISTANCE SERVICE LEVEL AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT TELEMETRY TRANSPORT

IEEE 802.11 HOP BY HOP CONTROL

Unused Resources / Unmet Needs

IEEE 802.1AG HOP BY HOP DETECTION

vector

UNUSED RESOURCES

UNMET NEEDS

/localhost/nfd/fib/add-nexthop

Geo-Spatial Temporal Metrics, Meters

DISTANCE INFO SERVICE

Time Series

Value

Time

IDMaps

SonarHops

5

4

3

2

1

RISK

602

+3

+ 2

+ 1

Null

0

+ 1

+ 2

+3

PING

Δδ

WATER DROP IN POND MEME IS SONAR NAVY METAPHOR / MEME

NDN </INTEREST>

NDN {"DISTANCE"}

NAMED DATA NETWORKING

PAUL REVERE LINEAR, SEQUENTIAL

603

NULL +1 +2

RADIUS

INTENSITY

WATER DROP IN POND MEME

IEEE C37.118 Harmonization & Sync heartbeat update Interval

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances

CLOSER SOURCE CHEAPER RATE

Attribute Series

INTEREST DISTANCE

Geo Spatial Temporal Series

TESLA

Micro Grids Closer - Cheaper

BLOCKCHAIN MICROGRIDS

Spatial Econometrics

TIME-SPACE BEACON

INFOCON 5 4 3 2 1 INFORMATION CONDITION

METRICS / METERS

TRADE WITH EARTH

???

Spaceship Earth Signals & Telemetry Annex

bitcoin

r. buckminster fuller operating manual for spaceship earth

SIRIUS DISCLOSURE

ASTEROID BELTs = RARE MINERALS

MOON = HELIUM 3

"Numbers are the Universal Language offered by deity to humans as confirmation of the truth"

MARS

MERCURY

VENUS

EARTH

MAIN ASTEROID BELT

TROJAN ASTEROIDS

JUPITER

Farther = More Cost

➢ Fuel, Resources

Service Level Agreements

STOCHASTIC HARMONIZATION

FIREFLY-HEARTBEAT ALGORITHM UNIVERSAL EVENT MESSAGE BUS

ERLANG TIME- SPACE METRICS

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

Alpha Numeric Brevity Codes

SYNTAX LEXICON

K00.99

ANDERSON INSTITUTE

FIREFLY – HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

cycle n → n + 1 → n + 2


Sustainable Stock Exchanges Initiative
SSE
TIME
Will There Be a Recession
START
K %
% GDP
STOP
TTL
Economist
Milton Friedman
FRIEDMAN's K% RULE
ALGORITHMIC REGULATION
ADMIRAL
"AMAZING GRACE"
HOPPER USN
MACRO
MICRO
EPOCH
CYCLES
Alpha
Numeric
Brevity Codes
AETERNITY
WORLD
COMPUTER
HASH
NONCE
1ST
COMPILER
BITCOIN IS A
LANGUAGE
"BITCOIN's VALUE IS TIME ITSELF"
DIGINOMICS
("Org_ID"){"URN"}
DAO
TIME IS THE MEASURE OF CHANGE
ARISTOTLE
NEURAL NET
FEDCOIN
WORLD COIN
USDe
K % ΔδX
currencyindex
COMMODITIES
UTZ TIME ZONE
Global Time Zone Sync
golem
DISTRIBUTED
SUPER COMPUTER
FLASH HEARTBEAT
Messages Event BUS
INNOVATE
LIKE
EDISON
RULES
ROLES
Metrics
Meters
Block
Diamond
72
ECOLOGICALLY
RESPONSIBLE
TRC
TERRACYCLE
INFOCON
ECONOMICS
#1421 SC: 573
I.R.S.
#EN
ERLANG
THE
WORLD
GAME
r. buckminster fuller
SIGNALS TELEMETRY ANNEX
operating manual
for
spaceship earth
TIME IS THE MEASURE OF CHANGE
ARISTOTLE
INTERNET of $$$ = 1) TIME EPOCHS 2) SYNTAX
US SC 573 134 2347
USPTO 13/673,002
"BITCOIN"S VALUE
IS TIME ITSELF"
Diginomics
An invasion of armies
can be resisted
but not an idea
whose time has come.
Victor Hugo
Δδ
Σ
DAO
("URN")
("Org_ID")
BITCOIN MINER
SYNTAX
LEXICON
Alpha
Numeric
Brevity Codes
"Bitcoin is a
language"
Diginomics
TABLES
HASH
ROSETTA STONE
CODE
GUIDE
NUMBERS = UNIVERSAL LANGUAGE
Symbols
Rule the
World
AI
2525C Symbol Sets
Structured
Data
Exchange
Artificial Intelligence
"LOGIC"
"FILTERS"
NATO
Message / Data Symbol Sets
HEART BEACON CYCLE
USPTO 13/573,002
Milton Friedman's
K % RULE % GDP
Algorithmic
Regulation
WorldCoinIndex
Economic Heartbeat
Federation
Gateway
EUROPEAN UNION:
"Few Understand"
"Impossible to Regulate"
FEDERATION: Latin: foedus, foederis,
1. covenant, union of partially self-governing states under a central government
2. League or confederacy. People, groups retain autonomy
3. A federated body formed by a number of nations, states, societies, unions, retaining control of own internal affairs
Procedural
Template Checklist
Firefly-Heartbeat Algorithm
{"Heartbeat 108"}
Flash Messages
MATCH TO
CLOSEST
HB CYCLE
State Snapshots Micro-Cycles
Universal Time Zone UTZ
Stochastic Harmonization
MONEYBALL
ECONOMICS
currencyindex
COMMODITIES
TIME EQUATIONS
Blockchain Parsing
Spatial
Econometrics
IDMaps
SonarHops
ERLANG
UNIVERSAL MEME
1421
I.R.S.
Purchased
Bitcoins
Akin to
property
BITCOIN MINER
SC Alice Corp V CLS Bank
BLOCK
Clock
ROLES
Meters
RULES
Metrics
SLA / o
On / Off
Shore
("URN")
("Org_ID")
CODE FOR
AMERICA
NATO
FEDERATE
STRUCTURED DATA EXCHANGE
"SYMBOLS RULE THE WORLD"
HASH
("LOGIC")
("FILTERS")
2525C
DATA SETS
SYMBOLS
PURCHASE
CODES
BREVITY
CODES
SYNTAX
LEXICON
CODER's
GUIDE
Alpha Numeric
Brevity Codes
Symbol Codes
K00.99
ROSETTA STONE


SIGNALS
Telemetry
ANNEX
r. buckminster fuller
operating manual
for
spaceship earth
Buckminster Fuller 1968 Operating Manual for Spaceship Earth
"we can make all of humanity successful through science's world-engulfing industrial evolution. We have the tools"
"The Dymaxion Map reveals a One-World Island in a One-World Ocean" which helps us to view the world as one interdependent system [of systems] of relationships. This is what is most fundamentally at HEART when we speak of Spaceship Earth "The planet is a [system of] system (s)"
SPACESHIP EARTH: comprehensive planetary planning describing new strategies intended to enable all of humanity to live with freedom, comfort and dignity, without negatively impacting the earth's ecosystem's regenerative ability
INCENTIVIZE
SUSTAINABLE
Eco-Econometrics
INFOCON
5 4 3 2 1
INFORMATION CONDITION
The World Game
BLOCKTIME
ARBITRAGE
TERRA
TRC
ECONOMIC HEARTBEAT
{"108"}
Algorithmic Regulation
Stat Mean Value Index
TERRACYCLE
The Book Spaceship Earth relates Earth to a spaceship flying through space.
Our spaceship has a finite amount of resources and cannot be resupplied.
HEART BEACON CYCLE: SIGNALING, TELEMETRY FRAMEWORK ANNEX
BUCKMINSTER FULLER'S OPERATING MANUAL for SPACESHIP EARTH
Crypto Currency
Micro Payments
Demurrage Fees
Spatial Econometrics
70 / 30 RULE
UNUSED RESOURCES
Firefly
Heartbeat
Algorithm
UNMET NEEDS
COMMODITIES
FIREFLY SYNC PULSE MATCH TO CLOSEST HEARTBEAT CYCLE
NEURAL NETWORK WORLD COMPUTER
UNIVERSAL EVENT / ALERT BUS
Trade w Earth ???
Closer = < Fuel
CLOSER = Cheaper, Faster
{"URN"}
{"Org_ID"}
ENERGY TOKENS
vector
START
Our Spaceship Earth
one island in one ocean ... from space
STOP
TTL
Bitcoin Army

USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube

1 + 3 +5 + 7 + 3 + 2 = 21 21 squared = 441

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme

72 Diamond Shoals

ΔδTHE LAW OF TIME

BOOK OF THE CUBE

http://lawoftime.org

First Baseball Players Union Formed 1870

SYNCHRONOTRON

Inverted Fits into cube



SC 573 US 134 2347
Physical = Opposite
Of abstract
Euclidian Geometry
TRIANGULATION..

Metatron's Cube and the Platonic Solids

Saturn Shabatai/Shabbatai

Astrological Equations

by: Tom Raimbault

http://bit.ly/2cqLo74

21 x 21

441 TIME CUBE MATRIX



Pyramid In 3D = Tetrahedron







GENESIS OF ALL FORM






START
USER {"Org_ID"}
ENVIRONMENT
INFORMATION ASSET
{"URN"}
Subject attributes
{"108"}
Environment attributes
Resource and action attributes
TTL
Time To Live
Δ δ
{"URN"}
Threshold
State Snapshots
RULE
RULES ENGINE
Permit managers to • • •
provided that • • •
if • • • or • • •
unless • • •
PERMIT
DENY
STOP
SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS


IDMaps
SonarHops
Distance Est
SLA/O
TERRACYCLE
UNIVERSAL
Metrics /
Meme
Closer =
Cheaper
< Fuel
ONE EARTH
ONE PEOPLE
ONE TIME


EARTHDAY EVERYDAY
ON THE BITCOIN BLOCKCHAIN
TERRA
TRC
Block Time
Arbitrage
Spatial
Econometrics
BFI
THE WORLD GAME
EVENT / ALERT BUS
ANNEX
SIGNALS
&
TELEMETRY
r. buckminster fuller
"Build a new model
operating manual
for
spaceship earth
MONEYBALL
ECONOMICS


HEART BEACON CYCLE
TERRACYCLE
{"URN"}
{"Org_ID"}
Firefly-Heartbeat Algo
Universal Event Bus
STAT MEAN VALUE INDEX


TIME – SPACE METER
Federation
Gateway


ECO-ECONOMETRIC HEARTBEAT
Earth Day Every Day on Bitcoin Blockchain
K %
RULE
("108")
FEDCOIN / WORLDCOIN
STATISTICAL MEAN VALUE INDEX
TIME
OUTER
BANKS
OFF SHORE
KAIJU


70 / 30
RULE
DAO
BITCOIN MINER
1st
Player
Federation
1870
SIMPLE WINS CONCEPTS LLC
EARTH DAY every day on the
Bitcoin Blockchain / Hashgraph...
Web: http://sawconcepts.com/index
http://patreon.com/beacon_heart
http://github.com/Beacon-Heart
732
768
5440
Rosetta
Stone
Code Guide
SYMBOLS RULE
THE WORLD
1st
Compiler