



Timekeeper is the primary antagonist in Borderlands 4, a ruthless dictator who rules over the planet Kairos from on high.


THE TIME KEEPER BORDERLANDS 4



SPACE SHIP EARTH
UTOPIA OR OBLIVION?



Admiral Amazing Grace
OPSCODE BREVITY CODES



THE TIME KEEPER


Hashed Timelock Contract (HTLC) / Epoch Sync Deltas $\Delta\delta$

QUOTE: "As in nature, all is ebb and tide, all is wave motion, so in all branches of industry, alternating currents electric wave motion will have sway." Nikola Tesla

Because abstract ideas, laws of nature, and natural phenomenon "are the basic tools of scientific and technological work" .. Supreme Court Alice Corp., 573 U.S. at 216, 110 USPQ2d at 1980; Mayo Collaborative Servs. v. Prometheus Labs., Inc., 566 U.S. 66, 71, 101 USPQ2d 1961,




USPTO 13/573,002
THE HEART BEACON
CYCLE TIME – SPACE
METER, METRICS
QFS QUANTUM
Financial System
DeFi Tech Framework



FUTURE MAN

Born: February 10th 1960 & 06:44 AM (MM)

Aquarius MR MAGOO
Aquarius Rising 144 Degrees
Mystic Yod





UTOPIA ? $\Delta\delta$ OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022


I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES



STAT MEAN VALUE INDEX



Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFi TIME- SPACE METRICS METERS Eco Econ Incentives HEARTBEAT % REAL GDP ("108") ALGORITHMIC REGULATION

World Game Annex K



Signals & Telemetry



{“URN”} {“URN”} {“URN”} 300 + Use Case message sets
OPSCODE BREVITY CODES - Symbols, symbol sets



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



"Build a new model"
Standing on the shoulders of giants



Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Re Monetize (Crypto) Currency
Symbol / Message Sets A.I.

FIREFLY Inspired
Heartbeat Algorithm
Message Event Bus


Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
 - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
 - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESES: All net artifacts, net of \$ are formed with:
1) Epoch time cycle intervals ex: chip oscillations
2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...





All things internet, programmable net of money are formed using:
1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax



Internet / Internet of Money building blocks



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code


Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3



Decentralized

START



Blockchain = series of hashed blocks

carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Scalable

= AVAILABLE EPOCH TIME CYCLES

**TIME EPOCHS =
TEMPORAL LAYERS**

Water drop
In pond Meme
USPTO
13/573,002



TEMPORAL CONSENSUS
- Time Sync
- Stochastic harmonization

SYNTAX CONSENSUS
Brevity Codes

Secure



STOP

Traditional chains (BTC, ETH...)

TTL Time To Live

Database Flat File


"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

NET, Net of programmable \$\$\$ Programming Reality Ground Truth

No Layers L0, L1, L2... only GENESIS EPOCH,
Follow on Epoch time cycles, intervals, cycles



THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..

BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001


MICRO CYCLES

216





202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS




LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME




APPLIQUE' OVERLAYS




B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL




MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204





QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003




"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



Beacon Communities

Vernetzte Operationsführung




Proximity Beacons



JAEGERS




Closer < \$\$\$ < FUEL




FREELY
HEARTBEAT
ALGORITHM

EVENT / ALERT Flash Heartbeat Message Bus



WORLD BEYOND WAR.org
a global movement to end all wars





MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organization Identifiers {"Org_ID"} routing / organizing
 - 2) Track RWA Real World Assets / Commodities by </URN>
 - 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
 - 4) TARIFF TOOL ZONE CALCULATION w Space – Time Metrics
 - 5) Use NIST Quantum Random Number Beacon QRNB
- USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex



Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MCS
AMDPCS
AFAPTS
ASAS

MIL STD 2525ABC

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematic

11.8.1 - Pos

11.8.1.1 -

11.8.1 -

XBRL™
THE BUSINESS REPORTING STANDARD

BINARY XML
Decision

UBL

DDL DATA
DEFINITION
LANGUAGE

TOSCA

Confidence

Bearing Angle

Bearing Angle Rate

Covariance Matrix

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

DISTANCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE



NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

INTEREST

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	L - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"ASSET_CLASS"}



{"ASSET_TYPES"}



ISO 10383 – MIC



Market Identifier Codes



DAO



{"URN"}



{"Org_ID"}



Heartbeat Message



STOCK



NDN NAMED DATA



EXCHANGE



NETWORKING



MIC CODES



PRECEDENCE



PROCESSING



FILTERS



BLOCKTIME



ARBITRAGE



ERLANG





TIME

EQUATIONS



EQUATIONS

FROM	TO					CODE GUIDE		
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS		
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio					
AMDPCS	TOKENS OPSCODE BREVITY CODES		INFOCON 5 4 3 2 1 INFORMATION CONDITION					
AFATDS	F002 F014 F015 F541 S201	F002 F014 F015 F541 S201	A.I. 					
MCS	 SIOP  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	 Syntax Lexicon  Coder's Guide	A423 C203 C505 F002 F014 F015 F541 S201	M2M 	"SYMBOLS RULE THE WORLD" 
MESSAGE CATALOG 300 + Use Cases			Data Elements: entity, attribute, relationship equivalents				HEARTBEAT MESSAGE = K00.99 </108> {"108"}	
Information Categories and Examples								
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent	
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	spd/hdg	EXCHANGE country / alliance, type/class	Message readiness	Sets targeting, reconitering	COA {"Java JS"}	
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	YAML expansion plan	
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	XML DTD / Schema	TADILs	
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Entity	Class	Table	Element	Message	
		Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI FFIRN / FFN / FUDN	
		Domain Value	PURCHASE CODES	Instance, Value	TOKENS		DUI FUD	

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

FIRN Field Format Index Reference

Structured military messaging ID's messages, message sets, data element, symbol fields </108>

BY Form Field Position & NUMBER



PROCESS MESSAGE BY PRECEDENCE

UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA SYSTEM FUNCTIONS PERFORMANCE

1.4 - Classification	11.8 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	1.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	1.2.1 - Estimated
	1.2.2 - Observed
	1.2.3 - Predicted
	PURCHASE CODES

SYMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1 - Surface			1 - Velocity
11.4.2 - Platform / Point / Feature Type			1.4.1 - Horizontal
11.4.3 - Specific Type			1.4.2 - Vertical
11.4.4 - Type Modifier			VA Confidence
11.4.5 - Unit			1 - Bearing Angle
			2 - Bearing Angle Rate
			3 - Covariance Matrix





World Game Great Reset Signals Telemetry Annex K






Net, net of money \$\$\$ formed w:


1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus



Syntax lexicon comprised of 300 + Structured data messages, message sets = Comprehensive list of use cases, data elements supporting Internet of Everything IoE net of value. Reference guide, data dictionary standards support

Data elements mapped to SYMBOL SETS





TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template



SCOTUS Alice in Wonderland Ruling 2014 ABSTRACTIONS MAY NOT BE CLAIMED:

Chain Abstraction: Simplifying the Complex World of Blockchain

The Net, Net of Money (Cryptocurrency)

Does not have / has no:

- LAYERS i.e., seven layer internet model
- BLOCKS on the BLOCKCHAIN
- Blockchain data stored in a CUBE
- QUBIT (S) quantum two state system
- Packets i.e., Vinton Cerf's "ode to a packet"
Nikola Tesla "All is wave form motion"

Lightchain AI introduces Proof of Intelligence (PoI), consensus mechanism designed to reward nodes for performing AI computations i.e., model training, inference, optimization...

INTERNET, NET OF \$\$\$ TRUTH = WAVE FORMS

All computing is essentially workflow logic

If, then, else then do {'task'} multicasted, Unicasted, anycasted / filtered over TCP / IP



Qubit vs bit: Qubits are represented by a superposition of multiple possible states. A qubit uses the quantum mechanical phenomena of superposition to achieve a linear combination of two states. A classical binary bit can only represent a single binary value, such as 0 or 1, meaning that it can only be in one of two possible states. A qubit, however, can represent a 0, a 1, or any proportion of 0 and 1 in superposition of both states, with a certain probability of being a 0 and a certain probability of being a 1.

Q: ARE WE ABSOLUTELY CERTAIN QUBITS EXIST ?


Q: IF CUBITS DO NOT EXIST, THEN ARE THEY SIMPLY A WAY TO ACHIEVE GROUP THINK FASTER ???

Q: 1/3 of an event (transaction) ... really ???


**ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347**
"BITCOIN'S VALUE = TIME ITSELF"
TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP



Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"




Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.
ANTONINVS
AVG. TR. P. XXV.

THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC
"world currency" Bernard A. Lietaer
Belgian economist proposed 1991
Basket of 9-12 most important
commodities. Public issued
demurrage fees for storage,
shipping, handling..



Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin

Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



LEADING ECONOMIC INDICATORS





Buckminster Fuller 1968 *Operating Manual for Spaceship Earth*

"we can make all of humanity successful through science's

world-engulfing industrial evolution. We have the tools”



The image is a collage of three distinct elements. On the left, a large, metallic-looking Bitcoin symbol is centered against a dark background. In the middle, a classic red and white striped lighthouse stands on a rocky shore. To the right, a person's hand is shown holding a glowing, translucent sphere or orb, with a green, leafy plant visible in the background.

"The Dymaxion Map reveals a One-World Island in a One-World Ocean"
which helps us to view the world as one interdependent system [of systems]
of relationships. This is what is most fundamentally at HEART when we
speak of Spaceship Earth "The planet is a [system of] system (s)"

SPACESHIP EARTH: comprehensive planetary planning  
describing new strategies intended to enable all of humanity to
live with freedom, comfort and dignity, without negatively
impacting the earth's ecosystem's regenerative ability 





INCENTIVIZE SUSTAINABLE Eco-Econometrics



Earth relates Earth to a spaceship flying through space. We have a finite amount of resources and cannot be resupplied.  




Algorithmic Regulation

Stat Mean Value Index



A collage of three images. On the left, a green banner with white text reads 'VERSARIAL / ALERT'. In the center is a red and yellow bullseye target icon. On the right is a cartoon illustration of a green alien with large eyes, wearing a white spacesuit with a clear dome helmet, sitting in a small grey rocket ship.





- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**
 - Reuse brevity codes mapped to 2525D symbol sets comprised of 300 message sets for A.I. - machine
 - Block-Time DLT arbitrage among Trade Federations </Org_ID> {"URN"} </URN> = COMMODITY




Spatial / temporal UTZ
ynchronization, stochastic
harmonization, Time - Space
Distance Estimation Service
common Consensus Algo meme
Eco sustainable incentives

We can synchronize ourselves,
DAO Trade Federations in time -
space for common purposes"
Eco sustainable, Equitable
Economic econometrics.


Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**



GOVERNANCE 2.0



FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND



{“GLOBAL”}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
</ORG_ID>
{"GROUP ID"}

Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



iET DEVICE / PLATFORM
IoT SENSOR DEVICE



</RESOURCE> {"URN"}
{"Asset_Class"} </URN>

STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES



“DUNS #”{"Org_ID"} Heartbeat Snaps
QR CODE
{"URN"} {"URN"} {"URN"} MICRO-CYCLES



Signalling, Telemetry



FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME



Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"


"In the Beginning" Genesis Block

"net, net of money are formed using wave form motion time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

NAMED DATA NETWORKING



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language" Coindesk Article



SYNTAX LEXICON Library

1st Compiler



STRUCTURED DATA EXCHANGE TEMPLATE FORMS
300+ USE CASES

LOGIC / FILTERS



Alpha Numeric Brevity Codes

Coder Guide Rosetta Stone



SYNTAX / SYMBOL LEXICON LIBRARY



"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA"

"BITCOIN'S VALUE = TIME ITSELF"

"Time is specified in units of block transaction confirmation times"



ALICE CORP VS CLS BANK

"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BITCOIN BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



CLOCK FACE 360°
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META DATA SHARDS


State Meta Data Snapshots

Survey Point

MICRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base



Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth, Height, Volume

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE EVENT BUS

FIX {"108"}

EVENTS

Firefly – Heartbeat Algo

Stochastic Harmonization

PROOF-OF-CAPACITY PROOF-OF-TIME

PROOF-OF-STAKE

DELEGATED PROOF-OF-STAKE

PROOF-OF-WORK

PROOF-OF-ELAPSED TIME

PROOF-OF-BYZANTINE FAULT TOLERANCE

PROOF-OF-IMPROVED BYZANTINE FAULT TOLERANCE

PROOF-OF-DELEGATED BYZANTINE FAULT TOLERANCE

PROOF-OF-LESSON LEARNED

PROOF-OF-DECODED GRAPHICS

PROOF-OF-DECODED BYZANTINE FAULT TOLERANCE

Circle USDC


Investopedia

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.


Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies,
Source JDSUPRA



Circle Financial Ltd
lawsuit brought by
Veritasium Capital for
alleged infringement of
its digital-asset trading
patent. U.S. District
Court for the Eastern
District of Texas,
No. 2:22-cv-00498



TESLA “ALL IS WAVE FORM MOVEMENT”




NOSTRADAMUS of FRANCE CENTURY 8: QUATRAIN 28:

“The copies of gold and silver inflated,
after the theft were thrown into the lake,
At the discovery that all is exhausted and
dissipated by the debt,
All scripts and bonds will be wiped out.”



“FutureMan”
13/573,002



**“THE FINANCIAL
NOSTRADAMUS”**
REGGIE MIDDLETON
Reggie Middleton
“Father of DeFi”

US11196566
US11895246
JP6813477





World Game (s) Fulcrum

Schelling point: a.k.a. focal point, is a solution people tend to choose by default in the absence of communication to avoid coordination failure

introduced by the economist Thomas Schelling in his book "The Strategy of Conflict" published in 1960.

Schelling points are particularly useful in **multiplayer games** where players respond based on what they think the other person's response will be.

Give me a lever long enough and a fulcrum on which to place it, and I shall move the world.
Archimedes




World Game (s) Fulcrum



Schelling point: focal point = solution chosen by default in the absence of communication to avoid coordination failure introduced by the economist Thomas Schelling in his book "The Strategy of Conflict" published in 1960. Schelling points are particularly useful in **multiplayer games** where players respond based on what they think the other person's response will be.

Schelling Point Conference: focuses on the intersection of **cryptocurrency and social good**, bringing together innovators, thought leaders, and advocates to explore how **blockchain** tech can create positive change.

Schelling points are not always definite solutions and their conspicuousness can depend on time, place, and individuals






Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



THE NEW QUANTUM FINANCIAL SYSTEM






REV K
Linda
The
Psychic

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

SCOTUS ALICE CORP VS CLS BANK 2014 RULING: ABSTRACT VS TANGIBLE


USPTO 13/573,002 PRIOR ART

Physical = Opposite of Abstract


Q: WHO IS "SATOSHI NAKAMOTO" ?

HONUS WAGNER

THE LIFE OF BASEBALL'S "FLYING DUTCHMAN"



Arthur D. Hittner



Baseball fields have standard measurements for various components, including the infield and outfield. The infield consists of a diamond with 90 feet between the bases and a pitching distance of 60 feet 6 inches for adult and senior leagues. Home plate is located 90ft away from first base to The right and third base on the left. Bases are positioned at 90-degree angles from home plate.



A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time..

XRP = 10,000 Each ?

RIPPLE LABS / XRP

Honus Wagner NFT Non-Fungible Cryptocurrency Token

Honus Wagner is a legendary baseball player

T206 Honus Wagner card sold \$6.6 million August 2021

This highlights the cultural and financial significance of Honus Wagner memorabilia, which could potentially be replicated in the digital space with NFTs (AI web search)



Defunct crypto exchange Mt. Gox has said that a repayment date will be set in "due course" February 7th 2014 trading halted

MT.GOX
MIT Technology Review listed Ripple Labs as one of 2014's "50 Smartest Companies"



The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE


1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s method stipulates clock cycle values e.g., 5, 10, 15.


USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 “Alice in Wonderland Ruling”





Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface
Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS
Of system of systems engineering architecture structure data exchange (DoD) (NATO)




SOUND WAVES enable
Different types of quantum tech to "talk"



TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template






FIREFLY - Heartbeat Algo

Bologna Italy / Hungary / China Universities

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"




FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE
PROCESSING

UTZ SYNC
PULSE

SYNC
DELTA



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.


UTZ TIME ZONE SYNC

THE TERRA (TRC)



Trade Reference Currency



SLA: Closer = Cheaper {
Closer = Less Fuel {"UP"
= Less Time, CO2 </UP>
"LUB"




DEMURRAGE FEES MICRO PAYMENTS




Terra Trade Reference Currency TRC "world currency"
Bernard A. Lietaer Belgian economist proposed 1991
Basket of 9-12 most important commodities. Public
issued demurrage fees for storage, shipping, handling



Example: 100 Terra = 1 barrel oil
+ 10 bushels of wheat 
+ 20 kg of copper + 1/10 Oz gold







Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic “heartbeat” events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes agree on it eventually”



French newspaper "Le Fédériste"
"L'Europa monnaie de la paix"
Money of peace" Born Jan 1st 1933 \$\$\$

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.








The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"





TERRA TRC

MACRO CYCLES

MONEYBALL
ECONOMICS

COMMODITIES

FRIEDMAN'S
K % RULE

Time Series Database
CONTRIBUTIONS TO STATISTICS

B B B B

{"TAGGED BITCOINS"}
Veritaseum

Spatial
Econometrics

Price Indexes in
Time and Space
Methods and Practice

IEEE 802.11
HOP BY HOP CONTROL

Paul Revere Linear, Sequential

Blockchain Timestamps
NDN

ON / OFF SHORE
NDN

PROXIMITY BEACONS
NDN












HOPS / RADIUS = REACHABILITY

WATER DROP IN POND MEME
AREA RADIUS

</FILTERS>
BY ORG ID / URN

NDN </INTEREST>
</DISTANCE>

Closer = Cheaper
Closer = < Fuel







IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



vector



IDMaps scalable Internet-wide architecture measures, disseminates distance information




HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair

IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)



NDN NAMES

NDN NAMED DATA NETWORK RIB /
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




NDN RIB

NDN INTEREST LENGTH
= DISTANCE BY HOPS


NDN
INTEREST

IS DATA
FRESH ?

TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

INTEREST in <URNs>

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live



HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS, TARIFF

INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING





Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:



Paul Revere = linear, sequential

TCP/IP hop by hop counts, by hop controls

Water Drop = AREA / INTENSITY Cyclic Frequency



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”

The four dimensions of Big Data

vector → VECTOR: quantity having direction and magnitude
position of a point in space relative to another point


TIME STAMP BY Org ID, URN Before FUSION CENTER

Position of a point in space relative to another point





ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS



NAMED DATA NETWORKING

<CONTENT> CENTRIC NETWORKING



<ORG_ID>
<ORG_ID>
<ORG_ID>
<URN>
<URN>

<GLOBAL> <JOINT> <COMMUNITY> <DOMAINS> <SHARED> <PRIVATE>
</INTEREST> <STRAT_ML> <IODEF RID> </DISTANCE>

Situational Awareness Reference Architecture (SARA) IDENTITY, Inventory, Activity, and Sharing



<Federated ID> <URN> <type_event> <Data Class Types>


STRUCTURED MILITARY MESSAGING FORMS: FIELD TYPES, FILTERS, TAGS
PARSED, PROCESSED, COMPILED TELEMETRY SIGNALING STANDARDIZATION

USMTF / XML MTF FORMATTED MESSAGE CATALOG


Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio

</Organizational_Identifier_Org_ID>

Organizational Units OU, OU, OU



FEDERATE



Uniform Resource Names (URNs): A Uniform Resource Identifier (URI). Both URNs (names) and URLs (locators) are URIs, and a particular URI may be a name & locator. Each plays a specific role:

- URNs IDENTIFICATION (SENSORS, DEVICES)
- URCs INCLUDE META-INFO
- URLs LOCATE / FIND RESOURCES

SITUATION AWARENESS




SURVEY METHOD
ID <ITEMS><INTEREST>
GEO-SPATIAL AREA
TEMPORAL INTENSITY
MEASURES / METRICS

IDMaps
SonarHOPS




K0.99
Heartbeat
Message



BY <TAG_TYPES>
Ledgers
Contracts
Trade SLA
Agreements



CROWD SOURCING / FUNDING



<Org_ID>
<Org_ID>
<Org_ID>
<Party>
<Party>
<Party>

PARTIDO X:
Distributed
Democratic
Participation

<URN>
<URN>
<URN>
<URN>

DAO
ETHEREUM:
Decentralized
Autonomous
Organizations



VOTE ON BLOCKCHAIN



Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
 - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
 - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESES: All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
 - 2) Syntax parsed, processed in epoch time intervals

ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STANDARD MAN – MACHINE INTERFACE

Signal operating instructions (SOI): technical control coordination of INFOCOM

USE CASE: standards adherence support for IEEE, NIST SP 2000A, B, C, D, </URN> ISO Exchange signaling, telemetry current situational awareness, data dictionary, network identification, channels, network directory, brevity code, 4 3 2

USE CASE: standards adherence support for IEEE, TU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

**Systemic, signaling, synchronization of state
meta data encoded as brevity OPSCODE
tokens stochastically harmonized over the UTZ**

FROM	GCCS-A C002 C203 F002 F014 F015 F541 S201 S309	TAIS C002 C203	ASAS C002 C203	TO AMDPCS C002 C203	AFATDS C002 C203 F014 F541 S305 S309	CODE GUIDE MCS C002 C203 E400 E502 F014 F015 F541 S201 S309 S507
ASAS	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio					
AMDPACS	OPSCODE BREVITY CODES					
AFATDS	F002 F014 F015 F541 S201					
 MCS	A423 C203 C505 F002 F014 F541 S201	 SIOP	A423 C203 C505 F002 C447 C486 C501 C503 C504 C505 C507 C508 C509 E400 F002 F014 F015 F541 F656 G489 G489 K01.1 S201 S303	 ASSET TOKENS  Token Economy 	 Rosetta Stone  Syntax Lexicon  Coder's Oracle	 M2M  INFOCON  INFORMATION CONDITION
						 A.I.  INFOCON  INFORMATION CONDITION
						 "SYMBOLS RULE THE WORLD"

MESSAGE CATALOG
300 + Use Cases

Object Categories		Information Categories and Examples						
Category	Example	Location	Movement	Identify	Status	Activity	Intent	
OOB	SYNTAX LEXICON	STRUCTURED DATA	EXCHANGE	MESSAGE SETS	TRANSFERRING, RECONSIDERING	COA	{"Java JS"}	
		lat/long, spid/hrid	country / alliance, business	readiness	handover			
Infrastructure	Comm., power, transportation, water/sewer	Machine Trust Language MTL	MTL	CDL	Contract Description Language			
	network, grid	throughput, flow rates,	name, part-of, relationships	BDA, op. scenarios	repair, emergency mode			
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADILs
			Entity	Class	Table	Class	Element	Message
Geophysical	Terrain, weather, climatology, oceanography, astrophysics	feature, lat/long, alt/depth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	OPI
			Domain Value	PURCHASE CODES	instance, instance			FFRN / FNI / RUD
							TOKENS	DUL PUD

Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code



DOD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN-MACHINE INTERFACE

STANDARD CONSISTENT SYMBOLS



- COI Determination Org Interaction
- Search and Discovery
- Ontologies STANDARDS
- Taxonomies REFERENCE
- Metadata ATTRIBUTES / FILTERS

FUDN: Field Format Unit Designator #
FIRN Field Format Index Reference #
Structured military messaging ID's
messages, message sets, data
element, symbol fields <108>
BY Form Field Position & NUMBER




PROCESS MESSAGE BY PRECEDENCE

OPERATIONAL NODES / ACTIVITIES

ATA	SYSTEM FUNCTIONS	PERFORMANCE
1.4 - Classification	11.6 - Kinematics	
11.4.1 - Category	11.6.1 - Pos / Vel / Acc (PVA)	
11.4.1.1 - Confidence Level	11.6.1.1 - Acceleration	
11.4.1.2 - Estimate Type	11.6.1.2 - Position	
11.4.1.2.1 - Alternative	1.1.2 - Linear	
11.4.1.2.2 - Evaluative	- Estimate Type	
PURCHASE	1.2.1 - Estimated	
	1.2.2 - Observed	



Syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles

Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 #leT					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds					MICRO CYCLES	MACRO CYCLES

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$$\Delta\delta$$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp


Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer




$$\Delta\delta$$

TRIANGULATION




DISTANCE ESTIMATION

EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation



Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




Edison's Monetary Option
Cambridge University Press 2009

“Crops hold their value best over time”

“Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America’s monetary woes. “I want to cast the variable out of money. This gold money is not good enough. It’s a

fiction" "New York Times 1922



Tokenization of Physical Assets Enables Economy Of Everything




ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$

BELT and ROAD
Trade Initiative



FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION



Thomas Edison's Monetary Option Cambridge University Press 2009


"Crops hold their value best over time"




COMMODITY RWA
REAL WORLD ASSET
STABLE COIN INDEX

BY DAVID L. HAMMES

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922




USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



TRANSACTION RATE, SPATIAL – TEMPORAL METRICS SERVER ON / OFF FLOOR ADJUST





Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.

NATO RULE THE WORLD, NOT OTAN
"SIGNS AND SYMBOLS RULE THE WORLD, NOT RULES OR LAWS"

Confucius
Alpha-numeric OPSCODE
Brevity codes mapped to symbols,
Symbol sets = structured data




System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3



COMPONENT	
PK	CP_OID {"URN"}
FK1	CP_NAME
FK2	CP_SUBSTANCE (BOOL)
	CP_PRIMTYPE
	CP_CLASSTYPE
	CP_CLOUD
	CP_COLLECTION

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME



Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon

This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON




FRT CP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Symbolic AI

Brevity
Codes

Symbols

Symbol

Incorporate common sense reasoning and



"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius


Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11



HOP BY HOP CONTROL

Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop

Geo-Spatial Temporal
Metrics, Meters

Time Series

DISTANCE
INFO SERVICE

IDMaps
SonarHops

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

Energy Attenuates over Distances



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

HOP BY HOP CONTROL

Unused Resources / Unmet Needs



vector



Spatial
Econometrics

TIME-SPACE BEACON
INFOCON

METRICS / METERS

TRADE WITH EARTH

INFORMATION
CONDITION

???
SIRIUS DISCLOSURE

Spaceship
Earth
Signals &
Telemetry
Annex

buckminster fuller
operating manual
for spaceship earth

MOON =
HELIUM 3
Universal Language
offered by deity to humans as
confirmation of the truth"

ASTEROID BELTS =
RARE MINERALS

MAIN ASTEROID BELT

Alpha
Numeric
Brevity
Codes

MARS

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH

KOO.99

MAIN ASTEROID BELT

MERCURY

SYNTAX
LEXICON

VENUS

EARTH


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms





In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



Tolerance structured Data Exchange

SYNTAX LEXICON

SYNTAX LEXICON

CHARCODES – Symbol Sets

e. Simplified

Simplified Byzantine Fault

fault tolerance

www.developcoins.com

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

Blockchain Interoperability Protocol BIP

ISC INTER BLOCKCHAIN COMMUNICATION

“share any type of data PROTOCOL as long as it's encoded in BYTES”

BYTE: unit of data equal to eight bits



BIT : a unit / group of 8 bits as

alphanumeric characters i.e., TOKENS



The bit: logical state with one of two possible values represented as: "1" or "0", true/false, yes/no, on/off, or +/-.

The BIT is physically created with a two-state device.



The Complete Guide to Crosschain Interoperability

= bit and byte =

Bit (binary digit, bit)

Measurement unit that can only have two values, 0 and 1


0 OFF FALSE
1 ON TRUE

Byte

Unit that indicates the amount of data, consisting of eight bytes




Samsung Semiconstorty
samsungsemiconductor.com



NET OF MONEY formed by 1) Time Cycles 2) Syntax


cycle n n + 1 n + 2 Δδ



“BITCOIN’S VALUE = TIME ITSELF”
“TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES”


FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE

SOUND WAVES = INTEROP



STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

3) RWA-Backed by off-chain real-world assets



All things internet of money are formed w CPU time cycles used to process instructions / code sy




Bitcoin is a language”



WIRED

**'BITCOIN MAKES USPTO 13/573,002
MONEY HEART BEACON CYCLE
PROGRAMMABLE. TIME – SPACE METER
MONEY IS STRUCTURED DATA
SIMPLY DATA" EXCHANGE**


Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF" - BILLY



BLOCKCHAIN = TIME / SYNTAX






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via **BLOCKTIME**. Universal blocktime source example: a procedure call to NIST or other time oracle.

BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejiggering time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi




Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio *Arrival Rate* $\Delta\delta$ queueing systems wait times
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution



Ericsson Open Money
For Society Patent App



20130166398 "System And Method For Implementing A Context Based Payment System."

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"


"When money is open, the way we send, spend and receive money will change forever"



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner.




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty. Shots

NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



MESSAGE ex: lish string Hash Table

300+Message Templates

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX **Attribute Series**





real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a **FEDERATION** based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, **expected time** of funds delivery Provides information about total costs of the transaction



Workflows are serially executed Except first two work flow are workflows are based on **event** **pull model**



- FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**

each retaining control of internal affairs

Federation



{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
{"GROUP ID"}

Net joins, drops, splits, merges, moves

Gateway

FEDERATION CONSENSUS PROTOCOL

Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS

X

EVENT BUS


Neutral transaction protocol

secured REST messaging API's

Interledger Protocol ILP

ripple

Ripple Consensus Ledger (RCL)



LOCKED

QUOTED {"108"} HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



MATCH EVENT REPORTS TO CLOSEST HEARTBEAT

FLASH HEARTBEAT CYCLE

MESSAGES {"108"}



HASH NONCE

FIREFLY-HEARTBEAT ALGORITHM

MICRO-CYCLE STATE META DATA SNAPSHOTS

STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES



EVENT BUS

X

LOCKED

QUOTED

ACCEPT / DENY

In Progress

SUCCEEDED

HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS

FLASH HEARTBEAT CYCLE

MESSAGES {"108"}

Sync to Closest Heartbeat

LOCKED

QUOTED

ACCEPT / DENY

In Progress

SUCCEEDED

HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS


FLASH HEARTBEAT CYCLE

MESSAGES {"108"}

Sync to Closest Heartbeat

Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRt dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.


BFT-SMaRt needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.




TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone




The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$









NDN

distance →



Attribute Series



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



SLA


COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint


OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: ***MAKE TRADE FREE***


Mission: ***shift trade to a decentralized platform***



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint



Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution

DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



STATS

Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

INFOCON
4 3 2 1
INFORMATION CONDITION



ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO


Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

....-1 / 0 / +1...

$$\Delta \delta$$








Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.





VERITAS TOKENS

P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION CONDITION



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X ritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

DeFi Ve TOKENS VeriDAO **UTZ SYNC**

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

Switch » INTC

#DeFi All Market Orders

Pay: **["TAGGED"] CRYPTO**

Expiry: 16w Advanced

Collateral Notional Expiry

Non Repudiation

STOP

TTL

CRYPTO

["Org_ID"], ["URN"], ["Tagged_Bitcoins"]

["Org_ID"], ["Tagged"], ["URN"]

Length of Real Time Cycle is Arbitrary as Long as Nodes Eventually Agree

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

TTL

t₁ t₂ t₃

SYNTAX LEXICON OPS CODE

Brevity Codes mapped to symbols sets for A.I. / Man – machine interface / interop

Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions** each retaining control of internal affairs

Federation
Gateway



{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}



Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the CHANNEL

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD




FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS



Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol





NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- **Famous witnesses**

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles



Witness
 $0/1$

Famous witness

Election

Vote

See

Strongly see

Supermajority

Decide


Round created

Round received


Consensus timestamp

Consensus order $\Delta\delta$


Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph




The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining “rig” will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people’s coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



Heartbeat Event {"burn"}

IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.

(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.



TAG SLA/O Token Award

{"Org_ID"}
ActiveID [UFO2_ACTIVEID] </EVENT>

IF1_Heartbeat
(IF-Node1) [UFO2_HEARTBEAT:#] </EVENT>

IF2_Heartbeat
(IF-Node2) [UFO2_HEARTBEAT:#] </EVENT>

{"UUID"}
IF1_DeviceStatus
(IF-Node1) [UFO2_DEVICESTAT:#] </EVENT>

{"UUID"}
IF2_DeviceStatus
(IF-Node2) [UFO2_DEVICESTAT:#] </EVENT>

IF1_State
(IF-Node1) $\Delta\delta$ [UFO2_STATE:#] $\Delta\delta$ IF_State


IF2_State
(IF-Node2) $\Delta\delta$ [UFO2_STATE:#] $\Delta\delta$ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts



The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.




Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



PoST Proof-of-Spacetime (PoST)


PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.



PoST users / nodes must prove that they are spending a certain amount of space for storage.





The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY


CPU CHIP
EPOCHS



long exponential
intervals (10 min)




COMMAND SYNTAX
RESTFUL State Transfer



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



short deterministic
intervals (10 sec)

MACRO – CYCLES



ATOMIC CLOCK
MICRO-CYCLES




PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

preference := response with >=

α

if preference == old preference:

consecutiveSuccesses++

else:

consecutiveSuccesses = 1

else:

consecutiveSuccesses = 0

if consecutiveSuccesses > β:
decide(preference)



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n

α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$

1) EPOCH TIME INTERVALS


2) SYNTAX (not) used in epochs



BLOCKCHAIN EPOCH CLOCK TIME CYCLES

← cycle n → ← n + 1 → ← n + 2 → Δδ

GENESIS BLOCK: "Layers" = follow on epoch time intervals



SECURITY TOKEN: A DIGITAL ASSET THAT'S BACKED UP BY TANGIBLE ASSETS IN THE REAL WORLD

</URN>
</URN>
</URN>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" get paid"






IOTA: Internet Of Things IOT distributed ledger with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens, communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.



FORMS	CODES	DATA	SYNTAX / SYMBOL	LEXICON LIBRARY	STRUCTURED
ASAB	P0001-P0002	ASAB	L001-L002	SYNTAX / SYMBOL	
ANARCHIA	P0003-P0004	ANARCHIA	L003-L004	LEXICON LIBRARY	
AFATOR	P0005-P0006	AFATOR	L005-L006	STRUCTURED	
AMIS	P0007-P0008	AMIS	L007-L008		
APPROV	P0009-P0010	APPROV	L009-L010		
APPROV	P0011-P0012	APPROV	L0011-L012		
APPROV	P0013-P0014	APPROV	L0013-L014		
APPROV	P0015-P0016	APPROV	L0015-L016		
APPROV	P0017-P0018	APPROV	L0017-L018		
APPROV	P0019-P0020	APPROV	L0019-L020		
APPROV	P0021-P0022	APPROV	L0021-L022		
APPROV	P0023-P0024	APPROV	L0023-L024		
APPROV	P0025-P0026	APPROV	L0025-L026		
APPROV	P0027-P0028	APPROV	L0027-L028		
APPROV	P0029-P0030	APPROV	L0029-L030		
APPROV	P0031-P0032	APPROV	L0031-L032		
APPROV	P0033-P0034	APPROV	L0033-L034		
APPROV	P0035-P0036	APPROV	L0035-L036		
APPROV	P0037-P0038	APPROV	L0037-L038		
APPROV	P0039-P0040	APPROV	L0039-L040		
APPROV	P0041-P0042	APPROV	L0041-L042		
APPROV	P0043-P0044	APPROV	L0043-L044		
APPROV	P0045-P0046	APPROV	L0045-L046		
APPROV	P0047-P0048	APPROV	L0047-L048		
APPROV	P0049-P0050	APPROV	L0049-L050		
APPROV	P0051-P0052	APPROV	L0051-L052		
APPROV	P0053-P0054	APPROV	L0053-L054		
APPROV	P0055-P0056	APPROV	L0055-L056		
APPROV	P0057-P0058	APPROV	L0057-L058		
APPROV	P0059-P0060	APPROV	L0059-L060		
APPROV	P0061-P0062	APPROV	L0061-L062		
APPROV	P0063-P0064	APPROV	L0063-L064		
APPROV	P0065-P0066	APPROV	L0065-L066		
APPROV	P0067-P0068	APPROV	L0067-L068		
APPROV	P0069-P0070	APPROV	L0069-L070		
APPROV	P0071-P0072	APPROV	L0071-L072		
APPROV	P0073-P0074	APPROV	L0073-L074		
APPROV	P0075-P0076	APPROV	L0075-L076		
APPROV	P0077-P0078	APPROV	L0077-L078		
APPROV	P0079-P0080	APPROV	L0079-L080		
APPROV	P0081-P0082	APPROV	L0081-L082		
APPROV	P0083-P0084	APPROV	L0083-L084		
APPROV	P0085-P0086	APPROV	L0085-L086		
APPROV	P0087-P0088	APPROV	L0087-L088		
APPROV	P0089-P0090	APPROV	L0089-L090		
APPROV	P0091-P0092	APPROV	L0091-L092		
APPROV	P0093-P0094	APPROV	L0093-L094		
APPROV	P0095-P0096	APPROV	L0095-L096		
APPROV	P0097-P0098	APPROV	L0097-L098		
APPROV	P0099-P0100	APPROV	L0099-L0100		



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol




Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter




Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.




Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.



Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract




ALPHA NUMERIC
BREVITY CODES
SYMBOL CODES
STRUCTURED MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

FIREFLY EVENTS
FLASH MESSAGES
SYNC TO CLOSEST HEARTBEAT EPOCH






ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

UTZ TIME ZONE SYNC

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

MACRO CYCLES

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base

STATISTICIAN Metrics, Meters

Universal Heartbeat Message Event Bus

3 X 5 HASH TABLES STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

EVENTS

Firefly – Heartbeat Algo

STOCHASTIC HARMONIZATION

3 X 5 INDEX CARDS

INDEX CARD = SHARD

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE

INDEX CARD = SHARD

UTZ TIME ZONE SYNC

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS

Physical = Opposite of abstract = ALICE

HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

first base

RUNNER Message Bus

EVENTS

Epoch Time Cycles



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade

Federation Gateway
("ORG_ID")




ARIN
American Registry for Internet Numbers

HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE

FFIRNS
FFUDNS



HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"



InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions. They receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



dreamstime.com



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that could be submitted to the blockchain, but instead are made available for a new update "trumps" previous updates.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.




NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.



TWAP Algorithm Manages Bitcoin Price Volatility Algorithm


TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



STATE META
DATA SNAPSHOTS



STATE SAMPLE



TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle

The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP

VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Autonomous Device Coordination Framework



Registration

Authentication

Proximity based rules

Consensus based rules

Contracts

Checklists

FEDERATION

<UUID><ORG_ID><URN>

LDAP DIRECTORY

Physical proximity


Social proximity

Temporal proximity

Agreements

Payments

Barter



NDN

vector

NIST

TIME

CYBER

BEACON

CAIFNDAR

MACRO

MICRO

CYCLES

vector

TIME

CYBER

BEACON


CAIFNDAR

MACRO

MICRO

CYCLES

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer



NDN

vector

NIST

TIME

CYBER

BEACON

CAIFNDAR

MACRO

MICRO

CYCLES

vector

TIME

CYBER

BEACON

CAIFNDAR

MACRO

MICRO


CYCLES

PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.


Asset Classes: Digital Currencies



Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.

- Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

•Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Predicted	
11.8.6 - Smoothed Data	
11.8.7 - Position	
11.8.8 - Bearing Angle	
11.8.9 - Horizontal	
11.8.10 - Vertical	
11.8.11 - Horizontal	
11.8.12 - Vertical	
11.8.13 - Covariance Matrix	
11.8.14 - Covariance Rate	
11.8.15 - Covariance	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE


TEMPLATE FORMS

LOGIC / FILTERS

300+ Use Case Templates



Federation Gateway







**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob



LIGHTNING



Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360'
90 / 90 / 90 / 90



RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index



State Meta

Data Snapshots

Survey Point

MICRO CYCLES



**EVENT REPORTING
ACROSS TIME-SPACE**



MESSAGE EVENT BUS

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
“The solution we propose
begins with a **TIME
STAMP SERVER**”


Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume



Time
Time
Time
Time

Time
Time
Time
Time

Time
Time
Time
Time

Time
Time
Time
Time

90 feet

90 feet



first base

RUNNER Message Bus

runner

Electronic Product Code Information Services (EPCIS)

[GS1](#) Standard for creating, sharing visibility event data



REGISTERED
ORGANISATION
VOCABULARY

Edge

epcis

EPCIS DATA MODEL



SERVICE LAYER


XML

ObjectEvent

AggregationEvent

QuantityEvent

TransactionEvent



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event

When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event

Why Information about the business context, including:

a Identifier that indicates the business step taking place

MICRO CYCLES



CLOSER IS CHEAPER
CLOSER IS FASTER

$\Delta \delta$


STRUCTURED DATA EXCHANGE /
STRUCTURED MILITARY MESSAGES

FROM	F002	F014	T001	F004	A003	A005	N003
ASAS NETWORK CENTRIC WARFARE							
AMOPCS	F002	F014	F004	F005	F015	F014	F002
AFATOS SYSTEM OF SYSTEMS BEST PRACTICE							
CS59	F002	F014	F005	F015	F014	F015	F002
CS60	F002	F014	F005	F015	F014	F015	F002
CS61	F002	F014	F005	F015	F014	F015	F002
CS62	F002	F014	F005	F015	F014	F015	F002
CS63	F002	F014	F005	F015	F014	F015	F002
CS64	F002	F014	F005	F015	F014	F015	F002
CS65	F002	F014	F005	F015	F014	F015	F002
CS66	F002	F014	F005	F015	F014	F015	F002
CS67	F002	F014	F005	F015	F014	F015	F002
CS68	F002	F014	F005	F015	F014	F015	F002
CS69	F002	F014	F005	F015	F014	F015	F002
CS70	F002	F014	F005	F015	F014	F015	F002
CS71	F002	F014	F005	F015	F014	F015	F002
CS72	F002	F014	F005	F015	F014	F015	F002
CS73	F002	F014	F005	F015	F014	F015	F002
CS74	F002	F014	F005	F015	F014	F015	F002
CS75	F002	F014	F005	F015	F014	F015	F002
CS76	F002	F014	F005	F015	F014	F015	F002
CS77	F002	F014	F005	F015	F014	F015	F002
CS78	F002	F014	F005	F015	F014	F015	F002
CS79	F002	F014	F005	F015	F014	F015	F002
CS80	F002	F014	F005	F015	F014	F015	F002
CS81	F002	F014	F005	F015	F014	F015	F002
CS82	F002	F014	F005	F015	F014	F015	F002
CS83	F002	F014	F005	F015	F014	F015	F002
CS84	F002	F014	F005	F015	F014	F015	F002
CS85	F002	F014	F005	F015	F014	F015	F002
CS86	F002	F014	F005	F015	F014	F015	F002
CS87	F002	F014	F005	F015	F014	F015	F002
CS88	F002	F014	F005	F015	F014	F015	F002
CS89	F002	F014	F005	F015	F014	F015	F002
CS90	F002	F014	F005	F015	F014	F015	F002
CS91	F002	F014	F005	F015	F014	F015	F002
CS92	F002	F014	F005	F015	F014	F015	F002
CS93	F002	F014	F005	F015	F014	F015	F002
CS94	F002	F014	F005	F015	F014	F015	F002
CS95	F002	F014	F005	F015	F014	F015	F002
CS96	F002	F014	F005	F015	F014	F015	F002
CS97	F002	F014	F005	F015	F014	F015	F002
CS98	F002	F014	F005	F015	F014	F015	F002
CS99	F002	F014	F005	F015	F014	F015	F002
CS100	F002	F014	F005	F015	F014	F015	F002
CS101	F002	F014	F005	F015	F014	F015	F002
CS102	F002	F014	F005	F015	F014	F015	F002
CS103	F002	F014	F005	F015	F014	F015	F002
CS104	F002	F014	F005	F015	F014	F015	F002
CS105	F002	F014	F005	F015	F014	F015	F002
CS106	F002	F014	F005	F015	F014	F015	F002
CS107	F002	F014	F005	F015	F014	F015	F002
CS108	F002	F014	F005	F015	F014	F015	F002
CS109	F002	F014	F005	F015	F014	F015	F002
CS110	F002	F014	F005	F015	F014	F015	F002
CS111	F002	F014	F005	F015	F014	F015	F002
CS112	F002	F014	F005	F015	F014	F015	F002
CS113	F002	F014	F005	F015	F014	F015	F002
CS114	F002	F014	F005	F015	F014	F015	F002
CS115	F002	F014	F005	F015	F014	F015	F002
CS116	F002	F014	F005	F015	F014	F015	F002
CS117	F002	F014	F005	F015	F014	F015	F002
CS118	F002	F014	F005	F015	F014	F015	F002
CS119	F002	F014	F005	F015	F014	F015	F002
CS120	F002	F014	F005	F015	F014	F015	F002
CS121	F002	F014	F005	F015	F014	F015	F002
CS122	F002	F014	F005	F015	F014	F015	F002
CS123	F002	F014	F005	F015	F014	F015	F002
CS124	F002	F014	F005	F015	F014	F015	F002
CS125	F002	F014	F005	F015	F014	F015	F002
CS126	F002	F014	F005	F015	F014	F015	F002
CS127	F002	F014	F005	F015	F014	F015	F002
CS128	F002	F014	F005	F015	F014	F015	F002
CS129	F002	F014	F005	F015	F014	F015	F002
CS130	F002	F014	F005	F015	F014	F015	F002
CS131	F002	F014	F005	F015	F014	F015	F002
CS132	F002	F014	F005	F015	F014	F015	F002
CS133	F002	F014	F005	F015	F014	F015	F002
CS134	F002	F014	F005	F015	F014	F015	F002
CS135	F002	F014	F005	F015	F014	F015	F002
CS136	F002	F014	F005	F015	F014	F015	F002
CS137	F002	F014	F005	F015	F014	F015	F002
CS138	F002	F014	F005	F015	F014	F015	F002
CS139	F002	F014	F005	F015	F014	F015	F002
CS140	F002	F014	F005	F015	F014	F015	F002
CS141	F002	F014	F005	F015	F014	F015	F002
CS142	F002	F014	F005	F015	F014	F015	F002
CS143	F002	F014	F005	F015	F014	F015	F002
CS144	F002	F014	F005	F015	F014	F015	F002
CS145	F002	F014	F005	F015	F014	F015	F002
CS146	F002	F014	F005	F015	F014	F015	F002
CS147	F002	F014	F005	F015	F014	F015	F002
CS148	F002	F014	F005	F015	F014	F015	F002
CS149	F002	F014	F005	F015	F014	F015	F002
CS150	F002	F014	F005	F015	F014	F015	F002
CS151	F002	F014	F005	F015	F014	F015	F002
CS152	F002	F014	F005	F015	F014	F015	F002
CS153	F002	F014	F005	F015	F014	F015	F002
CS154	F002	F014	F005	F015	F014	F015	F002
CS155	F002	F014	F005	F015	F014	F015	F002
CS156	F002	F014	F005	F015	F014	F015	F002
CS157	F002	F014	F005	F015	F014	F015	F002
CS158	F002	F014	F005	F015	F014	F015	F002
CS159	F002	F014	F005	F015	F014	F015	F002
CS160	F002	F014	F005	F015	F014	F015	F002
CS161	F002	F014	F005	F015	F014	F015	F002
CS162	F002	F014	F005	F015	F014	F015	F002
CS163	F002	F014	F005	F015	F014	F015	F002
CS164	F002	F014	F005	F015	F014	F015	F002
CS165	F002	F014	F005	F015	F014	F015	F002
CS166	F002	F014	F005	F015	F014	F015	F002
CS167	F002	F014	F005	F015	F014	F015	F002
CS168	F002	F014	F005	F015	F014	F015	F002
CS169	F002	F014	F005	F015	F014	F015	F002
CS170	F002	F014	F005	F015	F014	F015	F002
CS171	F002	F014	F005	F015	F014	F015	F002
CS172	F002	F014	F005	F015	F014	F015	F002
CS173	F002	F014	F005	F015	F014	F015	F002
CS174	F002	F014	F005	F015	F014	F015	F002
CS175	F002	F014	F005	F015	F014	F015	F002
CS176	F002	F014	F005	F015	F014	F015	F002
CS177	F002	F014	F005	F015	F014	F015	F002
CS178	F002	F014	F005	F015	F014	F015	F002
CS179	F002	F014	F005	F015	F014	F015	F002
CS180	F002	F014	F005	F015	F014	F015	F002
CS181	F002	F014	F005	F015	F014	F015	F002
CS182	F002	F014	F005	F015	F014	F015	F002
CS183	F002	F014	F005	F015	F014	F015	F002
CS184	F002	F014	F005	F015	F014	F015	F002
CS185	F002	F014	F005	F015	F014	F015	F002
CS186	F002	F014	F005	F015	F014	F015	F002
CS187	F002	F014	F005	F015	F014	F015	F002
CS188	F002	F014	F005	F015	F014	F015	F002
CS189	F002	F014	F005	F015	F014	F015	F002
CS190	F002	F014	F005	F015	F014	F015	F002
CS191	F002	F014	F005	F015	F014	F015	F002
CS192	F002	F014	F005	F015	F014	F015	F002
CS193	F002	F014	F005	F015	F014	F015	F002
CS194	F002	F014	F005	F015	F014	F015	F002
CS195	F002	F014	F005	F015	F014	F015	F002
CS196	F002	F014	F005	F015	F014	F015	F002
CS197	F002	F014	F005	F015	F014	F015	F002
CS198	F002	F014	F005	F015	F014	F015	F002
CS199	F002	F014	F005	F015	F014	F015	F002
CS200	F002	F014	F005	F015	F014	F015	F002
CS201	F002	F014	F005	F015	F014	F015	F002
CS202	F002	F014	F005	F015	F014	F015	F002
CS203	F002	F014	F005	F015	F014	F015	F002
CS204	F002	F014	F005	F015	F014	F015	F002
CS205	F002	F014	F005	F015	F014	F015	F002
CS206	F002	F014	F005	F015	F014	F015	F002
CS207	F002	F014	F005	F015	F014	F015	F002
CS208	F002	F014	F005	F015	F014	F015	F002
CS209	F002	F014	F005	F015	F014	F015	F002
CS210	F002	F0					


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES

CLEAR GOALS AND RULES OF PLAY

A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS






CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms



"EVERYWHERE IS ENERGY SPINNING"

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



In 1887, Heinrich Hertz demonstrated the reality of Maxwell's electromagnetic waves by experimentally generating radio waves in his laboratory.

All Photons and EM waves can have various directions of polarisation with respect to their direction of propagation



Although they utilise the same EM energies, different EM waveforms can be produced where the Electric fields are in 90° opposition to each other thus leading to conflicting theories of EM wave propagation

"As in nature, all is ebb and tide, all is wave motion, so that in all branches of industry, alternating currents, electric wave motion will have sway." N. Tesla


Through longitudinal waves, Tesla transferred energy to receiving devices. He sent electrostatic forces through the air, transferred electrical energies and noted the lethal forces produced by these waves.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second


Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him. Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day



Volts per Second

ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in energy production and on change of time decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum.. the creation of a repulsion point in space through the interference of two or more longitudinal electro dynamic (micro) waves



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.



(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.







Paul Revere = Linear, Sequential meme





ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves





$$\Delta\delta$$

THESIS: All things net, net of programmable \$\$\$ are formed using:



- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles

ENERGY / DATA WAVE METRICS / METERS



STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html



TESLA Harmonic Sphere Flux Resonator



ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]



THESIS: All things net, net of programmable \$\$\$ are formed using:



- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: https://phys.org/news/2018-06-quantum_1.html

ENERGY / DATA WAVE METRICS / METERS




BELL STATE QUANTUM COMPUTING

input	x	y	output	x	y
0>	0>	0>	0>	0>	0>
0>	1>	0>	0>	1>	0>
1>	0>	0>	0>	1>	1>
1>	1>	0>	1>	1>	0>





A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.




"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

</Org_ID> TIME CHAIN



$\Delta\delta$



WATER DROP PHYSICAL NATURAL MEME USPTOb13/573,002

OPSCODE Brevity Codes / Symbols

USPTO 13/573,002
573 U.S. 134 SCt 2347
"Alice in Wonderland Ruling"

A.I.

AI

FEDERATED MISSION NETWORKING
FMN

ISO

SYSTEM OF SYSTEMS STRUCTURED DATA

CLOUD NEWS

CLOUD

BASEBALL "DIAMOND"
A diamond is a square is a block in 3D
2nd Base
Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

MACRO CYCLES
90 / 90 / 90 / 90
90 feet

RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH

Blockchain/Crypto currency increments

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base STATISTICIAN Metrics, Meters
Stat Mean Value Index

90 feet

SETTLEMENTS / EXCHANGES = TAXABLE ASSETS AKN TO PROPERTY

IRS #1421

State Meta Data Snapshots Survey Point

3 X 5 HASH TABLES STATE META DATA SHARDS

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Micro CYCLES

Fix ("108")

Events

Epochs

Heartbeat Algo

Blockchain COMMUNICATING

Time Series

Value

Time

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time




The Variance of...

the partial derivative w.r.t. ϑ of...

the log-likelihood
function of θ
given observed
value of X


$$\Delta\delta = \mathcal{I}(\boldsymbol{\theta}) = Var\left(\frac{\partial}{\partial\boldsymbol{\theta}}\ell(\boldsymbol{\theta} | \mathbf{X})\right)$$



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation



An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding **Fisher information flux** at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS

BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips



2) Syntax used / not used as programming instructions during epoch time cycles



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light."


mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html




STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



The IN and OUT waves form standing waves about the central point

On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)




ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration



Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SOUND WAVES enable Different types of quantum tech to "talk"





Eric Trump: "Bitcoin to 1 MILLION"
VS QUANTUM SUPREMACY



TRUMP Quantum SPEED BUMP ???

SOUND WAVES enable Different types of quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND ORG_ID in CLEAR / Person ID encrypted
'wave-particle duality' is simply the quantum 'uncertainty principle'

TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template





ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347

"BITCOIN's VALUE = TIME ITSELF"
"TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON





Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES
2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a **TIME-AVERAGED value**”




Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




USPTO 13/573,002
sawconcepts.com/index

NDN {“Distance”} {“Interest”}
IDMaps SonarHops




Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”





Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future





NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI


PARTY /
AUTHENTICATION



NIST

**NON
REPUDIATION**


Legend:
■ App: software application
■ DB: database
■ Fw: firewall
■ HSM: hardware security module
■ RNG: random-number generator



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**



NDN
 </Interest>
 </Distance>

SURVEY METHODS
 + TRIANGULATION
 Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State of Internet & estimates distance between any IP address pair State Snap Shots

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE


NDN





</interest> </distance>

NDN

</interest> </distance>

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **Stochastic Harmonization**






The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$


NIST Quantum Random Number Beacon



"The external environment could update resources at random..."



One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"



Satoshi Bitcoin Blockchain Time Stamp Server

3. Timestamp Server
 The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves that the data must have existed at the time it was stored in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.




Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?



Light source Rays of light coming from the source reach the slits


Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves

Intensity of the fringes shows the maxima and minima

Science Facts


QUANTUM COMPUTING - RESISTANT ? - BASED ? THROUGH LENS OF SCOTUS ALICE LOOKING GLASS RULING



USPTO APPLICATION 13/573 002


The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



b



The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





THE 1919 WORLD SERIES

What Really Happened?

William A. Cook



**TROLLS
ARE DRAGGING
DOWN AMERICAN
INNOVATORS.**


**Stop patent trolls.
Join The Alliance.**

ANSWER

Application Developers Alliance




RULING: “claims may not direct towards abstract ideas”



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
 - Admin forms, fees, amendments.. MUTED
 - NO Time Stamps = TEMPORAL AMBIGUITY
 - Screen captures before / after filing 






USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter



Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme





First
Baseball
Players
Union
Formed
1870



Satoshi Bitcoin Blockchain Time Stamp Server



Metatron's Cube and the Platonic Solids




SEED OF LIFE



by: Tom Raimbault

"In the beginning (of time) there was the word"



Everyone who is of the Truth hears My voice John 14:1-37.



"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller





THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.

Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.



The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.



Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, etc., etc., etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon

CAPITALISM AND FREEDOM
MILTON FRIEDMAN
WITH THE ASSISTANCE OF ROBERT FRIEDMAN



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960

Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
Satoshi Nakamoto: 2nd Base
"The solution we propose begins with a TIME STAMP SERVER"/>

MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

State Meta




Data Snapshots

Survey Point





MICRO CYCLES












DISNEY'S FANTASIA



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE







R. Buckminster Fuller Utopia or Oblivion: the Prospects for Humanity

A challenging blueprint for the future by the world-renowned revolutionary thinker and inventor

World (Peace) Game
1961 simulation by Buckminster to help create solutions to overpopulation, the uneven distribution of global resources.

The World Game
Annex K
Signals & Telemetry
r. buckminster fuller operating manual for spaceship earth



Spatial Econometrics
TOKEN ECONOMICS
EVENT / ALERT BUS
MONEYBALL
ECONOMICS



What does your name mean?

Steven + McGee
Intellectual Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!

Feb 10, 1960 Aquarius / Aquarius Rising

The Time Keeper
Borderlands 4

Alice Corp. v. CLS Bank International

573 U.S. 134

S. Ct. 2347

2014



"Claims may not direct towards abstract ideas"

Bloomberg Law:




Crypto Lawsuit Deluge

Has Big Firms Scrambling to Keep Up



"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time – stamp server"

Satoshi Nakamoto Reveal #2



121

Wayward Son





SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS

