





Eco Economic Epochs

TRC TradeFi


FOUNDATION TECHNOLOGY



“Build a new model”
Standing on the shoulders of giants



FOUNDATION TECH
For Programmable \$\$\$
Programmable Economy
Eco Economic Epochs
Symbol / Message Sets A.I.
FIREFLY Inspired Heartbeat Algorithm



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller




"Symbols Rule The World"
OPSCODE BREVITY CODES mapped to symbols 2525A,C D



THESIS: All things internet, programmable net of \$\$ money are formed using:



1. Time epochs created by oscillating quartz crystal silicon microchips. </Foundation_Tech framework> {"TradeFI / Trade Reference \$\$\$"}





2. Syntax used / not used as code instructions during epoch time cycles.

All things internet, internet of money, blockchains are sent via unicast, multicast, anycast protocol (s).

Structured Data NEWS AI
Brevity Codes / Syntax Commodities Symbols
STANDARDS COMPLIANCE CONSENSUS TIME SYNC STOCHASTIC HARMONIZATION QUANTUM




FROM	TO	AMPADE	AFAT05	WTC
ABAR		F002 F014 F020 F024 F030 F034 F040 F044 F050 F054 F060 F064 F070 F074 F080 F084 F090 F094 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4		
ANDFCA		F002 F014 F020 F024 F030 F034 F040 F044 F050 F054 F060 F064 F070 F074 F080 F084 F090 F094 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4		
AFAT05		F002 F014 F020 F024 F030 F034 F040 F044 F050 F054 F060 F064 F070 F074 F080 F084 F090 F094 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4 F0A0 F0A4 F0B0 F0B4 F0C0 F0C4 F0D0 F0D4 F0E0 F0E4 F0F0 F0F4 F0G0 F0G4 F0H0 F0H4 F0I0 F0I4 F0J0 F0J4 F0K0 F0K4 F0L0 F0L4 F0M0 F0M4 F0N0 F0N4 F0P0 F0P4 F0Q0 F0Q4 F0R0 F0R4 F0S0 F0S4 F0T0 F0T4 F0U0 F0U4 F0V0 F0V4 F0W0 F0W4 F0X0 F0X4 F0Y0 F0Y4 F0Z0 F0Z4		
A.I.				
MIC				
CIA/C				
OTRS				



THE TERRA (TRC)


Trade Reference Currency

SHELLING POINT



Price Indexes in Time and Space
Methods and Practice

Will There Be a Recession?



ECONOMIC HEARTBEAT

FEDCOIN / WORLDCOIN



SLA: Closer = Cheaper {"TOKENs TAGS"}

Closer = Less Fuel

Less Time

\$0.49 USD

B 0.001076 BTC

DEMURRAGE FEES

bitcoin

MICRO PAYMENTS

{"URN"} </URN> {"URN"}

{"URN"} </URN> {"URN"}

$\Delta\delta$



Friedman's K % Rule



ALGORITHMIC REGULATION

LEADING ECONOMIC INDICATORS



Terra Trade Reference Currency TRC "world currency"

Bernard A. Lietaer Belgian economist proposed 1991



Basket of 9-12 most important commodities. Public
issued demurrage fees for storage, shipping, handling



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

STOCHASTIC HARMONIZATION

UNIVERSAL TIME ZONE UTZ
UNIVERSAL MESSAGE EVENT BUS



Example: 100 Terra = 1 barrel oil
+ 10 bushels of wheat
+ 20 kg of copper + 1/10 Oz gold




Spatial Econometrics

Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.


It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as the length is bounded and all nodes agree on it eventually"

EVENT BUS



French newspaper "Le Fédériste"
"L'Europa monnaie de la paix"
Money of peace" Born Jan 1st 1933 \$\$\$


The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



EDISON / FORD MONITARY OPTION 1921



Tokenization of Physical Assets Enables Economy Of Everything



**ALGORITHMIC STABLE COIN
COMMODITY INDEX
CURRENCY PROGRAMMABLE \$\$\$**




FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




**Thomas Edison's Monetary Option
Cambridge University Press 2009**
"Crops hold their value best over time"

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922







The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

ECO ECONOMIC HEARTBEAT



("108")



K%




ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man



LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE
PROCESSING

UTZ SYNC
PULSE

SYNC
DELTA

NEURAL NET
EMULATION




BLOCKCHAIN
PARSING Erlang
TIME EQUATIONS




{"Org_ID"}

{"URN"}

NIST Beacon
A Public Randomness Service



Crypto Currency
TIME STAMP
SERVER / SERVICE



TERRA
TRC



LEADING ECONOMIC INDICATORS

LEAD
ECONOMIC
INDICATORS



currencyindex




TIME
Will There Be a Recession?




Economist
Milton Friedman

FRIEDMAN'S K% RULE



DEMURRAGE
PARKING

MICRO
Logistic Fee
Payments



STAT MEAN VALUE INDEX
SCHELLING POINT TRUTH



Price Indexes in
Time and Space
Methods and Practice

ALGORITHMIC REGULATION
TOKEN ECONOMICS



DEMURRAGE
PARKING

Logistic Fee
Incentives



Heartbeat Syncronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



SYNC TO CLOSEST HEARTBEAT

{"URN"} {"URN"} {"URN"}

HEARTBEAT EVENT FLASH MESSAGE BUS

{"URN"} {"URN"} {"URN"}

UTZ STOCHASTIC HARMONIZATION

Universal Metrics / Meters

SUMMARY CURRENCY PAIR

SAMPLING

ON / OFF SHORE

SYNC DELTA STATE META DATA SNAPSHOTS

Geo-spatial
Temporal

Syntax-Semantic

Sync & Consensus

SYNTHETIC METRICS

ON / OFF SHORE

SYNC DELTA STATE META DATA SNAPSHOTS


Universal Metrics / Meters

SUMMARY CURRENCY PAIR

SAMPLING


ON / OFF SHORE

SYNC DELTA STATE META DATA SNAPSHOTS



"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"

The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFI



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework



USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.




Attribute Series





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

Quantum Financial System vs BlockChain


TIME
CHAIN

QFS


TIME
STAMP
SERVER

<https://gesara.news>


Double-Slit Experiment



QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING



QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



#QuantumComputing UScet Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit) (sometimes qbit) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Scet Alice Corp Vs CLS Bank Physical memes



Linear sequential "Paul Revere" meme = horizontal polarization

Vertical polarization vectors from a known point 0 null Sonar Hop meme

particle representation / samples

Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?

SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract



Microwave pulses like sonar ping—
qubits can be in a superposition of all the classically allowed states
silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.
Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)



Satoshi Nakamoto Bitcoin Paper
THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER" Satoshi Nakamoto
Satoshi Nakamoto Craig WRIGHT a.k.a. THE VALUE OF BITCOIN IS TIME ITSELF" Wright Brother's 1st Flight Cape Hatteras Outer Banks

Humanitarian Assistance Networked Donor System


H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



Beacon Communities

Vernetzte Operationsführung




Proximity Beacons



JAEGERS


Closer < \$\$\$ < FUEL



KAIJU



SYSTEM
Of
SYSTEMS




WORLD BEYOND WAR.org
a global movement to end all wars


OFF SHORE
OUTER BANKS

FREELY
HEARTBEAT
EVENT / ALERT Flash Heartbeat Message Bus
ALGORITHM





Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D





SYNC DELTA
DATA SNAPSHOTS

INFOCON
5 4 3 2 1
INFORMATION CONDITION

**Federation
Gateway**

In the beginning (of time)..
There was the word (syntax)



HFT START, STOP, Time to LIVE


Distributed Event Processing
Distributed State Machine

USPTO 13/573,002
573 U.S. 134 SCt 2347


Alice in Wonderland Ruling



MEMO #1421




$$\Delta\delta$$



Net, Net of \$\$\$ money consists:

- 1) Epoch Time Cycles
- 2) Syntax used / not in epochs



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organize with Organization Identifiers {"Org_ID"}
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex




CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms



ENERGY / DATA
Over
Transmission
Lines / Airwaves




In 1887, Heinrich Hertz demonstrated the reality of Maxwell's electromagnetic waves by experimentally generating radio waves in his laboratory.

f



(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle



Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him. Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day

All Photons and EM waves can have various directions of polarisation with respect to their direction of propagation




Teslian waves transmit Energy in a LONGITUDINAL waveform producing 'Action at a Distance'


Although they utilise the same EM energies, different EM waveforms can be produced where the Electric fields are in 90° opposition to each other thus leading to conflicting theories of EM wave propagation

Through longitudinal waves, Tesla transferred energy to receiving devices. He sent electrostatic forces through the air, transferred electrical energies and noted the lethal forces produced by these waves.

Nikola Tesla



(10 July 1856 - 7 January 1943)



Volts per Second

V


THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



The IN and OUT waves form standing waves about the central point

On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$



"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)





TESLA Harmonic Sphere Flux Resonator

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]





Blockchain Quad-lemma




Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File
"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431



All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..

THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"





Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"


3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server





JapanNet Crypto Time Authentication Service (Timestamp Service)



"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions




"THE VALUE OF BITCOIN IS TIME ITSELF"







Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



“BITCOIN IS A LANGUAGE / BITCOIN’S VALUE IS TIME ITSELF”



TIME EPOCH CYCLES

State Meta Data Snapshots





“BITCOIN MAKES MONEY PROGRAMMABLE. TIME – SPACE METER MONEY IS SIMPLY DATA”

USPTO 13/573,002

HEART BEACON CYCLE

STRUCTURED DATA EXCHANGE



Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"

"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

NAMED DATA NETWORKING



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language" Coindesk Article



SYNTAX LEXICON Library

1st Compiler

Real World Assets

R W A

Alpha Numeric Brevity Codes




STRUCTURED DATA EXCHANGE TEMPLATE FORMS

300+ USE CASES

LOGIC / FILTERS

A.I.

Coder Guide Rosetta Stone



SYNTAX / SYMBOL LEXICON LIBRARY



"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA"

"Bitcoin's Value is TIME itself"

"Time is specified in units of block transaction confirmation times"



ALICE CORP VS CLS BANK

"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BITCOIN BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



CLOCK FACE 360°
90 / 90 / 90 / 90

MACRO CYCLES

RULES / ROLES
INSTRUCTIONS

WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters

Stat Mean Value Index

SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

STATE META DATA SHARDS

3 X 5 HASH TABLES

STATE META Data Snapshots

Survey Point

MICRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

ALICE Corp VS CLS BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS

Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002


first base RUNNER Message Bus

Firefly – Heartbeat Algo X EVENTS

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

$\Delta\delta$



BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS

Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002


first base RUNNER Message Bus

Firefly – Heartbeat Algo X EVENTS

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

$\Delta\delta$



What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: "claims may not direct towards abstract ideas"

UTXO: unspent transaction output'. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.




Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$$\Delta\delta$$

Unmined Bitcoins





Un-mined coins -- think of them as parcels of land on "Bitcoin Island" not yet released:

IDMaps-SONARHOPS distance estimation query-reply service


- End-state Bitcoin quantity will be fixed like land

"Bitcoin as protocol of ownership, not transfer"


Coins never travel, but simply switch owners"



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation



Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer




$$\Delta\delta$$


SCOTUS 2014 ruling
SC 573 134 2347



"Claims may not direct towards abstract Ideas"



Physical = opposite of abstract



"The solution we propose begins with a time-stamp server" Satoshi

"The internet, internet of \$\$\$ is comprised:

1. Epoch time cycles 2. Syntax used / not used during epoch time cycles instructions

"Bitcoin is a language" "Bitcoin's value = time itse


Blocktime = computing clock-time that creates sync delta differentials in the chain of time described by MTT Machine Trust Language smart contracts adjusted by time arbitrators

USPTO 20130166398 Ericsson System Method Implementing Context Based Payment System






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange




SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC



"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1

XBRL™
THE BUSINESS REPORTING STANDARD
BINARY XML
Decision

1.1 - Observers
1.2.3 - Predicted
1.2.4 - Smoothed Data
3 - Position
1.3.1 - Bearing Angle
1.3.2 - Location; 2D Hor
1.3.3 - Vertical
4 - Velocity

1 - Horizontal
2 - Vertical
TOSCA
Confidence
Bearing Angle
Bearing Angle Rate
Covariance Matrix

DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



5 4 3 2 1
INFORMATION CONDITION

NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE



SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE



NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT



O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	L - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"URN"}



{"ASSET_CLASS"}



{"URN"}

{"ASSET_TYPES"}

ISO 10383 – MIC



Market Identifier Codes



{"URN"}



{"Org_ID"}



INTEREST



FILTERS



BLOCKTIME



ARBITRAGE



ERLANG



TIME EQUATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS

FROM	TO					CODE GUIDE
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio			C002 C203 F014 E400 F541 F015 S305 S201 S309 S507
AMDPCS	TOKENS OPSCODE BREVITY CODES	F002 F014 F015 F541 S201	F002 F015 S201	C203 C400 D630 E500 F002 F014	A.I.	INFOCON 5 4 3 2 1 INFORMATION CONDITION
AFATDS	F002 F014 F015 F541 S201	A423 A659 C505 C203 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone Syntax Lexicon Coder's Guide	A423 C505 F014 F541 S201	M2M "SYMBOLS RULE THE WORLD"
MCS	NEWS SIOP FMN	ASSET TOKENS Token Economy	HEARTBEAT MESSAGE = K00.99 </108> {"108"}	NDN Firefly-Heartbeat Flash Messages	PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS	


MESSAGE CATALOG 300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

Information Categories and Examples

Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	COA targeting, reconitering	{"Java JS"}
Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language MTL network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	YAML expansion
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Entity	Class	Table	Class	Element
			Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute
			Domain Value	PURCHASE CODES	Instance, Value	TADILs	MTF
						DUI	FUD

- COI Determination Org Interaction
- Search and Discovery
- Ontologies STANDARDS
- Taxonomies REFERENCE
- Metadata Attributes / Filters ('Org_ID" } {"URN"} </URN></URN> FILTERS



FFUDN: Field Format Unit Designator #
FFIRN Field Format Index Reference #
Structured military messaging ID's messages, message sets, data element, symbol fields </108>
BY Form Field Position & NUMBER

{"108"} NDN Firefly-Heartbeat Flash Messages

OPERATIONAL NODES / ACTIVITIES


DATA	SYSTEM FUNCTIONS	PERFORMANCE
11.4 - Classification	11.8 - Kinematics	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1 - Category	11.8.1.1 - Acceleration	11.8.1.1.1 - Angular
11.4.1.1 - Confidence Level	11.8.1.2 - Estimate Type	11.2 - Linear
11.4.1.2 - Estimate Type	11.4.1.2.1 - Alternative	2 - Estimate Type
11.4.1.2.2 - Evaluated D	11.4.1.2.2 - Evaluated D	1.2.1 - Estimated
11.4.1.3 - Value	11.4.1.3 - Value	1.2.2 - Observed
		1.2.3 - Predicted
		1.2.4 - Smoothed Data
		11.4.1.3.4 - Substance
		11.4.1.3.5 - Surface
		11.4.1.3.5.1 - Feature Type
		11.4.2 - Platform / Point / Feature Type
		11.4.2.1 - Velocity
		11.4.2.2 - Horizontal
		11.4.2.3 - Vertical
		11.4.2.4 - Bearing Angle
		11.4.2.5 - Bearing Angle Rate
		11.4.2.6 - Covariance Matrix
		11.4.3 - Specific Type
		11.4.4 - Type Modifier
		11.4.5 - Unit

SYMBOL	Friend	Neutral	Hostile
2525C	Partner	△	◆

SYMBOL	Friend	Neutral	Hostile
2525C	Partner	△	◆



MIL STD 2525A, B, C, D



20022

STRUCTURED
DATA
EXCHANGE
SYNTAX LEXICON
ROSETTA STONE

Coder's Guide

lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
ASOC	ASSET TOKENS
ASOC	"SYMBOLS RULE THE WORLD"
ASOC	11.8 - Kinematics
ASOC	11.8.1 - Pos.
ASOC	11.8.1.1 -

STRATML

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>

NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID

GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language

vector

{"URN","URN"} {"TRANSACTIONID"} Δδ INDEX REFERENCE #

M015 STATUS

EFFECTIVE: 14-DEC-95

PURCHASE CODES

FEDERATED PEGS

{"ASSET_CLASS"} {"ASSET_TYPES"}

ISO 10383 – MIC

Market Identifier Code

TOKENS {"URN"} {"Org_ID"}

INTEREST

NDN {"URN"} {"Org_ID"}

DIAO {"URN"} {"Org_ID"}

INTEREST

ORGID {"M/M/M/M/M/M/C"} {"NU"} ORGANIZATION DESIGNATOR

M11UPRES GENTEXT 8 / M / M / (NU) 1.A ENEMY FORCES / COMPETITORS

M11UPRES GENTEXT 9 / M / M / (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M11UPRES GENTEXT 10 / M / M / (NU) 1.C ATTACHMENT / DETACHMENT

O11UPRES GENTEXT 11 / M / M / (NU) 1.D COMMANDERS EVALUATION

O11UPRES GENTEXT 12 / M / M / (NU) 1.E ENVIRONMENTAL INFORMATION

M11UPRES GENTEXT 13 / M / M / (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M11UPRES GENTEXT 14 / M / M / (NU) 3.A CONCEPT OF OPERATION

O11UPRES GENTEXT 17 / M / M / (NU) 3) RECONNAISSANCE SURVEILLANCE

O11UPRES GENTEXT 21 / M / M / (NU) 5) INFORMATION OPERATIONS

O11UPRES GENTEXT 28 / M / M / (NU) 5) COMMS INFORMATION SYSTEMS

O11UPRES GENTEXT 35 / M / M / (NU) 3.D COORDINATING INSTRUCTIONS

M11UPRES GENTEXT 36 / M / M / (NU) 4.A SUPPORT CONCEPT (Logistics)

M11UPRES GENTEXT 37 / M / M / (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor - - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPE TO SYMBOLS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS PROCESSING

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

Encyclopedia Britannica:
“Language is a SYSTEM of SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word”.



"SIGNS AND SIGNS RULE THE WORLD, NOT WORDS OR LAWS"

CONFUCIOUS

Patent Application 9/11 2003: Method to commercialize structured military messaging

DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN – MACHINE INTERFACE

STANDARD, CONSISTENT SYMBOLS

FROM	TO					CODE GUIDE
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 F014 F541 S201 S307	
	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio					
AMDPCS	OPSCODE BREVITY CODES	F002 F014 F015 F541 S201	F002 F014 F015 F541 S201	F002 F014 F015 F541 S201	F002 F014 F015 F541 S201	
AFATDS	A423 C203 C505 F002 F014 F541 S201	A423 A659 C505 F002 F014 F541 S201	A423 A659 C505 F002 F014 F541 S201	A423 A659 C505 F002 F014 F541 S201	A423 A659 C505 F002 F014 F541 S201	
	ASSET TOKENS Token Economy					
	Rosetta Stone Syntax Lexicon Coder's Guide					

MESSAGE CATALOG 300 + Use Cases

		Information Categories and Examples					
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA Machine Trust Language MTL	EXCHANGE Message Sets CDL Contract Description Language	Message Sets	readiness targeting, reconning	COA	{"Java JS"}
Infrastructure	Common power, transportation, water/sewer	network, grid	throughput, flow rates	name, part-of relationships	BDA, op levels	repair, thermodynamics	expansion plans
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	ER Model Class Diagram Relational Database Object DBMS XML ODBC / Schema	Child Element or Element Attribute	Message DFI FFBN / FN FUON		
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature	tat/long, alt/dpth	Instance, Value	TOKENS	DUI	FUD

STRUCTURED
DATA
EXCHANGE
SYNTAX LEXICON
ROSETTA STONE

Coder's Guide

lexicon

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematics

11.8.1 - Pos.

11.8.1.1 -

STRATML

XBRL XAML

Informatica

BINARY XM

UBL

DDL DATA DEFINITION LANGUAGE

INFOCON A.I.

FFUDN: FUD

INFOCON A.I.

SYMBOLS RULE THE WORLD

11.8.1.2 - Predicted

11.8.1.3 - Smoothed Data

11.8.1.4 - Position

11.8.1.5 - Bearing Angle

11.8.1.6 - Location, 2D Horizontal

11.8.1.7 - Vertical

11.8.1.8 - Covariance Matrix

11.8.1.9 - Horizontal

11.8.1.10 - Vertical

11.8.1.11 - Bearing Angle Rate

11.8.1.12 - Covariance Matrix Rate

11.8.1.13 - Estimated

11.8.1.14 - Observed

11.8.1.15 - Predicted

11.8.1.16 - Smoothed Data

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor - - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPE TO SYMBOLS

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS PROCESSING


BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

"Signs and symbols rule the world, not words nor laws" - Confucius







Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or SYNTAX, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.



Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON



2525 Series
Symbol Set
Libraries



"SIGNS AND SYMBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data

FRZ TLP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes

SYMBOLS

SYMBOLS

SYMBOLS


SYMBOLS

SYMBOLS

Symbolic AI

Breaking the world into symbols (rather than
symbol sets 2525)

Incorporate common sense reasoning and



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



IDENTITY: <UUID> = Devices, sensors
Federation Gateway <ORG_ID> Organizations

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC MARKUP

StratML

LANGUAGE

Industrial Control System Information Sharing and Analysis Center

INVENTORY: Uniform Resource Name <URN>

<URN><URN> <NEWS>
<URN><URN> <COMMODITY><WATER><ENERGY><AVAILABLE UNITS>
<URN><URN> vector <GEO-SPATIAL TEMPORAL INTENSITY METRICS / METERS>

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

CONTENT LEXICON
ROSETTA STONE

SHARING:

COMMON <TAGS>
<Organizational_ID>
Resource Names <URN>
<Time_Stamps>
<State-Meta_Data>
<DATA_CLASS_TYPE>
<Heartbeat_snapshots>



AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

STRUCTURED <CONTENT> TEMPLATES


<TAG> LIBRARY

NIEM
NATIONAL INFORMATION EXCHANGING

NAMED DATA
NETWORKING
<Content> Centric


USMTF / XML MTF FORMATTED MESSAGE CATALOG
Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates

<TAG> LIBRARY



Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs


Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway



Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



IeT DEVICE / PLATFORM
IoT SENSOR DEVICE



</RESOURCE> {"URN"}
{"Asset_Class"} </URN>

STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES



UUID 123e4567-e89b-12d3-a456-426655440000
UUID 123e4567-e89b-12d3-a456-426655440001
UUID 123e4567-e89b-12d3-a456-426655440002

{"DUNS #"} {"Org_ID"} Heartbeat Snaps
QR CODE MICRO-CYCLES

A QR code and a camera icon.


EVENT BUS

Signalling, Telemetry




FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME







ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**





The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance




IDMaps scalable Internet-wide architecture measures, disseminates distance information
`/localhost/nfd/fib/add-nexthop`



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair

IDMaps provides distance information used by SONAR/HOPS query/reply service



GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NAMED DATA NETWORKING

</IoT>
MQTT



NIST TIME BEACON


05:08:50



ARRESTED-D


IEEE 802.15.4
OASIS MQTT

TELEMETRY TRANSPORT



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



vector WirelessHART


time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE



SINE-WAVE

TRIGGERS
CAP XML



INFOCON
XML
MTF
300 +
MSG

5 4 3 2 1
INFORMATION CONDITION

13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything "ability to hear the world's heartbeat"




The four dimensions of Big Data

vector

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point


TIME STAMP BY Org_ID, URN Before FUSION CENTER



FIREFLY – HEARTBEAT {"108"}
Stochastic Harmonization UTZ SYNC

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest **OPTEMPO HEARTBEAT**






State Meta Data
Heartbeat Snaps



ERLANG

SPACE - TIME Equations
BLOCKCHAIN PARSING
{"Org_ID"} {"URN"}

HEARTBEAT SYNCRONIZATION
FIREFLY SYNC CONSENSUS

Interface Name	HEARTBEAT Administration Interface [SCOP]		
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html		
API Information	 	#Big_Data  	Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)
Programmable Money World Computer / Blockchain	 	API Operation Count	
Interface Characteristics		Web service access type Network Effects / A.I. LANGUAGE / PLATFORM BINDINGS	Web application, front end to [network, device, system, blockchain] heartbeat  
<p>"The external environment could update <u>resources</u> at random... One solution is a heartbeat: defining a default lease duration delaying updates until the next cycle"</p>		<p>SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.</p>	 Epoch Time Cycles E0 E1 E2 E3... 
<p>QubitCoin Interval: Every 30 Seconds</p>		 	

SOFTWARE DEFINED NETWORKING

NETOPS

Command Syntax

REST State Transfer


COMMAND SYNTAX
STATE TRANSFER
Unicast / Multicast
Flow Tables / Workflow
Dynamic Network
Configuration Management

NET CENTRIC WARFARE
SYSTEM OF SYSTEMS TELEMETRY

COMMON COMPONENTS, BUILDING BLOCKS USED WITHIN FEDERATION PROMOTING COMMON GOALS, PROCESSES


- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs




Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



WHO, WHAT, WHERE
HOW OFTEN, HOW MUCH
SNAPSHOT SYNC DELTAS



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

Value
Time

5
602

IDMaps
SonarHops

4

+3

+2

+1

Null

0

+1

+2

+3

RISK

1

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

$\Delta\delta$

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

TCP/IP HOP BY HOP COUNT
Energy Attenuates over Distances

PAUL REVERE
LINEAR, SEQUENTIAL

RADIUS
WATER DROP IN POND MEME

603
NULL
+1
+2

Attribute Series
INTEREST
DISTANCE
Temporal Series

Geo
Spatial

ERLANG
TIME- SPACE METRICS

FIREFLY-HEARTBEAT
ALGORITHM
UNIVERSAL
EVENT MESSAGE BUS

43
22
13
0
1.5
2.7
5.2

Light minutes
Astronomical units

FIREFLY – HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

← cycle n → ← n + 1 → ← n + 2 →



Spatial
Econometrics

Spaceship
Earth
Signals &
Telemetry
Annex

ASTEROID BELTS =
RARE MINERALS

MAIN
ASTEROID
BELT

MERCURY
VENUS
EARTH

Farther = More Cost
➤ Fuel, Resources

STOCHASTIC
HARMONIZATION
Service Level Agreements

TROJAN
ASTEROIDS
EVENT MESSAGE BUS

ERLANG
TIME- SPACE METRICS

FIREFLY-HEARTBEAT
ALGORITHM
UNIVERSAL
EVENT MESSAGE BUS

43
22
13
0
1.5
2.7
5.2

Light minutes
Astronomical units

FIREFLY – HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

← cycle n → ← n + 1 → ← n + 2 →

TIME-SPACE BEACON INFOCON
5 4 3 2 1
INFORMATION CONDITION

METRICS / METERS
TRADE WITH EARTH

???
SIRIUS DISCLOSURE

MOON =
HELIUM 3
"Numbers are the
Universal Language
offered by deity to humans as
confirmation of the truth"

Alpha
Numeric
Brevity
Codes
SYNTAX
LEXICON
K00.99


ANDERSON
INSTITUTE

HEART BEACON CYCLE: ALL THINGS INTERNET ARE PROGRAMMED USING TIME CYCLES USED / NOT USED TO PROCESS / NOT PROCESS SYNTAX

TradeNet




Programmable Money \$\$\$



RIED HOFFMAN 15 May 2015 [LINK](#)

"The CODE that secures Bitcoin could also power an alternate Internet [LINK](#)



FROM	TO	MCS
ASAS	PSM1	F405 PSM1
ARDCPS	PSM1	F406 PSM1
MFATOS	PSM1	F407 PSM1
ICRS	PSM1	F408 PSM1
CSCS	PSM1	F409 PSM1
OTRS	PSM1	F410 PSM1
WETS	PSM1	F411 PSM1
ISYCON	PSM1	F412 PSM1
FRCS	PSM1	F413 PSM1

ORGANIZATIONS




</Org_ID>
{"URN"}
Organizational Units OU, OU

Bitcoin and the blockchain function as a medium of exchange, a store of value, a unit of account. Bitcoin adds digital, cryptographic, distributed server functions to currencies. Because it functions simultaneously as a currency, an asset and a platform, Bitcoin is better described as a global cryptoCAP (currency, asset, platform) -- a synergistic form of "cryptocapital" to unleash the full economic power of the networked age. **Bitcoin makes money PROGRAMMABLE. MONEY IS SIMPLY DATA** - a simple way to measure and keep track of exchanges in value wealth accumulation. Bitcoin aggregates data in a distributed global ledger accessible to anyone, and software. First open platform for financial services. Color coins represent stocks, bonds, currencies,..



MONEYBALL ECONOMICS




Price Indexes in Time and Space
Methods and Practice

SLA SLA-O



STATE META DATA

SNAPSHOTS





Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio *Arrival Rate* $\Delta\delta$
Service Rate per unit time

queueing systems wait times
stochastic processes, function scheduling Start, Stop TTL




distributed "noSQL" database, embedded right into Erlang,
supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution

FROM	SOCA	THAI	ABAD	AMPOKE	AFATOK	WIC
ANODR	PEAK	PEAK	PEAK	PEAK	PEAK	PEAK
AFATOK	PEAK	PEAK	PEAK	PEAK	PEAK	PEAK
WIC	PEAK	PEAK	PEAK	PEAK	PEAK	PEAK
CHINA	PEAK	PEAK	PEAK	PEAK	PEAK	PEAK





Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms

In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.





VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials



INFOCON
5 4 3 2 1
INFORMATION
CONDITION



{"108"}

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



{"108"}



UTZ SYNC
STOCHASTIC HARMONIZATION



QRNB
NIST Beacon
A Public Randomness Service



IDMaps
SonarHops
DISTANCE
ESTIMATION
SERVICE



SYNTAX LEXICON OPSCODE
Brevity Codes mapped
to symbols sets for A.I. / Man –
machine interface / interop

Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools





OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



CLOSER = < \$
CLOSER = < CO2

SLA
COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: **MAKE TRADE FREE**

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology



• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



- Users should fully control their data. Users have freedom to reveal as much personal identifiable information as they want, when they want



Bitcoin: OpenBazaar transactional currency



Cryptographic Security


- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.




Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work




MESSAGE example: hashing string
•Hash Table

300+Message Templates



POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series





In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.






TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone



The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.



Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).



Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.



ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

....-1 / 0 / +1... $\Delta \delta$ > Σ








Adaptive
Procedural
Checklist

Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:


Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.




PROOF-OF-WORK

HEART BEACON CYCLE 13/573,002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP




Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


TOURNAMENT LEAGUE BOARD




Capture ledger's state $\Delta\delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol



NEO Delegated Byzantine Fault Tolerance (dBFT)



Time Series



dBFT provides fault tolerance of $f = \lfloor (n-1) / 3 \rfloor$

Topology: Hierarchical Star
Architecture: Distributed
Consensus: dBFT
Network: TCP/IP
Encryption: ECDH

$$f = 1 \text{ OR } 0.66$$

If f NOT 1 OR < 0.66
There is no consensus


PROOF OF ELAPSED TIME Consensus Order




USPTO 13/573,002
sawconcepts.com/index

Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





HASHGRAPH
Directed Acyclic
Graph DAG

Hashgraph consensus algorithm
for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

Consensus Order

$$\sum \Delta\delta \times$$

Round created Witness 0 / 1

Famous witness Election

Vote See

Strongly see Supermajority Decide


Round created Round received

Consensus timestamp Consensus order $\Delta\delta$


Synchronous Asynchronous

Micro-Cycle State Meta Data Snapshots

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" $\Delta\delta$

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.


TAG	SLA/O	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#]
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#]

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.





PoST users / nodes must prove that they are spending a certain amount of space for storage.



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed **Universal Timezone System** would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.

Shore

queueing systems wait times stochastic processes, function scheduling Start, Stop TTL

PROXIMITY BEACONS BLOCKCHAIN PARSING

Nicotib Erlang O'REILLY TIME EQUATIONS

TIME SERIES Databases

ATOMIC CLOCK NIST Beacon A Public Beacons Service

NON REPUDIATION

QUANTUM RANDOM #

BEACON BROADCAST

MICRO- CYCLES

ARRIVAL RATE

QUEUE FORMS

LIMITED RESOURCE

SERVICE RATE

RFID

* Utilization * Service Time (T_s)

ERLANG CALENDAR: Calculate Wait Times

Time Stamp to Date Time Conversion

Erlang / Equilibrium Time – Sync Algorithms

ROLES RULES

Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: *foedus, foederis, covenant, union* of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs





Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle



FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



FROM	GCDA	TAB	ASAS	AMPCDS	AFATDR	WCR	TO
GCDA	FC001	FC002	FC003	FC004	FC005	FC006	FC007
TAB	FC008	FC009	FC010	FC011	FC012	FC013	FC014
ASAS	FC015	FC016	FC017	FC018	FC019	FC020	FC021
AMPCDS	FC022	FC023	FC024	FC025	FC026	FC027	FC028
AFATDR	FC029	FC030	FC031	FC032	FC033	FC034	FC035
WCR	FC036	FC037	FC038	FC039	FC040	FC041	FC042





XBRIL / CDL / DAML
STRUCTURED STOCK MIC CODES


MILITARY MESSAGE TEMPLATE FORMS

LOGIC / FILTERS

SYNTAX LEXICON LIBRARY

CPU CHIP EPOCHS





real-time gross settlement system,
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's
Ripple Connect to exchange KYC,
risk info, fees, payment details,
expected time of funds delivery

Provides information about total
costs of the transaction



Workflows are serially executed
Except first two work flow are
workflows are based on **event**
pull model





Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses! Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA! You can get it for free [here!](#)

ALPHA NUMERIC BREVITY CODES

A.I

Neutral transaction protocol






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n

α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$

1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs





GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0

Block 1

Block 2




SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"



BIS



International trade settlement work stream

2019

Inthanon-LionRock
Proof-of-concept

Q4 2021

mBridge
Trial Platform


2022 onwards

Pilot

ISO 20022 messaging standard

Minimum viable
product

Production
ready



mBridge mBL is an Ethereum EVM-compatible solution, referring to the ability of a blockchain to process transactions based on smart-contract codes that can run on many blockchain platforms. CBDC issuance, redemption, payments are implemented through smart contracts in the Solidity programming language. mBridge code is open sourced.

mBL uses the **Dashing consensus algorithm**, a Byzantine Fault Tolerance (BFT) consensus protocol that uses proofs of partial confirmation of a block validation to reduce time needed to achieve consensus and to improve the overall protocol performance. Pseudonymous addresses and encrypted payment meta-data payloads are used to support privacy and confidentiality in transactions. mBL APIs are based on the global ISO 20022 messaging standard for financial information Legal Entity identifiers (LEIs) facilitate identification of entities facilitating AML/ CFT checks.





UNICOIN

Digital Capital Exchange

Unicorn: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicorn: store of value cryptography, artificial intelligence (A.I.) Goals: continuous purchasing demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value over a long period of time. Employs machine learning trading bots. UMPC will establish yield payout rates for wallet holders to stake Unicorn in the Staked Proof of Trust (SPOT) consensus protocol. PoT consensus selects

validators I.A.W contribution to the DeFI network

The DCMA – Digital Public Monetary System

KYC Entity	Ledgers	FX Rates	SPOT Protocol
Create	Create	Activity	Stake
Modify	Modify	Deposit	Cashout
Suspend	Suspend	Withdraw	Reject
KYC People	CBDC	Money Services	Authorizations
Create	Create	Transfer	Grant Authorization
Modify	Modify		Revoke Authorization
Suspend	Suspend		
Issuers	Pause	Escrow	Rates
Create	Unpause	Create Escrow	Create Rate
Modify	Mint	Accept Escrow	Modify Rate
Suspend	Burn	Cancel Escrow	Suspend Rate
Post Rates	Redeem	Release Escrow	
Branches	Swap	Milestones	Limits
Create	Supply	Create Milestone	Create Limit
Modify	Price	Modify Milestone	Modify Limit
Suspend		Cancel Milestone	Suspend Limit
Agents	Wallets	Release Milestone	Sanctions
Create	Create		Create Sanction
Modify	Modify		Modify Sanction
Suspend	Suspend		Suspend Sanction
	Pause		
	Unpause		
	Attach		

Figure 9: Unicorn Global Localization of a CBDC Public Monetary System





UNICOIN

Digital Capital Exchange

Unicorn: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicorn: store of value
cryptography, artificial intelligence (A.I.) Goals: continuous purchasing demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value over a long period of time. Employs machine learning trading bots. UMPC will establish yield payout rates for wallet holders to stake Unicorn in the Staked Proof of Trust (SPOT) consensus protocol. PoT consensus selects validators I.A.W contribution to the DeFI network

The DCMA – Digital Public Monetary System

KYC Entity	Ledgers	FX Rates	SPOT Protocol
Create	Create	Balances	Stake
Modify	Modify	Activity	Cashout
Suspend	Suspend	Deposit	Reject
KYC People	CBDC	Withdraw	
Create	Create	Money Services	Authorizations
Modify	Modify	Transfer	Grant Authorization
Suspend	Suspend		Revoke Authorization
Issuers	Pause	Escrow	Rates
Create	Unpause	Create Escrow	Create Rate
Modify	Mint	Accept Escrow	Modify Rate
Suspend	Burn	Cancel Escrow	Suspend Rate
Post Rates	Redeem	Release Escrow	
Branches	Swap	Milestones	Limits
Create	Supply	Create Milestone	Create Limit
Modify	Price	Modify Milestone	Modify Limit
Suspend	Wallets	Cancel Milestone	Suspend Limit
Agents	Create	Release Milestone	Sanctions
Create	Modify		Create Sanction
Modify	Suspend		Modify Sanction
Suspend	Pause		Suspend Sanction
	Unpause		
	Attach		

Figure 9: Unicorn Global Localization of a CBDC Public Monetary System





UNICOIN

Digital Capital Exchange


Unicoin: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicoin: store of value
cryptography, artificial intelligence (A.I.) Goals: continuous purchasing
demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value
over a long period of time. Employs machine learning
trading bots. UMPC will establish yield payout rates for
wallet holders to stake Unicoin in the Staked Proof of Trust
(SPOT) consensus protocol. PoT consensus selects
validators I.A.W contribution to the DeFI network

Ü



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree





ZEPPELIN OPEN, GLOBAL ECONOMY


OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language

zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."



WORLD ECONOMIC HEARTBEAT

HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax Lexicon Library 300 + Templates




STRUCTURED DATA EXCHANGE

NAME	TYPE	STATUS	FUNCTIONS	VERSION	API	NOTES
ABAB	PROT	PREP	PREP1, PREP2, PREP3, PREP4, PREP5, PREP6, PREP7, PREP8, PREP9, PREP10, PREP11, PREP12, PREP13, PREP14, PREP15, PREP16, PREP17, PREP18, PREP19, PREP20, PREP21, PREP22, PREP23, PREP24, PREP25, PREP26, PREP27, PREP28, PREP29, PREP30, PREP31, PREP32, PREP33, PREP34, PREP35, PREP36, PREP37, PREP38, PREP39, PREP40, PREP41, PREP42, PREP43, PREP44, PREP45, PREP46, PREP47, PREP48, PREP49, PREP50, PREP51, PREP52, PREP53, PREP54, PREP55, PREP56, PREP57, PREP58, PREP59, PREP60, PREP61, PREP62, PREP63, PREP64, PREP65, PREP66, PREP67, PREP68, PREP69, PREP70, PREP71, PREP72, PREP73, PREP74, PREP75, PREP76, PREP77, PREP78, PREP79, PREP80, PREP81, PREP82, PREP83, PREP84, PREP85, PREP86, PREP87, PREP88, PREP89, PREP90, PREP91, PREP92, PREP93, PREP94, PREP95, PREP96, PREP97, PREP98, PREP99, PREP999	PREP	PREP	PREP
ANOTHER	PROT	PREP	PREP1, PREP2, PREP3, PREP4, PREP5, PREP6, PREP7, PREP8, PREP9, PREP10, PREP11, PREP12, PREP13, PREP14, PREP15, PREP16, PREP17, PREP18, PREP19, PREP20, PREP21, PREP22, PREP23, PREP24, PREP25, PREP26, PREP27, PREP28, PREP29, PREP200, PREP210, PREP220, PREP230, PREP240, PREP250, PREP260, PREP270, PREP280, PREP290, PREP201, PREP211, PREP221, PREP231, PREP241, PREP251, PREP261, PREP271, PREP281, PREP291, PREP202, PREP212, PREP222, PREP232, PREP242, PREP252, PREP262, PREP272, PREP282, PREP292, PREP203, PREP213, PREP223, PREP233, PREP243, PREP253, PREP263, PREP273, PREP283, PREP293, PREP204, PREP214, PREP224, PREP234, PREP244, PREP254, PREP264, PREP274, PREP284, PREP294, PREP205, PREP215, PREP225, PREP235, PREP245, PREP255, PREP265, PREP275, PREP285, PREP295, PREP206, PREP216, PREP226, PREP236, PREP246, PREP256, PREP266, PREP276, PREP286, PREP296, PREP207, PREP217, PREP227, PREP237, PREP247, PREP257, PREP267, PREP277, PREP287, PREP297, PREP208, PREP218, PREP228, PREP238, PREP248, PREP258, PREP268, PREP278, PREP288, PREP298, PREP209, PREP219, PREP229, PREP239, PREP249, PREP259, PREP269, PREP279, PREP289, PREP299, PREP2999	PREP	PREP	PREP
APAFOR	PROT	PREP	PREP1, PREP2, PREP3, PREP4, PREP5, PREP6, PREP7, PREP8, PREP9, PREP10, PREP11, PREP12, PREP13, PREP14, PREP15, PREP16, PREP17, PREP18, PREP19, PREP20, PREP21, PREP22, PREP23, PREP24, PREP25, PREP26, PREP27, PREP28, PREP29, PREP200, PREP210, PREP220, PREP230, PREP240, PREP250, PREP260, PREP270, PREP280, PREP290, PREP201, PREP211, PREP221, PREP231, PREP241, PREP251, PREP261, PREP271, PREP281, PREP291, PREP202, PREP212, PREP222, PREP232, PREP242, PREP252, PREP262, PREP272, PREP282, PREP292, PREP203, PREP213, PREP223, PREP233, PREP243, PREP253, PREP263, PREP273, PREP283, PREP293, PREP204, PREP214, PREP224, PREP234, PREP244, PREP254, PREP264, PREP274, PREP284, PREP294, PREP205, PREP215, PREP225, PREP235, PREP245, PREP255, PREP265, PREP275, PREP285, PREP295, PREP206, PREP216, PREP226, PREP236, PREP246, PREP256, PREP266, PREP276, PREP286, PREP296, PREP207, PREP217, PREP227, PREP237, PREP247, PREP257, PREP267, PREP277, PREP287, PREP297, PREP208, PREP218, PREP228, PREP238, PREP248, PREP258, PREP268, PREP278, PREP288, PREP298, PREP209, PREP219, PREP229, PREP239, PREP249, PREP259, PREP269, PREP279, PREP289, PREP299, PREP2999	PREP	PREP	PREP
MINI	PROT	PREP	PREP1, PREP2, PREP3, PREP4, PREP5, PREP6, PREP7, PREP8, PREP9, PREP10, PREP11, PREP12, PREP13, PREP14, PREP15, PREP16, PREP17, PREP18, PREP19, PREP20, PREP21, PREP22, PREP23, PREP24, PREP25, PREP26, PREP27, PREP28, PREP29, PREP200, PREP210, PREP220, PREP230, PREP240, PREP250, PREP260, PREP270, PREP280, PREP290, PREP201, PREP211, PREP221, PREP231, PREP241, PREP251, PREP261, PREP271, PREP281, PREP291, PREP202, PREP212, PREP222, PREP232, PREP242, PREP252, PREP262, PREP272, PREP282, PREP292, PREP203, PREP213, PREP223, PREP233, PREP243, PREP253, PREP263, PREP273, PREP283, PREP293, PREP204, PREP214, PREP224, PREP234, PREP244, PREP254, PREP264, PREP274, PREP284, PREP294, PREP205, PREP215, PREP225, PREP235, PREP245, PREP255, PREP265, PREP275, PREP285, PREP295, PREP206, PREP216, PREP226, PREP236, PREP246, PREP256, PREP266, PREP276, PREP286, PREP296, PREP207, PREP217, PREP227, PREP237, PREP247, PREP257, PREP267, PREP277, PREP287, PREP297, PREP208, PREP218, PREP228, PREP238, PREP248, PREP258, PREP268, PREP278, PREP288, PREP298, PREP209, PREP219, PREP229, PREP239, PREP249, PREP259, PREP269, PREP279, PREP289, PREP299, PREP2999	PREP	PREP	PREP
CLOUD	PROT	PREP	PREP1, PREP2, PREP3, PREP4, PREP5, PREP6, PREP7, PREP8, PREP9, PREP10, PREP11, PREP12, PREP13, PREP14, PREP15, PREP16, PREP17, PREP18, PREP19, PREP20, PREP21, PREP22, PREP23, PREP24, PREP25, PREP26, PREP27, PREP28, PREP29, PREP200, PREP210, PREP220, PREP230, PREP240, PREP250, PREP260, PREP270, PREP280, PREP290, PREP201, PREP211, PREP221, PREP231, PREP241, PREP251, PREP261, PREP271, PREP281, PREP291, PREP202, PREP212, PREP222, PREP232, PREP242, PREP252, PREP262, PREP272, PREP282, PREP292, PREP203, PREP213, PREP223, PREP233, PREP243, PREP253, PREP263, PREP273, PREP283, PREP293, PREP204, PREP214, PREP224, PREP234, PREP244, PREP254, PREP264, PREP274, PREP284, PREP294, PREP205, PREP215, PREP225, PREP235, PREP245, PREP255, PREP265, PREP275, PREP285, PREP295, PREP206, PREP216, PREP226, PREP236, PREP246, PREP256, PREP266, PREP276, PREP286, PREP296, PREP207, PREP217, PREP227, PREP237, PREP247, PREP257, PREP267, PREP277, PREP287, PREP297, PREP208, PREP218, PREP228, PREP238, PREP248, PREP258, PREP268, PREP278, PREP288, PREP298, PREP209, PREP219, PREP229, PREP239, PREP249, PREP259, PREP269, PREP279, PREP289, PREP299, PREP2999	PREP	PREP	PREP

LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES



STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics








EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO - FRIENDLY TRANSACTIONS



E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.



FORM	CODEC-A	CODEC-B	CODEC-C	CODEC-D	CODEC-E	CODEC-F	CODEC-G	CODEC-H	CODEC-I	CODEC-J	CODEC-K	CODEC-L	CODEC-M	CODEC-N	CODEC-O	CODEC-P	CODEC-Q	CODEC-R	CODEC-S	CODEC-T	CODEC-U	CODEC-V	CODEC-W	CODEC-X	CODEC-Y	CODEC-Z
ASAB	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
ANOMICA	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26
AFATOR	PRE1	PRE2	PRE3	PRE4	PRE5	PRE6	PRE7	PRE8	PRE9	PRE10	PRE11	PRE12	PRE13	PRE14	PRE15	PRE16	PRE17	PRE18	PRE19	PRE20	PRE21	PRE22	PRE23	PRE24	PRE25	PRE26





"EARTHDAY EVERYDAY ON THE BITCOIN BLOCKCHAIN"
"GIVE A HOOT, DON'T POLLUTE" Woodsy The Owl

GNOSIS

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis


Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.




Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"



Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.





ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



**Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain**

AZURE: Core/Kernel/Universal Protocol 

Fabric Tier consortium node CryptoDelegate in
VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external
data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data,
intelligence services like analytics and machine learning. New middleware
works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-
like services to allow for SmartContracts and tokenized
objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems
(IPFS, Storj, etc) of off-chain data referenced by public keys. 

Auditing, Advanced Analytics, Machine Learning, Dashboarding
services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into
their SmartContracts to create more robust and trusted transactions.
Contract Cryptlets are full delegation engines that act as
SmartContract surrogates off the chain. Cryptlets provide
execution logic and securely store data in the Smart Contract 




ALPHA NUMERIC BREVITY CODES SYMBOL CODES	
STRUCTURED MILITARY MESSAGE TEMPLATE FORMS LOGIC / FILTERS	


The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER




MYRIAD MEMES MEDiation



Byzantine Fault-Tolerant State Machine Replication

BFT-SMART dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMARt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMART needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS


FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions




ethereum

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Ether hedged against
other crypto / FIAT
currencies price chan $\Delta\delta$

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

UTZ TIME ZONE SYNC

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

ALICE Corp VS CLS BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

first base
RUNNER Message Bus

3 x 5 HASH TABLES STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Time Stamp Server

Fix {"108"}

Flash Message Event Bus

Time Stamp Server

Epoch Time Cycles

EVENTS

Fix {"108"}

Flash Message Event Bus

Time Stamp Server

Epoch Time Cycles



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree



AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade




Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions and receive payments for their service to the network

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are made public before a new update "trumps" previous updates.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm



TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle




The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



STATE META
DATA SNAPSHOTS



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL
EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

NAME	QCC0A	TAB	ASAB	AMPCB	AFATB	WCB
ABAB	F002	F003	F004	F005	F006	F007
AMPCB	F008	F009	F010	F011	F012	F013
AFATB	F014	F015	F016	F017	F018	F019
WCB	F020	F021	F022	F023	F024	F025

XBRL / CDE / DAML
STOCK MIC CODES



STRUCTURED
MILITARY MESSAGE

TEMPLATE FORMS
LOGIC / FILTERS

300+
Use Case Templates


- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..




**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW



3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index



3 X 5
HASH TABLES
STATE META
DATA SHARDS

State Meta


Data Snapshots

Survey Point



MICRO CYCLES

Server nodes, miners
only keep recent blocks




Sync Delta
State Meta
Data Snaps



EVENT REPORTING
ACROSS TIME-SPACE



MESSAGE EVENT BUS



Segregated witness = Separated signatures

- signatures are cryptographic proofs also known as witnesses




- moving signatures out of transactions
- keeping a separate repository of the signatures
- making them optional in propagation and storage
- signature are the biggest part of transactions
- can be implemented as a **soft-fork** vs a **hard-fork**

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



EPCIS DATA MODEL




Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event
When date time when event took place, local time zone in effect
Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event
Why Information about the business context, including:
a Identifier that indicates the business step taking place

MICRO CYCLES



$\Delta\delta$



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE /
STRUCTURED MILITARY MESSAGES



BIZ USE CASES
ALPHA NUMERIC BREVITY CODES

BATTLEFIELD DIGITIZATION									
NETWORK CENTRIC WARFARE									
SYSTEM OF SYSTEMS BEST PRACTICE									
F002	F014	F022	F034	F046	F058	F060	F072	F084	F096
F003	F015	F023	F035	F047	F059	F061	F073	F085	F097
F004	F016	F024	F036	F048	F060	F072	F084	F096	F108
F005	F017	F025	F037	F049	F061	F073	F085	F097	F109
F006	F018	F026	F038	F050	F062	F074	F086	F098	F110
F007	F019	F027	F039	F051	F063	F075	F087	F099	F111
F008	F020	F028	F040	F052	F064	F076	F088	F090	F112
F009	F021	F029	F041	F053	F065	F077	F089	F091	F113
F010	F022	F030	F042	F054	F066	F078	F090	F102	F114
F011	F023	F031	F043	F055	F067	F079	F091	F103	F115
F012	F024	F032	F044	F056	F068	F080	F092	F104	F116
F013	F025	F033	F045	F057	F069	F081	F093	F105	F117
F014	F026	F034	F046	F058	F070	F082	F094	F106	F118
F015	F027	F035	F047	F059	F071	F083	F095	F107	F119
F016	F028	F036	F048	F060	F072	F084	F096	F108	F120
F017	F029	F037	F049	F061	F073	F085	F097	F109	F121
F018	F030	F038	F050	F062	F074	F086	F098	F110	F122
F019	F031	F039	F051	F063	F075	F087	F099	F111	F123
F020	F032	F040	F052	F064	F076	F088	F090	F102	F124
F021	F033	F041	F053	F065	F077	F089	F091	F103	F125
F022	F034	F042	F054	F066	F078	F090	F092	F104	F126
F023	F035	F043	F055	F067	F079	F091	F093	F105	F127
F024	F036	F044	F056	F068	F080	F092	F094	F106	F128
F025	F037	F045	F057	F069	F081	F093	F095	F107	F129
F026	F038	F046	F058	F070	F082	F094	F096	F108	F130
F027	F039	F047	F059	F071	F083	F095	F097	F109	F131
F028	F040	F048	F060	F072	F084	F096	F098	F110	F132
F029	F041	F049	F061	F073	F085	F097	F099	F111	F133
F030	F042	F050	F062	F074	F086	F098	F090	F102	F134
F031	F043	F051	F063	F075	F087	F099	F091	F103	F135
F032	F044	F052	F064	F076	F088	F090	F092	F104	F136
F033	F045	F053	F065	F077	F089	F091	F093	F105	F137
F034	F046	F054	F066	F078	F090	F092	F094	F106	F138
F035	F047	F055	F067	F079	F091	F093	F095	F107	F139
F036	F048	F056	F068	F080	F092	F094	F096	F108	F140
F037	F049	F057	F069	F081	F093	F095	F097	F109	F141
F038	F050	F058	F070	F082	F094	F096	F098	F110	F142
F039	F051	F059	F071	F083	F095	F097	F099	F111	F143
F040	F052	F060	F072	F084	F096	F098	F090	F102	F144
F041	F053	F061	F073	F085	F097	F099	F091	F103	F145
F042	F054	F062	F074	F086	F098	F090	F092	F104	F146
F043	F055	F063	F075	F087	F099	F091	F093	F105	F147
F044	F056	F064	F076	F088	F090	F092	F094	F106	F148
F045	F057	F065	F077	F089	F091	F093	F095	F107	F149
F046	F058	F066	F078	F090	F092	F094	F096	F108	F150
F047	F059	F067	F079	F091	F093	F095	F097	F109	F151
F048	F060	F068	F080	F092	F094	F096	F098	F110	F152
F049	F061	F069	F081	F093	F095	F097	F099	F111	F153
F050	F062	F069	F082	F094	F096	F098	F090	F102	F154
F051	F063	F070	F083	F095	F097	F099	F091	F103	F155
F052	F064	F071	F084	F096	F098	F090	F092	F104	F156
F053	F065	F072	F085	F097	F099	F091	F093	F105	F157
F054	F066	F073	F086	F098	F090	F092	F094	F106	F158
F055	F067	F074	F087	F099	F091	F093	F095	F107	F159
F056	F068	F075	F088	F090	F092	F094	F096	F108	F160
F057	F069	F076	F089	F091	F093	F095	F097	F109	F161
F058	F070	F077	F080	F092	F094	F096	F098	F110	F162
F059	F071	F078	F081	F093	F095	F097	F099	F111	F163
F060	F072	F079	F082	F094	F096	F098	F090	F102	F164
F061	F073	F080	F083	F095	F097	F099	F091	F103	F165
F062	F074	F081	F084	F096	F098	F090	F092	F104	F166
F063	F075	F082	F085	F097	F099	F091	F093	F105	F167
F064	F076	F083	F086	F098	F090	F092	F094	F106	F168
F065	F077	F084	F087	F099	F091	F093	F095	F107	F169
F066	F078	F085	F088	F090	F092	F094	F096	F108	F170
F067	F079	F086	F089	F091	F093	F095	F097	F109	F171
F068	F080	F087	F090	F092	F094	F096	F098	F110	F172
F069	F081	F088	F091	F093	F095	F097	F099	F111	F173
F070	F082	F089	F092	F094	F096	F098	F090	F102	F174
F071	F083	F090	F093	F095	F097	F099	F091	F103	F175
F072	F084	F091	F094	F096	F098	F090	F092	F104	F176
F073	F085	F092	F095	F097	F099	F091	F093	F105	F177
F074	F086	F093	F096	F098	F090	F092	F094	F106	F178
F075	F087	F094	F097	F099	F091	F093	F095	F107	F179
F076	F088	F095	F098	F090	F092	F094	F096	F108	F180
F077	F089	F096	F098	F090	F092	F094	F096	F109	F181
F078	F090	F097	F099	F091	F093	F095	F097	F110	F182
F079	F091	F098	F090	F092	F094	F096	F098	F111	F183
F080	F092	F099	F091	F093	F095	F097	F099	F112	F184
F081	F093	F090	F092	F094	F096	F098	F090	F102	F185
F082	F094	F091	F093	F095	F097	F099	F091	F103	F186
F083	F095	F092	F094	F096	F098	F090	F092	F104	F187
F084	F096	F093	F095	F097	F099	F091	F093	F105	F188
F085	F097	F094	F096	F098	F090	F092	F094	F106	F189
F086	F098	F095	F097	F099	F091	F093	F095	F107	F190
F087	F099	F096	F098	F090	F092	F094	F096	F108	F191
F088	F090	F097	F099	F091	F093	F095	F097	F109	F192
F089	F091	F098	F090	F092	F094	F096	F098	F110	F193
F090	F092	F099	F091	F093	F095	F097	F099	F111	F194
F091	F093	F090	F092	F094	F096	F098	F090	F102	F195
F092	F094	F091	F093	F095	F097	F099	F091	F103	F196
F093	F095	F092	F094	F096	F098	F090	F092	F104	F197
F094	F096	F093	F095	F097	F099	F091	F093	F105	F198
F095	F097	F094	F096	F098	F090	F092	F094	F106	F199
F096	F098	F095	F097	F099	F091	F093	F095	F107	F200
F097	F099	F096	F098	F090	F092	F094	F096	F108	F201
F098	F090	F097	F099	F091	F093	F095	F097	F109	F202
F099	F091	F098	F090	F092	F094	F096	F098	F110	F203
F090	F092	F091	F093	F095	F097	F099	F090	F102	F204
F091	F093	F092	F094	F096	F098	F090	F092	F103	F205
F092	F094	F093	F095	F097	F099	F091	F093	F104	F206
F093	F095	F094	F096	F098	F090	F092	F094	F105	F207
F094	F096	F095	F097	F099	F091	F093	F095	F106	F208
F095	F097	F096	F098	F090	F092	F094	F096	F107	F209
F096	F098	F097	F099	F091	F093	F095	F097	F108	F210
F097	F099	F098	F090	F092	F094	F096	F098	F109	F211
F098	F090	F097	F099	F091	F093	F095	F097	F110	F212
F099	F091	F098	F090	F092	F094	F096	F098	F111	F213
F090	F092	F091	F093	F095	F097	F099	F090	F102	F214
F091	F093	F092	F094	F096	F098	F090	F092	F103	F215
F092	F094	F093	F095	F097	F099	F091	F093	F104	F216
F093	F095	F094	F096	F098	F090	F092	F094	F105	F217
F094	F096	F095	F097	F099	F091	F093	F095	F106	F218
F095	F097	F096	F098	F090	F092	F094	F096	F107	F219
F096	F098	F097	F099	F091	F093	F095	F097	F108	F220
F097	F099	F098	F090	F092	F094	F096	F098	F109	F221
F098	F090	F097	F099	F091	F093	F095	F097	F110	F222
F099	F091	F098	F090	F092	F094	F096	F098	F111	F223
F090	F092	F091	F093	F095	F097	F099	F090	F102	F224
F091	F093	F092	F094	F096	F098	F090	F092	F103	F225
F092	F094	F093	F095	F097	F099	F091	F093	F104	F226
F093	F095	F094	F096	F098	F090	F092	F094	F105	F227
F094	F096	F095	F097	F099	F091	F093	F095	F106	F228
F095	F097	F096	F098	F090	F092	F094	F096	F107	F229
F096	F098	F097	F099	F091	F093	F095	F097	F108	F230
F097	F099	F098	F090	F092	F094	F096	F098	F109	F231
F098	F090	F097</							

Richard Lighthouse Tonight on LNM Radio
Time Travel & The Blinking Universe



www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a **TIME-AVERAGED value**”




Figure U-1.

Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory




USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops


("Distance")

("Interest")




Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”





TERRA
TRC



ECONOMIC HEARTBEAT




</FILTERS>{"FILTERS"}
</CLASS_TYPE>



HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



FRIEDMAN'S
K % RULE



Time Series Database
CONTRIBUTIONS TO STATISTICS



{"TAGGED BITCOINS"}
Veritaseum



HEARTBEAT STATE META DATA SNAPSHOTS



IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
Δδ Land Use Meme

Triangulation

Euclidian Geo

GPS GEO LOC

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Heartbeat Snapshots

ALGORITHM

Heartbeat CYCLES

Heartbeat

BLOCKTIME ARBITRAGE

Blockchain Timestamps

NDN

ON / OFF SHORE

PROXIMITY BEACONS

NDN

HOPS / RADIUS = REACHABILITY

WATER DROP IN POND MEME

AREA RADIUS

</FILTERS>

BY ORG ID / URN

NDN </INTEREST>

</DISTANCE>

Closer = Cheaper



Closer = < Fuel



COINTELEGRAPH
live cryptocurrency community opinion



Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has launched a campaign on the decentralized crowd funding app Lighthouse. Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework





- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE

FEDERATION

- <UUID> <ORG_ID> <URN>
- LDAP DIRECTORY
- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter

ADEPT Standard Peer Architecture – Logical View




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>




FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished




Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate





Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



FUNGABILITY







BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001

MICRO CYCLES
216

219

CLOUD COMPUTING




218

202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



214



UTO 213


215 LEADER'S INTENT DECISIONS



ADHOC / AGILE FEDERATED <ID> GROUPS SYNC'D IN TIME / SPACE



212




210 SNAPSHOTS

203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS MOE, MOP METER IN TAX CODES, TRANCHE CLASSES / RATINGS ARBITRAGE TRIGGERS



NULL



LENGTH, THRESHOLD, INTENSITY, DURATION



206



207

SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME

208



APPLIQUE' OVERLAYS



209

MAP VIEWS GEO-LOCATION SPECIFIC SHOW SYNC DELTAS BY GROUP / RESOURCE TYPE, EVENT CLASS / NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING


SECURE AUTHENTICATION

SECURE MULTI

PARTY /
AUTHENTICATION

Entanglement
Source


RANDOM
NUMBER
GENERATOR



NIST

**NON
REPUDIATION**

Legend:
■ App: software application
■ DB: database
■ Fw: firewall
■ HSM: hardware security module
■ RNG: random-number generator



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**



NDN
 </Interest>
 </Distance>

SURVEY METHODS + TRIANGULATION
 Euclidian Geometry
Geodesic System Routing Info Base RIB


ACCOUNT BELONGS TO </Org_ID>



RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>


Higher-level services collect distance data to build virtual distance map of Internet & estimates distance between any IP address pair

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **Stochastic Harmonization**





<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements





Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random..."



One solution is a **heartbeat**: defining a default lease duration delaying updates until the next **cycle**"



Satoshi Bitcoin Blockchain Time Stamp Server

1. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of a block of times to be timestamped and widely publishing the batch, such as in a newspaper or Unseen Post [3]. The timestamp proves that the data must have existed in the system, obviously, in order to get into the block. This timestamp includes the previous timestamp in it, so as to form a chain, with each additional timestamp confirming the ones before it.

<img alt="



World monetary unit World energy grid



MICRO CHIP BASED CURRENCIES
CRYPTO CURRENCY
MINING CHIP FARMS



GEO MAGNETIC POLE SHIFT EVENTS






Germany Weimar Republic 1929
E 5 reichsmark Silver Silver Plated

Solar Nova + Pole shift Vs Crypto chips

The 1859 Carrington Event impacted telegraph wires. Is it time to relook at the world's monetary unit of value in light of a energy grid / internet that is disabled? The Carrington Event was the most intense geomagnetic storm in recorded history, peaking from 1 to 2 September 1859 during solar cycle 10. It created strong auroral displays that were reported globally [1] and caused sparking and even fires in multiple telegraph stations. The geomagnetic storm was most likely the result of a coronal mass ejection (CME) from the Sun colliding with Earth's magnetosphere. [2] #money #currency #energy #solar #nova

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples




Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?




Light source Rays of light coming from the source reach the slits

Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves


QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING



CLOCK FACE 360°
90 / 90 / 90 / 90



BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



ALICE Corp VS CLS BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


first base
RUNNER
Message Bus

EVENTS
Firefly – Heartbeat Algo


X EVENTS
SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY
IRS #1421
FLASH MESSAGE EVENT BUS
TIME STAMP SERVER
MICRO CYCLES
Epoch Time Cycles

USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter
Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: “Claims may not direct towards abstract ideas” / Physical = opposite of abstract



The Hopf Fibration

Edmund Harriss








FIGURE 2.11.1. The Hopf fibration



BLOCH SPHERE



Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.



THE 1919 WORLD SERIES


What Really Happened?

William A. Cook



Stop patent trolls.
Join The Alliance.

pplication
velopers
lliance




Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: “claims may not direct towards abstract ideas”




USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
 - Admin forms, fees, amendments.. MUTED
 - NO Time Stamps = TEMPORAL AMBIGUITY
 - Screen captures before / after filing 









MINIMUM LIST OF COMPONENTS, BUILDING BLOCKS, PROCESSES, PROCEDURES AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DISTRIBUTED AUTONOMOUS ORGANIZATION DAO CONSENSUS



#UNRIG Marine Corps Data Center Robert Steele RIP

twelve reforms needed to create educated engaged democracy, unrig the "pay to play" system + DoD system of systems engineering structured data exchange best practice foundation DeFi technology



DAO: Distributed Autonomous Organization

RAND term circa 2000 / The TAO OF THE DAO




SWARMING AND THE FUTURE OF CONFLICT



RAND

RAND
Monograph
Report

THE
ADVENT
Of NETWAR




<http://cointelegraph.com/news/112077/the-new-frontier-after-cryptocurrency-cryptoequity>

Taoism Philosophy

Taoism represents:

- Contraction of the past to the future.
- The transcendence of time and place.
- The balance of the old and the new.
- The balance between opposing forces and desires.

Overall the Taoism Philosophy represents "The Way" in which to live.



(An ancient philosophy tradition. This article involves the yin-yang or principle of harmony and change.)

Eris, The Dawn of Distributed Autonomous Organizations and The Future of Governance

@TheBitcoinArmy









USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter




Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme




Metatron's Cube and the Platonic Solids



by: Tom Rimbault

"In the beginning (of time) there was the word"





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller



THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.



Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.





Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



Reverend K "I see Mr. Magoo"



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960

Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman

