





The World Game's Great Redesign

TELEMETRY MATRIX, CONTROL GRID

ADAPTIVE PROCEDURAL TEMPLATE

1919 BLACKSOX (BASEBALL) GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 “Alice in Wonderland Ruling”







World Game Great Reset

Signals Telemetry Annex K



Net, net of money \$\$\$ formed w:





1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus



Syntax lexicon comprised of 300 + Structured data messages, message sets = Comprehensive list of use cases, data elements supporting Internet of Everything IoE net of value. Reference guide, data dictionary standards support

Data elements mapped to SYMBOL SETS

SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP




Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



OPERATIONS
OTHER
THAN
WAR



Beacon Communities

Vernetzte Operationsführung



Proximity Beacons




JAEGERS



Closer < \$\$\$ < FUEL
PING
BIOCOIN
SUPPORT YOUR LOCAL FARMER


Close

<\$\$\$< FUEL



KAIJU
FREELY
HEARTBEAT
EVENT / ALERT Flash Heartbeat Message Bus
ALGORITHM

SYSTEM
Of
SYSTEMS



AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS



WORLD BEYOND WAR.org
a global movement to end all wars






Neural Net



OFF SHORE
OUTER BANKS




KAIJU



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
 Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives “We can synchronize ourselves, DAO Trade Federations in time - space for common purposes” Eco sustainable, Equitable Economic econometrics.

World Game Annex K

Signals & Telemetry





EVENT
</108>
EVENT



BATTLEFIELD
DIGITIZATION OOTW Operations Other than war



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



"Build a new model"
Standing on the shoulders of giants



Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Re Monetize (Crypto) Currency
Symbol / Message Sets A.I.
FIREFLY Inspired
Heartbeat Algorithm
Message Event Bus

Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFI



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {"URN"} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework



USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.





Eco Economic Epochs

Distributed Event Processing

Distributed State Machine

DEFI FINTECH IP WARS / Litigation Foundation Tech




SWORDS to PLOWSHARES






 USPTO 13/573,002
573 U.S. 134 SCt 2347
Alice in Wonderland Ruling




**Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D**

- Battlefield Digitization, Net Centric Warfare for OOTW Operations Other Than War
 - Net, Net of \$\$\$ Foundation Tech
 - Structured Data Exchange with 300 + use cases
 - Use Cases: A.I., Big data, Quantum
 - Blockchain, Distributed Ledger Tech
 - DAO Distributed Autonomous Organization
 - Consensus, Signals, Telemetry, Standards



SYNC DELTA $\Delta\delta$
DATA SNAPSHOTS


**INFOCON
5 4 3 2 1
INFORMATION
CONDITION**





In the beginning (of time).. There was the word (syntax)

Net, Net of \$\$\$ money consists:

- 1) Epoch Time Cycles
- 2) Syntax used / not in epochs





Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface




THESIS: All net artifacts, net of \$ are formed with:
 1) Epoch time cycle intervals ex: chip oscillations
 2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...



- one-to-one
- one-to-all
- one-to-many
- Not supported by IPv4:
- one-to-any




All things internet, programmable net of money are formed using:
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax


Internet / Internet of Money building blocks

Satoshi Bitcoin Blockchain
Time Stamp Server



TIME Block chain TIME

What does a block look like?



GENESIS TIME STAMP / Genesis Block

Header (Contains service information (version info, nonce, previous block id and timestamp))

Timestamp (A summary hash from the block's transaction tree)

Transaction's list (Set of transaction's identification hashes, that was included into the block's merkle tree)

Semantic blockchain

CLOCK FACE 360°
BASEBALL "DIAMOND"
A diamond is a square is a block in 3D

2nd Base
The solution we propose begins with a TIME STAMP SERVER

90 feet
MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

first base
RUNNER Message Bus

90 feet
SETTLEMENTS / EXCHANGES
+ TAXABLE EVENTS
AGREE TO PROPERTY

IRS FIX ("10B")
FLASH MESSAGE
EVENT BUS

State Meta
Data Snapshots Survey Point

MICRO CYCLES
TIME STAMP SERVER

90 feet
TIME CYCLES

EVENS

FIX ("10B")
FLASH MESSAGE
EVENT BUS






90 feet
TIME CYCLES

EVENS

FIX ("10B")
FLASH MESSAGE
EVENT BUS

90 feet
TIME CYCLES

OPSCODE	Brevity	Codes	Mapped
AI	Symbol Sets		



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
 - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
 - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESES: All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
 - 2) Syntax parsed, processed in epoch time intervals

ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STANDARD MAN – MACHINE INTERFACE

Signal operating instructions (SOI): technical control coordination of INFOCOM

USE CASE: standards adherence support for IEEE, NIST SP 2000A, B, C, D, </URN> ISO Exchange signaling, telemetry current situational awareness, data dictionary, network identification, channels, network directory, brevity code, 4 3 2

USE CASE: standards adherence support for IEEE, TU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

**Systemic, signaling, synchronization of state
meta data encoded as brevity OPSCODE
tokens stochastically harmonized over the UTZ**

FROM	GCCS-A C002 C203 F002 F014 F015 F541 S201 S309	TAIS C002 C203	ASAS C002 C203	TO AMDPCS C002 C203	AFATDS C002 C203 F014 F541 S305 S309	CODE GUIDE MCS C002 C203 E400 E502 F014 F015 F541 S201 S309 S507
ASAS	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio					
AMDPACS						
AFATDS	F002 F014 F015 F541 S201					
 MCS	A423 C203 C505 F002 F014 F541 S201	 SIOP	A423 C203 C505 F002 C447 C486 C501 C503 C504 C505 C507 C508 C509 E400 F002 F014 F015 F541 F656 G489 G489 K01.1 S201 S303	 ASSET TOKENS  Token Economy 	 Rosetta Stone  Syntax Lexicon  Coder's Oracle	 M2M  "SYMBOLS RULE THE WORLD" 

MESSAGE CATALOG
300 + Use Cases

Object Categories		Information Categories and Examples						
Category	Example	Location	Movement	Identify	Status	Activity	Intent	
OOB	SYNTAX LEXICON	STRUCTURED DATA	EXCHANGE	MESSAGE SETS	TRANSFERRING, RECONSIDERING	COA	{"Java JS"}	
		lat/long, spid/hrid	country / alliance, business	readiness	handover			
Infrastructure	Comm., power, transportation, water/sewer	Machine Trust Language MTL	Machine Trust Language MTL	CDL	Contract Description Language	YAML	expansion Indiana	
	network, grid		throughput, flow rates, name, part-of, relationships	BDA, op. parameters	repair, characterize			
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADILs
			Entity	Class	Table	Class	Element	Message
Geophysical	Terrain, weather, climatology, oceanography, astrophysics	feature, lat/long, alt/depth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI
			Domain Value	PURCHASE CODES	instance, instance	tokens	FFRN / FNN	FUD

Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code



DOD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN-MACHINE INTERFACE

STANDARD CONSISTENT SYMBOLS



Information Elements Roles

- COI Determination
- Org Interaction
- Search and Discovery
- Ontologies
- Taxonomies
- Metadata
- Attributes / Filters
- Reference

STANDARDS

FUDN: Field Format Unit Designator #
FIRN Field Format Index Reference #
structured military messaging ID's
messages, message sets, data
element, symbol fields <108>
RY Form Field Position & NUMBER

PROCESS MESSAGE BY PRECEDENCE









OPERATIONAL NODES / ACTIVITIES

DATA	SYSTEM FUNCTIONS	PERFORMANCE
4 - Classification	11.8 - Kinematics	
11.4.1 - Category	11.8.1 - Vel / Acc (PVA)	
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration	
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular	
11.4.1.2.1 - Alternative	1.1.2 - Linear	
11.4.1.2.2 - Evaluated D	1.1.2.1 - Estimated Type	
11.4.1.3 - Value	PURCHASE	
	CODES	

YMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1.3.5 - Surface			+ Velocity
11.4.2 - Platform / Point / Feature			- Horizontal
11.4.3 - Specific Type			- Vertical
11.4.4 - Type Modifier			- Constant
			- Bearing Angle
			- Bearing Angle Rate



syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of honey. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles





UTOPIA ? $\Delta\delta$ OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022


I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES




STAT MEAN VALUE INDEX



Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFi TIME- SPACE METRICS METERS Eco Econ Incentives HEARTBEAT % REAL GDP ("108") ALGORITHMIC REGULATION



Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"


"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

NAMED DATA NETWORKING



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language" Coindesk Article



SYNTAX LEXICON Library

1st Compiler



STRUCTURED DATA EXCHANGE TEMPLATE FORMS
300+ USE CASES
LOGIC / FILTERS



Alpha Numeric Brevity Codes



SYNTAX / SYMBOL LEXICON LIBRARY



"BITCOIN MAKES MONEY PROGRAMMABLE.
MONEY IS SIMPLY DATA"

"BITCOIN'S VALUE = TIME ITSELF"

"Time is specified in units of block transaction confirmation times"



ALICE CORP VS CLS BANK


"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BITCOIN BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



MACRO CYCLES
RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

3 X 5 HASH TABLES
STATE META DATA SHARDS

Settlements / Exchanges = TAXABLE EVENTS AKA TO PROPERTY
IRS #1421
State Meta Data Snapshots Survey Point
MICRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"



90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume



BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER Message Bus

Firefly – Heartbeat Algo

Stochastic Harmonization

X EVENTS

FLASH MESSAGE EVENT BUS

FIX {"108"}

TIME STAMP SERVER

Epoch Time Cycles

$\Delta\delta$

Time Stamp Server

Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




Edison's Monetary Option
Cambridge University Press 2009

“Crops hold their value best over time”

“Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America’s monetary woes. “I want to cast the variable out of money. This gold money is not good enough. It’s a

fiction" "New York Times 1922





Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.
ANTONINVS
AVG. TR. P. XXV.

THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC
"world currency" Bernard A. Lietaer
Belgian economist proposed 1991
Basket of 9-12 most important
commodities. Public issued
demurrage fees for storage,
shipping, handling..



Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]

Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



LEADING ECONOMIC INDICATORS




Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3




Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File

"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431



1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

Circle, sells a stablecoin USDC
As Investopedia explains:



"CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS"
OPINION: "PHYSICAL IS THE OPPOSITE OF ABSTRACT"

Nostradamus: The Complete Prophecies
for The Future Paperback – May 21, 2015
by Mario Reading (Author)

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.

Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies, including Bitcoin (BTC), which has made crypto investments less suitable for common transactions.


However, "stable" coins aren't necessarily stable. As the Washington Post reported, in May of 2022 a stablecoin called TerraUSD, algorithmically designed to be pegged to the dollar — crashed. Source JDSUPRA



SCT 573 US 1342347 2014 Alice Corp Vs CLS Bank




Circle Internet
Financial Ltd
lawsuit brought by
Veritasium Capital
for alleged
infringement of its
digital-asset trading
patent. U.S. District
Court for the Eastern
District of Texas,
No. 2:22-cv-00498




"THE FINANCIAL
NOSTRADAMUS"
REGGIE MIDDLETON

Reggie Middleton
“Father of DeFi”
US11196566
US11895246
JP6813477






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.








Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

**Multi-user functionality for converting
data from a first form to a second form**

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.



US Patent No: 7,257,455 DISCOVERY MACHINE Inc. Fig. 8 Discovery Machine® Inc. ALARTIFICIAL 820

System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior function in a computer system.. BIZ COA 1, 2, 3



COMPONENT		
PK	<u>CP_OID</u>	{"URN"}
	CP_NAME	
	CP_SUBSTANCE	(BOOL)
	CP_PRIMTYPE	
FK1	CP_CLASSTYPE	
FK2	CP_CLOUD	
	CP_COLLECTIO..	

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME

Clock
Clock adjusted


5:45 PM

**Off-Site
Connector**

Neuro-Symbolic AI

Symbolic (human-readable) representations

Symbolic AI




Breaking the world into symbols (rather than

Brevity



Symbols



Incorporate common sense reasoning and
constraint propagation into learning

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON




FRT CP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes

Symbolic AI

Symbols

Symbol

Sets 2525C

Incorporate common sense reasoning and



"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data

USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	CODE GUIDE
	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203		C002 C203 F014 F541 S201 S309	C002 C203 E400 F002 F014 F015 F541 S201 S309 S507	
ASAS	TOKENS	USMFT / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio				
AMDPCS	OPSCODE BREVITY CODES			F002 F014 F015 F541 S201	F002 F015 S201	A.I.  INFORMATION CONDITION
AFATDS	F002 F014 F015 F541 S201	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone  Syntax Lexicon Coder's Guide  M2M  SYMBOLS RULE THE WORLD 

MESSAGE CATALOG
300 + Use Cases

Information Categories and Examples							
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE Message Sets spd/hdg	country / alliance, type/class	readiness	targeting, reconstituting	COA ("Java JS")
		Machine Trust Language MTL			CDL Contract Description Language		YAML
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates	name, part-of relationships	BDA, op. metrics	repair, maintenance	expansion, instans
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures					
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature	lat/long, alt/dpth				
ER Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADLs	MTF	
Entity	Class	Table	Class	Element	Message	Message	
Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFRN / FFN / FFUDN	
Domain Value	PURCHASE CODES	Instance, Value	TOKENS		DUI	FUD	




Structured military messaging ID's messages, message sets, data element, symbol fields <108>



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS






ALGORITHMIC REGULATION


The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



UTZ TIME SYNC



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



ECO ECONOMIC HEARTBEAT



("108")



K%




TIME-SPACE SYNC

ECONOMIC MACRO CYCLES

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"


Temple of Man



LUXOR
EGYPT


FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



{“URN”} {“URN”}

{“DAO_ORG_ID”}



All things Net, Net of \$\$\$ formed by Time Epoch Cycles

$\Delta\delta$

"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.









Harmonic Sphere Flux Resonator

ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200. Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms



ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



All Photons and EM waves
can have various directions
of polarisation with respect to
their direction of propagation



Teslian waves
transmit Energy
in a LONGITUDINAL waveform
producing
'Action at a Distance'

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation

The E fields are co-linear with the direction of propagation

Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.


In 1887, Heinrich Hertz demonstrated the reality of
Maxwell's electromagnetic waves by experimentally
generating radio waves in his laboratory.

Heinrich Hertz



(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 - 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day



Volts per Second




V



PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

ENERGY PRODUCTION




ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves



$$\Delta\delta$$


THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.


Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla


THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: https://phys.org/news/2018-06-quantum_1.html




BELL STATE QUANTUM COMPUTING



STANDING ELECTRO-MAGNETIC WAVE
A standing electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla



USPTO 13/573,002

573 U.S. 134 SCt 2347
“Alice in Wonderland Ruling”

A.I.




SYSTEM OF SYSTEMS STRUCTURED DATA




</Org_ID> TIME CHAIN

{"URN, URN, URN"}



WATER DROP PHYSICAL NATURAL MEME
USPTOb13/573,002



Quantum Financial System vs BlockChain


TIME
CHAIN

QFS


TIME
STAMP
SERVER

<https://gesara.news>


Double-Slit Experiment



QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING



SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract




Satoshi Nakamoto Bitcoin Paper
Craig WRIGHT a.k.a. THE VALUE OF BITCOIN IS TIME ITSELF
Cape Hatteras Outer Banks



"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER" Satoshi Nakamoto

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.



QUANTUM COMPUTING / HBC TIME - SPACE METER / METRICS



"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions




#QuantumComputing USet Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Set Alice Corp Vs CLS Bank Physical memes
Linear sequential "Paul Revere" meme = horizontal polarization
Vertical polarization vectors from a known point 0 null Sonar Hop meme

particle representation / samples

Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.

Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)



Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter



$$\partial \ell / \partial \theta = \nabla_{\theta} \cdot \left[\rho \ell \left(\frac{\partial \ell}{\partial \theta} \rho \ell + \ell^2 \right) \right]$$

Note, $\Delta t = 10^{-1}$ s, $\Delta x = 10^{-2}$ m, instant conditions, averaging of time components. As other cases, we also want to integrate evolution until eliminate an integrated variable. As seen in Fig. 3.3, the derivative of components due to the evolution, $\dot{\rho}_0 = -\rho_0 \eta^2$, very rapidly, the total function remains positive, and also component values of the model's state component will stay satisfied until the current evolution, until converge to general models.



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS




BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SYNC
DELTA



Eric Trump: "Bitcoin to 1 MILLION"
VS QUANTUM SUPREMACY




SOUND WAVES enable
Different types of
quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND
ORG_ID in CLEAR / Person ID encrypted
'wave-particle duality'
is simply the quantum
'uncertainty principle'



TIME EPOCHS & SYNTAX = FOUNDATION TECH


USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template




ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347
"BITCOIN's VALUE = TIME ITSELF"
"TIME IS SPECIFIED IN UNITS OF BLOCK
TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING
@ ROOM TEMPERATURE



Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES



2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money
are formed using time epoch cycles to
process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It
only works if all nodes reach an identical state"




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops

{“Distance”}

{“Interest”}


vector

triangulation



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships




FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”



Δδ






Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"



State Meta Data Snapshots



THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"





Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"


3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



JapanNet Crypto Time Authentication Service (Timestamp Service)





MACRO CYCLES

BASEBALL "DIAMOND"
A diamond is a square is a block in 3D
2nd Base



CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"



RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE COACH


Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume



first base
RUNNER Message Bus


3rd Base

90 feet




STATISTICIAN
Metrics, Meters

Blockchain / cryptocurrency increments




Stat Mean Value Index

90 feet




3 X 5
HASH TABLES
STATE META
DATA SHARDS

Blockchain / cryptocurrency increments




SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS AKIN TO PROPERTY

90 feet




IRS #1421

Blockchain / cryptocurrency increments




State Meta

Blockchain / cryptocurrency increments




Data Snapshots

Blockchain / cryptocurrency increments




Survey Point

Blockchain / cryptocurrency increments




MICRO CYCLES

Blockchain / cryptocurrency increments




home plate

Blockchain / cryptocurrency increments




TIME STAMP SERVER

Blockchain / cryptocurrency increments



Epoch Cycles

Blockchain / cryptocurrency increments



What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins




BLOCKS / COINS PENDING ISSUE


B

A


C



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:


IDMaps-SONARHOPS distance estimation query-reply service



- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coins never travel, but simply switch owners”




IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer




$\Delta\delta$




IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange




SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC



"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1

XBRL™
THE BUSINESS REPORTING STANDARD
BINARY XML
Decision

1.1 - Observers
1.2.3 - Predicted
1.2.4 - Smoothed Data
3 - Position
1.3.1 - Bearing Angle
1.3.2 - Location; 2D Hor
1.3.3 - Vertical
4 - Velocity

1 - Horizontal
2 - Vertical
TOSCA
Confidence
Bearing Angle
Bearing Angle Rate
Covariance Matrix

DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN" "TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE



SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE



NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR



M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS



M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION



M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT



O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION



O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION



M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message



M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION



O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE



O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS



O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS



O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION



Partner Competitor

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"URN"}



{"ASSET_CLASS"}



ISO 10383 – MIC



Market Identifier Codes



{"URN"}



{"Org_ID"}



STOCK NDN NAMED DATA



EXCHANGE NETWORKING



MIC CODES PRECEDENCE



FILTERS PROCESSING



BLOCKTIME



ARBITRAGE



ERLANG



TIME

EQUATIONS



DICAL EVAC & HOSPITALISATION



MIL - MILITARY OPERATIONS



COMPETITOR


SYMBOLS

FROM	TO					CODE GUIDE					
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS					
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F014 F015 F541 S201 S309 S507					
TOKENS	OPSCODE BREVITY CODES	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio									
AMDPCS	F002 F014 F015 F541 S201	F002 F015 S201	C203 C400 D630 E500 F002 F014	A.I.	INFOCON 5 4 3 2 1 INFORMATION CONDITION						
AFATDS	F002 F014 F015 F541 S201	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone Syntax Lexicon Coder's Guide	A423 C203 C505 F002 F014 F015 F541 S201	M2M "SYMBOLS RULE THE WORLD"					
MCS	SIOP FMN	SIOP FMN	ASSET TOKENS Token Economy			NDN Firefly-Heartbeat Flash Messages					
 		MESSAGE CATALOG 300 + Use Cases									
Data Elements: entity, attribute, relationship equivalents											
HEARTBEAT MESSAGE = K00.99 </108> {"108"}											
Information Categories and Examples											
Object Categories	Examples	Location	Movement	Identify	Status	Activity					
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	Activity targeting, reconitnering					
Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language MTL network, grid	throughput, flow rates,	Machine Trust Language MTL name, part-of relationnchne	BDA, op levale	YAML repair, broadcasts expansion plane					
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS					
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Class	Table	XML DTD / Schema					
			Domain Value	PURCHASE CODES	Instance, Value	TADILs MTF					
						DUI FUD					

Information Elements Roles		
COI Determination	Org Interaction	
Search and Discovery		
Ontologies	STANDARDS	
Taxonomies	REFERENCE	
Metadata Attributes / Filters	(‘Org_ID’){“URN”}</URN></URN> FILTERS	
FFUDN:	Field Format Unit Designator #	
FFIRN	Field Format Index Reference #	
Structured military messaging ID's messages, message sets, data element, symbol fields </108>		
BY Form Field Position & NUMBER		
 {"108"} NDN		
PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS		
OPERATIONAL NODES / ACTIVITIES		
DATA	SYSTEM FUNCTIONS	PERFORMANCE
11.4 - Classification	11.8 - Kinematics	
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)	
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration	
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular	
11.4.1.2.1 - Alternative	11.2 - Linear	
11.4.1.2.2 - Evaluated D	2 - Estimate Type	
11.4.1.3 - Value	1.2.1 - Estimated	
PURCHASE CODES		1.2.2 - Observed
CODES		1.2.3 - Predicted
SYMBOL		1.2.4 - Smoothed Data
Hostile		
Competitor		
2525C	Partner	
11.4.1.3.4 - Substance		4 - Velocity
11.4.1.3.5 - Surface		1.4.1 - Horizontal
11.4.2 - Platform / Point / Feature Type		1.4.2 - Vertical
11.4.3 - Specific Type		VA Confidence
11.4.4 - Type Modifier		1 - Bearing Angle
11.4.5 - Unit		2 - Bearing Angle Rate
11.4.6 - Matrix		3 - Covariance Matrix



MIL STD 2525A, B, C, D



20022



SYNTAX LEXICON
ROSETTA STONE


Coder's Guide lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
MIL	ASSET TOKENS
MIL	"SYMBOLS RULE THE WORLD"
MIL	11.8 - Kinematics
MIL	11.8.1 - Pos.
MIL	11.8.1.1 -


STRATML




XAML



DDL DATA DEFINITION LANGUAGE



YAML



SYMBOLS

Friend Neutral Hostile

Partner Competitor

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPE TO SYMBOLS

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID

GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language

MESSAGE TEXT FORMAT:

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME
O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION
C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD
M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER
M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE
SIOP *OUT MSGREF 5 /M /M // (NU) REFERENCED MESSAGE
JUPRES DTG 6 /M // (NU) DATE-TIME GROUP
O ORIGD 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR
M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS
M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION
M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT
O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION
O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION
M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message
M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 15 /M /M // (NU) 3(B) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) 5 INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) 5 COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile

SYMBOLS Partner Competitor

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPE TO SYMBOLS

STOCK NDN NAMED DATA EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS PROCESSING

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

Encyclopedia Britannica:

"Language is a SYSTEM of SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word".



"SIGNS AND SYMBOLS RULE THE WORLD, NOT WORDS OR LAWS"


CONFUCIOUS



"Signs and symbols rule the world, not words nor laws"

- Confucius

CONFUCIOUS



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors

<ORG_ID> Organizations

Federation
Gateway

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>
GEO-SPATIAL TEMPORAL INTENSITY METRICS
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>

NDN

<INTEREST>



<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

A V A L A N C H E

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

MCS

CBRS

DTB

MTS

ISYCON

FCBZ

NIEM

NAMED DATA

NETWORKING

<Content> Centric

NAMED DATA

NETWORKING


<Content> Centric

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates


STRUCTURED
<CONTENT>
TEMPLATES

<TAG>
LIBRARY



Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



ECONOMIC HEARTBEAT



K %



DAO

BITNATION



FEDERATE
SHARE
WIN

1. **FEDERATION:** Latin: **foedus**, **foederis**, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway




{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
{"GROUP ID"}



Bitcoin **Group Signatures** Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



FIREFLY FLASH HEARTBEAT MESSAGES

IeT DEVICE / PLATFORM
IoT SENSOR DEVICE



</RESOURCE> {"URN"}
{"Asset_Class"} </URN>

STOCK EXCHANGE

MIC MARKET IDENTIFIER
CODES / BREVITY CODES



Office 365 Groups



Microsoft Teams



EVENT BUS



Signalling, Telemetry



Signal



Clock

UUID 123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002




{"DUNS #"} {"Org_ID"} Heartbeat Snaps
QR CODE MICRO-CYCLES
{"URN"} {"URN"} {"URN"}






FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME








ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**





The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information




HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair

IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)




NDN NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification



Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition

NDN RIB



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

NDN INTEREST LENGTH = DISTANCE BY HOPS


NDN INTEREST

IS DATA FRESH ?

TRIANGULATION



Time Series



Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



.0001 .05 .01 .1 0 5 30 99

Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.

NDN INTEREST LIFETIME = TTL Time To Live



MICRO-CYCLES



.0001 .05 .01 .1 0 5 30 99



HEARTBEAT STATE META DATASNAPSHOTS



GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NAMED DATA NETWORKING

</IoT>
MQTT



NIST TIME BEACON


<INTEREST>



ARRESTED-D

TELEMETRY TRANSPORT

Hop Count



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



4 / 3 / 2 / 1 / NULL / 1 / 2 / 3 / 4

.0001 .05 .01 .1 0 5 15 30 99

vector WirelessHART

time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE




SINE-WAVE

TRIGGERS
CAP XML

<INTEREST> BY INTENSITY / FREQUENCY

INFOCON
XML
MTF
300 +
MSG

5 4 3 2 1
INFORMATION CONDITION



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”




The four dimensions of Big Data

vector

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org_ID, URN Before FUSION CENTER



* Truthfulness, accuracy or precision, correctness

FIREFLY – HEARTBEAT {"108"}
Stochastic Harmonization UTZ SYNC

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest **OPTEMPO HEARTBEAT**




State Meta Data
Heartbeat Snaps



MICRO

CYCLES


Δδ

Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 #leT					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped. This is done by publishing the timestamped data on a public ledger, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> Block info Previous Hash Timestamp Merkle Transactions id list <p>Headers: Contains version information (version info), previous block's hash (previous block), timestamp (timestamp), and a Merkle root hash (merkle root hash).</p> <p>Transactions: A list of transactions (tx) that are being added to the block.</p>				




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

RISK

Value

Time

IDMaps

SonarHops

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

Energy Attenuates over Distances



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

HOP BY HOP CONTROL



Unused Resources / Unmet Needs

vector



Spatial
Econometrics

TIME-SPACE BEACON INFOCON
METRICS / METERS TRADE WITH EARTH
INFORMATION CONDITION

Spaceship
Earth
Signals &
Telemetry
Annex

???
SIRIUS DISCLOSURE

ASTEROID BELTS =
RARE MINERALS

MOON =
HELIUM 3
Universal Language
offered by deity to humans as
confirmation of the truth"

MAIN
ASTEROID
BELT

Alpha
Numeric
Brevity
Codes
SYNTAX
LEXICON
KOO.99

Farther = More Cost
➤ Fuel, Resources

STOCHASTIC
HARMONIZATION

Service Level Agreements

ERLANG

TIME- SPACE METRICS

5.2

FIREFLY-HEARTBEAT
ALGORITHM

UNIVERSAL
EVENT MESSAGE BUS

TROJAN
ASTEROIDS

43 22 13 0 1.5 2.7 5.2

ERLANG

Light minutes

TIME- SPACE METRICS

Astronomical units

FIREFLY - HEARTBEAT ALGORITHM MESSAGE EVENT BUS

43 22 13 0 1.5 2.7 5.2

EPOCH / TIME CYCLES / INTERVALS

43 22 13 0 1.5 2.7 5.2

cycle n

n + 1

n + 2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

Micro Grids Closer - Cheaper

BLOCKCHAIN
MICROGRIDS

TESLA

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2


43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2

43 22 13 0 1.5 2.7 5.2



MELANIE
SWAN

FUTURE
MEMES

DOT
COM

Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)


SORTING ALGO'S

Ericsson Open Money
For Society Patent App



[20130166398](#) "System And Method For Implementing A Context Based Payment System."

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio $\Delta\delta$ queueing systems wait times
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL




distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution

FROM	USCA	THA	AIAZ	AMPO	AFAS	WIC
ANDOR						
AFAS						
WIC						
CHINA						
AZURE						
BLETCHLEY						
STRUCTURED						
MILITARY MESSAGE						
TEMPLATE FORMS						
LOGIC / FILTERS						





Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms

In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements



- STRUCTURED DATA EXCHANGE

Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine

Block-Time DLT arbitrage among Trade Federations </Org_ID>

{“URN”} </URN> = COMMODITY



Spatial / temporal UTZ

synchronization, stochastic

harmonization, Time - Space

Distance Estimation Service

Common Consensus Algo meme

Eco sustainable incentives

“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes”

Eco sustainable, Equitable

Economic econometrics.



ERC 20 TOKENS STANDARDS LIST



Blockchain Council

All things net, net of money formed with 1. Epochs 2 Syntax



Federation Gateway

MEDIATE

$\Delta\delta$ MITIGATE

Brevis's value is User Health

UNIVERSAL MEME

Purchased Bitcoins

Akin to property

I.R.S.

On / Off Shore

Time-Series Databases

XBRL / CDL / DAML

ROSETTA STONE

FEDERATION: Latin: foedus, foederis, 1. covenant, union of partially self-governing states under a central government 2. League or confederacy. People, groups retain autonomy 3. A federated body formed by a number of nations, states, societies, unions, retaining control of own internal affairs SC Alice Corp “claims may not direct

USPTO 13/573,002 Alpha-Numeric Procedural

BREVITY CODES / TOKENS SYNTAX TEMPLATE CHECKLIST

STRUCTURED DATA EXCHANGE LEXICON CODER'S GUIDE

ISO 20022 2525C/D DATA SETS NETOPS TEMPLATE FORMS

NATO LOGIC FILTERS Alpha Numeric BREVITY CODES K00.99

DATA SETS MESSAGE SETS

XBRL / CDL / DAML

ROSETTA STONE

ISO

SWIFT

NATO

NETOPS

TEMPLATE FORMS

Message Sets

XBRL

CDL

DAML

ROSETTA STONE

ISO

SWIFT

NATO

NETOPS

TEMPLATE FORMS

Message Sets

XBRL

ISO

SWIFT

NATO

NETOPS

TEMPLATE FORMS

Message Sets

XBRL

CDL

DAML

ROSETTA STONE

ISO

SWIFT

NATO

NETOPS

TEMPLATE FORMS

Message Sets

XBRL

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS

QRNB NIST Beacon A Public Benchmark Service

NON REPUDIATION

GENESIS EPOCH +1

EPOCH +2

EPOCH +N


$\Delta\delta$

NET OF MONEY formed by 1) Time Cycles 2) Syntax

cycle n n+1 n+2

Price Indexes in Time and Space Methods and Practice

SchellingPoint



STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.


3) RWA-Backed by off-chain real-world assets



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.

NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates

FORM	FORMAT								
OCTOB	OC001A	OC001B	OC001C	OC001D	OC001E	OC001F	OC001G	OC001H	OC001I
ABAB	P001A	P001B	P001C	P001D	P001E	P001F	P001G	P001H	P001I
ANAN	C001A	C001B	C001C	C001D	C001E	C001F	C001G	C001H	C001I
COSC	D001A	D001B	D001C	D001D	D001E	D001F	D001G	D001H	D001I
DPB	E001A	E001B	E001C	E001D	E001E	E001F	E001G	E001H	E001I
METH	F001A	F001B	F001C	F001D	F001E	F001F	F001G	F001H	F001I
REASON	G001A	G001B	G001C	G001D	G001E	G001F	G001G	G001H	G001I
PRIMO	H001A	H001B	H001C	H001D	H001E	H001F	H001G	H001H	H001I

LOGIC FILTERS LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series



In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone






The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.




← cycle n → n + 1 → n + 2 →

X $\Delta\delta$ **Σ**

FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



$\Delta\delta$



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE




OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



Free, open markets: Commodity / Currency Index


Creating open, competitive markets for services
that cannot be perfectly solved with technology




•VALUES: Privacy </Org_ID>




HASH Values
Nonce Values </Org_ID>



- Users should fully control their data. Users have freedom to reveal as much personal identifiable information as they want, when they want



Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution

DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL > > NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$





VERITAS TOKENS

P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION CONDITION



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...


STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools



Heartbeat Flash Messages Precedence Processing


Collateral Notional Expiry

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

("Org_ID")
("Tagged")
Cryptos
("URN")

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



SYNTAX LEXICON OPSCODE
Brevity Codes mapped to symbols sets for A.I. / Man – machine interface / interop








Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP




Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


TOURNAMENT LEAGUE BOARD




Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol



NEO Delegated Byzantine Fault Tolerance (dBFT)



Time Series




dBFT provides fault tolerance of $f = \lfloor (n-1) / 3 \rfloor$

Topology: Hierarchical Star
Architecture: Distributed
Consensus: dBFT
Network: TCP/IP
Encryption: ECDH

$f = 1 \text{ OR } 0.66$

If $f \text{ NOT } 1 \text{ OR } < 0.66$
There is no consensus

PROOF OF ELAPSED TIME Consensus Order



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓




USPTO 13/573,002
sawconcepts.com/index

IDMaps SonarHops





Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships





Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

Consensus Order

$$\sum \Delta\delta \times$$

Round created Witness 0 / 1

Famous witness Election

Vote See Strongly see Supermajority


Decide Round created Round received

Consensus timestamp Consensus order $\Delta\delta$

Synchronous




Asynchronous



Micro-Cycle State Meta Data Snapshots


Hash Nonce

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics


TRIANGULATION



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" $\Delta\delta$


Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.

TAG	SLA/O	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#]
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#]

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts



The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.




PoST users / nodes must prove that they are spending a certain amount of space for storage.





DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



The proposed Universal Timezone System would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.



Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs



Net joins, drops, splits, merges, moves

Gateway



Agile, adhoc NETOPS Vs acquisition preserves the

CHANNEL

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle


FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY


CPU CHIP
EPOCHS



long exponential
intervals (10 min)



COMMAND SYNTAX
RESTFUL State Transfer



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



short deterministic
intervals (10 sec)

MACRO – CYCLES



ATOMIC CLOCK

MICRO-CYCLES



real-time gross settlement system,
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's
Ripple Connect to exchange KYC,
risk info, fees, payment details,
expected time of funds delivery

Provides information about total
costs of the transaction



Workflows are serially executed
Except first two work flow are
workflows are based on **event**
pull model



Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses!

Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA!

You can get it for free [here!](#)



ALPHA NUMERIC BREVITY CODES A.I

To retrieve addresses us computer, use [bit.co](#)

Clock Clock adjusted 5:45 PM

Blockchain.info

Neutral transaction protocol






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$


1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"







IOTA: Internet Of Things IOT distributed ledger with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree



ZEPPELIN



ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language


zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."

WORLD ECONOMIC HEARTBEAT



HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax Lexicon Library
300 + Templates




STRUCTURED DATA EXCHANGE

Protocol	Version	Standard	API	Implementation	Specification	Notes
ABAP	P101	P101	P101	P101	P101	
ANCHOR	P101	P101	P101	P101	P101	
APACHE	P101	P101	P101	P101	P101	
ARM	P101	P101	P101	P101	P101	
AVR	P101	P101	P101	P101	P101	
COCOMO	P101	P101	P101	P101	P101	
COBOL	P101	P101	P101	P101	P101	
FORTRAN	P101	P101	P101	P101	P101	
Java	P101	P101	P101	P101	P101	
JavaScript	P101	P101	P101	P101	P101	
PHP	P101	P101	P101	P101	P101	
Python	P101	P101	P101	P101	P101	
SQL	P101	P101	P101	P101	P101	
TURBO C	P101	P101	P101	P101	P101	
VHDL	P101	P101	P101	P101	P101	
Verilog	P101	P101	P101	P101	P101	

LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES



STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics



ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries

Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowd sale contracts
- Create a trustless bug bounty.
- Create pausable, ownable, balance-limited contracts
- Set up a token vesting or token locking contract.



Contract development



Contract interaction




HASH / NONCE

STATE
META
DATA
SNAPSHOTS



UNIVERSAL MEME



EVM







EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE


Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO - FRIENDLY TRANSACTIONS**



E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.





GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle



THE TERRA (TRC)

Trade Reference Currency



\$0.49 USD
0.001076 BTC

MICRO PAYMENTS
Need Bitcoin?



Demurrage Fees


Universal Meme

Geo-Spatial Temporal Econometrics meters



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"

Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.





ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract





ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER




OFF-SITE
OFF-PAGE
CONNECTOR



Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.


BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO


CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"



ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time...

EVENTUALLY



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"

Threshold Relay Chain techniques

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches
Choosing Leaders Randomness selects priority list block forgers at height h
Short Term Convergence Correct processes build on highest scoring chain
Threshold Timestamping group signs blocks at h until next group appends another.

Scalable Global Validation Layer: Each additional level of the tower validates new state transitions applied to storage shard. is built by processes selected by the RANDOM BEACON

UTZ TIME ZONE SYNC

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 90
300 270 60 120
240 210 180 150

Satoshi Nakamoto: "The solution we propose begins with a TIME STAMP SERVER

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME - SPACE METER USPTO 13/573,002

MACRO CYCLES

RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base STATISTICIAN Metrics, Meters

UNIVERSAL HEARTBEAT MESSAGE EVENT BUS

90 feet

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421

90 feet

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Fix {"108"} FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Firefly - Heartbeat Algo EVENTS

STOCHASTIC HARMONIZATION

FIX {"108"} FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Epoch Time Cycles



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



(“ORG_ID”)

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree



AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



$\Delta \delta$

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade


Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS



RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE



BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



ROSETTA STONE

FORM	SOCIAL	TIME	MAS	MOBILE	API	DATA	BLOCK	TRANSACTION	CHAINCODE
ABAP	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
AMQP	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
AFTABE	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
AFATOB	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
CASB	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
CSCW	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
OPEN	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
METIS	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
HYPER	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09
PROM	FB01	FB02	FB03	FB04	FB05	FB06	FB07	FB08	FB09

XBRL / CDL / DAML
STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS
SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.



"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions receive payments for their service to the network

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority

ALICE CORP
Vs CLS BANK



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS
HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are made available for a new update "trumps" previous update.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.





NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




TWAP Algorithm Manages Bitcoin Price Volatility Algorithm


TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



STATE META
DATA SNAPSHOTS



TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.




"Blocks are a measure of time":



The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.









Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON





Segregated witness = Separated signatures

- signatures are cryptographic proofs also known as witnesses
 - moving signatures out of transactions
 - keeping a separate repository of the signatures
 - making them optional in propagation and storage
 - signatures are the biggest part of transactions
 - can be implemented as a **soft-fork** vs a **hard-fork**




epcis

EPCIS DATA MODEL



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event
 When date time when event took place, local time zone in effect
 Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event
 Why Information about the business context, including:
 a Identifier that indicates the business step taking place





TERRA TRC



ECONOMIC HEARTBEAT





</FILTERS>{"FILTERS"}
</CLASS_TYPE>



HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



PROCESS BY </PRECEDENCE>

SonarMaps ID_Hops



IEEE 802.15.4 OASIS MQTT
TELEMETRY TRANSPORT

IEEE C37.118 Harmonization & Sync heartbeat update Interval
IEEE 802.11 HOP BY HOP CONTROL


IEEE 802.1AG HOP BY HOP DETECTION

Paul Revere Linear, Sequential

Bitcoin = Property



Triangulation
Euclidian Geo
GPS GEO LOC
DATE TIME STAMP
NDN </INTEREST>
NDN {"DISTANCE"}



Demurrage Charges
vector

Heartbeat Snapshots
 $\Delta\delta$

MICRO CYCLES
To Closest Heartbeat

Autonomous Device Coordination Framework



Rules of engagement
FEDERATION AGREEMENTS
PROCEDURAL TEMPLATE

- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

Physical proximity

Social proximity


Temporal proximity

Agreements



Payments

Barter

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH





Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.
Protocol	(Decentralized)	Centralized Non-Protocol
Spoken English		Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football		The NFL, ESPN, The Buffalo Bills.
Bluetooth		A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin		VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished


Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...





How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY


A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS









BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001

MICRO CYCLES

216



202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS




ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE

215 LEADER'S
INTENT
DECISIONS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION




SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME

208



APPLIQUE' OVERLAYS



MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING



SECURE AUTHENTICATION

SECURE MULTI

PARTY /
AUTHENTICATION

Entanglement
Source

RANDOM
NUMBER
GENERATOR



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**

Time / Distance Metrics

PROXIMITY

OFFSHORE BEACONS ONSHORE

NDN

</interest></distance>

NDN

</Interest>
</Distance>

SURVEY METHODS + TRIANGULATION

Euclidian Geometry

Geodesic System Routing Info Base RIB


ACCOUNT BELONGS TO </Org_ID>





RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State Snap Shots

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **Stochastic Harmonization**





NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.


A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain
Time Stamp Server

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves for the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



WORLD ECONOMIC Heartbeat
ALGORITHMIC REGULATION
HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME
Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



Structured Data Exchange

ROSETTA
STONE

BREVITY
CODES



Attribute Series



Time Series



Geo Spatial



SYNTAX LEXICON




QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization



Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples




Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




Microwave pulses like sonar ping...

qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?



Light source Rays of light coming from the source reach the slits


Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves

Intensity of the fringes shows the maxima and minima


Science Facts

QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING




USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter
Main Embodiment: Baseball Diamond = block in 3D = cube




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



b



The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere



"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: "claims may not direct towards abstract ideas"



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing

CLOCK FACE 360'
90 / 90 / 90 / 90
330 340 30 60
270 240 30 90
210 180 150

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER Message Bus

Firefly – Heartbeat Algo

X EVENTS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Δδ Epoch Time Cycles




USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter




Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme





First
Baseball
Players
Union
Formed
1870



Satoshi Bitcoin Blockchain Time Stamp Server



Metatron's Cube and the Platonic Solids




SEED OF LIFE



by: Tom Rimbault

"In the beginning (of time) there was the word"



Everyone who is of the Truth hears My voice John 14:37.



"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.




Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



CAPITALISM AND FREEDOM
MILTON FRIEDMAN
With the assistance of William Bernstein



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960


Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"


#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



METATRON'S CUBE
GENESIS OF ALL FORM



THE OZ KEY




THE LAW OF TIME




"Time is a created thing" Lao Tzu


"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration." - Nikola Tesla






HOPF FIBRATION






USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template



DISNEY'S FANTASIA



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + McGee

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!


What does your name mean?



Steven + McGee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



$\Delta\delta$

Roll With
The Changes

BOOK OF THE CUBE

The Synchronicity 441 (21 x 21) cube matrix system represents the minimum fractal of totality. Calculated: 21×21 being the prime statement of totality ($21^2 = 1$ totality). $1 + 2 + 3 + 4 + 5 + 6 = 21$ (sum of totality). The Law of Time (Day).

Satoshi Nakamoto Reveal #2

CLOCK FACE DAY
 $90^\circ / 90^\circ = 90^\circ / 90^\circ$

BASEBALL "DIAMOND"
A diamond is a square in a block in 3D

INFOCON
4 3 2 1
INFORMATION CONDITION

Eco Incentives

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"



SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS

