





RBF's World Game

Signals & Telemetry

Annex K





RBF's World Game

Signals & Telemetry

Annex K

 USPTO 13/573,002
573 U.S. 134 SCt 2347
“Alice in Wonderland Ruling”



THESES: net, net of programmable \$\$\$ / value units
AI machine learning = statistical workflow formed by:
1. Epoch time cycles created by oscillating quartz crystal silicon chips
2. Syntax used / not used as code instructions in epoch time cycles.



300 + STRUCTURED DATA MESSAGE SETS




TIME CHAIN

**Artificial Intelligence A.I. / Machine Learning
= STATISTICALLY PREDICTIVE WORKFLOW**





World Game Annex K

Signals & Telemetry






Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller






"Build a new model"
Standing on the shoulders of giants



Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Eco Economic Epochs
Symbol / Message Sets A.I.
FIREFLY Inspired
Heartbeat Algorithm



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



DE BANKOLE SWINTON HURT GARCIA BERN
~ Tilda Swinton Bill Murray
Punkie [pungkee] NOUN
1. a fly, almost invisible to the naked eye,
that sucks the blood of animals and other
insects, leaving painful hictng welts.



GNATS




Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
 - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
 - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESES: All net artifacts, net of \$ are formed with:
1) Epoch time cycle intervals ex: chip oscillations
2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...





All things internet, programmable net of money are formed using:
1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax



Internet / Internet of Money building blocks



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code



Artificial Intelligence / USPTO 13/573,002 Adaptive Procedural Template

Machine Learning: data input / output =
action (s): if, then else, or... do



Data, event cyclic time interval
sampling sync delta snapshots



Natural Language Processing programming
computers to process human languages to
facilitate interactions between humans /
computers

Data brevity OPSCODE sync delta
time slot samples @ set intervals
Mapped to symbols 25 A,B,C,D
MILSTD for Man – machine interface




Automation & robotics: machines do repetitive
tasks



Military = repetition. temporal ,
UTZ – UTC sync harmonization,
international standards

Machine Vision: Machines capture,
analyze visual information, data

Military = geo-spatial temporal Applique' overlays




Structured
Data






STRATML

THESIS: All things net, net of programmable \$\$\$ are formed using:


- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



BELL STATE QUANTUM COMPUTING



Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla



USPTO 13/573,002

573 U.S. 134 SCt 2347

"Alice in Wonderland Ruling"

A.I.

ISO

SYSTEM OF SYSTEMS

STRUCTURED DATA

CHART

DATA

GRAPH

TIME

TABLE

WORKFLOW

WORK

CLOCK FACE 360°
90 / 90 / 90 / 90

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D

2nd Base

"The solution we propose begins with a TIME STAMP SERVER"

MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META

DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Events

Fix ("108")

IRS #1421

Settlements / Exchanges

= Taxable Assets Akin to Property

Fix ("108")

Epoch Cycles


Time Cycles

Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



OPERATIONS
OTHER
THAN
WAR



Beacon Communities

Vernetzte Operationsführung



Proximity Beacons


PING



JAEGERS

Closer < \$\$\$ < FUEL

PING




ALGORITHM

EVENT / ALERT Flash Heartbeat Message Bus

KAIJU



SYSTEM
Of
SYSTEMS




AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS



WORLD BEYOND WAR.org
a global movement to end all wars

DAN MILLMAN
WAY OF THE
PEACEFUL WARRIOR
A BOOK THAT CHANGES LIVES

OFF SHORE
OUTER BANKS



HEART BEACON CYCLE {"RWA"}

Series of systemic actions to achieve goals ex: form, maintain ECO sustainable

PROCEDURAL TEMPLATE

List Items point / refer to detailed treatises



Trade Federations i.e., closer = < fuel, CO₂




A continuous action, operation, or series of changes, sync deltas i.e., price indexes

Universal Event Bus Algorithm

Process Events by Precedence

Flash Heartbeat

</108> messages



Sync geo-spatial temporal Eco econometrics across space-time



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organize with Organization Identifiers {"Org_ID"}
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex



USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F014 F015 F541 S201 S309 S507	
AMDPCS	TOKENS OPSCODE BREVITY CODES	USMFT / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio		F002 F015 S201	C203 C400 D630 E500 F002 F014	
AFATDS	F002 F014 F015 F541 S201	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone Syntax Lexicon Coder's Guide	M2M "SYMBOLS RULE THE WORLD"	
MCS	SIOP ASSET TOKENS Token Economy					

MESSAGE CATALOG
300 + Use Cases

Information Categories and Examples						
Object Categories	Examples	Location	Movement	Identify	Status	Activity
OOB	SYNTAX LEXICON	STRUCTURED DATA Machine Trust Language MTL	EXCHANGE Message Sets Contract Description Language CDL	country / alliance, type/class	readiness	targeting, reconstituting COA ("Java JS")
Infrastructure	Comm, power, transportation, water/sewer	lat/long	throughput, flow rates	name, part-of relationships	BDA, op. metrics	repair, maintenance, expansion instant
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	ER Model	Class Diagram	Relational Database	Object DBMS
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Attribute	Field / Column	Object DBMS Schema
		Domain Value	PURCHASE CODES	Instance, Value	TOKENS	DUI FUD

MIL STD 2525A, B, C, D
Data Exchange
["Org_ID"]

ISO
Patent Application 9/11 2003: Method to commercialize structured military messaging 20022

STRUCTURED SCENARIOS EXCHANGES TEMPLATES

SYNTAX LEXICON ROSETTA STONE lexicon

Coder's Guide

DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN – MACHINE INTERFACE

STANDARD, CONSISTENT SYMBOLS

INFOCON 4 3 2 1 INFORMATION CONDITION

STRUCTURED SCENARIOS EXCHANGES TEMPLATES

MIL STD 2525A/B ASSET TOKENS

SYMBOLS RULE THE WORLD

STRATML

Information Elements Roles

- COI Determination Org Interaction
- Search and Discovery
- Ontologies STANDARDS
- Taxonomies REFERENCE
- Metadata Attributes / Filters ('Org_ID') {"URN"} </URN></URN> FILTERS

FFUDN: Field Format Unit Designator #

FFIRN Field Format Index Reference #

Structured military messaging ID's messages, message sets, data element, symbol fields </108>

BY Form Field Position & NUMBER

("108") NDN Firefly-Heartbeat Flash Messages

PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA		SYSTEM FUNCTIONS		PERFORMANCE	
1.1 - Classification	11.8 - Kinematics	11.4 - Category	11.8.1 - Pos / Vel / Acc (PVA)	11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.1 - Confidence Level	11.8.1.1 - Angular	11.4.1.2 - Estimate Type	11.2 - Linear	11.4.1.2 - Alternative	11.2 - Estimate Type
11.4.1.2 - Alternative	11.8.1.1 - Alternative	11.4.1.2.1 - Alternative	11.2.1 - Estimated	11.4.1.2.2 - Evaluated D.	11.2.2 - Observed
11.4.1.2.2 - Evaluated D.	11.8.1.1 - Alternative	11.4.1.2.2.1 - Alternative	11.2.3 - Predicted	11.4.1.3 - Value	11.2.4 - Generalized
11.4.1.3 - Value	11.8.1.1 - Alternative	11.4.1.3.1 - Alternative	11.2.5 - Velocity	SYMBOL	Friend Neutral Hostile
11.4.1.3.1 - Alternative	11.8.1.1 - Alternative	11.4.1.3.2 - Alternative	11.2.6 - Horizontal	2525C	Partner Competitor
11.4.1.3.2 - Alternative	11.8.1.1 - Alternative	11.4.1.3.3 - Alternative	11.2.7 - Vertical		
11.4.1.3.3 - Alternative	11.8.1.1 - Alternative	11.4.1.3.4 - Alternative	11.2.8 - Bearing Angle		
11.4.1.3.4 - Alternative	11.8.1.1 - Alternative	11.4.1.3.5 - Alternative	11.2.9 - Bearing Angle Rate		
11.4.1.3.5 - Alternative	11.8.1.1 - Alternative	11.4.1.3.6 - Alternative	11.2.10 - Covariance Matrix		

STRUCTURE Data Exchange "Go-To-War" version 2 BIZ COA {"Org_ID":>"Org_ID2">>"Org_ID3}

MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER

INFOCON 4 3 2 1 INFORMATION CONDITION

INDEX REFERENCE #

NON NAMED DATA EXCHANGE NETWORKING

FEDERATED PILOTS EFFECTIVE: 14-DEC-99 PURCHASE CODE

MARKET IDENTIFIER DESIGNATOR ISO 3033 - MIC


BLOCKING ARBITRAGE ERLANG TIME EQUATIONS

Encyclopedia Britannica: "Language is a SYSTEM OF SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word".

"SIGNS AND SYMBOLS RULE THE WORLD, NOT WORDS OR LAWS"

CONFUCIOUS "Signs and symbols rule the world, not words or laws". - Confucius

Syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles



Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.

"SIGNS AND SYMBOLS RULE THE WORLD, NOT RULES OR LAWS"


NATO OTAN RULE THE WORLD, NOT RULES OR LAWS

Confucius


Alpha-numeric OPSCODE

Brevity codes mapped to symbols,

Symbol sets = structured data




System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3



COMPONENT		
PK	CP_OID	{"URN"}
FK1	CP_NAME	
FK2	CP_SUBSTANCE (BOOL)	
	CP_PRIMTYPE	
	CP_CLASSTYPE	
	CP_CLOUD	
	CP_COLLECTION	

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME



THE TERRA (TRC)

Trade Reference Currency

TELLURIUM PRODUCERS NECESSARY
GLOBAL SPECTRUM UNDIFFERENTIABLE
MINERALS EXHAUSTION

COMMODITIES

producers consumers

SLA: Closer = Cheaper

Closer = Less Fuel

= Less Time, CO2


\$0.49 USD

B 0.001076 BTC

DEMURRAGE FEES

bitcoin

MICRO PAYMENTS




Price Indexes in
Time and Space
Methods and Practice



Friedman's K % Rule

currencyindex

Terra Trade Reference Currency TRC "world currency"
Bernard A. Lietaer Belgian economist proposed 1991
Basket of 9-12 most important commodities. Public
issued demurrage fees for storage, shipping, handling




Example: 100 Terra = 1 barrel oil
+ 10 bushels of wheat
+ 20 kg of copper + 1/10 Oz gold



Spatial Econometrics

Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as the length is bounded and all nodes agree on it eventually"



French newspaper "Le Fédériste"
"L'Europa monnaie de la paix"
Money of peace" Born Jan 1st 1933 \$\$\$

The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

ECONOMIC HEARTBEAT
FEDCOIN / WORLDCOIN



ALGORITHMIC
REGULATION

LEADING ECONOMIC INDICATORS




Commodities
Interest
Money
Stocks
Buildings
New Construction
Supplies
New Construction
Territories
Worldcoin

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

STOCHASTIC HARMONIZATION

UNIVERSAL TIME ZONE UTZ
UNIVERSAL MESSAGE EVENT BUS



EVENT BUS
HEARTBEAT
FLASH MESSAGES
</URN> {"ORG_ID"}

Process Events By Precedence
Geo Spatial
Temporal Series

EDISON / FORD
MONITARY
OPTION 1921







The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



ECO ECONOMIC HEARTBEAT



("108")



K%




ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man




LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



LEAD ECONOMIC INDICATORS



FRIEDMAN'S K% RULE



ALGORITHMIC REGULATION TOKEN ECONOMICS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

Sync To Closest Heartbeat {“URN”} {“URN”} {“URN”}

Heartbeat Event Flash Message Bus {“URN”} {“URN”} {“URN”}

UTZ STOCHASTIC HARMONIZATION

Universal Metrics / Meters $\Sigma \Delta \delta$

Geo-spatial Temporal Syntax-Semantic Sync & Consensus


Syntax-Semantic Sync & Consensus

Sampling

Currency Pair Sampling

On/Off Shore

Sync Delta State Meta Data Snapshots



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFi



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**
 - Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine
 - Block-Time DLT arbitrage among Trade Federations </Org_ID>
 - {“URN”} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework



Spatial / temporal UTZ
synchronization, stochastic
harmonization, Time - Space
Distance Estimation Service
Common Consensus Algo meme
Eco sustainable incentives

**"We can synchronize ourselves,
DAO Trade Federations in time -
space for common purposes"**

**Eco sustainable, Equitable
Economic econometrics.**

USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI


Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.





Tokenization of Physical Assets

RWA Pegged Currency



FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION



Thomas Edison's Monetary Option
Cambridge University Press 2009
"Crops hold their value best over time"

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



Bitcoin Conference
Nashville Tennessee
July 27, 2024, at 2 P.M

BTC AS
STRATEGIC
RESERVE \$\$\$

"THE Donald"



BTC = />
"DIGITAL GOLD"
21 million total



FORBES DIGITAL ASSETS 'It's Inevitable'— Bitcoin Price Suddenly Soars On Wild Rumors Donald Trump Will Create A U.S. Bitcoin Strategic Reserve

<https://www.forbes.com/sites/digital-assets/2024/07/21/its-inevitable-bitcoin-price-suddenly-soars-on-wild-rumors-donald-trump-will-create-a-us-bitcoin-strategic-reserve/>



PENTAGON CURRENCY
WAR GAMES
CONDUCTED SINCE 2009

Currency Wars: The Making of the Next Global Crisis warns of an impending currency war with devastating consequences for the global economy.
USPTO 13/573,002 Battlefield Digitization, Net Centric Warfare OOTW Operations OtherThan War


World Game Annex K Signals & Telemetry

HEARTBEAT % REAL GDP
ALGORITHMIC REGULATION
FED COIN / WORLD COIN

ECO ECONOMIC EPOCHS
FRIEDMAN'S 5% RULE
5% Rule Real GDP Pulse
INFOOM HEARTBEAT % REAL GDP
ALGORITHMIC REGULATION
FED COIN / WORLD COIN
ECO INCENTIVES
DEMURRAGE FEES
UTZ Sync
Spatial Econometrics
NAMED DATA
NETWORKING
ECONOMICS
currencyindex
Time Series Databases




TRADE
REFERENCE
CURRENCY





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.







PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM


ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves




THESIS: All things net, net of programmable \$\$\$ are formed using:



- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



BELL STATE QUANTUM COMPUTING



A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html


Quantum Financial System vs BlockChain

TIME
CHAIN

QFS

TIME
STAMP
SERVER

<https://gesara.news>




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract



"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER" Satoshi Nakamoto

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.



things net, net of money are
ended with 1) epoch time cycles
syntax parsed as instructions




"THE VALUE OF BITCOIN IS TIME ITSELF"



#QuantumComputing USet Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property.

US Sct Alice Corp Vs CLS Bank Physical memes
Linear sequential "Paul Revere" meme = horizontal polarization

Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state? loss



qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.

Four states are shown: 1 up, 1 down, 0 up, 0 down.

Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)


CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms



ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



In 1887, Heinrich Hertz demonstrated the reality of Maxwell's electromagnetic waves by experimentally generating radio waves in his laboratory.

All Photons and EM waves can have various directions of polarisation with respect to their direction of propagation



Teslian waves
transmit Energy
in a LONGITUDINAL waveform
producing
'Action at a Distance'

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation

The E fields are co-linear with the direction of propagation


Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.

Heinrich Hertz



(22 February 1857 - January 1 1894)


INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle



Nikola Tesla



(10 July 1856 - 7 January 1943)



Cycles per Second

Volts per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter Metrics





Figure 3.6. This visualization of 2001 measurements, 400000 trajectories, width = 100 m, height = 100 m, depth = 100 m, time = 0 to 100 s, shows a 3x3 grid of 3D surface plots. The central plot shows the evolution of the information flux, while the other two plots show the corresponding field distributions. The field distributions are shown in a 2D perspective view, with the central plot showing a circular pattern of alternating high and low values.

Figure 3.7. The 2001 visualized. You can see the contours for computing a three-dimensional decomposition.


$$\text{det} = \nabla \cdot \left[\rho \nabla \left(\frac{1}{2} \text{det}^2 \rho + F(\rho) \right) \right]$$

Notes: At 100 m, $\sim 10^{12}$ total mutual correlations, consisting of three components. We then choose, we then want to be integrated into a single model. This is a challenging task. As seen in Fig. 3.8, the calculation of components like the equilibrium value $\rho_{\text{eq}} = \frac{1}{2} \rho_{\text{eq}}^2 + F(\rho_{\text{eq}})$, very rapidly, the field functions change, points, and also components of the three individual modes component wise are modified until the current equilibrium state is found.



FOUNDATION FOR NET, NET OF \$\$\$, WEB 3

← cycle n → ← n + 1 → ← n + 2 →



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips


2) Syntax used / not used as programming instructions during epoch time cycles



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$



"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)



Harmonic Sphere Flux Resonator

ENERGY
/ DATA



"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



<https://www.researchgate.net/>





Fig 1 - Li Zheng



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File


"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

NET, Net of programmable \$\$\$
Programming Reality Ground Truth

No Layers L0, L1, L2... only GENESIS EPOCH,
Follow on Epoch time cycles, intervals, cycles



THESES: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..

THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"






Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions



"THE VALUE OF BITCOIN IS TIME ITSELF"



MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters
Stat Mean Value Index

3 X 5
HASH TABLES
STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

BASEBALL "DIAMOND"
A diamond is a square is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a TIME
STAMP SERVER"

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE


Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments



90 feet



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.




"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"





TIME EPOCH CYCLES

State Meta Data Snapshots

"BITCOIN MAKES USPTO 13/573,002 MONEY HEART BEACON CYCLE PROGRAMMABLE. TIME – SPACE METER MONEY IS STRUCTURED DATA SIMPLY DATA" EXCHANGE



BLOCKCHAIN = TIME / SYNTAX



Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} “The Word”


“In the Beginning” Genesis Block

“All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions”


"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

**"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction
reads / writes data in the blockchain's Dbase"**

NAMED DATA NETWORKING



“Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language” Coindesk Article



STRUCTURED DATA EXCHANGE TEMPLATE FORMS

300+ USE CASES

LOGIC / FILTERS

LOGIC / FILTERS

SYNTAX / SYMBOL LEXICON LIBRARY



**"BITCOIN MAKES MONEY
PROGRAMMABLE.
MONEY IS SIMPLY DATA"**



“Bitcoin’s Value is TIME itself”

"Time is specified in units of block transaction confirmation times"




ALICE CORP VS CLS BANK

“claims may not be directed towards an abstract idea”


US SC 573 US 134 2347



USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
Nakamato 2nd Base



Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

first base
RUNNER Message Bus

Firefly – Heartbeat Algo
Stochastic Harmonization

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

home plate

WORKFLOW UMPIRE COACH

3rd Base STATISTICIAN Metrics, Meters

Stat Mean Value Index

90 feet

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

Micro CYCLES

Data Snapshots Survey Point

HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins




BLOCKS / COINS PENDING ISSUE

B

A


C



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships




$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:
IDMaps-SONARHOPS distance estimation query-reply service



IDMaps / SonarHOPS collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs

vector



IDMaps Distance Metrics: latency (round-trip delay) available bandwidth estimation



- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coins never travel, but simply switch owners”

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer



$\Delta\delta$





ISO Technical Committee TC68

Financial Services

SC2 Security	SC4 Securities	SC7 Banking
-----------------	-------------------	----------------

RMG members nominated by P-member countries and A- liaison organisations

**TSG & SEG members
nominated by all member
countries and liaison
organisations**

ISO 20022 LV v66

Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = "shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & 

symbol (for A.I. man – machine interface) consensus¹⁵ STOP
Blockchain Consensus Algorithms & Mechanisms
In the world of blockchain consensus algorithms, consensus is the HEART OF THE BLOCKCHAIN NETWORK, it's main purpose is to achieve agreement on transactions among a distributed system (s). Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization. ☺

The slide features the Spacemesh logo at the top left, which includes a stylized geometric diamond shape and the word "spacemesh". To the right is a section titled "PROOF OF FORMULATION" containing several small images related to blockchain technology.

MACRO CYCLES

ROLES / RULES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base


Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth, Height, Volume

first base

BANK \$C 57316 113 4247
GLAM MAY NOT DIRECT
Physical - Opposite of abstract + **AUCE**
HEART BEACON CYCLE
TIME - SPACE METER
ID 11373,002

WORLD OFFICIAL STANDARD



FOUNDATION STANDARDS TECHNOLOGY



- The logo consists of several text elements arranged vertically. At the top is 'ISO 20022' in large, bold, black letters. Below it is 'MIL STD' in a slightly smaller bold font. The next section contains 'Structured Data Exchange' in a large, bold, black font. Underneath that is 'PoD System of' followed by 'systems' and 'engineering' on separate lines. To the right of the main text, there is a small graphic of a computer monitor displaying a bar chart. Further down the right side, there is a box containing 'GPS' at the top, followed by 'Supplier', 'relational', 'L...', and 'BOOK'. Below this is a large 'A work...' block with 'business', 'resource', 'information', 'declaration', 'staff', and 'http://'. At the bottom right is 'THE GLOBAL SYSTEM OF' followed by a stylized globe icon.

CONSENSUS ALGORITHMS


NDN: Named Data Networking

ARIN, ASN-1
Binary XML
525 A,B,C,D
Symbol Sets for
Human – A.I.


nal Standard prepared by ISO Technical Committee TC68 Financial Services. It
es in ASN.1 Abstract Syntax Notation: A single standardization approach
standards initiatives. common platform for the development of messages using:
nt way financial business areas, business transactions and message flows
ncommunications
models into XML or ASN.1 schemas, whenever the use of the ISO 20022 XML or
www.iso20022.org/about-iso-20022



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1 -

STRATML XAML

XBRL
THE BUSINESS REPORTING STANDARD
BINARY XML
Decision

UBL
DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

DISTANCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE



NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR



M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS



M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION



M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT



O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION



O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION



M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message



M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION



O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE



O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor MIL - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"ASSET_CLASS"}



{"ASSET_TYPES"}

ISO 10383 – MIC


Market Identifier Codes



{“URN”}



{“Org_ID”}



108 / FIX / SWIFT / E-911 Heartbeat Message



STOCK NDN NAMED DATA



EXCHANGE NETWORKING



MIC CODES PRECEDENCE



FILTERS PROCESSING



BLOCKTIME



ARBITRAGE



ERLANG



TIME

EQUATIONS



FROM	TO					CODE GUIDE
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio			
AMDPCS	TOKENS OPSCODE BREVITY CODES		A.I. 	F002 F015 S201	C203 C400 D630 E500 F002 F014	
AFATDS	F002 F014 F015 F541 S201	INFOCON 				
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541	  	A423 C505 F014 F541 F015 S201
	M2M 					
	"SYMBOLS RULE THE WORLD" 					

MESSAGE CATALOG

300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

**HEARTBEAT MESSAGE =
K00.99 </108> {"108"}**

Information Categories and Examples

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

EFIRN Field Format Index Reference #

Structured military messaging ID's messages, message sets, data element, symbol fields </108>




PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA		SYSTEM FUNCTIONS		PERFORMANCE	
11.4 - Classification		11.8 - Kinematics			
11.4.1 - Category		11.8.1 - Pos / Vel / Acc (PVA)			
11.4.1.1 - Confidence Level		11.8.1.1 - Acceleration			
11.4.1.2 - Estimate Type		11.8.1.1.1 - Angular			
11.4.1.2.1 - Alternative		11.2 - Linear			
11.4.1.2.2 - Evaluated D		2 - Estimate Type			
11.4.1.3 - Value		1.2.1 - Estimated			
SYMBOL	Friend	Neutral	PURCHASE	1.2.2 - Observed	
2525C	Partner		CODES	1.2.3 - Predicted	
11.4.1.3.4 - Substance				1.2.4 - Smooth / D	
11.4.1.3.5 - Surface					
11.4.2 - Platform / Point / Fea					
11.4.3 - Specific Type			ture Type		
11.4.4 - Type Modifier					
11.4.5 - Unit					



MIL STD 2525A, B, C, D



20022



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
MIL	ASSET TOKENS
MIL	"SYMBOLS RULE THE WORLD"
MIL	11.8 - Kinematics
MIL	11.8.1 - Pos.
MIL	11.8.1.1 -

STRATML

xBRL XAML

Inform BINARY XML

• COI D
• Search
• Ontology
• Taxonomy
• Metadata

UBL DDL DATA
DEFINITION
LANGUAGE

FFUDN: F

INFOCON A.I.

4 3 2 1 INFORMATION CONDITION

SYMBOLS RULE THE WORLD

108 NDN

Firefly-Heartbeat Flash Messages

PROCESS MESSAGE BY PRECEDENCE

UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA SYSTEM FUNCTIONS PERFORMANCE

11.4 - Classification

11.4.1 - Category

11.4.1.1 - Confidence Level

11.4.1.2 - Estimate Type

11.4.1.2.1 - Alternative

11.4.1.2.2 - Evaluated

11.4.1.3 - Value

PURCHASE CODES

SYMBOL Friend Neutral Hostile

2525C Partner Competitor

11.4.1.3.5 - Surface

11.4.2 - Platform / Point / Feature Type

11.4.3 - Specific Type

11.4.4 - Type Modifier

11.4.5 - Unit

1 - Velocity

1.4 - Horizontal

1.4.2 - Vertical

V/A Confidence

1 - Bearing Angle

2 - Bearing Angle Rate

3 - Covariance Matrix

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>


INFOCON 4 3 2 1 INFORMATION CONDITION

NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID

GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"URN"}

{"TRANSACTIONID" INDEX REFERENCE #

M015 STATUS

EFFECTIVE: 14-DEC-95

PURCHASE CODES

FEDERATED PEGS

{"ASSET_CLASS"}

{"ASSET_TYPES" ISO 10383 - MIC

Market Identifier Code

STOCK NDN NAMED DATA

EXCHANGE NETWORKING

MIC CODES PRECEDENCE

FILTERS PROCESSING

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

BLOCKTIME ARBITRAGE

ERLANG TIME

EQUATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPE TO SYMBOLS



Encyclopedia Britannica:
"Language is a SYSTEM of SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word".



"SIGNS AND SIGNS RULE THE WORLD, NOT WORDS OR LAWS"

CONFUCIOUS

Patent Application 9/11 2003: Method to commercialize structured military messaging

DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN – MACHINE INTERFACE

STANDARD, CONSISTENT SYMBOLS

FROM	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203		C002 C203 F002 F014 F015 F541 S201 S309	C002 C203 E400 F002 F541 S305 S309	MCS
						USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio
AMDPCS	OPSCODE BREVITY CODES					
AFATDS	F002 F014 F015 F541 S201					

MESSAGE CATALOG 300 + Use Cases

Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA	EXCHANGE	Message Sets	readiness	targeting, reconning	COA {"Java JS"}
Infrastructure	Common power, transportation, water/sewer	network, grid	throughput, flow rates	name, part-of relationships	BDA, op levels	repair, thermodynamics	expansion plans
Sociological	Culture, religion, economic, ethnic, government, history, languages						
Geophysical	Terrain, weather, climatology, oceanography, astrometry						

Information Categories and Examples

ER Model Class Diagram Relational Database Object DBMS XML ODBC / Schema TADILs MTF

Attribute Attribute Child Element or Element DFI FFIRN / FFN FUON

Domain Value PURCHASE CODES Instance, Value TOKENS DUI FUD

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON



2525 Series
Symbol Set
Libraries



"SIGNS AND SYMBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data

FRT CP CLOUD


FRT LCN PAREN

ABCA OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes



Symbols


Symbol

Sets 2525

Symbolic AI



Symbolic
AI



NAMED DATA NETWORKING

<CONTENT> CENTRIC NETWORKING



<ORG_ID>
<ORG_ID>
<ORG_ID>
<URN>
<URN>

<GLOBAL> <JOINT> <COMMUNITY> <DOMAINS> <SHARED> <PRIVATE>
</INTEREST> <STRAT_ML> <IODEF RID> </DISTANCE>

Situational Awareness Reference Architecture (SARA) IDENTITY, Inventory, Activity, and Sharing



<Federated ID> <URN> <type_event> <Data Class Types>


STRUCTURED MILITARY MESSAGING FORMS: FIELD TYPES, FILTERS, TAGS
PARSED, PROCESSED, COMPILED TELEMETRY SIGNALING STANDARDIZATION

USMTF / XML MTF FORMATTED MESSAGE CATALOG


Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio

</Organizational_Identifier_Org_ID>

Organizational Units OU, OU, OU



FEDERATE



Uniform Resource Names (URNs): A Uniform Resource Identifier (URI). Both URNs (names) and URLs (locators) are URIs, and a particular URI may be a name & locator. Each plays a specific role:

- URNs IDENTIFICATION (SENSORS, DEVICES)
- URCs INCLUDE META-INFO
- URLs LOCATE / FIND RESOURCES

SITUATION AWARENESS



MIL-STD 2525A



STRUCTURED <CONTENT> TEMPLATES



FILTERS LOGIC

DISTANCE ESTIMATE SERVICE

IDMaps SonarHOPS



K0.99 Heartbeat Message



SURVEY METHOD
ID <ITEMS><INTEREST>
GEO-SPATIAL AREA
TEMPORAL INTENSITY
MEASURES / METRICS

BY <TAG_TYPES>
Ledgers
Contracts
Trade SLA
Agreements



TRIANGULATION
TELCO MESH FABRIC



CROWD SOURCING / FUNDING



<Org_ID>
<Org_ID>
<Org_ID>

PARTIDO X:
Distributed
Democratic
Participation

<Party>
<Party>
<Party>

<URN>
<URN>
<URN>
<URN>


ETHEREUM:
Decentralized
Autonomous
Organizations



VOTE ON BLOCKCHAIN



PARTIDO DEL FUTURO
FEDERATED ID



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors
Federation
Gateway <ORG_ID> Organizations

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>
GEO-SPATIAL TEMPORAL INTENSITY METRICS
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>



<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

GEO-SPATIAL TEMPORAL
INTENSITY METRICS / METERS



vector

tripwire™



SHARING:

COMMON <TAGS>

<Organizational_ID>

Resource Names <URN>

<Time_Stamps>

<State-Meta_Data>

<DATA_CLASS_TYPE>

<Heartbeat_snapshots>

AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

NDN

<INTEREST>



<INTEREST>




CYBER SECURITY CONTENT
LEXICON ROSETTA STONE

FROM	TO	MCS
OCB-A	TAB	AMOPCS
OCB-A	F014	F014
OCB-A	F015	F015
AMOPCS	F014	F014
AMOPCS	F015	F015
AMOPCS	F016	F016
AMOPCS	F017	F017
AMOPCS	F018	F018
AMOPCS	F019	F019
AMOPCS	F020	F020
AMOPCS	F021	F021
AMOPCS	F022	F022
AMOPCS	F023	F023
AMOPCS	F024	F024
AMOPCS	F025	F025
AMOPCS	F026	F026
AMOPCS	F027	F027
AMOPCS	F028	F028
AMOPCS	F029	F029
AMOPCS	F030	F030
AMOPCS	F031	F031
AMOPCS	F032	F032
AMOPCS	F033	F033
AMOPCS	F034	F034
AMOPCS	F035	F035
AMOPCS	F036	F036
AMOPCS	F037	F037
AMOPCS	F038	F038
AMOPCS	F039	F039
AMOPCS	F040	F040
AMOPCS	F041	F041
AMOPCS	F042	F042
AMOPCS	F043	F043
AMOPCS	F044	F044
AMOPCS	F045	F045
AMOPCS	F046	F046
AMOPCS	F047	F047
AMOPCS	F048	F048
AMOPCS	F049	F049
AMOPCS	F050	F050
AMOPCS	F051	F051
AMOPCS	F052	F052
AMOPCS	F053	F053
AMOPCS	F054	F054
AMOPCS	F055	F055
AMOPCS	F056	F056
AMOPCS	F057	F057
AMOPCS	F058	F058
AMOPCS	F059	F059
AMOPCS	F060	F060
AMOPCS	F061	F061
AMOPCS	F062	F062
AMOPCS	F063	F063
AMOPCS	F064	F064
AMOPCS	F065	F065
AMOPCS	F066	F066
AMOPCS	F067	F067
AMOPCS	F068	F068
AMOPCS	F069	F069
AMOPCS	F070	F070
AMOPCS	F071	F071
AMOPCS	F072	F072
AMOPCS	F073	F073
AMOPCS	F074	F074
AMOPCS	F075	F075
AMOPCS	F076	F076
AMOPCS	F077	F077
AMOPCS	F078	F078
AMOPCS	F079	F079
AMOPCS	F080	F080
AMOPCS	F081	F081
AMOPCS	F082	F082
AMOPCS	F083	F083
AMOPCS	F084	F084
AMOPCS	F085	F085
AMOPCS	F086	F086
AMOPCS	F087	F087
AMOPCS	F088	F088
AMOPCS	F089	F089
AMOPCS	F090	F090
AMOPCS	F091	F091
AMOPCS	F092	F092
AMOPCS	F093	F093
AMOPCS	F094	F094
AMOPCS	F095	F095
AMOPCS	F096	F096
AMOPCS	F097	F097
AMOPCS	F098	F098
AMOPCS	F099	F099
AMOPCS	F100	F100
AMOPCS	F101	F101
AMOPCS	F102	F102
AMOPCS	F103	F103
AMOPCS	F104	F104
AMOPCS	F105	F105
AMOPCS	F106	F106
AMOPCS	F107	F107
AMOPCS	F108	F108
AMOPCS	F109	F109
AMOPCS	F110	F110
AMOPCS	F111	F111
AMOPCS	F112	F112
AMOPCS	F113	F113
AMOPCS	F114	F114
AMOPCS	F115	F115
AMOPCS	F116	F116
AMOPCS	F117	F117
AMOPCS	F118	F118
AMOPCS	F119	F119
AMOPCS	F120	F120
AMOPCS	F121	F121
AMOPCS	F122	F122
AMOPCS	F123	F123
AMOPCS	F124	F124
AMOPCS	F125	F125
AMOPCS	F126	F126
AMOPCS	F127	F127
AMOPCS	F128	F128
AMOPCS	F129	F129
AMOPCS	F130	F130
AMOPCS	F131	F131
AMOPCS	F132	F132
AMOPCS	F133	F133
AMOPCS	F134	F134
AMOPCS	F135	F135
AMOPCS	F136	F136
AMOPCS	F137	F137
AMOPCS	F138	F138
AMOPCS	F139	F139
AMOPCS	F140	F140
AMOPCS	F141	F141
AMOPCS	F142	F142
AMOPCS	F143	F143
AMOPCS	F144	F144
AMOPCS	F145	F145
AMOPCS	F146	F146
AMOPCS	F147	F147
AMOPCS	F148	F148
AMOPCS	F149	F149
AMOPCS	F150	F150
AMOPCS	F151	F151
AMOPCS	F152	F152
AMOPCS	F153	F153
AMOPCS	F154	F154
AMOPCS	F155	F155
AMOPCS	F156	F156
AMOPCS	F157	F157
AMOPCS	F158	F158
AMOPCS	F159	F159
AMOPCS	F160	F160
AMOPCS	F161	F161
AMOPCS	F162	F162
AMOPCS	F163	F163
AMOPCS	F164	F164
AMOPCS	F165	F165
AMOPCS	F166	F166
AMOPCS	F167	F167
AMOPCS	F168	F168
AMOPCS	F169	F169
AMOPCS	F170	F170
AMOPCS	F171	F171
AMOPCS	F172	F172
AMOPCS	F173	F173
AMOPCS	F174	F174
AMOPCS	F175	F175
AMOPCS	F176	F176
AMOPCS	F177	F177
AMOPCS	F178	F178
AMOPCS	F179	F179
AMOPCS	F180	F180
AMOPCS	F181	F181
AMOPCS	F182	F182
AMOPCS	F183	F183
AMOPCS	F184	F184
AMOPCS	F185	F185
AMOPCS	F186	F186
AMOPCS	F187	F187
AMOPCS	F188	F188
AMOPCS	F189	F189
AMOPCS	F190	F190
AMOPCS	F191	F191
AMOPCS	F192	F192
AMOPCS	F193	F193
AMOPCS	F194	F194
AMOPCS	F195	F195
AMOPCS	F196	F196
AMOPCS	F197	F197
AMOPCS	F198	F198
AMOPCS	F199	F199
AMOPCS	F200	F200
AMOPCS	F201	F201
AMOPCS	F202	F202
AMOPCS	F203	F203
AMOPCS	F204	F204
AMOPCS	F205	F205
AMOPCS	F206	F206
AMOPCS	F207	F207
AMOPCS	F208	F208
AMOPCS	F209	F209
AMOPCS	F210	F210
AMOPCS	F211	F211
AMOPCS	F212	F212
AMOPCS	F213	F213
AMOPCS	F214	F214
AMOPCS	F215	F215
AMOPCS	F216	F216
AMOPCS	F217	F217
AMOPCS	F218	F218
AMOPCS	F219	F219
AMOPCS	F220	F220
AMOPCS	F221	F221
AMOPCS	F222	F222
AMOPCS	F223	F223
AMOPCS	F224	F224
AMOPCS	F225	F225
AMOPCS	F226	F226
AMOPCS	F227	F227
AMOPCS	F228	F228
AMOPCS	F229	F229
AMOPCS	F230	F230
AMOPCS	F231	F231
AMOPCS	F232	F232
AMOPCS	F233	F233
AMOPCS	F234	F234
AMOPCS	F235	F235
AMOPCS	F236	F236
AMOPCS	F237	F237
AMOPCS	F238	F238
AMOPCS	F239	F239
AMOPCS	F240	F240
AMOPCS	F241	F241
AMOPCS	F242	F242
AMOPCS	F243	F243
AMOPCS	F244	F244
AMOPCS	F245	F245
AMOPCS	F246	F246
AMOPCS	F247	F247
AMOPCS	F248	F248
AMOPCS	F249	F249
AMOPCS	F250	F250
AMOPCS	F251	F251
AMOPCS	F252	F252
AMOPCS	F253	F253
AMOPCS	F254	F254
AMOPCS	F255	F255
AMOPCS	F256	F256
AMOPCS	F257	F257
AMOPCS	F258	F258
AMOPCS	F259	F259
AMOPCS	F260	F260
AMOPCS	F261	F261
AMOPCS	F262	F262
AMOPCS	F263	F263
AMOPCS	F264	F264
AMOPCS	F265	F265
AMOPCS	F266	F266
AMOPCS	F267	F267
AMOPCS	F268	F268
AMOPCS	F269	F269
AMOPCS	F270	F270
AMOPCS	F271	F271
AMOPCS	F272	F272
AMOPCS	F273	F273
AMOPCS	F274	F274
AMOPCS	F275	F275
AMOPCS	F276	F276
AMOPCS	F277	F277
AMOPCS	F278	F278
AMOPCS	F279	F279
AMOPCS	F280	F280
AMOPCS	F281	F281
AMOPCS	F282	F282
AMOPCS	F283	F283
AMOPCS	F284	F284
AMOPCS	F285	F285
AMOPCS	F286	F286
AMOPCS	F287	F287
AMOPCS	F288	F288
AMOPCS	F289	F289
AMOPCS	F290	F290
AMOPCS	F291	F291
AMOPCS	F292	F292
AMOPCS	F293	F293
AMOPCS	F294	F294
AMOPCS	F295	F295
AMOPCS	F296	F296
AMOPCS	F297	F297
AMOPCS	F298	F298
AMOPCS	F299	F299
AMOPCS	F300	F300
AMOPCS	F301	F301
AMOPCS	F302	F302
AMOPCS	F303	F303
AMOPCS	F304	F304
AMOPCS	F305	F305
AMOPCS	F306	F306
AMOPCS	F307	F307
AMOPCS	F308	F308
AMOPCS	F309	F309
AMOPCS	F310	F310
AMOPCS	F311	F311
AMOPCS	F312	F312
AMOPCS	F313	F313
AMOPCS	F314	F314
AMOPCS	F315	F315
AMOPCS	F316	F316
AMOPCS	F317	F317
AMOPCS	F318	F318
AMOPCS	F319	F319
AMOPCS	F320	F320
AMOPCS	F321	F321
AMOPCS	F322	F322
AMOPCS	F323	F323
AMOPCS	F324	F324
AMOPCS	F325	F325
AMOPCS	F326	F326
AMOPCS	F327	F327
AMOPCS	F328	F328
AMOPCS	F329	F329
AMOPCS	F330	F330
AMOPCS	F331	F331
AMOPCS	F332	F332
AMOPCS	F333	F333
AMOPCS	F334	F334
AMOPCS	F335	F335
AMOPCS	F336	F336
AMOPCS	F337	F337
AMOPCS	F338	F338
AMOPCS	F339	F339
AMOPCS	F340	F340
AMOPCS	F341	F341
AMOPCS	F342	F342
AMOPCS	F343	F343
AMOPCS	F344	F344
AMOPCS	F345	F345
AMOPCS	F346	F346
AMOPCS	F347	F347
AMOPCS	F348	F348
AMOPCS	F349	F349
AMOPCS	F350	F350
AMOPCS	F351	F351
AMOPCS	F352	F352
AMOPCS	F353	F353
AMOPCS	F354	F354
AMOPCS	F355	F355
AMOPCS	F356	F356
AMOPCS	F357	F357
AMOPCS	F358	F358
AMOPCS	F359	F359
AMOPCS	F360	F360
AMOPCS	F361	F361
AMOPCS	F362	F362
AMOPCS	F363	F363
AMOPCS	F364	F364

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



1. **FEDERATION:** Latin: **foedus**, **foederis**, **covenant**, **union** of partially self-governing states or regions under a central (federal) government
 2. A league or confederacy. Individuals / groups retain **AUTONOMY**
 3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs


Net joins, drops, splits, merges, moves  {"
Agile, adhoc NETOPS Vs acquisition preserves the CHANNEL



Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS: independent interest within group signatures – FEDERATED ID {"Org_ID"}

Bitcoin Mining Pools





DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform Resource Name



IoT DEVICE / PLATFORM



STOCK EXCHANGE MIC MARKET IDENTIFIER CODES / BREVITY CODES

123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002




“DUNS #”{“Org_ID”} Heartbeat Snaps
QR CODE MICROS-CYCLES
“URN”{“URN”}{“URN”}  




FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME








ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**









IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair

IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)



NDN NAMES

NDN NAMED DATA NETWORK RIB /
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




TRIANGULATION



NDN INTEREST LENGTH
= DISTANCE BY HOPS

NDN
INTEREST

IS DATA
FRESH ?



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live



HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING




Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NAMED DATA NETWORKING

</IoT>
MQTT




NIST TIME BEACON



ARRESTED-D

TELEMETRY TRANSPORT



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



4 / 3 / 2 / 1 / NULL / 1 / 2 / 3 / 4

.0001 .05 .01 .1 0 5 15 30 99


vector WirelessHART

time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE




SINE-WAVE



INFOCON
XML
MTF
300 +
MSG

5 4 3 2 1
INFORMATION CONDITION



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”





The four dimensions of Big Data

vector VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org ID, URN Before FUSION CENTER

Position of a point in space relative to another point




Interface Name	HEARTBEAT Administration Interface [SCOP]		
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html		
API Information	#Big_Data	 	Functionality Areas   <p>Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)</p>
Programmable Money World Computer / Blockchain	#leT	 	API Operation Count 
Interface Characteristics	NIST TIME BEACON		Web service access type Network Effects / A.I. <p>Web application, front end to [network, device, system, blockchain] heartbeat]</p>
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "	 	LANGUAGE / PLATFORM BINDINGS  	PHP Java Erlang... 
  		<p>SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.</p>	
			Epoch Time Cycles E0 E1 E2 E3... 
QubitCoin Interval: Every 30 Seconds			




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of


DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



TRANSACTION RATE, SPATIAL – TEMPORAL METRICS SERVER ON / OFF FLOOR ADJUST




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

FIX “108” Heartbeat Message




ALGORITHMIC REGULATION

ITZ TIME ZONE STOCHASTIC HARMONIZATION



The logo for NIST Beacon, a public randomness service. It features a stylized globe with glowing yellow and orange bands representing latitude and longitude. Overlaid on the globe are several concentric, glowing yellow arcs. In the top right corner, there is a small circular icon containing a white clock face with black numbers and hands, set against a dark blue background.



Send signal to</108>

Master process ID

= new config /

Worker process

worker process checks now

checks new

 config

WORKER/TASK

HEARTBEATS

7126 713

WATER POOLS

MADOW BANKS

SHADOW BANKS



10 of 10

www.english-test.net

www.kidzania.com

GRG_ID"/) ("IPN")

ORG_ID"} {"URN"}
TT_PATTERSON

J. PATTERSON THE QUANTUM SIE
the *New York Times* bestseller *The Quant* SIE

USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Spatial
Econometrics

TIME-SPACE BEACON

INFOCON

Unused Resources / Unmet Needs

Unused Resources / Unmet Needs



UNUSED RESOURCES

METRICS / METERS

INFORMATION CONDITION

/localhost/nfd/fib/add-nexthop

Geo-Spatial Temporal
Metrics, Meters

Time Series

Value
Time

DISTANCE
INFO SERVICE

RISK

IDMaps
SonarHops

5
4
3
2
1

602
+3
+2
+1
0
+1
+2
+3

Null
PING

ASTEROID BELTS =
RARE MINERALS

MOON =
HELIUM 3

"Numbers are the
Universal Language
offered by deity to humans as
confirmation of the truth"

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat

update Interval

CLOSER SOURCE
CHEAPER RATE

Energy Attenuates over Distances

PAUL REVERE
LINEAR, SEQUENTIAL

603
NULL
+1
+2

RADIUS
WATER DROP IN POND MEME

INTENSITY
WATER DROP IN POND MEME

Farther = More Cost
➤ Fuel, Resources

STOCHASTIC
HARMONIZATION

Alpha
Numeric
Brevity
Codes

TESLA

Attribute Series

Geo
Spatial
Temporal Series

Service Level Agreements

FIREFLY-HEARTBEAT
ALGORITHM

SYNTAX
LEXICON

TCP/IP HOP BY HOP COUNT

Micro Grids Closer - Cheaper

BLOCKCHAIN
MICROGRIDS

INTEREST
DISTANCE

ERLANG

TIME- SPACE METRICS

TROJAN
ASTEROIDS

UNIVERSAL
EVENT MESSAGE BUS

KOO.99

Light minutes

43
22
13
0
1.5
2.7
5.2

Astronomical units


43
22
13
0
1.5
2.7
5.2

Light minutes

Astronomical units

43
22
13
0
1.5
2.7
5.2

INFOCON



Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)



SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio $\frac{\text{Arrival Rate } \Delta \delta}{\text{Service Rate per unit time}}$ queueing systems wait times
stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution

FROM	TO/CC-A	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRIDAY	SATURDAY	SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
XBRL	/ CDL / DAML																		
ALPHA	NUMERIC																		
BREVITY	CODES																		
AZURE	BLETCHLEY																		
STRUCTURED																			
MILITARY	MESSAGE																		
TEMPLATE	FORMS																		
LOGIC	/ FILTERS																		




Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms





In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: *PoF*: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



Tolerance structured Data Exchange

STRUCTURED DATA EXCHANGES / NFT TAX GLOSSARY

SYNTAX LEXICON

PSCODES – Symbol Sets

I. / Man - Machine

SOURCE: <https://de>

SOURCE: <https://u>

e. Simplified

simplified capture fault

Zantone Fault Tolerance

Tolerance

veloncoins.com

developments.com

Practical

Practical

Byzantine Fault

Tolerance

www.ijerpi.org

Blockchain-consens

Blockchain-Consults

www.developscans.com

www.developcoins.com
consensus-algorithms

Consensus-algorithms



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*


Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX



SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



COMMODITIES


Federation

ORG ID

Gateway



Bitcoin: OpenBazaar transactional currency



Cryptographic Security


- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
Shots



NONCE increments from 0..N until the target is met.

GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address. Nonce allows checking the work

O'REILLY
Time Series Databases

CLOCK FACE 360°
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

3 X 5 HASH TABLES
STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

CALENDAR

Time Series

Firefly-Heartbeat Algorithm

Stochastic Harmony Across Time Zones

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a TIME STAMP SERVER

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth,
Height, Volume

SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

Fix ("108")

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

home plate

FIREFLY-HEARTBEAT ALGORITHM
STOCHASTIC HARMONY ACROSS TIME ZONES

ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

first base RUNNER Message Bus

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series

Events

Time Stamp Cycle

Epoch Time Cycles





MESSAGE example: hashing string

- Hash Table

300+Message Templates

FROM	ODBC1	TABLE	ADABAS	DB2	ORACLE	ACCESS	INTERBASE	SYBASE	SQLITE
ABAP	C0001	P0001	P0001	P0001	P0001	P0001	P0001	P0001	P0001
ANALYST	C0002	P0002	P0002	P0002	P0002	P0002	P0002	P0002	P0002
APACHE	C0003	P0003	P0003	P0003	P0003	P0003	P0003	P0003	P0003
CBSC	C0004	P0004	P0004	P0004	P0004	P0004	P0004	P0004	P0004
DPB	C0005	P0005	P0005	P0005	P0005	P0005	P0005	P0005	P0005
MECH	C0006	P0006	P0006	P0006	P0006	P0006	P0006	P0006	P0006
PERFORATION	C0007	P0007	P0007	P0007	P0007	P0007	P0007	P0007	P0007
PERIODIC	C0008	P0008	P0008	P0008	P0008	P0008	P0008	P0008	P0008
PERIODIC	C0009	P0009	P0009	P0009	P0009	P0009	P0009	P0009	P0009
PERIODIC	C0010	P0010	P0010	P0010	P0010	P0010	P0010	P0010	P0010
PERIODIC	C0011	P0011	P0011	P0011	P0011	P0011	P0011	P0011	P0011
PERIODIC	C0012	P0012	P0012	P0012	P0012	P0012	P0012	P0012	P0012
PERIODIC	C0013	P0013	P0013	P0013	P0013	P0013	P0013	P0013	P0013
PERIODIC	C0014	P0014	P0014	P0014	P0014	P0014	P0014	P0014	P0014
PERIODIC	C0015	P0015	P0015	P0015	P0015	P0015	P0015	P0015	P0015
PERIODIC	C0016	P0016	P0016	P0016	P0016	P0016	P0016	P0016	P0016
PERIODIC	C0017	P0017	P0017	P0017	P0017	P0017	P0017	P0017	P0017
PERIODIC	C0018	P0018	P0018	P0018	P0018	P0018	P0018	P0018	P0018
PERIODIC	C0019	P0019	P0019	P0019	P0019	P0019	P0019	P0019	P0019
PERIODIC	C0020	P0020	P0020	P0020	P0020	P0020	P0020	P0020	P0020
PERIODIC	C0021	P0021	P0021	P0021	P0021	P0021	P0021	P0021	P0021
PERIODIC	C0022	P0022	P0022	P0022	P0022	P0022	P0022	P0022	P0022
PERIODIC	C0023	P0023	P0023	P0023	P0023	P0023	P0023	P0023	P0023
PERIODIC	C0024	P0024	P0024	P0024	P0024	P0024	P0024	P0024	P0024
PERIODIC	C0025	P0025	P0025	P0025	P0025	P0025	P0025	P0025	P0025
PERIODIC	C0026	P0026	P0026	P0026	P0026	P0026	P0026	P0026	P0026
PERIODIC	C0027	P0027	P0027	P0027	P0027	P0027	P0027	P0027	P0027
PERIODIC	C0028	P0028	P0028	P0028	P0028	P0028	P0028	P0028	P0028
PERIODIC	C0029	P0029	P0029	P0029	P0029	P0029	P0029	P0029	P0029
PERIODIC	C0030	P0030	P0030	P0030	P0030	P0030	P0030	P0030	P0030
PERIODIC	C0031	P0031	P0031	P0031	P0031	P0031	P0031	P0031	P0031
PERIODIC	C0032	P0032	P0032	P0032	P0032	P0032	P0032	P0032	P0032
PERIODIC	C0033	P0033	P0033	P0033	P0033	P0033	P0033	P0033	P0033
PERIODIC	C0034	P0034	P0034	P0034	P0034	P0034	P0034	P0034	P0034
PERIODIC	C0035	P0035	P0035	P0035	P0035	P0035	P0035	P0035	P0035
PERIODIC	C0036	P0036	P0036	P0036	P0036	P0036	P0036	P0036	P0036
PERIODIC	C0037	P0037	P0037	P0037	P0037	P0037	P0037	P0037	P0037
PERIODIC	C0038	P0038	P0038	P0038	P0038	P0038	P0038	P0038	P0038
PERIODIC	C0039	P0039	P0039	P0039	P0039	P0039	P0039	P0039	P0039
PERIODIC	C0040	P0040	P0040	P0040	P0040	P0040	P0040	P0040	P0040
PERIODIC	C0041	P0041	P0041	P0041	P0041	P0041	P0041	P0041	P0041
PERIODIC	C0042	P0042	P0042	P0042	P0042	P0042	P0042	P0042	P0042
PERIODIC	C0043	P0043	P0043	P0043	P0043	P0043	P0043	P0043	P0043
PERIODIC	C0044	P0044	P0044	P0044	P0044	P0044	P0044	P0044	P0044
PERIODIC	C0045	P0045	P0045	P0045	P0045	P0045	P0045	P0045	P0045
PERIODIC	C0046	P0046	P0046	P0046	P0046	P0046	P0046	P0046	P0046
PERIODIC	C0047	P0047	P0047	P0047	P0047	P0047	P0047	P0047	P0047
PERIODIC	C0048	P0048	P0048	P0048	P0048	P0048	P0048	P0048	P0048
PERIODIC	C0049	P0049	P0049	P0049	P0049	P0049	P0049	P0049	P0049
PERIODIC	C0050	P0050	P0050	P0050	P0050	P0050	P0050	P0050	P0050
PERIODIC	C0051	P0051	P0051	P0051	P0051	P0051	P0051	P0051	P0051
PERIODIC	C0052	P0052	P0052	P0052	P0052	P0052	P0052	P0052	P0052
PERIODIC	C0053	P0053	P0053	P0053	P0053	P0053	P0053	P0053	P0053
PERIODIC	C0054	P0054	P0054	P0054	P0054	P0054	P0054	P0054	P0054
PERIODIC	C0055	P0055	P0055	P0055	P0055	P0055	P0055	P0055	P0055
PERIODIC	C0056	P0056	P0056	P0056	P0056	P0056	P0056	P0056	P0056
PERIODIC	C0057	P0057	P0057	P0057	P0057	P0057	P0057	P0057	P0057
PERIODIC	C0058	P0058	P0058	P0058	P0058	P0058	P0058	P0058	P0058
PERIODIC	C0059	P0059	P0059	P0059	P0059	P0059	P0059	P0059	P0059
PERIODIC	C0060	P0060	P0060	P0060	P0060	P0060	P0060	P0060	P0060
PERIODIC	C0061	P0061	P0061	P0061	P0061	P0061	P0061	P0061	P0061
PERIODIC	C0062	P0062	P0062	P0062	P0062	P0062	P0062	P0062	P0062
PERIODIC	C0063	P0063	P0063	P0063	P0063	P0063	P0063	P0063	P0063
PERIODIC	C0064	P0064	P0064	P0064	P0064	P0064	P0064	P0064	P0064
PERIODIC	C0065	P0065	P0065	P0065	P0065	P0065	P0065	P0065	P0065
PERIODIC	C0066	P0066	P0066	P0066	P0066	P0066	P0066	P0066	P0066
PERIODIC	C0067	P0067	P0067	P0067	P0067	P0067	P0067	P0067	P0067
PERIODIC	C0068	P0068	P0068	P0068	P0068	P0068	P0068	P0068	P0068
PERIODIC	C0069	P0069	P0069	P0069	P0069	P0069	P0069	P0069	P0069
PERIODIC	C0070	P0070	P0070	P0070	P0070	P0070	P0070	P0070	P0070
PERIODIC	C0071	P0071	P0071	P0071	P0071	P0071	P0071	P0071	P0071
PERIODIC	C0072	P0072	P0072	P0072	P0072	P0072	P0072	P0072	P0072
PERIODIC	C0073	P0073	P0073	P0073	P0073	P0073	P0073	P0073	P0073
PERIODIC	C0074	P0074	P0074	P0074	P0074	P0074	P0074	P0074	P0074
PERIODIC	C0075	P0075	P0075	P0075	P0075	P0075	P0075	P0075	P0075
PERIODIC	C0076	P0076	P0076	P0076	P0076	P0076	P0076	P0076	P0076
PERIODIC	C0077	P0077	P0077	P0077	P0077	P0077	P0077	P0077	P0077
PERIODIC	C0078	P0078	P0078	P0078	P0078	P0078	P0078	P0078	P0078
PERIODIC	C0079	P0079	P0079	P0079	P0079	P0079	P0079	P0079	P0079
PERIODIC	C0080	P0080	P0080	P0080	P0080	P0080	P0080	P0080	P0080
PERIODIC	C0081	P0081	P0081	P0081	P0081	P0081	P0081	P0081	P0081
PERIODIC	C0082	P0082	P0082	P0082	P0082	P0082	P0082	P0082	P0082
PERIODIC	C0083	P0083	P0083	P0083	P0083	P0083	P0083	P0083	P0083
PERIODIC	C0084	P0084	P0084	P0084	P0084	P0084	P0084	P0084	P0084
PERIODIC	C0085	P0085	P0085	P0085	P0085	P0085	P0085	P0085	P0085
PERIODIC	C0086	P0086	P0086	P0086	P0086	P0086	P0086	P0086	P0086
PERIODIC	C0087	P0087	P0087	P0087	P0087	P0087	P0087	P0087	P0087
PERIODIC	C0088	P0088	P0088	P0088	P0088	P0088	P0088	P0088	P0088
PERIODIC	C0089	P0089	P0089	P0089	P0089	P0089	P0089	P0089	P0089
PERIODIC	C0090	P0090	P0090	P0090	P0090	P0090	P0090	P0090	P0090
PERIODIC	C0091	P0091	P0091	P0091	P0091	P0091	P0091	P0091	P0091
PERIODIC	C0092	P0092	P0092	P0092	P0092	P0092	P0092	P0092	P0092
PERIODIC	C0093	P0093	P0093	P0093	P0093	P0093	P0093	P0093	P0093
PERIODIC	C0094	P0094	P0094	P0094	P0094	P0094	P0094	P0094	P0094
PERIODIC	C0095	P0095	P0095	P0095	P0095	P0095	P0095	P0095	P0095
PERIODIC	C0096	P0096	P0096	P0096	P0096	P0096	P0096	P0096	P0096
PERIODIC	C0097	P0097	P0097	P0097	P0097	P0097	P0097	P0097	P0097
PERIODIC	C0098	P0098	P0098	P0098	P0098	P0098	P0098	P0098	P0098
PERIODIC	C0099	P0099	P0099	P0099	P0099	P0099	P0099	P0099	P0099
PERIODIC	C0100	P0100	P0100	P0100	P0100	P0100	P0100	P0100	P0100






In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone




The Volumetric Weight is often referred to as dimensional weight


$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.




Attribute Series



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$





VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION
CONDITION



STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE




Rosetta Stone

Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE









Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME



Time Series Databases

QUORUM VOTING PROTOCOL


Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD




FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS




HASH TABLES / NONCE VALUES

Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol




NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomicity and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity.



Topology: Hierarchical Star
Architecture: Distributed
Consensus: dBFT
Network: TCP/IP
Encryption: ECDH

$$f = 1 \text{ OR } 0.66$$

If f NOT 1 OR < 0.66
There is no consensus

PROOF OF ELAPSED TIME


Consensus Order




USPTO 13/573,002
sawconcepts.com/index

Heart Beacon Cycle Time – Space Meter Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



DMaps assists Network Time Protocol (NTP) servers establish long term peering relationships   



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"





Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
 - State Meta data consensus order
 - *Virtual voting:* each member has a Hashgraph copy
 - Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$


Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"    

DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

**Community members reach consensus agreement on events / transactions
order inside events, and agree on a timestamp for each event /transaction**

DAG finite directed graph
= no **directed cycles**

- Hashgraph
- Member
- Event
- Transaction
- Consensus
- Order
- Timestamp
- Gossip protocol
- Self-parent
- Other-parent
- Graph Hash
- Hashgraph





Round created 0/1
Witness

Witness
famous witness

Election Meet

A cartoon illustration of a green bee with a yellow belly and a purple fly with a yellow belly. They are positioned next to the words "Vote" and "See" in a stylized font.





Strongly see

Supermajority Decide 0 / 1

Round created


Round received new timestamp

consensus timestamp
consensus order $\Delta \delta$




Heart Beacon Cycle Time – Space Meter Geo-Spatial Temporal Intensity Metrics

TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships   

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.

TAG	SLA/O	Token Award
{"Org_ID": ActiveID}	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID": IF1_DeviceStatus (IF-Node1)}	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID": IF2_DeviceStatus (IF-Node2)}	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#]
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#]

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)


PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.



PoST users / nodes must prove that they are spending a certain amount of space for storage.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs





Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle



FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN




XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY

CPU CHIP
EPOCHS



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



ATOMIC CLOCK

short deterministic
intervals (10 sec)

MICRO-CYCLES



real-time gross settlement system,
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's
Ripple Connect to exchange KYC,
risk info, fees, payment details,
expected time of funds delivery

Provides information about total
costs of the transaction



Workflows are serially executed
Except first two work flow are
workflows are based on **event**
pull model



Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses!

Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA!

You can get it for free [here!](#)



ALPHA NUMERIC BREVITY CODES A.I

To retrieve addresses us computer, use [bit.co](#)

Clock Clock adjusted 5:45 PM

Blockchain.info

Neutral transaction protocol






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

preference := response with >=

α

if preference == old preference:

consecutiveSuccesses++

else:

consecutiveSuccesses = 1

else:

consecutiveSuccesses = 0

if consecutiveSuccesses > β:
decide(preference)



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n

α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$

1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



BLOCKCHAIN EPOCH CLOCK TIME CYCLES


← cycle n → ← n + 1 → ← n + 2 → Δδ

GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0

Block 1

Block 2



coordinates validators, keeps track of active subnets, SNOWMAN consensus Token representation of real-world resources (e.g., equity, bonds) smart contract rules </URN>



SECURITY TOKEN: A DIGITAL ASSET THAT'S BACKED UP BY TANGIBLE ASSETS IN THE REAL WORLD </URN>




</ORG_ID>
MVP
Silhouette of a baseball player.

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" get paid"



Δδ

BIS



International trade settlement work stream

2019

Inthanon-LionRock
Proof-of-concept

Q4 2021

mBridge
Trial Platform


2022 onwards

Pilot

ISO 20022 messaging standard


Minimum viable
product

Production
ready



mBridge mBL is an Ethereum EVM-compatible solution, referring to the ability of a blockchain to process transactions based on smart-contract codes that can run on many blockchain platforms. CBDC issuance, redemption, payments are implemented through smart contracts in the Solidity programming language. mBridge code is open sourced.

mBL uses the **Dashing consensus algorithm**, a Byzantine Fault Tolerance (BFT) consensus protocol that uses proofs of partial confirmation of a block validation to reduce time needed to achieve consensus and to improve the overall protocol performance. Pseudonymous addresses and encrypted payment meta-data payloads are used to support privacy and confidentiality in transactions. mBL APIs are based on the global ISO 20022 messaging standard for financial information Legal Entity identifiers (LEIs) facilitate identification of entities facilitating AML/ CFT checks.





UNICOIN

Digital Capital Exchange

Unicorn: IMF CBDC legal tender settlement coin

Universal Monetary Unit (UMU), a.k.a Unicorn: store of value
cryptography, artificial intelligence (A.I.) Goals: continuous purchasing demand, minimal price volatility, and annual asset pricing targets.

The primary value of any commodity is its utility value.

Utility = pay for goods, services, and debts, preserve value over a long period of time. Employs machine learning trading bots. UMPC will establish yield payout rates for wallet holders to stake Unicorn in the Staked Proof of Trust (SPOT) consensus protocol. PoT consensus selects validators I.A.W contribution to the DeFI network

The DCMA – Digital Public Monetary System

KYC Entity	Ledgers	FX Rates	SPOT Protocol
Create	Create	Balances	Stake
Modify	Modify	Activity	Cashout
Suspend	Suspend	Deposit	Reject
KYC People	CBDC	Withdraw	
Create	Create	Money Services	Authorizations
Modify	Modify	Transfer	Grant Authorization
Suspend	Suspend		Revoke Authorization
Issuers	Pause	Escrow	Rates
Create	Unpause	Create Escrow	Create Rate
Modify	Mint	Accept Escrow	Modify Rate
Suspend	Burn	Cancel Escrow	Suspend Rate
Post Rates	Redeem	Release Escrow	
Branches	Swap	Milestones	Limits
Create	Supply	Create Milestone	Create Limit
Modify	Price	Modify Milestone	Modify Limit
Suspend	Wallets	Cancel Milestone	Suspend Limit
Agents	Create	Release Milestone	Sanctions
Create	Modify		Create Sanction
Modify	Suspend		Modify Sanction
Suspend	Pause		Suspend Sanction
	Unpause		
	Attach		

Figure 9: Unicorn Global Localization of a CBDC Public Monetary System







OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language

zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."



HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN




LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES

STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics



UNIVERSAL MEME



ZEPPELIN / zeppelinOS Common Functionality:


zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries

Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowd sale contracts
- Create a trustless bug bounty.
- Create pausable, ownable, balance-limited contracts
- Set up a token vesting or token locking contract.



Contract development



EVM

Blockchain


Off chain tools




EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO - FRIENDLY TRANSACTIONS




E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.




FORM	CODECS	FORMAT	ASAS	AMPCP	API/REST	WEB
ASAB	PNG	Postscript	PDF	PDF	PDF	PDF
ANOMALY	PNG	Postscript	PDF	PDF	PDF	PDF
AFATOR	PNG	Postscript	PDF	PDF	PDF	PDF

SYNTAX / SYMBOL
LEXICON LIBRARY

STRUCTURED
DATA EXCHANGE
300 + TEMPLATE FORMS
LOGIC / FILTERS
ALPHA-NUMERIC BREVITY CODES





GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.





The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle




THE TERRA (TRC)

Trade Reference Currency



Demurrage Fees




Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"



Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.






ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in
VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external
data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data,
intelligence services like analytics and machine learning. New middleware
works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-
like services to allow for SmartContracts and tokenized
objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems
(IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding
services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into
their SmartContracts to create more robust and trusted transactions.
Contract Cryptlets are full delegation engines that act as
SmartContract surrogates off the chain. Cryptlets provide
execution logic and securely store data in the Smart Contract



ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS






LEXICON

The current standard time common throughout the world is based on a 24-hour clock, with
time zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC).
However, these time zones are decided upon by individual governments, without overall coordination
and can even extend fourteen hours ahead UTC.

FIREFLY EVENTS
FLASH MESSAGES
SYNC TO CLOSEST
HEARTBEAT EPOCH

ent time zones. Instead, it would be the same time all over the world, all the time.

MULTI-MEME MULTI-METER




TIME-SPACE
EQUATIONS
ALGORITHMS
BLOCKCHAIN
PARSING

ERLANG

Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRt dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.


BFT-SMaRt needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS


00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"








ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**

Casper is a security-deposit based economic consensus protocol. Nodes = “bonded validators” place security deposit (an action called “bonding”) If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address “nothing at stake” problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency





core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")
("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade

Federation Gateway
("ORG_ID")




RULES Metrics
ARIN
American Registry for Internet Numbers

HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.



"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions and receive payments for their service to the network

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority

ALICE CORP Vs CLS BANK



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions


which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.

2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are ~~submitted to the blockchain~~  new update "trumps" previous up-

3.Finally, participants submit the state back to the blockchain, which closes the state channel



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by creating later.



FLASH HEARTBEAT MESSAGES
HEARTBEAT STATE META-DATA
SNAPSHOTS EVERY
10, N MIN MICRO TO
MACRO ECON CYCLE



卷之三

10 of 10

 EKG

www.english-test.net

A row of cartoon butterflies with speech bubbles above them. The first butterfly has a yellow and black striped body with a blue and white striped pattern on its wings. The second butterfly has a pink and purple striped body with a green and yellow striped pattern on its wings. The third butterfly has a blue and white striped body with a red and orange striped pattern on its wings.


Page 10 of 10

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm



TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle




The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



STATE META
DATA SNAPSHOTS



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.






"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL
EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
1.1.2 - Linear	
- Estimated Type	
- Estimated	
1.1.3 - Circular	
1.2.3 - Predicted	
1.2.4 - Smoothed Data	
1.2.5 - Constant	
1.3.1 - Bearing Angle	
1.3.2 - Location: 2D Horizontal	
1.3.3 - Vertical	
1.4.1 - Horizontal	
1.4.2 - Vertical	
1.4.3 - Bearing Angle	
1.4.4 - Covariance Rate	
1.4.5 - Covariance Matrix	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML STOCK MIC CODES

STRUCTURED MILITARY MESSAGE


TEMPLATE FORMS LOGIC / FILTERS

300+ Use Case Templates

300+ Use Case Templates

300+ Use Case Templates

Federation
Gateway







**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



Payment channels multi-hop hub
spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index



State Meta

Data Snapshots

90 feet

MICRO CYCLES



BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a TIME
STAMP SERVER

MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5
HASH TABLES
STATE META
DATA SHARDS

90 feet

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

I.R.S.

Survey Point

home plate

Micro Cycles

Time

Stamp

Server

Sync Delta

State Meta

Data Snaps

Server nodes, miners
only keep recent blocks

Sync Delta

State Meta

Data Snaps


Sync Delta

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



EPCIS DATA MODEL



SERVICE LAYER


XML

ObjectEvent

AggregationEvent

QuantityEvent

TransactionEvent



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event



When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of location where object(s) are expected to be following the event

Why Information about the business context, including:
a Identifier that indicates the business step taking place




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”





Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002
sawconcepts.com/index

NDN **IDMaps** **SonarHops**

{"Distance"}
{"Interest"}



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships





“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”

$\Delta\delta$





Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has [launched a campaign](#) on the decentralized crowd funding app [Lighthouse](#). Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework




- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE


FEDERATION

- <UUID> <ORG_ID> <URN>
- LDAP DIRECTORY
- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter



PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




ADEPT Installer



ASSET SHARING WITHIN FEDERATION


BUSINESS LOGIC = WORKFLOW <XML_Wf>



ADEPT Installer

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished


Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$


The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate




Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.









BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001

MICRO CYCLES
216

219

CLOUD COMPUTING




218

202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS


B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



214



UTO 213



215



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE



212



210




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION




SEARCH FOLLOWED BY ARBITRAGE INVITES VIA
BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



206



APPLIQUE' OVERLAYS



209

MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL



NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future




NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI

PARTY /
AUTHENTICATION



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity


Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**

Time / Distance Metrics



PROXIMITY



NDN
</Interest>
</Distance>
SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry
Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State of Internet & estimates distance between any IP address pair State Snap Shots

Time

server

HSM

RNG

#3

NON

REPUDIATION

Legend:
 - App: software application
 - DB: database
 - Fw: firewall
 - HSM: hardware security module
 - RNG: random-number generator

IDMaps Distance Estimation Service
SonarHops



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization

Firefly-Heartbeat Algorithm
UNIVERSAL TIME ZONE SYNC UTC

Sync Events to
Closest HBC

{"USER_ID"} + QRB
{"ORG_ID"}
{"URN"}
{"INTEREST"}
{"DISTANCE"}
On Off Shore

AGGREGATE, SUM
STAT MEAN VALUE INDEX

EVENT BUS

The proposed Universal Timezone System would do away with all these different

{"USER_ID"} + QRB

{"INTEREST"}

{"DISTANCE"}

On Off Shore

I.R.S.
#1421

{"Org_ID"}
In clear



I.R.S.
#1421

{"Org_ID"}
In clear


I.R.S.
#1421

{"Org_ID"}
In clear

I.R.S.
#1421



<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements





Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random..."

One solution is a **heartbeat**: defining a default lease duration delaying updates until the next **cycle**"




Satoshi Bitcoin Blockchain Time Stamp Server

Timestamp Server
 The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of times to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [3]. The timestamp proves that the data must have existed in time already, in order to get into the hash. This timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



Block chain
 What does a block look like?



THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER
 TIME SPACE

05:08:57
 NIST TIME BEACON Metrics / Meters

(An internal previous block of a timestamped block is timestamped directly, which is included into the block's Merkle tree.)



ALGORITHMIC REGULATION HEARTBEAT SYNC DELTAS




Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



{"Org_ID"} {"URN"}



Work flow Filters
 300 + Message Sets
 Spatial
 SYNTAX LEXICON




QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO - FRIENDLY TRANSACTIONS**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?



Light source Rays of light coming from the source reach the slits

Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves


Intensity of the fringes shows the maxima and minima

Science Facts


NIST QUANTUM RANDOM NUMBER BEACON

FREE SPACE TEMPORAL OPTICAL

a




QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING




USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter
Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



The Hopf Fibration

Edmund Harriss








Figure 2.11.1. The Hopf fibration



BLOCH SPHERE





Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.




Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: "claims may not direct towards abstract ideas"



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing










USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



atoshi Bitcoin Blockchain
ime Stamp Server


The solution we propose begins with a timestamp server. A timestamp server works by taking a block of data to be timestamped and widely distributing the file hash, such as in a Merkle tree. The timestamp server then signs the data and timestamp, and sends the timestamp to the client. It is obviously, in order to get into the loop. Each timestamp includes the previous timestamp in its root, forming a chain, with each additional timestamp reinforcing the one before it.




Metatron's Cube and the Platonic Solids



“In the beginning (of time) there was the word”



GENESIS OF ALL FORM





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.



Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962



The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.



Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, etc., etc., etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960

Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman


Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + Mcgee
Intellectual Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!



What does your name mean?






Steven + Mcgee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!

Roll With
The
Changes



"As an avid lover of numerology and astrology, I use both in my day-to-day life."

I believe God is the ultimate mathematician, as everything around us can be viewed as numbers"

Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time – stamp server"

