



# World Game Great Reset



## Signals Telemetry Annex K



THESIS: net, net of programmable \$\$\$ value units

AI machine learning = statistical workflow formed w:

1. Epoch time cycles created by oscillating silicon chips
2. Syntax used / not as code instructions in epoch time cycles



Syntax lexicon comprised of 300 +



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE


SOUND WAVES = INTEROP

Structured data messages, message sets = Comprehensive list of use cases, data elements supporting Internet of Everything





IoE net of value. Reference guide, data dictionary international standards support

TIME CHAIN



STRUCTURED DATA – SYMBOLS




STAT MEAN VALUE INDEX




# World Game Annex K

## Signals & Telemetry



**“Build a new model”**  
Standing on the shoulders of giants



**Eco Economic Epochs**  
For Programmable \$\$\$  
Programmable Economy  
Eco Economic Epochs  
Symbol / Message Sets A.I.  
FIREFLY Inspired Heartbeat Algorithm


## Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
  - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
  - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

**THESES:** All net artifacts, net of \$ are formed with:  
1) Epoch time cycle intervals ex: chip oscillations  
2) Syntax parsed, processed in epoch time intervals

## Time Epochs / Syntax:

## How the net, net of \$ actually work...





All things internet, programmable net of money are formed using:  
1) Epoch Time Cycles to 2) process (not) syntax as instructions

## Epoch Time Cycles / Syntax





## Internet / Internet of Money building blocks




Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.


Understanding syntax is essential for developers to write readable, maintainable, and scalable code







Symbols  
Rule  
The World  
OPSCODE  
BREVITY  
CODES  
Mapped  
To symbols  
2525A,C D




SYNC DELTA  
DATA SNAPSHOTS

INFOCON  
5 4 3 2 1  
INFORMATION  
CONDITION

Federation  
Gateway

In the beginning (of time)..  
There was the word (syntax)



HFT START, STOP, Time to LIVE

USPTO 13/573,002  
573 U.S. 134 SCt 2347  
Alice in Wonderland Ruling



CBDC STABLE COINS

E \$ € ¥

currency index





COMMODITIES

MEMO #1421



I.R.S.



**SOUND WAVES enable  
Different types of  
quantum tech to “talk”**

**BITCOIN TRANSACTION AKIN TO LAND  
ORG\_ID in CLEAR / Person ID encrypted**

**'wave-particle duality'  
is simply the quantum  
'uncertainty principle'**

Two cartoon bees with yellow and black stripes on their wings and tails are flying towards the right. The bee on the left has a speech bubble above it containing the text 'wave-particle duality'. The bee on the right has a speech bubble above it containing the text 'uncertainty principle'.





**GENESIS EPOCH CLOSER**




TIME EPOCHS & SYNTAX = FOUNDATION TECH

# **USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template**




**SLA** = CHEAPER



An inset image in the bottom right corner shows a spiral galaxy with a bright central nucleus and a distinct spiral arm structure.

# METATRON'S CUBE

## GENESIS OF ALL FORM




TIME

# SPACE




**“Time is a created thing” Lao Tzu**

"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration."  
- Nikola Tesla











HOPF




# USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template










World (Peace) Game  
1961 simulation by  
Buckminster to help  
create solutions to  
overpopulation, the  
uneven distribution  
of global resources.



DISNEY'S FANTASIA

USPTO 13/573,002 The Heart Beacon Cycle Time - Space Meter / Eco Economic Epochs for programmable \$\$\$ / Economy



UNIVERSAL LAW  
CAUSE / EFFECT  
ACTION /  
INACTION  
IF / Then /  
or.. ELSE



Punxsutawney Pennsylvania:  
State Insect: Firefly  
Punxy: Known For Groundhog  
Weather Prognosticator of World  
Named for "Punkies"

Tilda Swinton Bill Murray  
**GNATS**  
punk·ie [púngkee] NOUN  
1. a fly, almost invisible to the naked eye,  
that sucks the blood of animals and other  
insects, leaving painful hictng welts.



# Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



ALGORITHMIC STABLE COIN    EQUILIBRIUM ALGORITHMS  
COMMODITY INDEX BASKET    PRICE DISCOVERY ALGOS



COMMODITY FUTURES TRADING COMMISSION



SLA Service Level Agreement  
CLOSER = CHEAPER = CLOSER


**FIREFLY – HEARTBEAT ALGORITHM CHINA:** nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang  
flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013



Edison's Monetary Option  
Cambridge University Press 2009

"Crops hold their value best over time"

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements



## - STRUCTURED DATA EXCHANGE

Reuse brevity codes mapped to 2525D symbol sets comprised of 300

+ message sets for A.I. - machine

Block-Time DLT arbitrage among Trade Federations </Org\_ID>

{“URN”} </URN> = COMMODITY



Spatial / temporal UTZ

synchronization, stochastic

harmonization, Time - Space

Distance Estimation Service

Common Consensus Algo memo

Eco sustainable incentives

“We can synchronize ourselves,

DAO Trade Federations in time -


space for common purposes”

Eco sustainable, Equitable

Economic econometrics.



# ERC 20 TOKENS STANDARDS LIST



## Federation Gateway

MEDIATE

$\Delta\delta$  MITIGATE

Brevis's value is time

Health

URN

Org\_ID

Heartbeat

Flash Memory

Event Bus

STAT MEAN INDEX

1421

FEDERATION: Latin: foedus, foederis, 1. covenant, union of partially self-governing states under a central government 2. League or confederacy. People, groups retain autonomy 3. A federated body formed by a number of nations, states, societies, unions, retaining control of own internal affairs SC Alice Corp “claims may not direct”

USPTO 13/573,002 Alpha-Numeric Procedural

BREVITY CODES / TOKENS SYNTAX Template Checklist

STRUCTURED DATA EXCHANGE LEXICON CODER'S GUIDE

V CLS Bank To abstract ideas” ISO 20022 2525C.D

Clock ROLES ISO 20022 2525C.D

Meters METRICS ISO 20022 2525C.D

RULES Metrics ISO 20022 2525C.D

SLA / O NETOPS DATA SETS ISO 20022 2525C.D

On / Off SHORE ISO 20022 2525C.D

INTERNATIONAL STANDARDS ISO 20022 2525C.D

+

1

+

2

+

3

+

4

+

5

+

6

+

7

+

8

+

9

+

10

+

11

+

12

+

13

+

14

+

15

+

16

+

17

+

18

+

19

+

20

+

21

+

22

+

23

+

24

+

25

+

26

+

27

+

28

+

29

+

30

+

31

+

32

+

33

+

34

+

35

+

36

+

37

+

38

+

39

+

40

+

41

+

42

+

43

+

44

+

45

+

46

+

47

+

48

+

49

+

50

+

51

+

52

+

53

+

54

+

55

+

56

+

57

+

58

+

59

+

60

+

61

+

62

+

63

+

64

+

65

+

66

+

67

+

68

+

69

+

70

+

71

+

72

+

73

+

74

+

75

+

76

+

77

+

78

+

79

+

80

+

81

+

82

+

83

+

84

+

85

+

86

+

87

+

88

+

89

+

90

+

91

+

92

+

93

+

94

+

95

+

96

+

97

+

98

+

99

+

100

+

101

+

102

+

103

+

104

+

105

+

106

+

107

+

108

+

109

+

110

+

111

+

112

+

113

+

114

+

115

+

116

+

117

+

118

+

119

+

120

+

121

+

122

+

123

+

124

+

125

+

126

+

127

+

128

+

129

+

130

+

131

+

132

+

133

+

134

+

135

+

136

+

137

+

138

+

139

+

140

+

141

+

142

+

143

+

144

+



145

+

# RBF's World Game

## Signals & Telemetry

### Annex K





- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**  
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org\_ID>
- {“URN”} </URN> = COMMODITY



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives

“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes” Eco sustainable, Equitable Economic econometrics.





# Artificial Intelligence / USPTO 13/573,002 Adaptive Procedural Template

Machine Learning: data input / output =  
action (s): if, then else, or... do



Data, event cyclic time interval  
sampling sync delta snapshots



Natural Language Processing programming  
computers to process human languages to  
facilitate interactions between humans /  
computers

Data brevity OPSCODE sync delta  
time slot samples @ set intervals  
Mapped to symbols 25 A,B,C,D  
MILSTD for Man – machine interface




Automation & robotics: machines do repetitive  
tasks



Military = repetition. temporal ,  
UTZ – UTC sync harmonization,  
international standards

Machine Vision: Machines capture,  
analyze visual information, data

Military = geo-spatial temporal Applique' overlays



Structured  
Data



STRATML

# Humanitarian Assistance Networked Donor System


H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM  
SWORDS TO PLOWSHARES OOTW IDEA  
BY GERMAN MILITARY CIRCA 2003



DAO  
OPERATIONS  
OTHER  
THAN  
WAR



## Beacon Communities

Vernetzte Operationsführung



Proximity Beacons



JAEGERS



ALGORITHM

Closer < \$\$\$ < FUEL



KAIJU


FREELY  
HEARTBEAT  
EVENT / ALERT Flash Heartbeat Message Bus



KAIJU




SYSTEM  
Of  
SYSTEMS



AFH - AFRICAN HANDS  
ASH - ASIAN HANDS  
AUH - AUSTRALIAN HANDS  
EUH - EUROPEAN HANDS  
NAH - NORTH AMERICAN HANDS  
SAH - SOUTH AMERICAN HANDS  
N... - NATIONAL HANDS  
L... - LOCAL HANDS

WORLD BEYOND WAR.org  
a global movement to end all wars

Neural Net



NOW A MAJOR MOTION PICTURE FROM LIONSGATE  
WAY OF THE PEACEFUL WARRIOR  
A BOOK THAT CHANGES LIVES




OFF SHORE  
OUTER BANKS



**USE CASE:** standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state  
meta data encoded as brevity OPS CODE  
tokens stochastically harmonized over the UTZ

FROM	TO				CODE GUIDE		
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203		C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F541 F015 F541 S201 S309 S507	
TOKENS	<b>USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify &lt;/CONTENT&gt; / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio</b>				F002 F015 S201	C203 C400 D630 E500 F002 F014	
AMDPCS	OPSCODE BREVITY CODES					A.I.	
AFATDS	F002 F014 F015 F541 S201					INFOCON 5 4 3 2 1 INFORMATION CONDITION	
MCS	 	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	  	  	<b>"SYMBOLS RULE THE WORLD"</b>  

MESSAGE CATALOG  
300 + Use Cases

**Data Elements:** entity, attribute, relationship equivalents

**PULSE MESSAGE =**  
0.99 </108> {"108"}

300+ Use Cases		Information Categories and Examples						
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent	
OOB	<b>SYNTAX LEXICON</b>	STRUCTURED DATA	EXCHANGE	Message	Sets			
		lat/long	spd/hdg	country / alliance, type/class	readiness	targeting, recentering	COA	{"Java JS"}
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationships	BDA, op results	repair, enhancement	expansion plans	<b>YAML</b>
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML/ DTD/ Schema	TADILs
			Entity	Class	Table	Class	Element	Message
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFTI / FFN / FUN
			Domain Value	PURCHASE CODES	Instance Value		TOKENS	DUI / RUD



Information Elements Roles

- 



**DN: Field Format Unit Designator #**

N Field Format Index Reference #   

ctured military messaging ID's  
ssages, message sets, data  
ent symbol fields <108>

## Form Field Position & NUMBER

“108” NDN PURCHASE CODES  
fly-Heartbeat Flash Messages Friend Neutral Partner


**PROCESS MESSAGE BY PRECEDENCE**  
**UNIVERSAL EVENT / ALERT MESSAGE BUS**

#### OPERATIONAL NODES / ACTIVITIES

SYSTEM FUNCTIONS		PERFORMANCE	
Classification		11.8 - Kinematics	
1 - Category		11.8.1 - Pos / Vel / Acc (PVA)	
11.4.1.1 - Confidence Level		11.8.1.1 - Acceleration	
11.4.1.2 - Estimate Type		11.8.1.1.1 - Angular	
11.4.1.2.1 - Alternative		1.1.2 - Linear	
11.4.1.2.2 - Evaluated D	PURCHASE	1 - Estimate Type	
11.4.1.3 - Value	CODES	1.2 - Estimated	
BOL	Friend	Neutral	1.2.2 - Observed
25C	Partner		1.2.3 - Predicted
11.4.1.3.5 - Surface		1.2.4 - General	
2 - Platform / Point / Feature		Competitor	
3 - Specific Type		5 - Velocity	
4 - Type Modifier		1.4.1 - Horizontal	
5 - Limit		1.4.2 - Vertical	
		VA Confidence	
		1 - Bearing Angle	
		2 - Bearing Angle Rate	
		3 - Covariance Matrix	



hex code language parsed, processed during silicon chip  
generated epoch time cycles  
is all things internet, net of  
cy. state meta data sync delta  
beat snapshots during  
n temporal micro-cycles



Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


# US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

**Multi-user functionality for converting  
data from a first form to a second form**

**Symbolic artificial intelligence:** collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.




**Alpha-numeric OPSCODE**  
**Brevity codes mapped to symbols,**  
**Symbol sets = structured data**



# Neuro-Symbolic AI


## Neural Networks (Deep Learning)



#### **Breaking the world into symbols (rather than**

## Symbolic (human-readable) representations

Symbolic AI



Incorporate common sense reasoning and






## ALGORITHMIC REGULATION


The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



**UTZ TIME SYNC**



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



# Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



ECO ECONOMIC HEARTBEAT

$\Delta\delta X$



("108")



ECONOMIC MACRO CYCLES

TIME-SPACE SYNC



K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN



K%



Luxor Temple Egypt:  
"The shortest path towards knowledge of truth is nature"




Temple of Man



LUXOR  
EGYPT

FIREFLY inspired Heartbeat Sync Algo


PRECEDENCE UTZ SYNC SYNC  
PROCESSING PULSE DELTAS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

UTZ TIME



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



# Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFI



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE  
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org\_ID> {“URN”} </URN> = COMMODITY

## Eco Economic Epoch GDP Heartbeat signals and telemetry framework




Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives  
“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes”  
Eco sustainable, Equitable Economic econometrics.

**USE CASE:** Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

**Use Case:** Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.









**"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein**

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200. Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION  
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




CLOSER = < Infrastructure  
= CHEAPER SLA

# ElectroMagnetic waveforms



ENERGY / DATA  
Over  
Transmission  
Lines / Airwaves

Hertzian waves  
transmit Energy  
in a PLANAR transverse  
EM waveform  
producing 'Radio waves'



All Photons and EM waves  
can have various directions  
of polarisation with respect to  
their direction of propagation



Teslian waves  
transmit Energy  
in a LONGITUDINAL waveform  
producing  
'Action at a Distance'

Although they utilise the same EM energies,  
different EM waveforms can be produced  
where the Electric fields are in 90°  
opposition to each other thus  
leading to conflicting theories  
of EM wave propagation

The E fields are co-linear with the direction of propagation

Through longitudinal waves, Tesla transferred energy to receiving devices.  
He sent electrostatic forces through the air, transferred electrical energies  
and noted the lethal forces produced by these waves.


In 1887, Heinrich Hertz demonstrated the reality of  
Maxwell's electromagnetic waves by experimentally  
generating radio waves in his laboratory.

Heinrich Hertz



(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.  
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories  
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day



Volts per Second



V



# PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

## ENERGY PRODUCTION




**ABSTRACT:** A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves



$$\Delta\delta$$


**THESIS:** All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.


Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla


**THESIS:** All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)



BELL STATE QUANTUM COMPUTING



**STANDING ELECTRO-MAGNETIC WAVE**  
A standing electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla





OPSCODE Brevity  
Codes / Symbols

USPTO 13/573,002  
573 U.S. 134 SCt 2347  
"Alice in Wonderland Ruling"

</Org\_ID> TIME CHAIN



{"URN, URN, URN"}



A.I.



SYSTEM OF SYSTEMS  
STRUCTURED DATA



# Quantum Financial System vs BlockChain


TIME  
CHAIN

QFS


TIME  
STAMP  
SERVER

<https://gesara.news>


## Double-Slit Experiment



QUANTUM COMPUTING  
- RESISTANT ? - BASED ?  
THROUGH LENS OF SCOTUS  
ALICE LOOKING GLASS RULING




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract





"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER" Satoshi Nakamoto

## 3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.



## QUANTUM COMPUTING / HBC TIME - SPACE METER / METRICS



"All things net, net of money are formed with 1) epoch time cycles  
2) Syntax parsed as instructions




#QuantumComputing USet Alice Corp Vs CLS Bank compliant memes:  
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Set Alice Corp Vs CLS Bank Physical memes  
Linear sequential "Paul Revere" meme = horizontal polarization  
Vertical polarization vectors from a known point 0 null Sonar Hop meme

particle representation / samples

Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?



Microwave pulses like sonar ping...

qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.

Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time




## The Variance of...

the partial derivative w.r.t.  $\vartheta$  of...


the log-likelihood  
function of  $\theta$   
given observed  
value of  $X$

$$\Delta\delta_{\mathcal{I}(\boldsymbol{\theta})} = Var\left(\frac{\partial}{\partial \boldsymbol{\theta}} \ell(\boldsymbol{\theta} | \mathbf{X})\right)$$



# Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding **Fisher information flux** at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESIS: All things net, net of programmable \$\$\$ are formed using:

## ENERGY / DATA WAVE METRICS / METERS



## BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)




### STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



The IN and OUT waves form standing waves about the central point

### On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency  $t=1/f$ .

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

**Physical Reality:** 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light,  $\sim 3 \times 10^8$  m/s, the wavelength is the Compton wavelength  $\sim 10^{-12}$  m, and the frequency  $\sim 10^{20}$  Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) \* Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional.  $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".  
(Leonardo da Vinci)


# ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the  $\Gamma$ -point (wave vector  $k \approx 0$ ) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of  $N$  unit cells, there are  $2N$  atoms and  $2N$  degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by  $2N$  harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM



THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles





SOUND WAVES enable Different types of quantum tech to "talk"






[www.RLighthouse.com](http://www.RLighthouse.com)



### Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”




Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002  
[sawconcepts.com/index](http://sawconcepts.com/index)


NDN {“Distance”} {“Interest”}  
IDMaps SonarHops



Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics

vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”




# Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3




Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File  
**"BLOCKCHAIN" = LEDGER / Database**

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431



**THESIS:** All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..

All things internet of money are formed w CPU time cycles used to process instructions / code sym




## “Bitcoin is a language”


WIRED

BITCOIN MAKES USPTO 13/573,002  
MONEY HEART BEACON CYCLE  
PROGRAMMABLE. TIME – SPACE METER  
MONEY IS STRUCTURED DATA  
SIMPLY DATA” EXCHANGE



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility). [2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



**"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"** - BILLY



# **BLOCKCHAIN = TIME / SYNTAX**



# THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT  
a.k.a.  
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"




Wright Brother's 1<sup>st</sup> Flight  
Cape Hatteras Outer Banks

## "THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"


### 3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol  
for Dummies**  
Part 4 Timestamp  
Server



JapanNet Crypto Time Authentication Service (Timestamp Service)




MACRO CYCLES

**BASEBALL "DIAMOND"**  
A diamond is a square is a block in 3D  
2nd Base



CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS  
Physical = Opposite of abstract = ALICE  
HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org\_ID"}

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles 2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"



STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS

#1421

I.R.S.

State Meta

Data Snapshots

Survey Point

home plate

TIME STAMP SERVER

# What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE  
USPTO 13/573,002  
SURVEY METHODS


## SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



## Mined Bitcoins



BLOCKS / COINS PENDING ISSUE

B  
A  
C

$\Delta\delta$

## Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org\_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp


Step 3: specify ownership <Org\_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer



$\Delta\delta$

## TRIANGULATION



## DISTANCE ESTIMATION

## EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs




IDMaps Distance Metrics: latency (round-trip delay) available bandwidth estimation






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange



SYNTAX LEXICON  
ROSETTA STONE



Coder's Guide

STRUCTURED  
<CONTENT>  
EXCHANGE  
TEMPLATES



MIL STD 2525ABC



"SYMBOLS RULE THE WORLD"



Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org\_ID1><Org\_ID2><Org\_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID  
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN" "TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor L - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"URN" "ASSET\_CLASS"}



{"URN" "ASSET\_TYPES"}


ISO 10383 – MIC




Market Identifier Codes



{"URN"}



{"Org\_ID"}



108 K00.99 / FIX / SWIFT / E-911 Heartbeat Message

STOCK EXCHANGE

NDN NAMED DATA NETWORKING

MIC CODES

PRECEDENCE

FILTERS

PROCESSING

BLOCKTIME

ARBITRAGE


ERLANG

TIME

EQUATIONS



INFOCON 5 4 3 2 1 INFORMATION CONDITION

FROM	TO					CODE GUIDE	
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	<b>USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify &lt;/CONTENT&gt; / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio</b>			C002 C203 F014 F541 S201 S309 S305 S507	
AMDPCS	<b>TOKENS</b> <b>OPSCODE BREVITY CODES</b>					F002 F015 S201	
AFATDS	F002 F014 F015 F541 S201					C203 C400 D630 E500 F002 F014	
						A.I.	
						INFOCON 5 4 3 2 1	
						INFORMATION CONDITION	
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	 	A423 C203 C505 F014 F015 F541 S201	M2M
			<b>ASSET TOKENS</b> <b>Token Economy</b>			"SYMBOLS RULE THE WORLD"	
						 	
<b>MESSAGE CATALOG</b> <b>300 + Use Cases</b>		<b>Data Elements:</b> entity, attribute, relationship equivalents			<b>HEARTBEAT MESSAGE =</b> <b>K00.99 &lt;/108&gt; {"108"}</b>		
Information Categories and Examples							
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	<b>SYNTAX LEXICON</b>	STRUCTURED DATA lat/long	spd/hdg	EXCHANGE country / alliance, type/class	Message readiness	Sets targeting, reconitering	COA {"Java JS"}
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	YAML expansion plan
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema
			Entity	Class	Table	Class	Element
			Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Domain Value	PURCHASE CODES	Instance, Value	TOKENS	DUI FUDN

# Information Elements Roles

- COI Determination Org Interaction
  - Search and Discovery
  - Ontologies STANDARDS
  - Taxonomies REFERENCE
  - Metadata Attributes / Filters



# FFUDN: Field Format Unit Designator #

# FIRN Field Format Index Reference #

# Structured military messaging ID's messages, message sets, data element, symbol fields <108>

# BY Form Field Position & NUMBER



# PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

# OPERATIONAL NODES / ACTIVITIES

DATA SYSTEM FUNCTIONS PERFORMANCE

1.4 - Classification	11.8 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	1.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	1.2.1 - Estimated
	1.2.2 - Observed
	1.2.3 - Predicted
	PURCHASE CODES

SYMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1.3.5	Surface		4 - Velocity
11.4.2	Platform / Point / Feature	Type	1.4.1 - Horizontal
11.4.3	Specific Type		1.4.2 - Vertical
11.4.4	Type Modifier		VA Confidence
11.4.5	Unit		1 - Bearing Angle
			2 - Bearing Angle Rate
			3 - Covariance Matrix



# Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: [https://en.wikipedia.org/wiki/Physical\\_symbol\\_system](https://en.wikipedia.org/wiki/Physical_symbol_system)

data from a first form to a second form

CONDITION

Rosetta  
Stone  
Syntax  
LEXICON




FRT CP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)  
representations

Neural Networks  
(Deep Learning)



Brevity  
Codes

Symbolic AI

Symbols  
Symbol

Incorporate common sense reasoning and




"SIGNS AND SYMSBOLS  
NATO RULE THE WORLD, NOT  
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,  
Symbol sets = structured data



# Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System  
Information Sharing and  
Analysis Center

**IDENTITY:** <UUID> = Devices, sensors

<ORG\_ID> Organizations

Federation  
Gateway

**INVENTORY:** Uniform Resource Name <URN>

<URN><URN>  
<URN><URN>  
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS  
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

**ACTIVITY:** <EVENT><ALERT> <TIME\_STAMP><ORG\_ID><URN>

CONTENT LEXICON  
ROSETTA STONE



**SHARING:**

COMMON <TAGS>

<Organizational\_ID>

Resource Names <URN>

<Time\_Stamps>

<State-Meta\_Data>

<DATA\_CLASS\_TYPE>

<Heartbeat\_snapshots>

<TAG>LIBRARY  
TEMPLATES



NAMED DATA  
NETWORKING  
<Content> Centric


<ELEMENTS>

STRATML/ IODEF RID CLASSES:  
<GLOBAL><JOINT><SHARED>  
<DOMAIN><FEDERATION>  
<CITY><STATE><PRIVATE>

STRATEGIC  
MARKUP

StratML

LANGUAGE



A V A L A N C H E

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS  
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN  
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

FROM	TAB	ABA	AMOPCS	AFATOS	MCS
ABAD	F002 F014				
CBOCS	F001 F013				
AMOPCS	F001 F013				
AFATOS	F002 F014				


CYBER SECURITY CONTENT  
LEXICON ROSETTA STONE

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates


STRUCTURED  
<CONTENT>  
TEMPLATES

<TAG>  
LIBRARY



# Heart Beacon Cycle

## FEDERATE / TRADE FEDERATIONS



ECONOMIC HEARTBEAT



K %



DAO

BITNATION

FEDERATE  
SHARE  
WIN

1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**  
**each retaining control of internal affairs**

Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**Federation  
Gateway


{“GLOBAL”}  
 {“SHARED”}  
 {“DOMAIN”}  
 {“COMMUNITY”}  
 {“PRIVATE”}

{“GROUP ID”}



Bitcoin **Group Signatures** Dynamic Membership Multi-party Signature DMMS:  
 independent interest within group signatures – **FEDERATED ID** {“Org\_ID”}

Bitcoin Mining Pools  
 MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform\_Resource\_Name



FIREFLY FLASH HEARTBEAT MESSAGES

```
</RESOURCE> {"URN"}  

{"Asset_Class"} </URN>
```

IeT DEVICE / PLATFORM  
 IoT SENSOR DEVICE



HEARTBEAT MESSAGES

STOCK EXCHANGE

MIC MARKET IDENTIFIER

CODES / BREVITY CODES



Office 365 Groups

TJD Microsoft Teams

SHYNET

Signalling, Telemetry

Event Bus

Signal


Telemetry

Signalling




## FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME







# ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**








# IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



**vector**



IDMaps scalable Internet-wide architecture measures, disseminates distance information  
`/localhost/nfd/fib/add-nexthop`



**HOP COUNTS**



**REACHABILITY**



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix  
<Org\_ID> Trie (NPT)




**NDN NAMES**

**NDN NAMED DATA NETWORK RIB / FIB Datasets event notification**

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




**TRIANGULATION**



**NDN INTEREST**

**IS DATA FRESH ?**



Datasets and Event Notification

**INTEREST in <URNs>**

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



**MICRO-CYCLES**



**NDN INTEREST LIFETIME = TTL Time To Live**



**HEARTBEAT STATE META DATASNAPSHOTS**

# GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING




## Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency



# NAMED DATA NETWORKING

<INTEREST>  
MQTT



NIST TIME BEACON

Hop Count

SOURCE NETWORK 172.16.0.0/16

omnisecu.com.R1

omnisecu.com.R2

omnisecu.com.R3

omnisecu.com.R4

DESTINATION NETWORK 172.27.0.0/16

START

INSTRUCTIONS TO MASTER CONTROLLER

Number of Hops = 3

TTL = Time To Live

STOP

CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS  
SONARHOPS  
INTERNET TRIANGULATION

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

# 13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus  
Internet of Everything “ability to hear the world’s heartbeat”




## The four dimensions of Big Data

**vector** VECTOR: quantity having direction and magnitude  
INTER position of a point in space relative to another point

TIME STAMP BY Org ID, URN Before FUSION CENTER

**Position of a point in space relative to another point**




Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	<a href="http://scop.sourceforge.net/">http://scop.sourceforge.net/</a> <a href="http://linuxvirtualserver.org/software/index.html">http://linuxvirtualserver.org/software/index.html</a>					
API Information	 <b>#leT</b>					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a <b>heartbeat</b> : defining a default lease duration delaying updates until the next <b>cycle</b> "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped. This is done by publishing the timestamped data on a public ledger, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> <li>Block info</li> <li>Previous Hash</li> <li>Timestamp</li> <li>Merkle</li> <li>Transactions id list</li> </ul> <p>Headers: Contains version information (version info), previous block's hash (previous block), timestamp (timestamp), and a Merkle root hash (merkle root hash).</p> <p>Transactions: A list of transactions (tx) that are being added to the block.</p>				




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



# USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",  
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL  
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP  
DETECTION

IEEE 802.11  
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop  
Geo-Spatial Temporal  
Metrics, Meters

DISTANCE  
INFO SERVICE

Time Series

Value  
Time

IDMaps

SonarHops



602

RISK



UNUSED RESOURCES  
UNMET NEEDS

WATER DROP IN POND MEME IS  
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>  
NDN {"DISTANCE"}

NAMED DATA  
NETWORKING

IEEE C37.118  
Harmonization  
& Sync heartbeat  
update Interval

CLOSER SOURCE  
CHEAPER RATE



PAUL REVERE  
LINEAR, SEQUENTIAL

603

NULL

RADIUS  
WATER DROP IN POND MEME

Attribute Series

$t_1$

$t_2$

$t_3$

Geo  
Spatial  
Temporal Series



INTEREST  
DISTANCE

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances



Micro Grids Closer - Cheaper

BLOCKCHAIN  
MICROGRIDS



Spatial  
Econometrics

Spaceship  
Earth  
Signals &  
Telemetry  
Annex

ASTEROID BELTS =  
RARE MINERALS

MAIN  
ASTEROID  
BELT

MARS

MERCURY

VENUS

EARTH

STOCHASTIC  
HARMONIZATION

FIREFLY-HEARTBEAT  
ALGORITHM  
UNIVERSAL  
EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

TIME-SPACE BEACON INFOCON

5 4 3 2 1  
INFORMATION  
CONDITION

???  
SIRIUS DISCLOSURE

MOON =  
HELIUM 3  
Universal Language  
offered by deity to humans as  
confirmation of the truth"

Alpha  
Numeric  
Brevity  
Codes  
CODE  
SYNTAX  
LEXICON  
K00.99

ANDERSON  
INSTITUTE

Farther = More Cost  
➤ Fuel, Resources

Service Level Agreements

FIREFLY-HEARTBEAT  
ALGORITHM  
UNIVERSAL  
EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units


43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

43 22 13 0 1.5 2.7 5.2  
Light minutes Astronomical units

MELANIE  
SWANFUTURE  
MEMESDOT  
COM

# Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



**BLOCKTIME: A General Temporality of Blockchains** Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



**Erlang programming language / mini OS**  
massively scalable high availability, real-time  
Erlang's runtime system built-in  
concurrency distribution, fault tolerance

- coordinate 1000's of virtual machines
  - ...distributed Dbases RIAK, CouchDB
  - ...real time data dashboards
  - ...service oriented software architecture
  - .. server, API endpoints .. RabbitMQ
  - ..distributed, multi-node architecture.
  - protocol-aware load-balancer, stateful



## Functional Sequential Erlang

- Data types:
    - Integers (incl. BigNums), floats, atoms
    - tuples/records, lists/plists, binaries, funs
    - Maps (added in R17)
  - single assignment
  - pattern matching & guards
  - closures (anonymous function data type)
  - list comprehensions
  - bit-syntax & binary comprehensions
  - tail recursion & tail call optimization (TCO)

**SORTING  
ALGO'S**

## SORTING ALGO'S

**Rho ratio**  $\frac{\text{Arrival Rate}}{\text{Service Rate per unit time}}$   $\Delta\delta$  queueing systems wait times  
stochastic processes, function scheduling Start, Stop TTL



**distributed "noSQL" database**, embedded right into Erlang,  
supports **indexing, replication, transactions, and fail-over**

Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database (“Organization\_ID”) | Global name resolution

About this world is based on a 24-hour clock, with

FORM	TYPE	NAME	DESCRIPTION
XBR1	ALPHA	CDL	DAML
AN0001	ALPHA	ALPHA	NUMERIC
BREV01	ALPHA	BREVITY	CODES
MICR	STRUCTURED	AZURE	BLETHCLEY
CSCB	STRUCTURED	STRUCTURED	MILITARY MESSAGE TEMPLATE FORMS
MEHT	LOGIC	PERSON	FILTERS
PR001	LOGIC		

**STOCHASTIC HARMONIZATION**

- EVENT BUS
- TIME CYCLES
- STATE
- META DATA
- SNAPSHOT
- SYNTAX

with all these differ-


# Ericsson Open Money For Society Patent App



## 20130166398 "System And Method For Implementing A Context Based Payment System."

**"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"**

**"When money is open, the way we send, spend and receive money will change forever"**




**Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?**

Blockchain Consensus Algorithms & Mechanisms




In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

**Proof of Formulation:** *PoF*: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



# **BLOCKCHAIN CONSENSUS ALGORITHMS**

**ULTIMATE GUIDE FOR BEGINNERS**




# QUANTUM RANDOM NUMBER BEACON

NIST Beacon

A Public Randomness Service

www.ijerpi.org

NON  
REPUDIATION



Delegated  
Byzantine Fault  
T-1

# structured Data Exchange: SYNTAX LEXICON

## Simplified antine Fault Tolerance

Practical  
Byzantine Fault  
Tolerance

[www.scholarlypublications.com](http://www.scholarlypublications.com)

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

# STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

**1) DeFi-Native collateral backing:** stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones


## 2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.


## 3) RWA-Backed by off-chain real-world assets



# PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State  
•target = maximum value of 8 bytes Snap  
( $2^{64}$ ) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess  
Effectively, it begins at infinity.



**Proof-of-Work:** users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates


FORM	FORMAT								
OCTOB	OCB01	OCB10	OCB20	OCB30	OCB40	OCB50	OCB60	OCB70	OCB80
ABAB	PBC01	PBC10	PBC20	PBC30	PBC40	PBC50	PBC60	PBC70	PBC80
ANAN	PCB01	PCB10	PCB20	PCB30	PCB40	PCB50	PCB60	PCB70	PCB80
COSC	CBP01	CBP10	CBP20	CBP30	CBP40	CBP50	CBP60	CBP70	CBP80
DPSB	DPB01	DPB10	DPB20	DPB30	DPB40	DPB50	DPB60	DPB70	DPB80
METH	PTB01	PTB10	PTB20	PTB30	PTB40	PTB50	PTB60	PTB70	PTB80
RESON	FBP01	FBP10	FBP20	FBP30	FBP40	FBP50	FBP60	FBP70	FBP80
PRICO	CPB01	CPB10	CPB20	CPB30	CPB40	CPB50	CPB60	CPB70	CPB80

LOGIC FILTERS  
LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series





In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



## TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone




The Volumetric Weight is often referred to as dimensional weight



$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.




## Attribute Series



**FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM**

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"





# OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG  
BLOCKCHAIN ARBITRAGE




OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

## PROJECT PHILOSOPHY: *MAKE TRADE FREE*


Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE  
Fees REFERENCE CURRENCY  
“Money of Peace”




COMMODITIES  
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE  
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in  
Time and Space  
Methods and Practice

SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services  
that cannot be perfectly solved with technology

• Privacy </Org\_ID>



HASH Values  
Nonce Values </Org\_ID>



Federation  
Gateway

ORG ID

UTZ SYNC

</DATA>  
("FILTERS")

FIREFLY – HEARTBEAT ALGO

SYNC EVENTS

TO CLOSEST HB CYCLE

$\Delta\delta$

UTZ SYNC

TO CLOSEST HB CYCLE

## DON: DECENTRALIZED ORACLE NETWORKS



### Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL > > NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




## DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

# Heart Beacon Cycle

## FEDERATE / TRADE FEDERATIONS

### Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$





## VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE  
access conventional, legacy financial data to  
price, value, trade & settle OTC, P2P financials



INFOCON  
5 4 3 2 1  
INFORMATION  
CONDITION



{"108"}

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE





E \$ € ¥  
currency index



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.  
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools



Heartbeat Flash Messages Precedence Processing

Collateral Notional Expiry

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

{"Org\_ID"} {"Tagged"} {"URN"}

Cryptos

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

t<sub>1</sub> t<sub>2</sub> t<sub>3</sub>

TTL

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE




STOP



## Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

### Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.<sup>2</sup> The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.




## **SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET**

*“PoET for ‘Proof of Elapsed Time’, is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel’s [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality.”*



## **PROOF OF ELAPSED TIME**



## Voting Based Selection: stake size & block generators selected by votes


**Voting based selection** Instead of only using the stake size, the block generators can be selected by votes  
ex: League MVP **MVP**




**Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group**

## TOURNAMENT LEAGUE BOARD

P Sct #573 ALICE CORP V CLS BANKPHYSICAL UNIVERSAL MEM





**FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BU**



- S HASH TABLES / NONCE VALUES
- Capture ledger's state  $\Delta\delta$
- Transaction language
- changes ledger state
- Consensus, transaction acceptance protocol

# NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓






**Hashgraph consensus algorithm for replicated state machines**

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order  $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.  
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

**DAG finite directed graph**  
= no directed cycles

$$\Sigma \Delta\delta X$$



Round created

Witness

0 / 1

Famous witness

Election

Vote

See

Strongly see

Supermajority


Decide

Round created


Round received

0 / 1

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph




Hash  
Nonce



Micro-Cycle  
State Meta  
Data Snapshots


Consensus timestamp  
Consensus order  $\Delta\delta$

The Heart Beacon Cycle Time – Space Meter  
Adaptive Procedural Template Checklist  
Heartbeat Sync Delta state meta data  
structured data exchange snapshots  
300 + Use Case message template sets  
Rosetta Stone Syntax lexicon Coder's guide




$\Delta\delta$

Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"  $\Delta\delta$

# Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.<sup>2</sup>

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization  
Harmonization Heartbeat update Interval  
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.

TAG	SLA/O	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#]
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#]

# Proof of Capacity PoC



**consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions**

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property





# Proof of Authority



{"GROUP ID"}  
{"Org\_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**  
**each retaining control of internal affairs**




**Federation**  
**Gateway**  
Net joins, drops, splits, merges, moves  
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

## Heart Beacon Cycle


### FEDERATE / TRADE FEDERATIONS



# BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

## KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

## MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS




SYNTAX  
LEXICON LIBRARY

CPU CHIP  
EPOCHS




long exponential  
intervals (10 min)



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



COMMAND SYNTAX  
RESTFUL State Transfer


MACRO – CYCLES



short deterministic  
intervals (10 sec)

MICRO-CYCLES





real-time gross settlement system,  
currency exchange, remittance network

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's  
Ripple Connect to exchange KYC,  
risk info, fees, payment details,  
**expected time** of funds delivery

Provides information about total  
costs of the transaction



Workflows are serially executed  
Except first two work flow are  
workflows are based on **event**  
**pull model**



Bitcoin Address Shortener

Bitcoin Address Shortener is an Android app that you can use to shorten those lengthy bitcoin addresses!

Simply enter a long Bitcoin address to have it transformed into a short one, and VICE-VERSA!

You can get it for free [here!](#)



ALPHA NUMERIC BREVITY CODES A.I

To retrieve addresses us computer, use [bit.co](#)

Clock Clock adjusted 5:45 PM

Blockchain.info

Neutral transaction protocol






## PROTON A CHAIN Virtual Machine

## CONTRACT C CHAIN Smart contract

## PLATFORM P CHAIN Meta Data

## EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

    preference := response with >=

α

    if preference == old preference:

        consecutiveSuccesses++

    else:

        consecutiveSuccesses = 1

    else:

        consecutiveSuccesses = 0

if consecutiveSuccesses > β:  
    decide(preference)

EOSIO computer function emulation  
NET, CPU bandwidth, RAM data  
Publishing, Voting based not mining

Delegated Proof  
of Stake {"Org\_ID"}



coordinates validators, keeps track  
of active subnets, SNOWMAN  
consensus Token representation of  
real-world resources (e.g., equity,  
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$


1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0      Block 1      Block 2



SECURITY TOKEN: A DIGITAL  
ASSET THAT'S BACKED UP  
BY TANGIBLE ASSETS IN THE  
REAL WORLD </URN>  
</URN>  
</URN>



"all digital currency networks, the base layer of people  
generating the blockchain — "miners," "stakers,"  
"witnesses," "validators," or "forgers" get paid"






OTA: Internet Of Things IOT distributed ledger  
with microtransactions without fees

# Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

**Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees**

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree





# ZEPPELIN

ZEPPELIN OPEN, GLOBAL ECONOMY

# OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language




**zeppelinOS**, operating system for smart contracts  
*“the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security.”*

## ZEPPELIN / zeppelinOS Common Functionality:

**zeppelinOS** Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries. Create and customize your own ERC20 Token.

# Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowdsales.
  - Create a trustless bug bounty.
  - Create pausable, ownable, balance-limited contracts.
  - Set up a token vesting or token locking contract.






# EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

**The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises**



# TEMPLATE ENGINE LANGUAGE ETF



ONLINE

**NAMED DATA NETWORKING** Time Series Databases **BLOCKCHAIN PARSING**

, corrections **SYNCHRONIZATION**



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**





**GNOSIS**

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

**Futarchy** PREDICTION MARKETS  
**GnosisAMA**

Gnosis trading interface alpha  
WIZ token fee payment  
INFORMATION ARBITRAGE ECONOMICS

**TERRACYCLE** Price Oracle




## THE TERRA (TRC)

Trade Reference Currency



## Demurrage Fees



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"



**Bitcoin Classic** seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.








## ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



**BitPay Core: limits:** 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited.



**Bitcoin Unlimited: absence of a hard-coded block-size limit.**  
Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point  
Unlimited introduces a level of democracy into MVP development, management of the implementation, .  
the community votes on changes.



## Price Indexes in Time and Space

SchellingPoint

**Microsoft Blockchain modular framework:**  
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds  
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter

Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services Interledger-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract


Rosetta Stone Syntax

ALPHA NUMERIC
BREVITY CODES
SYMBOL CODES
STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




MULTI-MEME MULTI-METER



MYRIAD MEMES MEDIATION








## ETHER: Compensate Resource Contribution

Gas: price to  
Run contract  
transactions

**Firefly - Heartbeat synchronization:** nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**

Casper is a security-deposit based economic consensus protocol. Nodes = “bonded validators” place security deposit (an action called “bonding”) If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address “nothing at stake” problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



**DFINITY**

**RANDOM # BEACON**

**NIST Beacon**  
A Public Randomness Service

**QUANTUM RANDOM #**

**BLOCKCHAIN NERVOUS SYSTEM**

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

**STATEFUL DECENTRALIZED NET PROTOCOL:**  
Decentralized process workflows instead of  
Centralized Server farms

**GROUP Signature is random number**

- Number selects next group {"Org\_ID"} {"Org\_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org\_ID"} {"Org\_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

**HYPER GEOMETRIC PROBABILITY CALCULATOR**

**CONSENSUS / RANDOM BEACON**

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

**Each process has mining identity**

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

**HBC "ORG\_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"**

**Threshold Relay Chain techniques**

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches  
Choosing Leaders Randomness selects priority list block forgers at height h  
Short Term Convergence Correct processes build on highest scoring chain  
Threshold Timestamping group signs blocks at h until next group appends another.

**Scalable Global Validation Layer:** Each additional level of the tower validates new state transitions applied to storage shard. is built by processes selected by the RANDOM BEACON

**USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER**

**CLOCK FACE 360'**  
90 / 90 / 90 / 90  
330 360 30 60 90  
300 270 240 210 180 150

**Satoshi Nakamoto:** "The solution we propose begins with a TIME STAMP SERVER

**BASEBALL "DIAMOND"**  
A diamond Is a square Is a block in 3D  
2nd Base

**ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002**

**UTZ TIME ZONE SYNC**

**MACRO CYCLES**

**RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH**

**90 feet**

**Blockchain / crypto currency increments**

**Blockchain BLOCK in 3D = CUBE**  
Cube has Length, Depth, Height, Volume

**3rd Base STATISTICIAN Metrics, Meters**

**UNIVERSAL HEARTBEAT MESSAGE EVENT BUS**

**90 feet**

**SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421**

**90 feet**

**State Meta Data Snapshots Survey Point**

**MICRO CYCLES**

**home plate**

**Fix {"108"} FLASH MESSAGE EVENT BUS**

**TIME STAMP SERVER**

**Firefly – Heartbeat Algo EVENTS**

**STOCHASTIC HARMONIZATION**

**FIX {"108"} FLASH MESSAGE EVENT BUS**

**TIME STAMP SERVER**

**Epoch Time Cycles**



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

**ERLANG API FOR BLOCKCHAIN**



**ORACLES:** crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

**CROSS – CHAIN ATOMIC SWAPS**

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

**ACCOUNTS & IDENTITY:** æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG\_ID")

("ORG\_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree

**AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS**



$\Delta\delta$



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

**TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES**

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET




**ROLES Meters RULES Metrics**

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org\_ID for Ecosphere friendly trade



**Federation Gateway**  
("ORG\_ID")




**ARIN**  
American Registry for Internet Numbers

# HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$  Shared Ledger



HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002


FEDERATION  
**Federation Gateway**

METRICS ("Organization ID")  
METERS


RESTFUL SYNC DELTA  
CHANGE MANAGEMENT  
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers




Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML  
STOCK MIC CODES



300 + MESSAGE TEMPLATES  
USE CASES / GROUPED DATA TRANSACTIONS  
Alpha-Numeric Data  
Element ID -- #'s are the UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE

FFIRNS  
FFUDNS

HYPER LEDGER USES JSON ("tag") / YAML  
Text indentation – UNIVERSAL LANGUAGE = ALPHA-NUMERICS



**"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist**

**"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"**


[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

**"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.**

**“Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash’s miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary”**

**InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions** receive payments for their service to the network.

## DAO: RAND THINK TANK TERM COINED + / - 2001



**Firefly - Heartbeat synchronization:** nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

**STATE:** stored data at a given instant in time

## STATE CHANNELS: blockchain interactions


**which could occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.**





**1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.**

**2. Participants update the state amongst themselves** by constructing and signing transactions that *could* be submitted to the blockchain, but instead are ~~submitted to the blockchain~~  new update "trumps" previous up-

**3.Finally, participants submit the state back to the blockchain**, which closes the state channel





**NEW UPDATES OVERWRITE THE PREVIOUS:** simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by updating later.





# TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

## TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO  
STAT MEAN VALUE INDEX



**TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle**



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



**Block-Weighted-Average-Price (B-WAP) API** creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

## **Key Features:**

**Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.**



Built using historic bitcoin price index - the [BNC BLX](#).

**API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).**

All rates time-stamped in UTC.

**Ability to look up by time-stamp.**

**Ability to look up by block-height.**


# Asset Classes: Digital Currencies






**Get by: Block-height, Time-stamp or Transaction**

**Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.**

- Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

•Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Estimated	
11.8.6 - Predicted	
11.8.7 - Smoothed Data	
11.8.8 - Position	
11.8.9 - Bearing Angle	
11.8.10 - Horizontal	
11.8.11 - Vertical	
11.8.12 - Vertical	
11.8.13 - Covariance Matrix	
11.8.14 - Covariance Rate	
11.8.15 - Covariance Rate	
11.8.16 - Covariance Rate	

Federation Gateway



- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL CDE DAML STOCK MIC CODES

STRUCTURED MILITARY MESSAGE

TEMPLATE FORMS

LOGIC / FILTERS

300+ Use Case Templates



300+ Use Case Templates


300+ Use Case Templates




**transactions sent over / off chain  
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




## LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP\_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



Payment channels multi-hop hub  
spoke model like internet routing

## FIREFLY – HEARTBEAT ALGORITHM



### FIREFLY – HEARTBEAT

CLOCK FACE 360'  
90 / 90 / 90 / 90



### MACRO CYCLES

### RULES / ROLES

### INSTRUCTIONS

### WORKFLOW

### UMPIRE COACH

### 3rd Base

STATISTICIAN  
Metrics, Meters

Stat Mean Value Index



3 X 5 HASH TABLES  
STATE META  
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES



home plate

time stamp server

epoch time cycles


Server nodes, miners  
only keep recent blocks



Sync Delta  
State Meta  
Data Snaps





### MESSAGE EVENT BUS



## SEGREGATED WITNESS

### SegWit



### ADJACENT FIELDS SEPARATE STATE CHANNELS



### HASH TABLES



### NONCE

### MESSAGES



### SYNTAX / SYMBOL TAGS

### Digital Signature



### OUT OF BAND / CHANNEL



### Segregated witness = Separated signatures




- signatures are cryptographic proofs also known as witnesses
  - moving signatures out of transactions
  - keeping a separate repository of the signatures
  - making them optional in propagation and storage
  - signatures are the biggest part of transactions
  - can be implemented as a soft-fork vs a hard-fork

# **Electronic Product Code Information Services (EPCIS) GS1 Standard for creating, sharing visibility event data**



epcis



## Core Business Vocabulary (CBV)


**What identifiers of object(s) or entities / subject of the event**

**When date time when event took place, local time zone in effect**


**Where location identifier where event occurred, identifier of**

**location where object(s) are expected to be following the**

**Why** Information about the business context, including:  
**a Identifier that indicates the business step taking place**



**CLOSER IS CHEAPER  
CLOSER IS FASTER**



**Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message**

## RFID Configuration TCP/IP heartbeat message

## **STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES**



or Networks in  
.. on reading tag in  
heartbeat message


## **ALPHA NUMERIC BREVITY CODES**

**CASES  
SYNTAX  
LEXICON  
CODE  
GUIDE**

A black and white portrait of Captain Sven-Olof Karlsson. He is an elderly man with glasses, wearing a dark naval officer's uniform with a peaked cap and a bow tie.

# !st Compiler DESIGN Still the **BEST**

## **ROSETTA STONE**



TERRA TRC

MACRO CYCLES

**MONEYBALL**  
ECONOMICS

COMMODITIES

ECONOMIC HEARTBEAT

GDP  
> \$\$\$

€ \$ € ¥

currencyindex

FRIEDMAN'S  
K % RULE

Time Series Database  
CONTRIBUTIONS TO STATISTICS

X  $\Sigma$

$\Delta\delta$

{“TAGGED BITCOINS”}

Veritaseum

Spatial  
Econometrics

Price Indexes in  
Time and Space  
Methods and Practice



</FILTERS>{“FILTERS”}  
</CLASS\_TYPE>


{“Org\_ID”}{“URN”}

<URN>  
<URN>  
<URN>  
<URN>  
<URN>  
<URN>

POOL  
 $\Delta\delta$

HB MSG </108>  
PROTOCOL  
INDUSTRY-DRIVEN MESSAGING STANDARD


LAST LOSS



RISK CORRELATION




Bitcoin = Property





ON OFF SHORE  
GEO LOC LAT / LONG  
PING  
Triangulation  
Euclidian Geo  
GPS GEO LOC  
DATE TIME STAMP  
NDN </INTEREST>  
NDN {“DISTANCE”}

Demurrage Charges  
vector  
 $\Delta\delta$





## Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has [launched a campaign](#) on the decentralized crowd funding app [Lighthouse](#). Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



## Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION  
AGREEMENTS  
PROCEDURAL  
TEMPLATE

## FEDERATION

&lt;UUID&gt; &lt;ORG\_ID&gt; &lt;URN&gt;

## LDAP DIRECTORY

Physical proximity

Social proximity


Temporal proximity

Agreements


Payments

Barter

## ADEPT Standard Peer Architecture – Logical View



\* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS  
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW &lt;XML\_Wf&gt;



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG\_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH





## Three ideas combined

HOW TRUTHCOIN WORKS:

### 1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

### 2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



### 3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

## 2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
--	-----------	-----------

	Protocol (Decentralized)	Centralized Non-Protocol
Focus	Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
	Rules to American Football	The NFL, ESPN, The Buffalo Bills.
	Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
	Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



## 3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished





**Gamification** is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



## HOW GAMIFICATION WORKS:

### 5 COMMON MECHANICS

#### POINTS

Measure a user's achievements in relation to others  
Can double as currency to exchange for rewards

#### BADGES

Reward achievements visually

#### LEVELS

Encourage users to progress and unlock new rewards

#### LEADERBOARDS

Organise players by rank

#### CHALLENGES

Encourage engagement by offering specific tasks to complete

### 4 MAIN WAYS TO DRIVE ENGAGEMENT

#### ACCELERATED FEEDBACK CYCLES


#### CLEAR GOALS AND RULES OF PLAY


#### A COMPELLING NARRATIVE

#### CHALLENGING BUT ACHIEVABLE TASKS









# BUILDING BLOCKS



TASK ON / OFF

201

**B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION**



MACRO CYCLES



.0001


MICRO CYCLES

216



**202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS**


**B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS**




LEADER'S INTENT DECISIONS



ADHOC / AGILE  
FEDERATED <ID>  
GROUPS SYNC'D  
IN TIME / SPACE



210




203

**B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS**



SYNC DELTA METRICS IN SLA CLAUSES AS  
MOE, MOP METER IN TAX CODES, TRANCHE  
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA  
BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME

208



APPLIQUE' OVERLAYS



204

**B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL**



MAP VIEWS GEO-LOCATION SPECIFIC  
SHOW SYNC DELTAS BY GROUP /  
RESOURCE TYPE, EVENT CLASS /  
NEWSCAST BY TRANCHE <CLASSES>

209



**NIST RANDOMNESS BEACON:** broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



## NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI

PARTY /  
AUTHENTICATION



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA NETWORKING**



NDN  
</Interest>  
</Distance>  
SURVEY METHODS + TRIANGULATION  
Euclidian Geometry  
Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org\_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State Snap Shots  
of Internet & estimates distance between any IP address pair

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE

NDN

</interest></distance>

NDN

</interest></distance>

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Legend:

- App: software application
- DB: database
- Fw: firewall
- HSM: hardware security module
- RNG: random-number generator

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM

RNG #3

Clock

RNG

Beacon App

Beacon Engine

Fw

Pulse

DB

(web front end)

queries

Web

(users)

replies

publicly verifiable external values

Time server

HSM



RNG #3

Clock



RNG

Beacon App

Beacon Engine



<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



## NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.


A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

Figure 2. Illustration of the generation of the  $i^{th}$  pulse by a Beacon App (2.0)

ALL THINGS NET FORMED WITH: Building Blocks:  
 1) EPOCH TIME CYCLES  
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

## NIST Quantum Random Number Beacon



"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:  
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain  
Time Stamp Server

### 3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves for the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



WORLD ECONOMIC Heartbeat  
ALGORITHMIC REGULATION  
HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME  
Firefly - Heartbeat Sync Algorithm  
Heartbeat Event Message Bus  
UTZ stochastic harmonization

## Epoch Time Cycles

E0 E1 E2 E3...



## Structured Data Exchange

ROSETTA ("Org\_ID"){"URN"}  
STONE

BREVITY

CODES

Attribute Series



Time Series

300 + Message Sets

Geo Spatial



Workflow Filters

SYNTAX LEXICON




## QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

## QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:  
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




# Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?



Light source      Rays of light coming from the source reach the slits


Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves

Intensity of the fringes shows the maxima and minima

Science Facts


QUANTUM COMPUTING  
- RESISTANT ? - BASED ?  
THROUGH LENS OF SCOTUS  
ALICE LOOKING GLASS RULING



USPTO APPLICATION 13/573 002


The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube




SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



b



# The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

# BLOCH SPHERE




## Hopf Fibration / #Bloch sphere



"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A  $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





*Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)*  
RULING: "claims may not direct towards abstract ideas"



## USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing

CLOCK FACE 360'  
90 / 90 / 90 / 90  
330 340 30 60  
270 240 30 90  
210 180 150

BASEBALL "DIAMOND"  
A diamond Is a square Is a block in 3D  
2nd Base



BANK SC 573 US 134 2347  
CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS  
Physical = Opposite of abstract = ALICE  
HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002

first base  
RUNNER Message Bus

Firefly – Heartbeat Algo

X EVENTS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Epoch Time Cycles









USPTO APPLICATION 13/573 002

## The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme




Satoshi Bitcoin Blockchain  
Time Stamp Server

**Timestamp Server**

The solution we propose begins with a timestamp server. A timestamp server works by taking a block of data to be timestamped and widely publishing the hash, such as in the Internet or Usenet news [25]. The timestamp proves that the data did not exist outside at the time of publication. This is done by publishing the timestamp along with the data being timestamped, forming a chain, with each additional timestamp reinforcing the ones before it.

```


graph LR
    DS1[Data 1] --> TS[Timestamp Server]
    DS2[Data 2] --> TS
    TS --> H1[Hash 1]
    TS --> H2[Hash 2]
  
```




## Metatron's Cube and the Platonic Solids



**"In the beginning (of time) there was the word"**



GENESIS OF ALL FORM





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




## THE GREAT CONJUNCTION IN AQUARIUS

**HERALDING THE NEW AGE**  
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



**"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."**

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.




**Milton Friedman**

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



**CAPITALISM AND FREEDOM**  
MILTON FRIEDMAN  
*With the assistance of William Bernstein*



**The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10<sup>th</sup> 1960**

**Buckminster Fuller "build a new model that makes the old model obsolete"**

**Socrates: focus all your energy on building the new, not fighting the old"**

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman

# Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



**Steven + McGee**

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!


What does your name mean?



**Steven + McGee**

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



**BOOK OF THE CUBE**

The Synchronicity 441 (21 x 21) cube matrix system represents the minimum fractal of totality. Calculated:  $21 \times 21$  being the prime statement of totality ( $21^2 = 1$  totality).  $1 + 2 + 3 + 4 + 5 + 6 = 21$  (sum of totality). The Law of Time (Day).

Satoshi Nakamoto Reveal #2

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"

**CLOCK FACE DAY**  
90° / 90° / 90° / 90°

**BASEBALL "DIAMOND"**  
A diamond is a square in a block in 3D  
Blockchain BLOCK is 3D = CUBE  
Cube has Length, Depth, Height, Volume

**INFOCON**  
4 3 2 1  
**INFORMATION CONDITION**



SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS

