



UTOPIA ? $\Delta\delta$ OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022

I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES



STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS

Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFI DeFi TIME- SPACE METRICS METERS Eco Econ Incentives HEARTBEAT % REAL GDP ("108") ALGORITHMIC REGULATION

Circle USDC



Investopedia

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.


Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies,
Source JDSUPRA



Circle Internet Financial Ltd lawsuit brought by Veritasium Capital for alleged infringement of its digital-asset trading patent. U.S. District Court for the Eastern District of Texas, No. 2:22-cv-00498



NOSTRADAMUS of FRANCE
CENTURY 8: QUATRAIN 28




"THE FINANCIAL
NOSTRADAMUS"
REGGIE MIDDLETON

Reggie Middleton
"Father of DeFi"
US11196566
US11895246
JP6813477

Veritaseum™

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



ECONOMIC HEARTBEAT



K %



DAO

FEDERATE
SHARE
WIN

BITNATION





FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME






World Game Annex K

Signals & Telemetry



INTERNET, NET of \$\$\$ =
1. Epoch Time Cycles
2. Syntax instructions



“Build a new model”
Standing on the shoulders of giants





Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Re Monetize (Crypto) Currency
Symbol / Message Sets A.I.
FIREFLY Inspired Heartbeat Algorithm
Message Event Bus





The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE


1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 “Alice in Wonderland Ruling”






Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity

OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface

Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS

Of system of systems engineering architecture structure data exchange (DoD) (NATO)



SOUND WAVES enable
Different types of quantum tech to "talk"




TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template



Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003






"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals








- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives “We can synchronize ourselves, DAO Trade Federations in time - space for common purposes” Eco sustainable, Equitable Economic econometrics.



Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D





SYNC DELTA
DATA SNAPSHOTS

INFOCON
5 4 3 2 1
INFORMATION CONDITION

**Federation
Gateway**

In the beginning (of time)..
There was the word (syntax)



HFT START, STOP, Time to LIVE



USPTO 13/573,002
573 U.S. 134 SCt 2347

Alice in Wonderland Ruling



CBDC STABLE COINS
currencyindex




MEMO #1421



I.R.S.

Structured Data





MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organization Identifiers {"Org_ID"} routing / organizing
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex



Firefly - Heartbeat Algo

University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man

LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE
PROCESSING

UTZ SYNC
PULSE

SYNC
DELTA



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



ECO ECONOMIC HEARTBEAT

$\Delta\delta X$

("108")





ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

K% GDP RWA RULE


FEDCOIN WORLDCOIN








The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"

Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface


THESIS: All net artifacts, net of \$ are formed with:
 1) Epoch time cycle intervals ex: chip oscillations
 2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...




- one-to-one
- one-to-all
- one-to-many
- Not supported by IPv4:
- one-to-any



- (unicast)
- (broadcast)
- (multicast)
- (anycast)



- unicast
- broadcast
- multicast
- anycast



- Class A, B, C addresses
- Broadcast addresses (e.g. 255.255.255.255, 128.100.255.255)
- Class D addresses
- There are no anycast addresses.




All things internet, programmable net of money are formed using:
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax


Internet / Internet of Money building blocks

Satoshi Bitcoin Blockchain
Time Stamp Server



TIME Block chain TIME

What does a block look like?



GENESIS TIME STAMP / Genesis Block

Header (Contains service information (version info, height, previous block id and timestamp))
Merkle (A summary hash from the block's transaction tree)


Transaction's id list (Set of transaction's identification hashes, that was included into the block's merkle tree)

Semantic blockchain



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code



90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base
STATISTICIAN Metrics, Meters
Stat Mean Value Index

SETTLEMENTS / EXCHANGES

+ TAXABLE EVENTS

AKO TO PROPERTY

IRS

#421

FLASH MESSAGE EVENT BUS

State Meta

Data Snapshots Survey Point

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet


FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

90 feet

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

FROM	TO					CODE GUIDE	
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio				
AMDPCS	TOKENS OPSCODE BREVITY CODES		A.I. 	F002 F015 S201	C203 C400 D630 E500 F002 F014	INFOCON 	
AFATDS	F002 F014 F015 F541 S201	5 4 3 2 1 INFORMATION CONDITION					
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541	  	A423 C505 F014 F015 F541 S201	M2M 
			ASSET TOKENS Token Economy			"SYMBOLS RULE THE WORLD" 	

MESSAGE CATALOG

300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

**HEARTBEAT MESSAGE =
K00.99 </108> {"108"}**

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

FFIRN Field Format Index Reference #


Structured military messaging ID's messages, message sets, data element, symbol fields <108>



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA		SYSTEM FUNCTIONS		PERFORMANCE	
11.4 - Classification		11.8 - Kinematics			
11.4.1 - Category		11.8.1 - Pos / Vel / Acc (PVA)			
11.4.1.1 - Confidence Level		11.8.1.1 - Acceleration			
11.4.1.2 - Estimate Type		11.8.1.1.1 - Angular			
11.4.1.2.1 - Alternative			1.1.2 - Linear		
11.4.1.2.2 - Evaluated D	PURCHASE		2 - Estimate Type		
11.4.1.3 - Value	CODES		1.2.1 - Estimated		
SYMBOL	Friend	Neutral	1.2.2 - Observed		
2525C	Partner		1.2.3 - Predicted		
			1.2.4 - Smoothed P		
11.4.1.3.4 - Substance					
11.4.1.3.5 - Surface					
11.4.2 - Platform / Point / Feature Type			4 - Velocity		
11.4.3 - Specific Type			1.4.1 - Horizontal		
11.4.4 - Type Modifier			1.4.2 - Vertical		
11.4.5 - Unit			VA Confidence		
			1 - Bearing Angle		
			2 - Bearing Angle Rate		
			3 - Covariance Matrix		



Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
- 2) Syntax parsed, processed in epoch time intervals

ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STAMDARD MAN – MACHINE INTERFACE

USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPSCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F014 F541 S201 S309	C002 C203		C002 C203 F014 F541 S201 S309	C002 C203 F014 F541 S201 S309	MIL STD 2525A, B, C, D ["URN"] {"Org_ID"}
AMDPSCS			OPSCODE BREVITY CODES			ISO
AFATDS	F002 F014 F541 S201					Patent Application 9/11 2003: Method to commercialize structured military messaging
MCS	C002 C203 C505 F002 F014 F541 S201					20022
TOKENS						DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards

Object Categories	Examples	Information Categories and Examples				
OOB	SYNTAX LEXICON	STRUCTURED DATA EXCHANGE Message Sets	Identify	Status	Activity	Intent
Infrastructure	Comm, power, transportation, water/sewer	lat/long	spd/hdg	readiness	Eagerizing, reconsituting	COA ("Java JS")
Sociological	culture, religion, economic, ethnic, government, history, languages	Machine Trust Language MTL	throughput, flow rates, name, part-of relationships	BDA, op. metrics	repair, preventive auto.	YAML expansion instance
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature	lat/long, alt/dpth	Domain Value	PURCHASE CODES	TOKENS

MESSAGE CATALOG 300 + Use Cases

Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent
OOB	SYNTAX LEXICON	STRUCTURED DATA EXCHANGE Message Sets					
Infrastructure	Comm, power, transportation, water/sewer	lat/long	spd/hdg				
Sociological	culture, religion, economic, ethnic, government, history, languages	Machine Trust Language MTL	throughput, flow rates, name, part-of relationships				
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature	lat/long, alt/dpth	Domain Value	PURCHASE CODES	TOKENS	


Data Elements: entity, attribute, relationship equivalents

HEARTBEAT MESSAGE = K00.99 </108> {"108"}

PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES DATA SYSTEM FUNCTIONS PERFORMANCE

11.4 - Classification	11.6 - Kinematics
11.4.1 - Category	11.6.1 - Acceleration
11.4.2 - Confidence Level	11.6.1.1 - Angular
11.4.3 - Containing Type	11.6.1.2 - Linear
11.4.4.1 - Alternative	11.6.1.3 - Estimate Type
11.4.4.2 - Evaluated	11.6.1.4 - Estimated
11.4.4.3 - Value	11.6.1.5 - Presumed
	11.6.1.6 - Speculated
	11.6.1.7 - Speculative
	11.6.1.8 - Speculative
	11.6.1.9 - Speculative
	11.6.1.10 - Speculative
	11.6.1.11 - Speculative
	11.6.1.12 - Speculative
	11.6.1.13 - Speculative
	11.6.1.14 - Speculative
	11.6.1.15 - Speculative
	11.6.1.16 - Speculative
	11.6.1.17 - Speculative
	11.6.1.18 - Speculative
	11.6.1.19 - Speculative
	11.6.1.20 - Speculative
	11.6.1.21 - Speculative
	11.6.1.22 - Speculative
	11.6.1.23 - Speculative
	11.6.1.24 - Speculative
	11.6.1.25 - Speculative
	11.6.1.26 - Speculative
	11.6.1.27 - Speculative
	11.6.1.28 - Speculative
	11.6.1.29 - Speculative
	11.6.1.30 - Speculative
	11.6.1.31 - Speculative
	11.6.1.32 - Speculative
	11.6.1.33 - Speculative
	11.6.1.34 - Speculative
	11.6.1.35 - Speculative
	11.6.1.36 - Speculative
	11.6.1.37 - Speculative
	11.6.1.38 - Speculative
	11.6.1.39 - Speculative
	11.6.1.40 - Speculative
	11.6.1.41 - Speculative
	11.6.1.42 - Speculative
	11.6.1.43 - Speculative
	11.6.1.44 - Speculative
	11.6.1.45 - Speculative
	11.6.1.46 - Speculative
	11.6.1.47 - Speculative
	11.6.1.48 - Speculative
	11.6.1.49 - Speculative
	11.6.1.50 - Speculative
	11.6.1.51 - Speculative
	11.6.1.52 - Speculative
	11.6.1.53 - Speculative
	11.6.1.54 - Speculative
	11.6.1.55 - Speculative
	11.6.1.56 - Speculative
	11.6.1.57 - Speculative
	11.6.1.58 - Speculative
	11.6.1.59 - Speculative
	11.6.1.60 - Speculative
	11.6.1.61 - Speculative
	11.6.1.62 - Speculative
	11.6.1.63 - Speculative
	11.6.1.64 - Speculative
	11.6.1.65 - Speculative
	11.6.1.66 - Speculative
	11.6.1.67 - Speculative
	11.6.1.68 - Speculative
	11.6.1.69 - Speculative
	11.6.1.70 - Speculative
	11.6.1.71 - Speculative
	11.6.1.72 - Speculative
	11.6.1.73 - Speculative
	11.6.1.74 - Speculative
	11.6.1.75 - Speculative
	11.6.1.76 - Speculative
	11.6.1.77 - Speculative
	11.6.1.78 - Speculative
	11.6.1.79 - Speculative
	11.6.1.80 - Speculative
	11.6.1.81 - Speculative
	11.6.1.82 - Speculative
	11.6.1.83 - Speculative
	11.6.1.84 - Speculative
	11.6.1.85 - Speculative
	11.6.1.86 - Speculative
	11.6.1.87 - Speculative
	11.6.1.88 - Speculative
	11.6.1.89 - Speculative
	11.6.1.90 - Speculative
	11.6.1.91 - Speculative
	11.6.1.92 - Speculative
	11.6.1.93 - Speculative
	11.6.1.94 - Speculative
	11.6.1.95 - Speculative
	11.6.1.96 - Speculative
	11.6.1.97 - Speculative
	11.6.1.98 - Speculative
	11.6.1.99 - Speculative
	11.6.1.100 - Speculative
	11.6.1.101 - Speculative
	11.6.1.102 - Speculative
	11.6.1.103 - Speculative
	11.6.1.104 - Speculative
	11.6.1.105 - Speculative
	11.6.1.106 - Speculative
	11.6.1.107 - Speculative
	11.6.1.108 - Speculative
	11.6.1.109 - Speculative
	11.6.1.110 - Speculative
	11.6.1.111 - Speculative
	11.6.1.112 - Speculative
	11.6.1.113 - Speculative
	11.6.1.114 - Speculative
	11.6.1.115 - Speculative
	11.6.1.116 - Speculative
	11.6.1.117 - Speculative
	11.6.1.118 - Speculative
	11.6.1.119 - Speculative
	11.6.1.120 - Speculative
	11.6.1.121 - Speculative
	11.6.1.122 - Speculative
	11.6.1.123 - Speculative
	11.6.1.124 - Speculative
	11.6.1.125 - Speculative
	11.6.1.126 - Speculative
	11.6.1.127 - Speculative
	11.6.1.128 - Speculative
	11.6.1.129 - Speculative
	11.6.1.130 - Speculative
	11.6.1.131 - Speculative
	11.6.1.132 - Speculative
	11.6.1.133 - Speculative
	11.6.1.134 - Speculative
	11.6.1.135 - Speculative
	11.6.1.136 - Speculative
	11.6.1.137 - Speculative
	11.6.1.138 - Speculative
	11.6.1.139 - Speculative
	11.6.1.140 - Speculative
	11.6.1.141 - Speculative
	11.6.1.142 - Speculative
	11.6.1.143 - Speculative
	11.6.1.144 - Speculative
	11.6.1.145 - Speculative
	11.6.1.146 - Speculative
	11.6.1.147 - Speculative
	11.6.1.148 - Speculative
	11.6.1.149 - Speculative
	11.6.1.150 - Speculative
	11.6.1.151 - Speculative
	11.6.1.152 - Speculative
	11.6.1.153 - Speculative
	11.6.1.154 - Speculative
	11.6.1.155 - Speculative
	11.6.1.156 - Speculative
	11.6.1.157 - Speculative
	11.6.1.158 - Speculative
	11.6.1.159 - Speculative
	11.6.1.160 - Speculative
	11.6.1.161 - Speculative
	11.6.1.162 - Speculative
	11.6.1.163 - Speculative
	11.6.1.164 - Speculative
	11.6.1.165 - Speculative
	11.6.1.166 - Speculative
	11.6.1.167 - Speculative
	11.6.1.168 - Speculative
	11.6.1.169 - Speculative
	11.6.1.170 - Speculative
	11.6.1.171 - Speculative
	11.6.1.172 - Speculative
	11.6.1.173 - Speculative
	11.6.1.174 - Speculative
	11.6.1.175 - Speculative
	11.6.1.176 - Speculative
	11.6.1.177 - Speculative
	11.6.1.178 - Speculative
	11.6.1.179 - Speculative
	11.6.1.180 - Speculative
	11.6.1.181 - Speculative
	11.6.1.182 - Speculative
	11.6.1.183 - Speculative
	11.6.1.184 - Speculative
	11.6.1.185 - Speculative
	11.6.1.186 - Speculative
	11.6.1.187 - Speculative
	11.6.1.188 - Speculative
	11.6.1.189 - Speculative
	11.6.1.190 - Speculative
	11.6.1.191 - Speculative
	11.6.1.192 - Speculative
	11.6.1.193 - Speculative
	11.6.1.194 - Speculative
	11.6.1.195 - Speculative
	11.6.1.196 - Speculative
	11.6.1.197 - Speculative
	11.6.1.198 - Speculative
	11.6.1.199 - Speculative
	11.6.1.200 - Speculative
	11.6.1.201 - Speculative
	11.6.1.202 - Speculative
	11.6.1.203 - Speculative
	11.6.1.204 - Speculative
	11.6.1.205 - Speculative
	11.6.1.206 - Speculative
	11.6.1.207 - Speculative
	11.6.1.208 - Speculative
	11.6.1.209 - Speculative
	11.6.1.210 - Speculative
	11.6.1.211 - Speculative
	11.6.1.212 - Speculative
	11.6.1.213 - Speculative
	11.6.1.214 - Speculative
	11.6.1.215 - Speculative
	11.6.1.216 - Speculative
	11.6.1.217 - Speculative
	11.6.1.218 - Speculative
	11.6.1.219 - Speculative
	11.6.1.220 - Speculative
	11.6.1.221 - Speculative
	11.6.1.222 - Speculative
	11.6.1.223 - Speculative
	11.6.1.224 - Speculative
	11.6.1.225 - Speculative
	11.6.1.226 - Speculative
	11.6.1.227 - Speculative
	11.6.1.228 - Speculative
	11.6.1.229 - Speculative
	11.6.1.230 - Speculative
	11.6.1.231 - Speculative
	11.6.1.232 - Speculative
	11.6.1.233 - Speculative
	11.6.1.234 - Speculative
	11.6.1.235 - Speculative
	11.6.1.236 - Speculative
	11.6.1.237 - Speculative
	11.6.1.238 - Speculative
	11.6.1.239 - Speculative
	11.6.1.240 - Speculative
	11.6.1.241 - Speculative
	11.6.1.242 - Speculative
	11.6.1.243 - Speculative
	11.6.1.244 - Speculative
	11.6.1.245 - Speculative
	11.6.1.246 - Speculative
	11.6.1.247 - Speculative
	11.6.1.248 - Speculative
	11.6.1.249 - Speculative
	11.6.1.250 - Speculative
	11.6.1.251 - Speculative
	11.6.1.252 - Speculative
	11.6.1.253 - Speculative
	11.6.1.254 - Speculative
	11.6.1.255 - Speculative
	11.6.1.256 - Speculative
	11.6.1.257 - Speculative
	11.6.1.258 - Speculative
	11.6.1.259 - Speculative
	11.6.1.260 - Speculative
	11.6.1.261 - Speculative
	11.6.1.262 - Speculative
	11.6.1.263 - Speculative
	11.6.1.264 - Speculative
	11.6.1.265 - Speculative
	11.6.1.266 - Speculative
	11.6.1.267 - Speculative
	11.6.1.268 - Speculative
	11.6.1.269 - Speculative
	11.6.1.270 - Speculative
	11.6.1.271 - Speculative
	11.6.1.272 - Speculative
	11.6.1.273 - Speculative
	11.6.1.274 - Speculative
	11.6.1.275 - Speculative
	11.6.1.276 - Speculative
	11.6.1.277 - Speculative
	11.6.1.278 - Speculative
	11.6.1.279 - Speculative
	11.6.1.280 - Speculative
	11.6.1.281 - Speculative
	11.6.1.282 - Speculative
	11.6.1.283 - Speculative
	11.6.1.284 - Speculative
	11.6.1.285 - Speculative
	11.6.1.286 - Speculative
	11.6.1.287 - Speculative
	11.6.1.288 - Speculative
	11.6.1.289 - Speculative
	11.6.1.290 - Speculative
	11.6.1.291 - Speculative
	11.6.1.292 - Speculative
	11.6.1.293 - Speculative
	11.6.1.294 - Speculative
	11.6.1.295 - Speculative
	11.6.1.296 - Speculative
	11.6.1.297 - Speculative
	11.6.1.298 - Speculative
	11.6.1.299 - Speculative
	11.6.1.300 - Speculative
	11.6.1.301 - Speculative
	11.6.1.302 - Speculative
	11.6.1.303 - Speculative
	11.6.1.304 - Speculative
	11.6.1.305 - Speculative
	11.6.1.306 - Speculative
	11.6.1.307 - Speculative
	11.6.1.308 - Speculative
	11.6.1.309 - Speculative
	11.6.1.310 - Speculative
	11.6.1.311 - Speculative
	11.6.1.312 - Speculative
	11.6.1.313 - Speculative
	11.6.1.314 - Speculative
	11.6.1.315 - Speculative
	11.6.1.316 - Speculative
	11.6.1.317 - Speculative
	11.6.1.318 - Speculative
	11.6.1.319 - Speculative
	11.6.1.320 - Speculative
	11.6.1.321 - Speculative
	11.6.1.322 - Speculative
	11.6.1.323 - Speculative
	11.6.1.324 - Speculative
	11.6.1.325 - Speculative
	11.6.1.326 - Speculative
	11.6.1.327 - Speculative
	11.6.1.328 - Speculative
	11.6.1.329 - Speculative
	11.6.1.330 - Speculative
	11.6.1.331 - Speculative
	11.6.1.332 - Speculative
	11.6.1.333 - Speculative
	11.6.1.334 - Speculative
	11.6.1.335 - Speculative
	11.6.1.336 - Speculative
	11.6.1.337 - Speculative
	11.6.1.338 - Speculative
	11.6.1.339 - Speculative
	11.6.1.340 - Speculative
	11.6.1.341 - Speculative
	11.6.1.342 - Speculative
	11.6.1.343 - Speculative
	11.6.1.344 - Speculative
	11.6.1.345 - Speculative
	11.6.1.346 - Speculative
	11.6.1.347 - Speculative
	11.6.1.348 - Speculative
	11.6.1.349 - Speculative
	11.6.1.350 - Speculative
	11.6.1.351 - Speculative
	11.6.1.352 - Speculative
	11.6.1.353 - Speculative
	11.6.1.354 - Speculative
	11.6.1.355 - Speculative
	11.6.1.356 - Speculative
	11.6.1.357 - Speculative
</td	



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



ICS-ISAC

Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors

<ORG_ID> Organizations

Federation
Gateway

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

<ELEMENTS>

STRATML/ IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE



AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

FROM	TO	MCS
OCB1	TAB	AMOPCS
OCB2	TAB	AFATOS
OCB3	TAB	MSB

FROM	TO	MCS
OCB4	TAB	AMOPCS
OCB5	TAB	AFATOS
OCB6	TAB	MSB

FROM	TO	MCS
OCB7	TAB	AMOPCS
OCB8	TAB	AFATOS
OCB9	TAB	MSB

FROM	TO	MCS
OCB10	TAB	AMOPCS
OCB11	TAB	AFATOS
OCB12	TAB	MSB

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTF. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates

STRUCTURED
<CONTENT>
TEMPLATES

<TAG>
LIBRARY






TERRA
TRC



ECONOMIC HEARTBEAT







</FILTERS>{"FILTERS"}
</CLASS_TYPE>



HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Energy Microgrids

Blockchain Microgrids

HEARTBEAT STATE META DATA SNAPSHOTS

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges


vector

Energy Microgrids

Blockchain Microgrids



ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS








IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS




REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)




NDN NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency




NAMED DATA NETWORKING

</IoT>
MQTT




NIST TIME BEACON

<INTEREST>




ARRESTED-D

TELEMETRY TRANSPORT



CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET
TRIANGULATION



4 / 3 / 2 / 1 / NULL / 1 / 2 / 3 / 4

.0001 .05 .01 .1 0 5 15 30 99


vector WirelessHART

time synchronized,
self-organizing,
mesh Net

ALERT LEVEL >
> NEWSCAST ZONE




SINE-WAVE



INFOCON
XML
MTF
300 +
MSG

5 4 3 2 1
INFORMATION CONDITION



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything "ability to hear the world's heartbeat"




The four dimensions of Big Data

vector

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org_ID, URN Before FUSION CENTER



* Truthfulness, accuracy or precision, correctness

FIREFLY – HEARTBEAT {"108"}
Stochastic Harmonization UTZ SYNC

Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest OPTEMPO HEARTBEAT

State Meta Data
Heartbeat Snaps



ALGORITHM
Universal Event / Alert Bus

HASHGRAPH
Consensus Algorithm
Time Averaged
Time Stamping

Functional Sequential Erlang

SPACE - TIME Equations
BLOCKCHAIN PARSING
{"Org_ID"}, {"URN"}
FIREFLY SYNC CONSENSUS


+ 2
+ 1
+ 1
+ 2
WATER DROP IN POND MEME





PAUL REVERE MEME
LINEAR SEQUENTIAL

< / = / >
HEARTBEAT SYNCRONIZATION

Distance Est
Service
Geo-spatial
IDMaps
SonarHops

FOAM spatial protocol
Ethereum Blockchain



Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 #leT					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped. This is done by publishing the timestamped data on a public ledger, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> Block info Previous Hash Timestamp Merkle Transactions id list <p>Headers: Contains version information (version info), previous block's hash (previous block), and timestamp (timestamp). Transactions: A list of transactions (tx) that are being added to the block. Merkle: A tree structure that summarizes all the transactions in the block.</p>				

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins




Mined Bitcoins



BLOCKS / COINS PENDING ISSUE


B
A
C



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:




IDMaps-SONARHOPS distance estimation query-reply service



- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer



$\Delta\delta$



Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION



ALGORITHMIC STABLE COIN EQUILIBRIUM ALGORITHMS
COMMODITY INDEX BASKET PRICE DISCOVERY ALGOS




COMMODITY FUTURES TRADING COMMISSION



SLA Service Level Agreement
CLOSER = CHEAPER = CLOSER


FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013



Edison's Monetary Option
Cambridge University Press 2009

"Crops hold their value best over time"

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



Tokenization of Physical Assets Enables Economy Of Everything




ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$

BELT and ROAD
Trade Initiative



FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION



Thomas Edison's Monetary Option Cambridge University Press 2009


"Crops hold their value best over time"



COMMODITY RWA
REAL WORLD ASSET
STABLE COIN INDEX

BY DAVID L. HAMMES

"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter



Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.
ANTONINVS
AVG. TR. P. XXV.

THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC
"world currency" Bernard A. Lietaer
Belgian economist proposed 1991
Basket of 9-12 most important
commodities. Public issued
demurrage fees for storage,
shipping, handling..



Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]

Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




LEADING ECONOMIC INDICATORS







The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.







Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.




System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3



COMPONENT		
PK	CP_OID	{"URN"}
FK1	CP_NAME	
FK2	CP_SUBSTANCE (BOOL)	
	CP_PRIMTYPE	
	CP_CLASSTYPE	
	CP_CLOUD	
	CP_COLLECTION	

CONNECTION		
PK	CN_OID	
FK1	CN_TYPE (CLASSES ONLY)	
FK2	CN_FROM	
FK3	CN_TO	
FK4	CN_SUBSTAN	
FK5	CN_PARENT	
	CN_NAME	



Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON



2525 Series
Symbol Set
Libraries


FRT CP CLOUD

ABC A OPS CODE BREVITY CODES


Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes



Symbolic AI

Incorporate common sense reasoning and



"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius


Alpha-numeric OPS CODE
Brevity codes mapped to symbols,
Symbol sets = structured data






- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

Value
Time



SonarHops

5
4
3
2
1

602



UNUSED RESOURCES
UNMET NEEDS

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE



PAUL REVERE
LINEAR, SEQUENTIAL

603


NULL +1 +2

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances

RADIUS
WATER DROP IN POND MEME

Attribute Series



INTEREST
DISTANCE

Temporal Series

Geo Spatial

Micro Grids Closer - Cheaper

BLOCKCHAIN
MICROGRIDS

Spatial
Econometrics

Spaceship
Earth
Signals &
Telemetry
Annex

ASTEROID BELTS =
RARE MINERALS

MAIN
ASTEROID
BELT

MARS
VENUS
EARTH

MERCURY

Farther = More Cost
➤ Fuel, Resources

Service Level Agreements

FIREFLY-HEARTBEAT
ALGORITHM
UNIVERSAL
EVENT MESSAGE BUS

ERLANG
TIME- SPACE METRICS

TROJAN
ASTEROIDS

43 22 13 0 1.5 2.7 5.2
Light minutes Astronomical units

FIREFLY – HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

← cycle n → ← n + 1 → ← n + 2 →

TIME-SPACE BEACON

INFOCON

5 4 3 2 1

INFORMATION
CONDITION

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

SIRIUS DISCLOSURE

"Numbers are the
Universal Language

offered by deity to humans as
confirmation of the truth"

Alpha
Numeric
Brevity
Codes

SYNTAX
LEXICON

K00.99

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???

???


???


???

???

???

???





BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001


MICRO CYCLES

216




202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



LEADER'S INTENT DECISIONS



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS




LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA
BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



206



208



APPLIQUE' OVERLAYS





MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY

A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS




Blockchain Quad-lemma



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431



THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms




In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: *PoF*: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.




BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



The collage features several distinct elements: 1) A central green circle containing a white clock face with a red second hand, set against a background of blue brain-like patterns and two cartoon insects. 2) Below the clock, the text "QUANTUM RANDOM NUMBER BEACON" is displayed in large, bold, white letters. 3) To the left of the main text, there is a smaller image showing a globe with yellow and orange continents, overlaid with several curved, glowing orange lines representing signal transmission. 4) At the bottom left, the words "NON REPUDIATION" are written in large, bold, white capital letters. 5) On the right side, there is a circular icon with a blue border and a white interior, featuring a stylized white "B" shape surrounded by concentric arcs.



Tolerance structured Data Exchange

STRUCTURED DATA EXCHANGE VAT TAX JARGON

SYNTAX LEXICON

ESCODES - Symbol Sets

e: Simplified

Simplified Byzantine Fault

Tolerance

Page 5

Practical

Byzantine Fault

www.elsevier.com

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

3) RWA-Backed by off-chain real-world assets



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements



- STRUCTURED DATA EXCHANGE

Reuse brevity codes mapped to 2525D symbol sets comprised of 300

+ message sets for A.I. - machine

Block-Time DLT arbitrage among Trade Federations </Org_ID>

{“URN”} </URN> = COMMODITY



Spatial / temporal UTZ

synchronization, stochastic

harmonization, Time - Space

Distance Estimation Service

Common Consensus Algo meme

Eco sustainable incentives

“We can synchronize ourselves,

DAO Trade Federations in time -

space for common purposes”

Eco sustainable, Equitable

Economic econometrics.



ERC 20 TOKENS STANDARDS LIST



Blockchain Council

All things net, net of money formed with 1. Epochs 2 Syntax



Federation Gateway

MEDIATE

$\Delta\delta$ MITIGATE

Brevis's value is User Health

UNIVERSAL MEME

Purchased Bitcoins Akin to property

I.R.S.

On / Off Shore

Time-Series Databases

XBRL / CDL / DAML

ROSETTA STONE

FEDERATION: Latin: foedus, foederis, 1. covenant, union of partially self-governing states under a central government 2. League or confederacy. People, groups retain autonomy 3. A federated body formed by a number of nations, states, societies, unions, retaining control of own internal affairs SC Alice Corp “claims may not direct”

USPTO 13/573,002 Alpha-Numeric Procedural

BREVITY CODES / TOKENS SYNTAX Template Checklist

STRUCTURED DATA EXCHANGE LEXICON CODER'S GUIDE

ISO 20022 2525C/D DATA SETS NETOPS TEMPLATE FORMS

NATO LOGIC FILTERS Alpha Numeric BREVITY CODES K00.99

ISO 20022 2525C/D DATA SETS NETOPS TEMPLATE FORMS

Message Sets

XBRL / CDL / DAML

ROSETTA STONE

USPTO 13/573,002

A.I.

Procedural

SYNTAX

Template

Checklist

LEXICON

CODER'S

GUIDE

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

FORMS

LOGIC

FILTERS

Alpha Numeric

BREVITY CODES

K00.99

ISO

20022

2525C/D

DATA SETS

NETOPS

TEMPLATE

THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"






Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"



CLOCK FACE 360°
90 / 90 / 90 / 90

300 330 360 30
270 240 210 180 150
120 90 60

MACRO CYCLES

RULES / ROLES
INSTRUCTIONS

WORKFLOW
UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5
HASH TABLES

STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point



MICRO CYCLES

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.

BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejiggering time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)


SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio $\frac{\text{Arrival Rate } \Delta \delta}{\text{Service Rate per unit time}}$ queueing systems wait times
stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over


Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution


FROM	USCA	THA	AIA	AMERICA	AFAT	WIC
ALPHANUMERIC						
BREVITY CODES						
AZURE						
STRUCTURED						
MILITARY MESSAGE						
TEMPLATE FORMS						
LOGIC / FILTERS						



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.



NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates


FORM	FORMAT								
OCTOB	00001	00002	00003	00004	00005	00006	00007	00008	00009
ABAB	P0001	P0002	P0003	P0004	P0005	P0006	P0007	P0008	P0009
ANAN	C0001	C0002	C0003	C0004	C0005	C0006	C0007	C0008	C0009
COSC	D0001	D0002	D0003	D0004	D0005	D0006	D0007	D0008	D0009
DPB	E0001	E0002	E0003	E0004	E0005	E0006	E0007	E0008	E0009
METH	F0001	F0002	F0003	F0004	F0005	F0006	F0007	F0008	F0009
PERIOD	G0001	G0002	G0003	G0004	G0005	G0006	G0007	G0008	G0009
PERIOD	H0001	H0002	H0003	H0004	H0005	H0006	H0007	H0008	H0009

LOGIC FILTERS
LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series







real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a FEDERATION based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery Provides information about total costs of the transaction




Workflows are serially executed Except first two work flow are workflows are based on event pull model



Neutral transaction protocol

secured REST messaging API's



1. **FEDERATION:** Latin: foedus, foederis, covenant, union of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain AUTONOMY
3. A federated body formed by nations, states, and... unions

each retaining control of internal affairs

Federation

Gateway

Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS

X
FEDERATION CONSENSUS PROTOCOL

{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
{"GROUP ID"}

LOCKED QUOTED ACCEPT / DENY In Progress SUCCEEDED

{"108"} HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS


()() MATCH EVENT REPORTS TO CLOSEST HEARTBEAT CYCLE FLASH HEARTBEAT MESSAGES {"108"} Δδ Sync to Closest Heartbeat

HASH NONCE FIREFLY-HEARTBEAT ALGORITHM MICRO-CYCLE STATE META DATA SNAPSHOTS STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES



Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.

BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

K0.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS




Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.






TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone



The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$




TIME BLOCK




IPFS

On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.


Attribute Series



Geo Spatial Series




X Δδ



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

HEARTBEAT

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



Δδ



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



SLA CLOSER = < \$ CLOSER = < CO2


COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



STAT MEAN VALUE INDEX

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology



•VALUES: Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



- Users should fully control their data. Users have freedom to reveal as much personal identifiable information as they want, when they want



Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



SchellingPoint

DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL > > NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$










Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002





VERITAS TOKENS

P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials



INFOCON
5 4 3 2 1
INFORMATION CONDITION



{"108"}



STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



E \$ € ¥
currency index



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on **TIME X**, in Y condition at **PLACE Z** or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X ritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

DeFi Ve TOKENS VeriDAO {"TAGGED"} CRYPTO

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

START

05:08:50

Heartbeat Flash Messages Precedence Processing

Collateral Notional Expiry

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

{"Org_ID"}, {"Tagged"}, {"URN"}, {"Org_ID"}, {"Tagged"}, {"URN"}, {"Cryptos"}, {"TTL}

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP TTL

t_1 t_2 t_3

Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identiy is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs



Federation
Gateway
Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP




Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD




"BITCOIN'S VALUE IS TIME ITSELF – DIGINOMICS"



Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol




NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses


data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"




DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



UTZ TIME ZONE SYNC
ROLES Meters RULES Metrics
Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



vector
WORLDWIDE LOW-EARTH SATELLITE TRIANGULATION NETWORK, 360 CAMERAS
IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" $\Delta\delta$

DAG finite directed graph
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

Consensus Order

$$\sum \Delta\delta \times$$

Round created Witness
0 / 1

Famous witness Election

Vote See
Strongly see

Supermajority Decide
0 / 1

Round created Round received

Consensus timestamp Consensus order $\Delta\delta$

Synchronous Asynchronous
Micro-Cycle State Meta Data Snapshots

Hash Nonce

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



Heartbeat Event {"burn"} SLA = increase mining rig volume IEEE C37.118 Time Synchronization Harmonization Heartbeat update Interval PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.


TAG	Volume / Size + / - Of rig	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	Δδ [UFO2_STATE:#]	Δδ IF_State
IF2_State (IF-Node2)	Δδ [UFO2_STATE:#]	Δδ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property



PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.





PoST users / nodes must prove that they are spending a certain amount of space for storage.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed **Universal Timezone System** would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.



The proposed **Universal Timezone System** would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY

CPU CHIP
EPOCHS




long exponential
intervals (10 min)



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



COMMAND SYNTAX
RESTFUL State Transfer

MACRO – CYCLES



short deterministic
intervals (10 sec)

MICRO-CYCLES



Block Size [Byte, log scale]




PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

 if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$


1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"







IOTA: Internet Of Things IOT distributed ledger with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree







EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises



TEMPLATE ENGINE LANGUAGE ETF

DWYER

NAMED DATA NETWORKING, corrections

Time Series Databases

BLOCKCHAIN PARSING, SYNCHRONIZATION



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract







ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**

Casper is a security-deposit based economic consensus protocol. Nodes = “bonded validators” place security deposit (an action called “bonding”) If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address “nothing at stake” problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"

Threshold Relay Chain techniques

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches
Choosing Leaders Randomness selects priority list block forgers at height h
Short Term Convergence Correct processes build on highest scoring chain
Threshold Timestamping group signs blocks at h until next group appends another.

Scalable Global Validation Layer: Each additional level of the tower validates new state transitions applied to storage shard. is built by processes selected by the RANDOM BEACON

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

Satoshi Nakamoto: "The solution we propose begins with a TIME STAMP SERVER

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002

UTZ TIME ZONE SYNC

MACRO CYCLES

RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base STATISTICIAN Metrics, Meters

UNIVERSAL HEARTBEAT MESSAGE EVENT BUS

90 feet

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421

90 feet

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Fix {"108"} FLASH MESSAGE EVENT BUS TIME STAMP SERVER

Firefly – Heartbeat Algo EVENTS X

STOCHASTIC HARMONIZATION FIX {"108"} FLASH MESSAGE EVENT BUS TIME STAMP SERVER

Epoch Time Cycles



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.


ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



E F

ROLES Meters



RULES Metrics

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade


Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions. They receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.






2. Participants update the state amongst themselves by constructing and signing transactions that could be submitted to the blockchain, but instead are made available for a new update "trumps" previous updates.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.




NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY

HEARTBEAT ALGO

STAT MEAN VALUE INDEX


TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE


FEDERATION

<UUID> <ORG_ID> <URN>



LDAP DIRECTORY

- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH



DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL EVENT BUS

- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Estimated	
11.8.6 - Predicted	
11.8.7 - Smoothed	
11.8.8 - Position	
11.8.9 - Bearing	
11.8.10 - Location	
11.8.11 - Horizontal	
11.8.12 - Vertical	
11.8.13 - Angle	
11.8.14 - Horizontal	
11.8.15 - Vertical	
11.8.16 - Bearing	
11.8.17 - Covariance	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML
STRUCTURED
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS
300+
Use Case Templates

Federation Gateway



$\Delta\delta$



Δδ

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS







**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob



LIGHTNING



Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360'
90 / 90 / 90 / 90



RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES



BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a **TIME STAMP SERVER**"


90 feet

Blockchain / cryptocurrency increments

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume



90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet


90 feet

Blockchain BLOCK in 3D = CUBE

</div

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event

When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of

location where object(s) are expected to be following the


Why Information about the business context, including:
a Identifier that indicates the business step taking place



CLOSER IS CHEAPER



MICRO CYCLES



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES

FROM	TO		CASES SYNTAX LEXICON CODE GUIDE										BREVITY CODES
ASAS	COMBAT FIELD DIGITIZATION		NETCENTRIC WARFARE										NC8
AMDPICS	SYSTEM OF SYSTEMS		BEST PRACTICE										C835 C460 D530 E500 F541 G510 F541 S201
AFATDS	MESSAGE DATA SETS		“ORG_ID” “URN” “UUID”										C400 F002 C401 F014 F541 S201
CCSCS	TEMPLATES / FORMS		“FILTERS”										A423 C203 C505 C203 F501 C203 F541 S201
IMETS	ROLES / PERMISSIONS		“ROLES” / “FILTERS”										D501 F001 F002 F014 F015 F541
ISYICON	NETOPS SOP		“ROSETTA STONE”										F002 F014 F015 F541
FBCB2	NIA		“ROSETTA STONE”										K01.1 K05.17 K01.1 K05.17 K01.1 K05.17


!st Compiler DESIGN Still the **BEST**



How 'Bitbanks' Could Solve Bitcoin's Volatility Problem




$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate





QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization



Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples




Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




Microwave pulses like sonar ping...

qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



All Photons and EM waves
can have various directions
of polarisation with respect to
their direction of propagation



In 1887, Heinrich Hertz demonstrated the reality of
Maxwell's electromagnetic waves by experimentally
generating radio waves in his laboratory.

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation


Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day



Volts per Second





V





ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves

Hopf
Fibration



WATER

DROP
MEME

THESIS: All things net, net of programmable \$\$\$ are formed using:



- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles

ENERGY / DATA WAVE METRICS / METERS



STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html



TESLA Harmonic Sphere Flux Resonator



ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: https://phys.org/news/2018-06-quantum_1.html




BELL STATE QUANTUM COMPUTING



STANDING ELECTRO-MAGNETIC WAVE
A standing electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.




"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla



USPTO 13/573,002



573 U.S. 134 SCt 2347
“Alice in Wonderland Ruling”

A.I.



</Org_ID> TIME CHAIN

{"URN, URN, URN"}



WATER DROP PHYSICAL NATURAL MEME
USPTOb13/573,002




THESIS: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html



STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter






Figure 3.7. The 200,000 second. We chose other variables for computing a more dimensional decomposition.

$$\Delta \theta = \nabla \cdot \left[\rho \mathbf{v} \left(\frac{\partial \Delta \theta}{\partial \theta} + \mathbf{F}(\theta) \right) \right]$$

Note, $\Delta \theta = 10^{-1}$ and initial conditions consisting of some Gaussian. As other cases, we also want to integrate evolution until eliminate an unphysical evolution. As seen in Fig. 3.8, the evolution of components due to the evolution of $\rho = \rho_{\text{max}} = 10^{-3}$, very rapidly, the final function contains constant, periodic, and also component values of the model's state component via our satisfied with the current evolution, and unphysical growth models.




Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.



Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"




FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM
"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" Δδ

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SOUND WAVES enable Different types of quantum tech to "talk"





Eric Trump: "Bitcoin to 1 MILLION"
VS QUANTUM SUPREMACY



SOUND WAVES enable
Different types of
quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND
ORG_ID in CLEAR / Person ID encrypted
'wave-particle duality'
is simply the quantum
'uncertainty principle'

TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template




How Will Quantum
Supremacy Affect
Blockchain?

ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347
"BITCOIN's VALUE = TIME ITSELF"
"TIME IS SPECIFIED IN UNITS OF BLOCK
TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES



2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money
are formed using time epoch cycles to
process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It
only works if all nodes reach an identical state"




www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops

("Distance")

("Interest")

vector

triangulation



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
--	-----------	-----------

	Protocol (Decentralized)	Centralized Non-Protocol
Focus	Spoken English	Shakespeare's Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
	Rules to American Football	The NFL, ESPN, The Buffalo Bills.
	Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
	Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished










Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain
Time Stamp Server

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves for the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



WORLD ECONOMIC Heartbeat
ALGORITHMIC REGULATION
HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME
Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



Structured Data Exchange

ROSETTA

{"Org_ID"} {"URN"}

STONE

BREVITY

CODES

Attribute Series

Time Series

Value

Time

300 +

Message Sets

Spatial

Work flow

Filters




QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



SYNTAX LEXICON

Double-Slit Experiment

Screen with two slits



Screen

WAVE ?

PARTICLE ?

Sodium lamp




Light source	Rays of light coming from the source reach the slits	Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation	Alternating bright and dark fringes due to interference of light waves	Intensity of the fringes shows the maxima and minima
--------------	--	---	--	--



QUANTUM COMPUTING


- RESISTANT ? - BASED ? THROUGH LENS OF SCOTUS ALICE LOOKING GLASS RULING





USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: “Claims may not direct towards abstract ideas” / Physical = opposite of abstract



The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





THE 1919 WORLD SERIES

What Really Happened?

William A. Cook




Stop patent trolls.
Join The Alliance.

Application Developers Alliance




Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: “claims may not direct towards abstract ideas”



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
 - Admin forms, fees, amendments.. MUTED
 - NO Time Stamps = TEMPORAL AMBIGUITY
 - Screen captures before / after filing 









USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



Satoshi Bitcoin Blockchain
Time Stamp Server


Timestamp Server

Let us propose begin with a timestamp server. A timestamp server works by taking a block of time to be timestamped and publishing the hash code, such as H , of the block at t and $t+1$ [23]. The timestamp peers for the data to be stored at the end of the block. The timestamp server also stores the timestamp of the previous timestamp, forming a chain, with each additional timestamp reinforcing the ones before it.

```

graph LR
    TS[TS] --> H1[Host 1]
    TS --> H2[Host 2]
    subgraph TS
        direction TB
        TS1[TS] --- TS2[TS]
        TS2 --- TS1
    end
    H1 --- F1[File 1]
    H2 --- F2[File 2]
    F1 --> TS
    F2 --> TS


```




Metatron's Cube and the Platonic Solids



"In the beginning (of time) there was the word"



GENESIS OF ALL FORM





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.


The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.

Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory and more, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



CAPITALISM AND FREEDOM
MILTON FRIEDMAN
WITH THE ASSISTANCE OF ROBERT FRIEDMAN




The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960


Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"


#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



METATRON'S CUBE
GENESIS OF ALL FORM



THE OZ KEY



THE LAW OF TIME




"Time is a created thing" Lao Tzu

"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration." - Nikola Tesla







HOPF FIBRATION






USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template



DISNEY'S FANTASIA



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



$\Delta\delta$

Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + McGee

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!


What does your name mean?



Steven + McGee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



$\Delta\delta$

Roll With
The Changes

BOOK OF THE CUBE

The Synchronicity 441 (21 x 21) cube matrix system represents the minimum fractal of totality. Calculated: 21×21 being the prime statement of totality ($21^2 = 1$ totality). $1 + 2 + 3 + 4 + 5 + 6 = 21$ (sum of totality). The Law of Time (Day).

Satoshi Nakamoto Reveal #2


CLOCK FACE DAY
 $90^\circ / 90^\circ = 90^\circ / 90^\circ$

BASEBALL "DIAMOND"
A diamond is a square in a block in 3D

INFOCON
4 3 2 1
INFORMATION CONDITION

Eco Incentives

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"







World Game Great Reset

Signals Telemetry Annex K



Net, net of money \$\$\$ formed w:



1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus











Syntax lexicon comprised of 300 +
Structured data messages, message sets =
Comprehensive list of use cases, data
elements supporting Internet of Everything
IoE net of value. Reference guide, data
dictionary standards support

Data elements mapped to SYMBOL SETS

SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP







SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS



Commodity Token Index World Coin Adaptive Procedural Template

USPTO 13/573,002 / SCOTUS Alice

100+ structured data templates

Spatial-Temporal Metrics / Meter

Syntax Lexicon Rosetta Stone opcodes

DAO Trade Federation Check List

DAO Trade Federation Check List
6-11-722-368-5442

Cell: 732-768-5440

coeconomics@protonmail.com

Github: <http://github.com/Beacon-Heart>


Web3 IPFS: <https://ecoeconomicepochs.dao>

Eco Incentives: Closer = cheaper < f

Digitized by srujanika@gmail.com




卷之三



A red checkmark inside a white box with a red border, representing a checklist or task completion.



Digitized by srujanika@gmail.com



words to Blowshares THE WORLD Report

