








World (Peace) Game
1961 simulation by
Buckminster to help
create solutions to
overpopulation, the
uneven distribution
of global resources.



DISNEY'S FANTASIA

USPTO 13/573,002 The Heart Beacon Cycle Time - Space Meter / Eco Economic Epochs for programmable \$\$\$ / Economy





UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



DE BANKOLE SWINTON HURT GARCIA BERN
~ Tilda Swinton Bill Murray
GNATS
punk·ie [púngkee] NOUN
1. a fly, almost invisible to the naked eye,
that sucks the blood of animals and other
insects, leaving painful hictng welts.






**SOUND WAVES enable
Different types of
quantum tech to “talk”**

The image is a composite of several elements. In the foreground, a green cartoon rabbit with long ears and a small tuft of hair is standing on a yellow circular shape that resembles a stylized sun or planet. To the right of the rabbit is a large blue balance scale, with its arms extending towards the top and bottom right corners. Behind the rabbit and the scale are several thin, concentric circles of the same blue color, creating a sense of depth or a signal wave. The overall composition is set against a white background.

TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template





Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:
 1) Epoch time cycle intervals ex: chip oscillations
 2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...



Semantic blockchain



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

All things internet, programmable net of money are formed using:
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

Bitcoin Conference

Nashville Tennessee

July 27, 2024, at 2 P.M.

BITCOIN AS STRATEGIC RESERVE \$\$\$



**BITCOIN =
“DIGITAL GOLD”
21 million total**







FORBES: DIGITAL ASSETS ‘It’s Inevitable’— Bitcoin Price Suddenly Soars On Wild Rumors Donald Trump Will Create A U.S. Bitcoin Strategic Reserve


<https://www.forbes.com/sites/digital-assets/2024/07/21/inevitable-bitcoin-price-suddenly-soars-on-wild-rumors-donald-trump-will-create-a-us-bitcoin-strategic-reserve/>

PENTAGON CURRENCY WAR GAMES CONDUCTED SINCE 2009

Currency Wars: The Making of the Next Global Crisis warns of an impending currency war with devastating consequences for the global economy. USPTO 13/573,002 Battlefield Digitization, Net Centric Warfare OOTW Operations Other Than War




Tokenization of Physical Assets Enables Economy Of Everything



ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$


BELT and ROAD
Trade Initiative




FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013

Thomas Edison's Monetary Option Cambridge University Press 2009

"Crops hold their value best over time"




"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



ISO Technical Committee TC68

Financial Services

SC2 Security	SC4 Securities	SC7 Banking
-----------------	-------------------	----------------

RMG members nominated by P-member countries and A-liaison organisations

TSG & SEG members nominated by all member countries and liaison organisations

ISO 20022 LV 66

Q: Which memo describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = "shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems, geo-spatial, UTZ Universal Time zone temporal, semantic - syntactic sync, OSCODE brevity code, data element & symbol (for A.I. man - machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms

In the world of blockchain consensus algorithms, consensus is the HEART OF THE BLOCKCHAIN NETWORK. Its main purpose is to achieve agreement on transactions among a distributed system(s).

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.

Proof of Capacity: PoC: Proof of Burn

Proof-of-Weight

Proof-of-Work

Proof-of-Stake

Delegated Proof-of-Stake

Proof-of-Activity

PoA & PoB

POA

DCG

DBFT

SBFT

PBFT

Leased Proof-of-Stake

Proof of Elapsed Time

Practical Byzantine Fault Tolerance

Simplified Byzantine Fault Tolerance

Delegated Byzantine Fault Tolerance

Structured Data Exchange

SYNTAX EXCHANGE

CODECS-Symbol Sets

A.I. / Man - Machine

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>

Space-Time Consensus Algorithm

BASEBALL "DIAMOND": A diamond is a block in 3D space-time. The solution is proposed by the coach.

MACHINES: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

3D Block: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

RETIREMENT EXCHANGES: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

DATA SHARING: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

Survey Point: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

HOME PLATE: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

THE STAMP SERVER: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

DATA MANAGER: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

DATA SHARE: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

DATA MANAGER: A block has length, width, height, volume, weight, density, mass, energy, power, temperature, pressure, time, frequency, wavelength, etc.

FOUNDATION STANDARDS TECHNOLOGY

- ISO 20022
- MIL STD Structured Data Exchange
- DoD System of Systems Engineering

CONSENSUS ALGORITHMS

- ## NDN: Named Data Networking
- ARIN, ASN-1
 - Binary XML
 - 2525 A,B,C,D
 - Symbol Sets for Human – A.I.



RTI Your systems. Working as one.

"The fundamental value driver is easy integration of applications into subsystems, of subsystems into systems, and of systems into larger SYSTEM OF SYSTEMS"

http://rti.com/whitepapers/RTI_Connect_WP.pdf


INTERNET / BLUE FORCE TRACKER BASICS: Unicast / Multicast & Workflow NET FUNDAMENTALS USED BY MANY OTHER SYSTEMS / FRAMEWORKS

The term **unicast** is contrasted with the term **broadcast** which means transmitting the same data to all possible destinations. Another multi-destination distribution method, **multicasting**, sends data only to **interested** destinations by using special address assignments.



World Financial Standard ISO 20022 is a multi part international Standard prepared by ISO Technical Committee TC68 Financial Services. It describes a common platform for the development of messages in ASN.1 Abstract Syntax Notation: A single standardization approach (methodology, process, repository) to be used by all financial standards initiatives. common platform for the development of messages using:

- a modelling methodology to capture in a syntax-independent way financial business areas, business transactions and message flows
- a central dictionary of business items used in financial communications
- a set of XML and ASN.1 design rules to convert the message models into XML or ASN.1 schemas, whenever the use of the ISO 20022 XML or ASN.1-based syntax is preferred ISO 20022: <https://www.iso20022.org/about-iso-20022>



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organize with Organization Identifiers {"Org_ID"}
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex



RBF's World Game

Signals & Telemetry

Annex K



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
 Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID>
 {"URN"} </URN> = COMMODITY



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives
 "We can synchronize ourselves, DAO Trade Federations in time - space for common purposes"
 Eco sustainable, Equitable Economic econometrics.

RBF's World Game

Signals & Telemetry




Annex K



USPTO 13/573,002

573 U.S. 134 SCt 2347

"Alice in Wonderland Ruling"




THEESIS: net, net of programmable \$\$\$ / value units

AI machine learning = statistical workflow formed by:

1. Epoch time cycles created by oscillating quartz crystal silicon chips
2. Syntax used / not used as code instructions in epoch time cycles.

A.I. standard syntax lexicon 300+ structured messages provide a comprehensive list, dbase of structured data exchange data elements, Message data sets support a net of value. designed to serve as a reference guide / data dictionary for international standards, technical papers on quantum, A.I., DeFi , Fintech..



300 + STRUCTURED DATA MESSAGE SETS




Artificial Intelligence A.I. / Machine Learning = STATISTICALLY PREDICTIVE WORKFLOW





World Game Annex K

Signals & Telemetry




Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



"Build a new model"
Standing on the shoulders of giants




Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Eco Economic Epochs
Symbol / Message Sets A.I.
FIREFLY Inspired
Heartbeat Algorithm



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



TRANSACTION RATE, SPATIAL – TEMPORAL METRICS SERVER ON / OFF FLOOR ADJUST





Artificial Intelligence / USPTO 13/573,002 Adaptive Procedural Template

Machine Learning: data input / output =
action (s): if, then else, or... do



Data, event cyclic time interval
sampling sync delta snapshots



Natural Language Processing programming
computers to process human languages to
facilitate interactions between humans /
computers

Data brevity OPSCODE sync delta
time slot samples @ set intervals
Mapped to symbols 25 A,B,C,D
MILSTD for Man – machine interface




Automation & robotics: machines do repetitive
tasks


Military = repetition. temporal ,
UTZ – UTC sync harmonization,
international standards

Machine Vision: Machines capture,
analyze visual information, data

Military = geo-spatial temporal Applique' overlays




Structured
Data



STRATML


THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles






Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html



BELL STATE QUANTUM COMPUTING






"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

</Org_ID> TIME CHAIN

{"URN, URN, URN"}




WATER DROP PHYSICAL NATURAL MEME USPTOb13/573,002



OPSCODE Brevity
Codes / Symbols

USPTO 13/573,002
573 U.S. 134 SCt 2347
"Alice in Wonderland Ruling"



A.I.



SYSTEM OF SYSTEMS
STRUCTURED DATA




Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



OPERATIONS
OTHER
THAN
WAR



Beacon Communities

Vernetzte Operationsführung




Proximity Beacons



JAEGERS



Closer < \$\$\$ < FUEL




OFF SHORE
OUTER BANKS



KAIJU



SYSTEM
Of
SYSTEMS



AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS



WORLD BEYOND WAR.org
a global movement to end all wars



Neural Net



OFF SHORE
OUTER BANKS

USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state
meta data encoded as brevity OPS CODE
tokens stochastically harmonized over the UTZ

FROM	TO					CODE GUIDE	
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203		C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F541 F015 S201 S309 S507	
	TOKENS USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio						
AMDPCS	OPSCODE BREVITY CODES MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio						
AFATDS	F002 F014 F015 F541 S201				F002 C203 F015 D630 S201 E500 F002 F014	A.I.  INFOCON 5 4 3 2 1  INFORMATION CONDITION	
MCS	 SIOP	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	 Rosetta Stone  Syntax Lexicon  Coder's Guide	A423 C203 C505 F002 F014 F015 F541 S201	 M2M  "SYMBOLS RULE THE WORLD" 

MESSAGE CATALOG
300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

PULSE RATE MESSAGE =
0.99 </108> {"108"} 

300+ Use Cases		Information Categories and Examples						
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent	
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE spd/hdg	Message country / alliance, type/class	Sets readiness	targeting, recentering	COA {"Java JS"}	
Infrastructure	Comm, power, transportation, water/sewer	Machine Trust Language network, grid	MTL throughput, flow rates,	name, part-of relationships	BDA, op mode	repair, maintenance	YAML expansion plan	
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model Entity	Class Diagram Class	Relational Database Table	Object DBMS Class	XML DTD / Schema Element	TADLs Message
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFT FFRN / FFN / FUN
		Domain Value	PURCHASE CODES	Instance, Value			TOKENS	DUI FUD



Information Elements Roles

-



N: Field Format Unit Designator #

N Field Format Index Reference #

structured military messaging ID's
messages, message sets, data
elements, symbol fields </108>

Form Field Position & NUMBER




PROCESS MESSAGE BY PRECEDENCE
UNIVERSAL EVENT / ALERT MESSAGE BUS

RATIONAL NODES / ACTIVITIES

SYSTEM FUNCTIONS		PERFORMANCE	
classification		11.6 - Kinematics	
- Category		11.6.1 - Pos / Vel / Acc (PVA)	
4.1.1 - Confidence Level		11.6.1.1 - Acceleration	
4.1.2 - Estimate Type		11.6.1.1.1 - Angular	
11.4.1.2.1 - Alternative		1.1.2 - Linear	
11.4.1.2.2 - Evaluated D	PURCHASE	1.2 - Estimate Type	
4.1.3 - Value	CODES	1.2.1 - Estimated	
BOL	Friend	Neutral	1.2.2 - Observed
25C	Partner		1.2.3 - Predicted
			1.3 - Smoothed
11.4.1.3.5 - Surface		4 - Velocity	
- Platform / Point / Fea		1.4.1 - Horizontal	
ture Type		1.4.2 - Vertical	
- Specific Type		VA Confidence	
4 - Type Modifier		- Bearing Angle	
- Unit		- Bearing Angle Rate	
		- Covariance Matrix	



x code language parsed,
ssed during silicon chip
ated epoch time cycles
all things internet, net of
y. state meta data sync delta
beat snapshots during
n temporal micro-cycles




Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

**Multi-user functionality for converting
data from a first form to a second form**

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.



US Patent No: 7,257,455 DISCOVERY MACHINE Inc. Fig. 8 Discovery Machine® Inc. AL ARTIFICIAL 820

Williamsport PA
Little League
Baseball Capital of
the World

818

TASK	
PK	<u>TK_OID</u> {"Org_ID"}
FK1	TK_NAME
FK2	TK_DESCRIPTION
	TK_CONDITION
	TK_CMOID
	TK_CLOUD (FUNCTION)

816

METHOD	
PK, FK3	<u>MT_OID</u> {"Org_ID"}
FK1	MT_NAME
FK2	MT_DESCRIPTION
	MT_CMOID
	MT_CLOUD (BEHAVIOR)
	LS_SEQUENCE

810


BIZ COA 1,2,3	
PK	<u>CL_OID</u>
	CL_NAME

810

BIZ COA 1,2,3

A
Ar

System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior function in a computer system.. BIZ COA 1, 2, 3




COMPONENT	
PK	CP_OID {“URN”}
	CP_NAME
	CP_SUBSTANCE (BOOL)
	CP_PRIMTYPE
FK1	CP_CLASSTYPE
FK2	CP_CLOUD
	CP_COLLECTIO..

CONNECTION	
PK	<u>CN_OID</u>
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME

Neuro-Symbolic AI


Symbolic (human-readable) representations

Symbolic AI




Breaking the world into symbols (rather than

Brevity



Symbols

Symbols





- Incorporate common sense reasoning and



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



ECO ECONOMIC HEARTBEAT



("108")



K%



ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man



LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



NEURAL NET
EMULATION



BLOCKCHAIN
PARSING Erlang
TIME EQUATIONS




{"Org_ID"}
{"URN"}

NIST Beacon
A Public Randomness Service



Crypto Currency
TIME STAMP
SERVER / SERVICE





TERRA
TRC

LEADING ECONOMIC INDICATORS

LEAD
ECONOMIC
INDICATORS

ETF

currencyindex



TIME
Will There Be a Recession?

Economist
Milton Friedman

FRIEDMAN's K% RULE

ETF


currencyindex

DEMURRAGE
PARKING

LOGISTIC FEES
INCENTIVES

DEMURRAGE
PARKING

LOGISTIC FEES
INCENTIVES



STAT MEAN VALUE INDEX
SCHELLING POINT TRUTH



Price Indexes in
Time and Space
Methods and Practice

ALGORITHMIC REGULATION
TOKEN ECONOMICS

COMMODITIES
GLOBAL PRODUCERS
CONSUMERS

ALL THINGS NET, NET OF \$\$\$ FORMED BY TIME EPOCH CYCLES

EVENT STATE SNAP
SYNTAX NONCE HASH

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

UTZ TIME ZONE SYNC

UTZ STOCHASTIC HARMONIZATION

Universal Metrics / Meters


Geo-spatial Temporal Syntax-Semantic Sync & Consensus

SAMPLING

ON / OFF SHORE

CURRENCY PAIR

SYNC DELTA STATE META DATA SNAPS



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants. SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2 "Build a new model that makes the old model obsolete" Buckminster Fuller



Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFi



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**
 - Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine
 - Block-Time DLT arbitrage among Trade Federations </Org_ID>
 - {“URN”} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework



Spatial / temporal UTZ
synchronization, stochastic
harmonization, Time - Space
Distance Estimation Service
Common Consensus Algo meme
Eco sustainable incentives

**"We can synchronize ourselves,
DAO Trade Federations in time -
space for common purposes"**

**Eco sustainable, Equitable
Economic econometrics.**

USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.










PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM


ENERGY PRODUCTION

ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves




THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





BELL STATE QUANTUM COMPUTING



STANDING ELECTRO-MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html

Quantum Financial System vs BlockChain


TIME
CHAIN

QFS

TIME
STAMP
SERVER


<https://gesara.news>

Double-Slit Experiment




QUANTUM COMPUTING

- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING




USPTO APPLICATION 13/573,002

The Heart Beacon Cycle Time-Space Meter
Main Embodiment: Baseball Diamond = Block in 3D = cube



SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract




Satoshi Nakamoto Bitcoin Paper

Satoshi Nakamoto Craig WRIGHT a.k.a. THE VALUE OF BITCOIN IS TIME ITSELF Wright Brother's 1st Flight Cape Hatteras Outer Banks


"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER" Satoshi Nakamoto

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.



QUANTUM COMPUTING / HBC TIME - SPACE METER / METRICS



#QuantumComputing USet Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property


US Set Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization

Vertical polarization vectors from a known point 0 null Sonar Hop meme

particle representation / samples

Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?



Microwave pulses like sonar ping—
qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.

Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)


CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



All Photons and EM waves
can have various directions
of polarisation with respect to
their direction of propagation



Teslian waves
transmit Energy
in a LONGITUDINAL waveform
producing
'Action at a Distance'

In 1887, Heinrich Hertz demonstrated the reality of
Maxwell's electromagnetic waves by experimentally
generating radio waves in his laboratory.

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation

The E fields are co-linear with the direction of propagation


Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.

Heinrich Hertz



(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 - 7 January 1943)

Cycles per Second



Volts per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time




The Variance of...

the partial
derivative
w.r.t. ϑ of...

the log-likelihood
function of θ
given observed
value of X


$$\Delta\delta = \mathcal{I}(\boldsymbol{\theta}) = Var\left(\frac{\partial}{\partial\boldsymbol{\theta}}\ell(\boldsymbol{\theta} | \mathbf{X})\right)$$



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation



An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding **Fisher information flux** at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips


2) Syntax used / not used as programming instructions during epoch time cycles



Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



The IN and OUT waves form standing waves about the central point

On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM





THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SYNC DELTA $\Delta\delta$



www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”




Figure U-1.

E = Expanding Neutral Point

Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory

QUANTUM LATTICE

USPTO 13/573,002
sawconcepts.com/index

**Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics**

NDN **IDMaps** **SonarHops**

TRIANGULATION

{"Distance"} **{"Interest"}**

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



TESLA Harmonic Sphere Flux Resonator



ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3




Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File

"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431





1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"





Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions

"THE VALUE OF BITCOIN IS TIME ITSELF"



MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5
HASH TABLES
STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

EPOCH
Time Cycles

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a **TIME
STAMP SERVER**"



90 feet

Blockchain / crypto currency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,
Height, Volume

first base

RUNNER Message Bus

Firefly - Heartbeat Algo

EVENTS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

EPOCH
Time Cycles



BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT
TOWARDS ABSTRACT IDEAS

Physical = Opposite
of abstract = ALICE

HEART BEACON CYCLE

TIME – SPACE METER

USPTO 13/573,002

first base

RUNNER Message Bus

Firefly - Heartbeat Algo

EVENTS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

EPOCH
Time Cycles

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”


Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp


Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer



$\Delta\delta$


TRIANGULATION



DISTANCE ESTIMATION



EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps

“PING”



“Interest”
ONSHORE
OFFSHORE

SonarHops



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs

vector




IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1 -

STRATML XAML

XBRL
THE BUSINESS REPORTING STANDARD
BINARY XML
Decision

UBL
DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



{"URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE



SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE



NUPRES DTG 6 /M // (NU) DATE-TIME GROUP

0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT



INTEREST

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS Friend Neutral Hostile DICAL EVAC & HOSPITALISATION

Partner Competitor L - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"ASSET_CLASS"}



{"ASSET_TYPES"}

ISO 10383 – MIC



Market Identifier Codes



{"Org_ID"}



108 Heartbeat Message



STOCK NDN NAMED DATA



EXCHANGE NETWORKING



MIC CODES PRECEDENCE



FILTERS PROCESSING



BLOCKTIME



ARBITRAGE



ERLANG



TIME

EQUATIONS



UBL




TOSCA



YAML



Covariance Matrix

FROM	TO					CODE GUIDE
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio			
AMDPCS	TOKENS OPSCODE BREVITY CODES		A.I. 	F002 F015 S201	C203 C400 D630 E500 F002 F014	
AFATDS	F002 F014 F015 F541 S201	INFOCON 				
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541	 	A423 C505 F014 F541 S201
	M2M 					
	"SYMBOLS RULE THE WORLD"  					

MESSAGE CATALOG

300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

**HEARTBEAT MESSAGE =
K00.99 </108> {"108"}**

Information Categories and Examples

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

EFIRN Field Format Index Reference #

Structured military messaging ID's messages, message sets, data element, symbol fields <108> BY Form Field Position & NUMBER



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA SYSTEM FUNCTIONS

PERFORMANCE

11.4 - Classification	11.8 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	11.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	1.2.1 - Estimated
	PURCHASE
	CODES
	1.2.2 - Observed
	1.2.3 - Predicted

SYMBOLS

Frien

d | Neutral

al Hostile

25250

Part

or

Competitor

2323C	Partner	Competitor
11.4.1.3.4 - Subsurface		4 - Velocity
11.4.1.3.5 - Surface		1.4.1 - Horizontal
11.4.2 - Platform / Point / Feature Type		1.4.2 - Vertical
11.4.3 - Specific Type		VA Confidence
11.4.4 - Type Modifier		1 - Bearing Angle
11.4.5 - Unit		2 - Bearing Angle Rate
		3 - Covariance Matrix

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON



2525 Series
Symbol Set
Libraries



"SIGNS AND SYMBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Alpha-numeric OPS CODE
Brevity codes mapped to symbols,
Symbol sets = structured data


FRZ T CP CLOUD FRS T LN PAREN

ABCA OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes



Symbols



Symbol

Symbolic AI



Incorporate common sense reasoning and

Breaking the world into symbols (rather than

Sets 2525C

NAMED DATA NETWORKING

<CONTENT> CENTRIC NETWORKING



<ORG_ID>
<ORG_ID>
<ORG_ID>
<URN>
<URN>

<GLOBAL> <JOINT> <COMMUNITY> <DOMAINS> <SHARED> <PRIVATE>
</INTEREST> <STRAT_ML> <IODEF RID> </DISTANCE>

Situational Awareness Reference Architecture (SARA) IDENTITY, Inventory, Activity, and Sharing



<Federated ID> <URN> <type_event> <Data Class Types>


STRUCTURED MILITARY MESSAGING FORMS: FIELD TYPES, FILTERS, TAGS
PARSED, PROCESSED, COMPILED TELEMETRY SIGNALING STANDARDIZATION

USMTF / XML MTF FORMATTED MESSAGE CATALOG




Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio

</Organizational_Identifier_Org_ID>

Organizational Units OU, OU, OU



FEDERATE



Uniform Resource Names (URNs): A Uniform Resource Identifier (URI). Both URNs (names) and URLs (locators) are URIs, and a particular URI may be a name & locator. Each plays a specific role:

- URNs IDENTIFICATION (SENSORS, DEVICES)
- URCs INCLUDE META-INFO
- URLs LOCATE / FIND RESOURCES

SITUATION AWARENESS



SURVEY METHOD
ID <ITEMS><INTEREST>
GEO-SPATIAL AREA
TEMPORAL INTENSITY
MEASURES / METRICS

IDMaps
SonarHOPS



<Org_ID>
<Org_ID>
<Org_ID>

PARTIDO X:
Distributed
Democratic
Participation

<Party>
<Party>
<Party>

<URN>
<URN>
<URN>



American Registry for Internet Numbers



BY <TAG_TYPES>
Ledgers
Contracts
Trade SLA
Agreements




TRIANGULATION
TELCO MESH FABRIC

vector

CROWD SOURCING / FUNDING



ETHEREUM:
Decentralized
Autonomous
Organizations



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



ICS-ISAC

Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors

<ORG_ID> Organizations

Federation
Gateway

<ELEMENTS>

STRATML/ IODEF RID CLASSES:

<GLOBAL><JOINT><SHARED>

<DOMAIN><FEDERATION>

<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS

UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>



NDN

<INTEREST>



<INTEREST>

<TIME_STAMP><ORG_ID><URN>
<GEO_LOC_GPS><STATUS>



<Halt><Moving><Stale><Ready>

AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

CYBER SECURITY
CONTENT
LEXICON ROSETTA STONE

FROM	TO	MCS
OCB2	TAB	C200
OCB3	TAB	C200
OCB4	TAB	C200
OCB5	TAB	C200
OCB6	TAB	C200
OCB7	TAB	C200
OCB8	TAB	C200
OCB9	TAB	C200
OCB10	TAB	C200
OCB11	TAB	C200
OCB12	TAB	C200
OCB13	TAB	C200
OCB14	TAB	C200
OCB15	TAB	C200
OCB16	TAB	C200
OCB17	TAB	C200
OCB18	TAB	C200
OCB19	TAB	C200
OCB20	TAB	C200
OCB21	TAB	C200
OCB22	TAB	C200
OCB23	TAB	C200
OCB24	TAB	C200
OCB25	TAB	C200
OCB26	TAB	C200
OCB27	TAB	C200
OCB28	TAB	C200
OCB29	TAB	C200
OCB30	TAB	C200
OCB31	TAB	C200
OCB32	TAB	C200
OCB33	TAB	C200
OCB34	TAB	C200
OCB35	TAB	C200
OCB36	TAB	C200
OCB37	TAB	C200
OCB38	TAB	C200
OCB39	TAB	C200
OCB40	TAB	C200
OCB41	TAB	C200
OCB42	TAB	C200
OCB43	TAB	C200
OCB44	TAB	C200
OCB45	TAB	C200
OCB46	TAB	C200
OCB47	TAB	C200
OCB48	TAB	C200
OCB49	TAB	C200
OCB50	TAB	C200
OCB51	TAB	C200
OCB52	TAB	C200
OCB53	TAB	C200
OCB54	TAB	C200
OCB55	TAB	C200
OCB56	TAB	C200
OCB57	TAB	C200
OCB58	TAB	C200
OCB59	TAB	C200
OCB60	TAB	C200
OCB61	TAB	C200
OCB62	TAB	C200
OCB63	TAB	C200
OCB64	TAB	C200
OCB65	TAB	C200
OCB66	TAB	C200
OCB67	TAB	C200
OCB68	TAB	C200
OCB69	TAB	C200
OCB70	TAB	C200
OCB71	TAB	C200
OCB72	TAB	C200
OCB73	TAB	C200
OCB74	TAB	C200
OCB75	TAB	C200
OCB76	TAB	C200
OCB77	TAB	C200
OCB78	TAB	C200
OCB79	TAB	C200
OCB80	TAB	C200
OCB81	TAB	C200
OCB82	TAB	C200
OCB83	TAB	C200
OCB84	TAB	C200
OCB85	TAB	C200
OCB86	TAB	C200
OCB87	TAB	C200
OCB88	TAB	C200
OCB89	TAB	C200
OCB90	TAB	C200
OCB91	TAB	C200
OCB92	TAB	C200
OCB93	TAB	C200
OCB94	TAB	C200
OCB95	TAB	C200
OCB96	TAB	C200
OCB97	TAB	C200
OCB98	TAB	C200
OCB99	TAB	C200
OCB100	TAB	C200
OCB101	TAB	C200
OCB102	TAB	C200
OCB103	TAB	C200
OCB104	TAB	C200
OCB105	TAB	C200
OCB106	TAB	C200
OCB107	TAB	C200
OCB108	TAB	C200
OCB109	TAB	C200
OCB110	TAB	C200
OCB111	TAB	C200
OCB112	TAB	C200
OCB113	TAB	C200
OCB114	TAB	C200
OCB115	TAB	C200
OCB116	TAB	C200
OCB117	TAB	C200
OCB118	TAB	C200
OCB119	TAB	C200
OCB120	TAB	C200
OCB121	TAB	C200
OCB122	TAB	C200
OCB123	TAB	C200
OCB124	TAB	C200
OCB125	TAB	C200
OCB126	TAB	C200
OCB127	TAB	C200
OCB128	TAB	C200
OCB129	TAB	C200
OCB130	TAB	C200
OCB131	TAB	C200
OCB132	TAB	C200
OCB133	TAB	C200
OCB134	TAB	C200
OCB135	TAB	C200
OCB136	TAB	C200
OCB137	TAB	C200
OCB138	TAB	C200
OCB139	TAB	C200
OCB140	TAB	C200
OCB141	TAB	C200
OCB142	TAB	C200
OCB143	TAB	C200
OCB144	TAB	C200
OCB145	TAB	C200
OCB146	TAB	C200
OCB147	TAB	C200
OCB148	TAB	C200
OCB149	TAB	C200
OCB150	TAB	C200
OCB151	TAB	C200
OCB152	TAB	C200
OCB153	TAB	C200
OCB154	TAB	C200
OCB155	TAB	C200
OCB156	TAB	C200
OCB157	TAB	C200
OCB158	TAB	C200
OCB159	TAB	C200
OCB160	TAB	C200
OCB161	TAB	C200
OCB162	TAB	C200
OCB163	TAB	C200
OCB164	TAB	C200
OCB165	TAB	C200
OCB166	TAB	C200
OCB167	TAB	C200
OCB168	TAB	C200
OCB169	TAB	C200
OCB170	TAB	C200
OCB171	TAB	C200
OCB172	TAB	C200
OCB173	TAB	C200
OCB174	TAB	C200
OCB175	TAB	C200
OCB176	TAB	C200
OCB177	TAB	C200
OCB178	TAB	C200
OCB179	TAB	C200
OCB180	TAB	C200
OCB181	TAB	C200
OCB182	TAB	C200
OCB183	TAB	C200
OCB184	TAB	C200
OCB185	TAB	C200
OCB186	TAB	C200
OCB187	TAB	C200
OCB188	TAB	C200
OCB189	TAB	C200
OCB190	TAB	C200
OCB191	TAB	C200
OCB192	TAB	C200
OCB193	TAB	C200
OCB194	TAB	C200
OCB195	TAB	C200
OCB196	TAB	C200
OCB197	TAB	C200
OCB198	TAB	C200
OCB199	TAB	C200
OCB200	TAB	C200
OCB201	TAB	C200
OCB202	TAB	C200
OCB203	TAB	C200
OCB204	TAB	C200
OCB205	TAB	C200
OCB206	TAB	C200
OCB207	TAB	C200
OCB208	TAB	C200
OCB209	TAB	C200
OCB210	TAB	C200
OCB211	TAB	C200
OCB212	TAB	C200
OCB213	TAB	C200
OCB214	TAB	C200
OCB215	TAB	C200
OCB216	TAB	C200
OCB217	TAB	C200
OCB218	TAB	C200
OCB219	TAB	C200
OCB220	TAB	C200
OCB221	TAB	C200
OCB222	TAB	C200
OCB223	TAB	C200
OCB224	TAB	C200
OCB225	TAB	C200
OCB226	TAB	C200
OCB227	TAB	C200
OCB228	TAB	C200
OCB229	TAB	C200
OCB230	TAB	C200
OCB231	TAB	C200
OCB232	TAB	C200
OCB233	TAB	C200
OCB234	TAB	C200
OCB235	TAB	C200
OCB236	TAB	C200
OCB237	TAB	C200
OCB238	TAB	C200
OCB239	TAB	C200
OCB240	TAB	C200
OCB241	TAB	C200
OCB242	TAB	C200
OCB243	TAB	C200
OCB244	TAB	C200
OCB245	TAB	C200
OCB246	TAB	C200
OCB247	TAB	C200
OCB248	TAB	C200
OCB249	TAB	C200
OCB250	TAB	C200
OCB251	TAB	C200
OCB252	TAB	C200
OCB253	TAB	C200
OCB254	TAB	C200
OCB255	TAB	C200
OCB256	TAB	C200
OCB257	TAB	C200
OCB258	TAB	C200
OCB259	TAB	C200
OCB260	TAB	C200
OCB261	TAB	C200
OCB262	TAB	C200
OCB263	TAB	C200
OCB264	TAB	C200
OCB265	TAB	C200
OCB266	TAB	C200
OCB267	TAB	C200
OCB268	TAB	C200
OCB269	TAB	C200
OCB270	TAB	C200
OCB271	TAB	C200
OCB272	TAB	C200
OCB273	TAB	C200
OCB274	TAB	C200
OCB275	TAB	C200
OCB276	TAB	C200
OCB277	TAB	C200
OCB278	TAB	C200
OCB279	TAB	C200
OCB280	TAB	C200
OCB281	TAB	C200
OCB282	TAB	C200
OCB283	TAB	C200
OCB284	TAB	C200
OCB285	TAB	C200
OCB286	TAB	C200
OCB287	TAB	C200
OCB288	TAB	C200
OCB289	TAB	C200
OCB290	TAB	C200
OCB291	TAB	C200
OCB292	TAB	C200
OCB293	TAB	C200
OCB294	TAB	C200
OCB295	TAB	C200
OCB296	TAB	C200
OCB297	TAB	C200
OCB298	TAB	C200
OCB299	TAB	C200
OCB300	TAB	C200
OCB301	TAB	C200
OCB302	TAB	C200
OCB303	TAB	C200
OCB304	TAB	C200
OCB305	TAB	C200
OCB306	TAB	C200
OCB307	TAB	C200
OCB308	TAB	C200
OCB309	TAB	C200
OCB310	TAB	C200
OCB311	TAB	C200
OCB312	TAB	C200
OCB313	TAB	C200
OCB314	TAB	C200
OCB315	TAB	C200
OCB316	TAB	C200
OCB317	TAB	C200
OCB318	TAB	C200
OCB319	TAB	C200
OCB320	TAB	C200
OCB321	TAB	C200
OCB322	TAB	C200
OCB323	TAB	C200
OCB324	TAB	C200
OCB325	TAB	C200
OCB326	TAB	C200
OCB327	TAB	C200
OCB328	TAB	C200
OCB329	TAB	C200
OCB330	TAB	C200
OCB331	TAB	C200
OCB332	TAB	C200
OCB333	TAB	C200
OCB334	TAB	C200
OCB335	TAB	C200
OCB336	TAB	C200
OCB337	TAB	C200
OCB338	TAB	C200
OCB339	TAB	C200
OCB340	TAB	C200
OCB341	TAB	C200
OCB342	TAB	C200
OCB343	TAB	C200
OCB344	TAB	C200
OCB345	TAB	C200
OCB346	TAB	C200
OCB347	TAB	C200
OCB348	TAB	C200
OCB349	TAB	C200
OCB350	TAB	C200
OCB351	TAB	C200
OCB352	TAB	C200
OCB353	TAB	C200
OCB354	TAB	C200
OCB355	TAB	C200
OCB356	TAB	C200
OCB357	TAB	C200
OCB358	TAB	C200
OCB359	TAB	C200
OCB360	TAB	C200
OCB361	TAB	C200
OCB362	TAB	C200
OCB363	TAB	C200
OCB364	TAB	C200
OCB365	TAB	C200
OCB366	TAB	C200
OCB367	TAB	C200
OCB368</td		

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS




1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID {"Org_ID"}**



Bitcoin Mining Pools MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



iET DEVICE / PLATFORM
IoT SENSOR DEVICE



</RESOURCE> {"URN"}
{"Asset_Class"} </URN>

UUID 123e4567-e89b-12d3-a456-426655440000
UUID 123e4567-e89b-12d3-a456-426655440001
UUID 123e4567-e89b-12d3-a456-426655440002

STOCK EXCHANGE
MIC MARKET IDENTIFIER
CODES / BREVITY CODES




Signalining, Telemetry






FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME







ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS










IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



NAMED DATA NETWORKING
NDN INTEREST
Closer = Faster
Closer = Cheaper

IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS




REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)



NDN NAMES


NDN NAMED DATA NETWORK RIB /
FIB Datasets event notification




Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING





Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:



Paul Revere = linear, sequential

TCP/IP hop by hop counts, by hop controls

Water Drop = AREA / INTENSITY




NAMED DATA NETWORKING



ARRESTED-D OASIS MQTT ELEMETRY TRANSPORT




NIST TIME BEACON



CLOSER = FASTER, CHEAPER > CYCLE = > INTEREST NAMED-DATA NETWORKING

**DMAPS
SONARHOPS
INTERNET
TRIANGULATION**




vector WirelessHART

time synchronized,
self-organizing,
mesh Net

A collage of images illustrating various concepts related to waves and sound. The top left shows a horse's head in a circular frame. The top center features a green clock face with red lightning bolts and a red waveform. The top right shows a black silhouette of a seagull in flight. The bottom half shows a close-up of a water droplet hitting a surface, creating concentric ripples. The bottom right contains a watermark for "dreamstime.com".

SINE-WAVE



13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”




The four dimensions of Big Data

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org ID, URN Before FUSION CENTER

Position of a point in space relative to another point




Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	   					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)		
API Operation Count		Web service access type Network Effects / A.I.	LOCATE <CONTENT> IDMAPS / SonarHOPS  	Web application, front end to [network, device, system, blockchain] heartbeat		
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.		
"The external environment could update resources at random... One solution is a heartbeat: defining a default lease duration delaying updates until the next cycle"		  	Satoshi Bitcoin Blockchain Time Stamp Server 	Epoch Time Cycles E0 E1 E2 E3... 		
QubitCoin Interval: Every 30 Seconds						




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11



HOP BY HOP CONTROL

Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop

Geo-Spatial Temporal
Metrics, Meters

Time Series

DISTANCE
INFO SERVICE

IDMaps
SonarHops

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>

NDN {"DISTANCE"}

NAMED DATA

NETWORKING

IEEE C37.118

Harmonization

& Sync heartbeat

update Interval

CLOSER SOURCE

CHEAPER RATE

Energy Attenuates over Distances

Micro Grids Closer - Cheaper

Blockchain

MICROGRIDS



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

HOP BY HOP CONTROL

Unused Resources / Unmet Needs



vector



Spatial
Econometrics

TIME-SPACE BEACON
INFOCON

METRICS / METERS

TRADE WITH EARTH

INFORMATION
CONDITION

???
SIRIUS DISCLOSURE



Spaceship
Earth
Signals &
Telemetry
Annex



buckminster fuller
operating manual
for spaceship earth



MOON =

"Numbers are the
Universal Language
offered by deity to humans as
confirmation of the truth"



Alpha
Numeric
Brevity
Codes

SYNTAX
LEXICON

K00.99



ANDERSON
INSTITUTE

602

+3

+2

+1

Null

0

+1

+2

+3

RISK

PING

MAIN
ASTEROID
BELT

MERCURY

VENUS

EARTH

ASTEROID BELTS =
RARE MINERALS

Farther = More Cost

➤ Fuel, Resources

Service Level Agreements

STOCHASTIC

HARMONIZATION

FIREFLY-HEARTBEAT

ALGORITHM

UNIVERSAL

EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units


43 22 13 0 1.5 2.7 5.2

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2

</



Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms





In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



Tolerance structured Data Exchange

STRUCTURED DATA EXCHANGE VINTAGE LEXICON

SYNTAX LEXICON

PSCUDES – Symbol Sets

.I . / Man - Machine

SOURCE: <https://d>

[View all posts by admin](#) | [View all posts in category](#)

Simplified

Simplified
Byzantine Fault

Tolerance

Tolerance

velopcoins.com

Page 1 of 1

Page 18

Practical

Byzantine Fault

Tolerance

www.ijerpi.org

Blockchain-consens

Digitized by srujanika@gmail.com

www.developcoins.com

nsensus-algorithms

SOURCE: <https://developcoins.com/blockchain-consensus-algorithms>



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



CLOSER = < \$
CLOSER = < CO2


SLA
COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: **MAKE TRADE FREE**

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology



• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



- Users should fully control their data. Users have freedom to reveal as much personal identifiable information as they want, when they want





Bitcoin: OpenBazaar transactional currency



Cryptographic Security


- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
Shots




NONCE increments from 0..N until the target is met.

GUESS stores the guess
Effectively, it begins at infinity.




Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



MESSAGE example:
• Hash string
• Hash Table

FORM	ODBC	OLEDB	TABLE	ACCESS	SQLITE	AFABSON	WEB
ABAB	P001	P002	P003	P004	P005	P006	P007
ABAB	P011	P012	P013	P014	P015	P016	P017
ABAB	P021	P022	P023	P024	P025	P026	P027
ABAB	P031	P032	P033	P034	P035	P036	P037
ABAB	P041	P042	P043	P044	P045	P046	P047
ABAB	P051	P052	P053	P054	P055	P056	P057
ABAB	P061	P062	P063	P064	P065	P066	P067
ABAB	P071	P072	P073	P074	P075	P076	P077
ABAB	P081	P082	P083	P084	P085	P086	P087
ABAB	P091	P092	P093	P094	P095	P096	P097
ABAB	P101	P102	P103	P104	P105	P106	P107
ABAB	P111	P112	P113	P114	P115	P116	P117
ABAB	P121	P122	P123	P124	P125	P126	P127
ABAB	P131	P132	P133	P134	P135	P136	P137
ABAB	P141	P142	P143	P144	P145	P146	P147
ABAB	P151	P152	P153	P154	P155	P156	P157
ABAB	P161	P162	P163	P164	P165	P166	P167
ABAB	P171	P172	P173	P174	P175	P176	P177
ABAB	P181	P182	P183	P184	P185	P186	P187
ABAB	P191	P192	P193	P194	P195	P196	P197
ABAB	P201	P202	P203	P204	P205	P206	P207
ABAB	P211	P212	P213	P214	P215	P216	P217
ABAB	P221	P222	P223	P224	P225	P226	P227
ABAB	P231	P232	P233	P234	P235	P236	P237
ABAB	P241	P242	P243	P244	P245	P246	P247
ABAB	P251	P252	P253	P254	P255	P256	P257
ABAB	P261	P262	P263	P264	P265	P266	P267
ABAB	P271	P272	P273	P274	P275	P276	P277
ABAB	P281	P282	P283	P284	P285	P286	P287
ABAB	P291	P292	P293	P294	P295	P296	P297
ABAB	P301	P302	P303	P304	P305	P306	P307
ABAB	P311	P312	P313	P314	P315	P316	P317
ABAB	P321	P322	P323	P324	P325	P326	P327
ABAB	P331	P332	P333	P334	P335	P336	P337
ABAB	P341	P342	P343	P344	P345	P346	P347
ABAB	P351	P352	P353	P354	P355	P356	P357
ABAB	P361	P362	P363	P364	P365	P366	P367
ABAB	P371	P372	P373	P374	P375	P376	P377
ABAB	P381	P382	P383	P384	P385	P386	P387
ABAB	P391	P392	P393	P394	P395	P396	P397
ABAB	P401	P402	P403	P404	P405	P406	P407
ABAB	P411	P412	P413	P414	P415	P416	P417
ABAB	P421	P422	P423	P424	P425	P426	P427
ABAB	P431	P432	P433	P434	P435	P436	P437
ABAB	P441	P442	P443	P444	P445	P446	P447
ABAB	P451	P452	P453	P454	P455	P456	P457
ABAB	P461	P462	P463	P464	P465	P466	P467
ABAB	P471	P472	P473	P474	P475	P476	P477
ABAB	P481	P482	P483	P484	P485	P486	P487
ABAB	P491	P492	P493	P494	P495	P496	P497
ABAB	P501	P502	P503	P504	P505	P506	P507
ABAB	P511	P512	P513	P514	P515	P516	P517
ABAB	P521	P522	P523	P524	P525	P526	P527
ABAB	P531	P532	P533	P534	P535	P536	P537
ABAB	P541	P542	P543	P544	P545	P546	P547
ABAB	P551	P552	P553	P554	P555	P556	P557
ABAB	P561	P562	P563	P564	P565	P566	P567
ABAB	P571	P572	P573	P574	P575	P576	P577
ABAB	P581	P582	P583	P584	P585	P586	P587
ABAB	P591	P592	P593	P594	P595	P596	P597
ABAB	P601	P602	P603	P604	P605	P606	P607
ABAB	P611	P612	P613	P614	P615	P616	P617
ABAB	P621	P622	P623	P624	P625	P626	P627
ABAB	P631	P632	P633	P634	P635	P636	P637
ABAB	P641	P642	P643	P644	P645	P646	P647
ABAB	P651	P652	P653	P654	P655	P656	P657
ABAB	P661	P662	P663	P664	P665	P666	P667
ABAB	P671	P672	P673	P674	P675	P676	P677
ABAB	P681	P682	P683	P684	P685	P686	P687
ABAB	P691	P692	P693	P694	P695	P696	P697
ABAB	P701	P702	P703	P704	P705	P706	P707
ABAB	P711	P712	P713	P714	P715	P716	P717
ABAB	P721	P722	P723	P724	P725	P726	P727
ABAB	P731	P732	P733	P734	P735	P736	P737
ABAB	P741	P742	P743	P744	P745	P746	P747
ABAB	P751	P752	P753	P754	P755	P756	P757
ABAB	P761	P762	P763	P764	P765	P766	P767
ABAB	P771	P772	P773	P774	P775	P776	P777
ABAB	P781	P782	P783	P784	P785	P786	P787
ABAB	P791	P792	P793	P794	P795	P796	P797
ABAB	P801	P802	P803	P804	P805	P806	P807
ABAB	P811	P812	P813	P814	P815	P816	P817
ABAB	P821	P822	P823	P824	P825	P826	P827
ABAB	P831	P832	P833	P834	P835	P836	P837
ABAB	P841	P842	P843	P844	P845	P846	P847
ABAB	P851	P852	P853	P854	P855	P856	P857
ABAB	P861	P862	P863	P864	P865	P866	P867
ABAB	P871	P872	P873	P874	P875	P876	P877
ABAB	P881	P882	P883	P884	P885	P886	P887
ABAB	P891	P892	P893	P894	P895	P896	P897
ABAB	P901	P902	P903	P904	P905	P906	P907
ABAB	P911	P912	P913	P914	P915	P916	P917
ABAB	P921	P922	P923	P924	P925	P926	P927
ABAB	P931	P932	P933	P934	P935	P936	P937
ABAB	P941	P942	P943	P944	P945	P946	P947
ABAB	P951	P952	P953	P954	P955	P956	P957
ABAB	P961	P962	P963	P964	P965	P966	P967
ABAB	P971	P972	P973	P974	P975	P976	P977
ABAB	P981	P982	P983	P984	P985	P986	P987
ABAB	P991	P992	P993	P994	P995	P996	P997
ABAB	P1001	P1002	P1003	P1004	P1005	P1006	P1007





In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone




The Volumetric Weight is often referred to as dimensional weight






$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.



Attribute Series



DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >

> NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$





VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials



INFOCON
5 4 3 2 1
INFORMATION CONDITION



STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



SYNTAX LEXICON OPSCODE
Brevity Codes mapped
to symbols sets for A.I. / Man –
machine interface / interop

Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X Veritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

NAMED DATA NETWORKING #DeFi All Market Orders

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

Heartbeat Flash Messages Precedence Processing

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP

TTL

CRYPTO

URN

Org_ID

Tagged

Collateral

Notional

Expiry

NON REPUDIATION

TIME – SPACE METER METRICS

SYNTAX LEXICON OPSCODE

BREVITY CODES MAPPED TO SYMBOLS SETS FOR A.I. / MAN – MACHINE INTERFACE / INTEROP

VERITASEUM™

THE UNBREAKABLE PROMISE




Veritaseum™ The Unbreakable Promise




Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

*“PoET for ‘Proof of Elapsed Time’, is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel’s [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality.”*



PROOF OF ELAPSED TIME



Voting Based Selection: stake size & block generators selected by votes


Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP **MVP**




Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD

P SCT #573 ALICE CORP V CLS BANKPHYSICAL UNIVERSAL MEM




FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BU




HASH TABLES / NONCE VALUES

Capture ledger's state $\Delta\delta$
Transaction language
changes ledger state
Consensus, transaction
acceptance protocol





NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





HASHGRAPH
Directed Acyclic
Graph DAG

Hashgraph consensus algorithm
for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$


Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles



Round created
Witness



0 / 1

Famous witness
Election



Vote
See



Strongly see
Supermajority
Decide



Round created
Round received




Consensus timestamp
Consensus order $\Delta\delta$

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph



Hash
Nonce




Micro-Cycle
State Meta
Data Snapshots




Micro-Cycle
State Meta
Data Snapshots

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide




Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



vector
WORLDWIDE LOW-EARTH ORBIT SATELLITE TRIANGULATION NETWORK, 364 CAMERAS

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"




Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.

TAG	SLA/O	Token Award
{"Org_ID": ActiveID}	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID": IF1_DeviceStatus (IF-Node1)}	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID": IF2_DeviceStatus (IF-Node2)}	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$ [UFO2_STATE:#]	$\Delta\delta$ IF_State
IF2_State (IF-Node2)	$\Delta\delta$ [UFO2_STATE:#]	$\Delta\delta$ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.





PoST users / nodes must prove that they are spending a certain amount of space for storage.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

Federation
Gateway



{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}

Net joins, drops, splits, merges, moves


Agile, adhoc NETOPS Vs acquisition preserves the

CHANNEL

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle


FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS



SYNTAX
LEXICON LIBRARY


CPU CHIP
EPOCHS



long exponential
intervals (10 min)




COMMAND SYNTAX
RESTFUL State Transfer



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



short deterministic
intervals (10 sec)



ATOMIC CLOCK
MICRO-CYCLES




**real-time gross settlement system,
currency exchange, remittance network**

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.


Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery

Provides information about total costs of the transaction.

Workflows are serially executed
Except first two work flow are
workflows are based on event
pull model



Neutral transaction protocol






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$



1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"







OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree





ZEPPELIN OPEN, GLOBAL ECONOMY


OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language

zeppelinOS, operating system for smart contracts
"the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security."



HEART BEACON CYCLE TIME – SPACE METER ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax Lexicon Library
300 + Templates



STRUCTURED DATA EXCHANGE

Category	Sub-Category	Details
ASAS	ASAS	ASAS
ANOPIC	ANOPIC	ANOPIC
APATOB	APATOB	APATOB
MIC	MIC	MIC
COCOM	COCOM	COCOM

LOGIC / FILTERS
ALPHA-NUMERIC
BREVITY CODES

STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics



ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, inspired by [OpenZeppelin](#) Libraries

Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowd sale contracts
- Create a trustless bug bounty.
- Create pausable, ownable, balance-limited contracts
- Set up a token vesting or token locking contract.



EVM


Blockchain




EGaaS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO - FRIENDLY TRANSACTIONS




E-GaaS: international blockchain platform for organizing economic, state, social activities of citizens , communities on the basis of smart law, smart contract system. eGaaS offers a comprehensive solution needed for state and business management on the blockchain platform.



FORM	CODES	DATA	ASAS	AMPCP	API2RS	WIND
ASAB	P0001 P0002 P0003 P0004 P0005 P0006 P0007	P0001 P0002 P0003 P0004 P0005 P0006 P0007	L0001 L0002 L0003 L0004 L0005 L0006 L0007			
ANHICPA	P0001 P0002 P0003 P0004 P0005 P0006 P0007	P0001 P0002 P0003 P0004 P0005 P0006 P0007	L0001 L0002 L0003 L0004 L0005 L0006 L0007			
AFATOR	P0001 P0002 P0003 P0004 P0005 P0006 P0007	P0001 P0002 P0003 P0004 P0005 P0006 P0007	L0001 L0002 L0003 L0004 L0005 L0006 L0007			





GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA


Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle




THE TERRA (TRC)

Trade Reference Currency



Demurrage Fees



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as length is bounded & all nodes agree eventually"

Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.





ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol



Fabric Tier consortium node CryptoDelegate in
VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external
data access, authentication “CryptoDelegate” / adapter

Blockchain middleware: identity and operations management, data,
intelligence services like analytics and machine learning. New middleware
works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-
like services to allow for SmartContracts and tokenized
objects to be passed between different ledger systems.




Data Services - key data services like distributed file systems
(IPFS, Storj, etc) of off-chain data referenced by public keys.



Auditing, Advanced Analytics, Machine Learning, Dashboarding
services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into
their SmartContracts to create more robust and trusted transactions.
Contract Cryptlets are full delegation engines that act as
SmartContract surrogates off the chain. Cryptlets provide
execution logic and securely store data in the Smart Contract


MULTI-MEME MULTI-METER



ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with
zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC).
However, these time zones are decided upon by individual governments, without overall coordination
and can even extend fourteen hours ahead UTC.





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Ether hedged against
other crypto / FIAT
currencies price chan $\Delta\delta$

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time...

EVENTUALLY



D F I N I T Y



RANDOM # BEACON



NIST Beacon
A Public Randomness Service



BLOCKCHAIN NERVOUS SYSTEM

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms



FIREFLY-HEARTBEAT FLASH Msg EVENT BUS

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree



3 x 5 HASH TABLES STATE META DATA SHARDS

QUANTUM RANDOM #

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs



HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"

Threshold Relay Chain techniques

Probabilistic Slot Protocol (PSP) When Gh is selected, members start stopwatches


Choosing Leaders Randomness selects priority list block forgers at height h

Short Term Convergence Correct processes build on highest scoring chain

Threshold Timestamping group signs blocks at h until next group appends another.

Scalable Global Validation Layer: Each additional level of the tower validates new state transitions applied to storage shard. is built by processes selected by the RANDOM BEACON

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER



UTZ TIME ZONE SYNC



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")
("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade

Federation Gateway
("ORG_ID")




RULES Metrics

ARIN
American Registry for Internet Numbers

HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE



BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers





ROSETTA STONE

FORM	SOCIAL	TIME	MAS	MOBILE	API	DATA	TRANSACTIONS	BLOCK	CODE
ABAP	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
AMQP	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
AFATOS	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
CLOUD	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
OPEN	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
MESS	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
WEBCON	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA
PKI	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA	SOA

XBRL / CDL / DAML
STRUCTURED
STOCK MIC CODES
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS
SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE

FFIRNS
FFUDNS



HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.



"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions receive payments for their service to the network

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority

ALICE CORP Vs CLS BANK



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are made available for a new update "trumps" previous update.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.





Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm




TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



STATE META
DATA SNAPSHOTS



EVENT

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..

EVENT

Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.





"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





UNIVERSAL
EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Predicted	
11.8.6 - Smoothed Data	
11.8.7 - Position	
11.8.8 - Bearing Angle	
11.8.9 - Horizontal	
11.8.10 - Vertical	
11.8.11 - Vertical	
11.8.12 - Covariance Matrix	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



XBRIL / CDE / DAML
STOCK MIC CODES



STRUCTURED
MILITARY MESSAGE

TEMPLATE FORMS

LOGIC / FILTERS



300+
Use Case Templates

300+
Use Case Templates

300+
Use Case Templates

300+
Use Case Templates

Federation
Gateway







**transactions sent over / off chain
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



Payment channels multi-hop hub
spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT



EVENT REPORTING
ACROSS TIME-SPACE



MESSAGE EVENT BUS

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5
HASH TABLES
STATE META
DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose
begins with a TIME
STAMP SERVER

TIME STAMP SERVER

90 feet


Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth,
Height, Volume

Blockchain / cryptocurrency increments

Time Time

Time Place

Time Bin



ALICE Corp VS CLS BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT

TOWARDS ABSTRACT IDEAS

Physical = Opposite

of abstract = ALICE

HEART BEACON CYCLE

TIME – SPACE METER

USPTO 13/573,002

first base

RUNNER Message Bus

Firefly – Heartbeat Algo

X EVENTS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS #1421

I.R.S.

Fix "108"

FLASH MESSAGE

EVENT BUS

TIME STAMP

SERVER

Epoch

Time Cycles


Δ

δ

Δδ

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event

When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of

location where object(s) are expected to be following the


Why Information about the business context, including:
a Identifier that indicates the business step taking place



CLOSER IS CHEAPER



MICRO CYCLES



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES



!st Compiler DESIGN Still the **BEST**







Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has [launched a campaign](#) on the decentralized crowd funding app [Lighthouse](#). Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework




- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE


FEDERATION

- <UUID> <ORG_ID> <URN>
- LDAP DIRECTORY
- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter



PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




ADEPT Installer




ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished


Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.


How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY


A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS









BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES




.0001

MICRO CYCLES

216



218




219

202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



214



UTO 213

ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE



215 LEADER'S INTENT DECISIONS



SNAPSHOTS

210




203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS



LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME

208



APPLIQUE' OVERLAYS



MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

209



B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

204

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future




NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI

PARTY /
AUTHENTICATION



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**

Time / Distance Metrics



PROXIMITY

NDN
</Interest>
</Distance>

SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State
of Internet & estimates distance between any IP address pair State
Snap Shots

NIST

Time server

HSM

RNG

#3

Clock

RNG

Beacon App

Beacon Engine

FW

Pulse

DB (web front end)

Web (users)

queries

replies

publicly verifiable external values

Legend:

- App: software application
- DB: database
- FW: firewall
- HSM: hardware security module
- RNG: random-number generator

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON

HTTP Server

Firewall

message

05:08:50 NIST TIME BEACON

Entropy

Bell Test

NIST time

Crypto-hardening & Time stamp

PBR Data Analysis

Database

SYNTAX LEXICON


HTTP Server

Firewall


message

05:08:50 NIST TIME BEACON

Entropy



<https://hackaday.com/2014/12/19/nist-randomness-beacon/>



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements





Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random..."




One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"



Satoshi Bitcoin Blockchain Time Stamp Server

Timestamp Server
 The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [3]. The timestamp proves that the data must have existed in time already, in order to get into the hash. This timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER

TIME SPACE

05:08:57

NIST TIME BEACON Metrics / Meters

The previous block's hash and timestamp are included in the block's merkle tree. This is included in the block's merkle tree.



WORLD ECONOMIC Heartbeat

ALGORITHMIC REGULATION HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME

Firefly - Heartbeat Sync Algorithm
 Heartbeat Event Message Bus
 UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



STRUCTURED DATA EXCHANGE

{"Org_ID"} {"URN"}



SYNTAX LEXICON




QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS



#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization



Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




Microwave pulses like sonar ping...

qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.




Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)



Double-Slit Experiment

Screen with two slits



Screen


WAVE ?

PARTICLE ?

Sodium lamp




Light source	Rays of light coming from the source reach the slits	Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation	Alternating bright and dark fringes due to interference of light waves	Intensity of the fringes shows the maxima and minima
--------------	--	---	--	--



QUANTUM COMPUTING


- RESISTANT ? - BASED ? THROUGH LENS OF SCOTUS ALICE LOOKING GLASS RULING





USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: “Claims may not direct towards abstract ideas” / Physical = opposite of abstract



The Hopf Fibration

Edmund Harriss







Figure 2.11.1. The Hopf fibration



BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





THE 1919 WORLD SERIES

What Really Happened?

William A. Cook



Stop patent trolls.
Join The Alliance.

Application Developers Alliance




Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: “claims may not direct towards abstract ideas”



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
 - Admin forms, fees, amendments.. MUTED
 - NO Time Stamps = TEMPORAL AMBIGUITY
 - Screen captures before / after filing







Buckminster Fuller 1968 *Operating Manual for Spaceship Earth*

"we can make all of humanity successful through science's world-engulfing industrial evolution. We have the tools"



"The Dymaxion Map reveals a One-World Island in a One-World Ocean"
which helps us to view the world as one interdependent system [of systems]
of relationships. This is what is most fundamentally at HEART when we
speak of Spaceship Earth "The planet is a [system of] system (s)"



SPACESHIP EARTH: comprehensive planetary planning describing new strategies intended to enable all of humanity to live with freedom, comfort and dignity, without negatively impacting the earth's ecosystem's regenerative ability



Earth relates Earth to a spaceship flying through space. Finite amount of resources and cannot be resupplied. 



GDP INDEX ECONOMY



A screenshot from a video game showing a green alien in a blue capsule with a yellow alert symbol.




USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter




Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



First
Baseball
Players
Union
Formed
1870



Metatron's Cube and the Platonic Solids




by: Tom Rimbault

"In the beginning (of time) there was the word"

GENESIS OF ALL FORM



SEED OF LIFE





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller



bfi.org

THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.

Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis


The Great Conjunctions occur in the sign of Aquarius

42° 51.84' 42° 51.84'




12° 51.84' 12° 51.84'

Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



2012 RAINBOW BRIDGE



MILTON FRIEDMAN IS RECOGNIZED AS ONE OF THE GREAT ECONOMISTS OF THE 20TH CENTURY.

"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.




Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



Reverend K "I see Mr. Magoo"



Revised from ISO 20022
Understand how ISO 20022 can help you
Contribute to ISO 20022



Mil Std 2525C

Structured
Data Exchange

The SWIFT Standards Team



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960

Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman

Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + Mcgee

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!

What does your name mean?



Steven + Mcgee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



Satoshi Nakamoto Reveal #2

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers"
Satoshi Nakamoto White Paper, 2008 "The solution we propose begins with a time - stamp server"

