



UTOPIA ?  $\Delta\delta$  OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022


I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES



STAT MEAN VALUE INDEX




SchellingPoint



# Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



Vernetzte Operationsführung



Proximity Beacons



JAEGERS



Closer < \$\$\$ < FUEL



FREEFLY

HEARTBEAT


ALGORITHM

EVENT / ALERT Flash Heartbeat Message Bus

JBFSA  
"PAINT IT A DIFFERENT COLOR"  
Joint Blue Force Situational Awareness



GLOBAL



GLOBAL



NEWS




KAIJU

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





# Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.  
ANTONINVS  
AVG. TR. P. XXV.

## THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC  
"world currency" Bernard A. Lietaer  
Belgian economist proposed 1991  
Basket of 9-12 most important  
commodities. Public issued  
demurrage fees for storage,  
shipping, handling..



### Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


### BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]

### Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




### LEADING ECONOMIC INDICATORS






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



## TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart  
Beacon Cycle Time – Space  
Meter / Adaptive Template



## SCOTUS Alice in Wonderland Ruling 2014 ABSTRACTIONS MAY NOT BE CLAIMED:

Chain Abstraction: Simplifying the Complex World of Blockchain

The Net, Net of Money (Cryptocurrency)

Does not have / has no:

- LAYERS i.e., seven layer internet model
- BLOCKS on the BLOCKCHAIN
- Blockchain data stored in a CUBE
- QUBIT (S) quantum two state system
- Packets i.e., Vinton Cerf's "ode to a packet"  
**"QUANTUM AI"**

Lightchain AI introduces Proof of Intelligence (PoI), consensus mechanism designed to reward nodes for performing AI computations i.e., model training, inference, optimization...

**INTERNET, NET OF \$\$\$ TRUTH / WORKFLOW**

All computing is essentially workflow logic

If, then, else then do {'task'} multicasted, Unicasted, anycasted / filtered over TCP / IP



**Qubit vs bit:** Qubits are represented by a superposition of multiple possible states. A qubit uses the quantum mechanical phenomena of superposition to achieve a linear combination of two states. A classical binary bit can only represent a single binary value, such as 0 or 1, meaning that it can only be in one of two possible states. A qubit, however, can represent a 0, a 1, or any proportion of 0 and 1 in superposition of both states, with a certain probability of being a 0 and a certain probability of being a 1.

Q: ARE WE ABSOLUTELY CERTAIN QUBITS EXIST ?


Q: IF CUBITS DO NOT EXIST, THEN ARE THEY SIMPLY A WAY TO ACHIEVE GROUP THINK FASTER ???

Q: 1/3 of an event (transaction) ... really ???


**ABSTRACT VS NATURE:  
573 U.S. 134 S.Ct 2347**  
"BITCOIN'S VALUE = TIME ITSELF"  
TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

**ACOUSTIC PHONON**



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE SOUND WAVES = INTEROP



Net of \$\$\$ formed with:  
**1 EPOCH TIME CYCLES**

2 {"Syntax"} "The Word"

"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

# Circle USDC


Investopedia

Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument.

Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies,  
Source JDSUPRA



**Circle Financial Ltd**  
lawsuit brought by  
Veritasium Capital for  
alleged infringement of  
its digital-asset trading  
patent. U.S. District  
Court for the Eastern  
District of Texas,  
No. 2:22-cv-00498





## NOSTRADAMUS of FRANCE CENTURY 8: QUATRAIN 28:

"The copies of gold and silver inflated,  
after the theft were thrown into the lake,  
At the discovery that all is exhausted and  
dissipated by the debt,  
All scripts and bonds will be wiped out."



"FutureMan"  
13/573,002



**"THE FINANCIAL  
NOSTRADAMUS"**  
REGGIE MIDDLETON

**Reggie Middleton**  
"Father of DeFi"

**US11196566**  
**US11895246**  
**JP6813477**



# SCOTUS ALICE CORP VS CLS BANK 2014 RULING: ABSTRACT VS TANGIBLE


USPTO 13/573,002 PRIOR ART

Physical = Opposite of Abstract

Q: WHO IS "SATOSHI NAKAMOTO" ?

## HONUS WAGNER

THE LIFE OF BASEBALL'S "FLYING DUTCHMAN"



Arthur D. Hittner



Baseball fields have standard measurements for various components, including the infield and outfield. The infield consists of a diamond with 90 feet between the bases and a pitching distance of 60 feet 6 inches for adult and senior leagues. Home plate is located 90ft away from first base to The right and third base on the left. Bases are positioned at 90-degree angles from home plate.



A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time..

XRP = 10,000 Each ?

RIPPLE LABS / XRP

Honus Wagner NFT Non-Fungible Cryptocurrency Token

Honus Wagner is a legendary baseball player

T206 Honus Wagner card sold \$6.6 million August 2021


This highlights the cultural and financial significance of Honus Wagner memorabilia, which could potentially be replicated in the digital space with NFTs (AI web search)

Defunct crypto exchange Mt. Gox has said that a repayment date will be set in "due course" February 7<sup>th</sup> 2014 trading halted

**MT.GOX**  
MIT Technology Review listed Ripple Labs as one of 2014s "50 Smartest Companies"

# Heart Beacon Cycle

## FEDERATE / TRADE FEDERATIONS



1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**  
**each retaining control of internal affairs**

Net joins, drops, splits, merges, moves  
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation  
Gateway




{"GLOBAL"}  
{"SHARED"}  
{"DOMAIN"}  
{"COMMUNITY"}  
{"PRIVATE"}  
</ORG\_ID>  
{"GROUP ID"}

Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:  
independent interest within group signatures – **FEDERATED ID {"Org\_ID"}**



Bitcoin Mining Pools  
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform\_Resource\_Name



IeT DEVICE / PLATFORM  
IoT SENSOR DEVICE



EVENT BUS

Signalling, Telemetry




## FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME






# World Game Annex K

## Signals & Telemetry



**“Build a new model”**  
**Standing on the shoulders of giants**





**Eco Economic Epochs**  
**For Programmable \$\$\$**  
**Programmable Economy**  
**Re Monetize (Crypto) Currency**  
**Symbol / Message Sets A.I.**  
**FIREFLY Inspired**  
**Heartbeat Algorithm**  
**Message Event Bus**



# The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE




## 1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 "Alice in Wonderland Ruling"






Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

**Use Case:** Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity

OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface

Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS

Of system of systems engineering architecture structure data exchange (DoD) (NATO)



**SOUND WAVES enable**  
Different types of quantum tech to "talk"



## TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart  
Beacon Cycle Time – Space  
Meter / Adaptive Template



# Economics of Microtransactions in Video Games: The Intelligent Economist



**Microtransactions:** in-game purchases that unlock specific features or give user special abilities, characters or content.

Q: is the main purpose of the (technically non-existent) #blockchain derived from the video game industry adapted to #cryptocurrency industry is about adding/ overlaying #micropayments / #microtransactions converting the world into a massive, virtual open world video game ?

<https://intelligenteconomist.com/microtransactions/>

REPLACEMENT SHEET

## BUILDING BLOCKS



201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



Net, net of money \$\$\$ formed w:

1. Epoch time cycles created by silicon chips
2. Syntax code instructions in epoch time cycles
3. Time Stamp Server w/event message bus






- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**
  - Reuse brevity codes mapped to 2525D symbol sets comprised of 300 message sets for A.I. - machine
  - Block-Time DLT arbitrage among Trade Federations </Org\_ID> {"URN"} </URN> = COMMODITY



Spatial / temporal UTZ  
ynchronization, stochastic  
harmonization, Time - Space  
Distance Estimation Service  
Common Consensus Algo meme  
Eco sustainable incentives  
  
We can synchronize ourselves,  
DAO Trade Federations in time -  
space for common purposes”  
Eco sustainable, Equitable  
Economic econometrics.  



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organization Identifiers {"Org\_ID"} routing / organizing
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) TARIFF TOOL ZONE CALCULATION w Space – Time Metrics
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex






# FIREFLY - Heartbeat Algo

Bologna Italy / Hungary / China Universities

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE




Luxor Temple Egypt:  
"The shortest path towards knowledge of truth is nature"





FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC  
PROCESSING PULSE DELTAS



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



"Heartbeat Synchronization nodes in a distributed system generate periodic local heartbeat events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. No rule governs the length of a cycle with respect to real time as long as the length is bounded & all nodes agree on it eventually"


The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

# THE TERRA (TRC)

# Trade Reference Currency




**SLA: Closer = Cheaper** {  
**Closer = Less Fuel** {"UP"  
**= Less Time, CO2** </UP>  
"LUB"




# DEMURRAGE FEES MICRO PAYMENTS



## SHELLING POINT



The image is a horizontal collage of various digital currency and financial symbols. On the left, there's a green dollar sign with red and blue arrows pointing in different directions. Next to it is a blue square containing a white Bitcoin symbol. In the center, there's a cartoon worm-like character with a determined expression, standing next to a large blue heart outline. Inside the heart, the letters 'K %' are written in pink. To the right of the heart is a gold-colored coin with 'USD' and a dollar sign on it. Below these elements, the words 'ALGORITHMIC REGULATION' are written in large, bold, black capital letters. To the right of that, the word 'WAVES' is followed by a stylized wave icon. At the bottom right, the words 'TOKENIZES CURRENCIES' are written in black capital letters. The background features a faint blue grid and some abstract lines.




**Terra Trade Reference Currency TRC "world currency"**  
**Bernard A. Lietaer Belgian economist proposed 1991**  
**Basket of 9-12 most important commodities. Public**  
**issued demurrage fees for storage, shipping, handling**



**Example: 100 Terra = 1 barrel oil  
+ 10 bushels of wheat  
+ 20 kg of copper + 1/10 Oz gold**







Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic “heartbeat” events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes agree on it eventually”



French newspaper "Le Fédériste"  
"L'Europa monnaie de la paix"  
Money of peace" Born Jan 1st 1933 \$\$\$

The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.








The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"





TERRA TRC




ECONOMIC HEARTBEAT





HB MSG </108>  
FIX PROTOCOL  
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



PROCESS BY </PRECEDENCE>

SonarMaps ID\_Hops



Bitcoin = Property

IRS Memo #1421

I.R.S.

ON OFF SHORE

GEO LOC LAT / LONG

PING

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

% Block Mined  
% Block owned  
Mined Bitcoins

Unmined Bitcoin:

$\Delta\delta$  Land Use Meme



BLOCKTIME ARBITRAGE

Blockchain Timestamps

NDN

ON / OFF SHORE

PROXIMITY BEACONS

Triangulation

Euclidian Geo

GPS GEO LOC

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Geolocation

Lat Long

NDN </INTEREST>

NDN {"DISTANCE"}

Demurrage Charges

vector

Multi-Meme Metrics

EVENT BUS

Match to Closest

Heartbeat Cycle

FIREFLY-HEARTBEAT

ALGORITHM

Heartbeat Snapshots

Blockchain Parsing

ERLANG

HOPS / RADIUS = REACHABILITY

WATER DROP IN POND MEME

AREA RADIUS

</FILTERS>

BY ORG ID / URN

NDN </INTEREST>

</DISTANCE>

Closer = Cheaper



Closer = < Fuel



# IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop



Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix  
<Org\_ID> Trie (NPT)



NDN NAMES

NDN NAMED DATA NETWORK RIB /  
FIB Datasets event notification

Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition




NDN INTEREST LENGTH  
= DISTANCE BY HOPS


NDN  
INTEREST

IS DATA  
FRESH ?

TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

INTEREST in <URNs>

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live



HEARTBEAT STATE META DATASNAPSHOTS








# GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS, TARIFF

INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING



XML	INFOCON
MTF	5
300 +	4
MSG	3

INFOCON  
INFORMATION CONDITION



# 13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus  
Internet of Everything “ability to hear the world’s heartbeat”

# The four dimensions of Big Data

**vector** → VECTOR: quantity having direction and magnitude  
position of a point in space relative to another point


TIME STAMP BY Org ID, URN Before FUSION CENTER

**Position of a point in space relative to another point**





# ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS




## Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
  - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
  - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

**THESES:** All net artifacts, net of \$ are formed with:  
1) Epoch time cycle intervals ex: chip oscillations  
2) Syntax parsed, processed in epoch time intervals

## Time Epochs / Syntax:

### How the net, net of \$ actually work...





All things internet, programmable net of money are formed using:  
1) Epoch Time Cycles to 2) process (not) syntax as instructions

## Epoch Time Cycles / Syntax



## Internet / Internet of Money building blocks



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Structured Data Exchange



SYNTAX LEXICON  
ROSETTA STONE



Coder's Guide

STRUCTURED  
<CONTENT>  
EXCHANGE  
TEMPLATES



"SYMBOLS RULE THE WORLD"



Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = **BIZ COA (s) <Org\_ID1><Org\_ID2><Org\_ID3>**



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID  
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN" "URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP



0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS
1 - Horizontal				
2 - Vertical				
Confidence				
Bearing Angle				
Bearing Angle Rate				
Covariance Matrix				

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INFOCON 5 4 3 2 1 INFORMATION CONDITION



AI FRIENDLY M2M AI



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES  
FEDERATED PEGS  
{"ASSET\_CLASS"}  
{"ASSET\_TYPES"}



ISO 10383 – MIC  
Market Identifier Codes



STOCK NDN NAMED DATA  
EXCHANGE NETWORKING  
MIC CODES PRECEDENCE  
FILTERS PROCESSING



BLOCKTIME ARBITRAGE ERLANG  
TIME EQUATIONS



NDN NAMED DATA  
NETWORKING  
PRECEDENCE  
PROCESSING



FILTERS



BLOCKTIME ARBITRAGE ERLANG  
TIME EQUATIONS



NDN NAMED DATA  
NETWORKING  
PRECEDENCE  
PROCESSING

FROM	TO					CODE GUIDE				
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS				
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	<b>USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify &lt;/CONTENT&gt; / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio</b>			C002 C203 F014 F541 S201 S309 S305 S507				
AMDPCS	<b>TOKENS</b> <b>OPSCODE BREVITY CODES</b>					F002 F015 S201				
AFATDS	F002 F014 F015 F541 S201					C203 C400 D630 E500 F002 F014				
		A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	 <b>ASSET TOKENS</b> <b>Syntax Lexicon</b> <b>Token Economy</b> <b>Coder's Guide</b>	A423 C505 F014 F541 S201	<b>A.I.</b> 	<b>INFOCON</b> 5 4 3 2 1 <b>INFORMATION CONDITION</b>		
							<b>M2M</b>	<b>"SYMBOLS RULE THE WORLD"</b> 		
<b>MESSAGE CATALOG</b> <b>300 + Use Cases</b>				<b>Data Elements:</b> entity, attribute, relationship equivalents			<b>HEARTBEAT MESSAGE =</b> <b>K00.99 &lt;/108&gt; {"108"}</b>			
Object Categories		Examples	Location	Movement	Identify	Status	Activity	Intent		
OOB		<b>SYNTAX LEXICON</b>	STRUCTURED DATA lat/long	spd/hdg	EXCHANGE country / alliance, type/class	Message readiness	Sets targeting, reconitering	COA {"Java JS"}		
Infrastructure		Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	<b>YAML</b> expansion plans		
Sociological		Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	Object DBMS	XML DTD / Schema	TADILs	MTF
Geophysical		Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Entity	Class	Table	Class	Element	Message	Message
				Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFIRN / FFN / FUDN
				Domain Value	PURCHASE CODES	Instance, Value		<b>TOKENS</b>	DUI	FUD

# Information Elements Roles

- COI Determination Org Interaction
  - Search and Discovery
  - Ontologies STANDARDS
  - Taxonomies REFERENCE
  - Metadata Attributes / Filters



# FFUDN: Field Format Unit Designator #

# FIRN Field Format Index Reference #

# Structured military messaging ID's messages, message sets, data element, symbol fields <108>

# BY Form Field Position & NUMBER



# PROCESS MESSAGE BY PRECEDENCE

## UNIVERSAL EVENT / ALERT MESSAGE BUS

# OPERATIONAL NODES / ACTIVITIES


DATA SYSTEM FUNCTIONS PERFORMANCE

1.4 - Classification	11.8 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	1.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	1.2.1 - Estimated
	1.2.2 - Observed
	1.2.3 - Predicted
	PURCHASE CODES

**SYMBOL** Friend Neutral Hostile

Symbol	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1.3.4 - Substance			1 - Velocity
11.4.1.3.5 - Surface			1.4.1 - Horizontal
11.4.2 - Platform / Point / Feature		Type	1.4.2 - Vertical
11.4.3 - Specific Type			VA Confidence
11.4.4 - Type Modifier			1 - Bearing Angle
11.4.5 - Unit			2 - Bearing Angle Rate
			3 - Covariance Matrix







# Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System  
Information Sharing and  
Analysis Center

**IDENTITY:** <UUID> = Devices, sensors

<ORG\_ID> Organizations

Federation  
Gateway

**INVENTORY:** Uniform Resource Name <URN>

<URN><URN>  
<URN><URN>  
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

GEO-SPATIAL TEMPORAL INTENSITY METRICS  
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

**ACTIVITY:** <EVENT><ALERT> <TIME\_STAMP><ORG\_ID><URN>

CONTENT LEXICON  
ROSETTA STONE



**SHARING:**

COMMON <TAGS>

<Organizational\_ID>

Resource Names <URN>

<Time\_Stamps>

<State-Meta\_Data>

<DATA\_CLASS\_TYPE>

<Heartbeat\_snapshots>

<TAG>LIBRARY  
TEMPLATES



NAMED DATA  
NETWORKING

<Content> Centric

**<ELEMENTS>**

STRATML/ IODEF RID CLASSES:

<GLOBAL><JOINT><SHARED>  
<DOMAIN><FEDERATION>  
<CITY><STATE><PRIVATE>

STRATEGIC  
MARKUP

StratML

LANGUAGE

IODEF

RID

CLASSES

GLOBAL

JOINT

SHARED

DOMAIN

FEDERATION

CITY

STATE

PRIVATE

INDUSTRIAL CONTROL SYSTEM

INFORMATION SHARING AND

ANALYSIS CENTER

GEOSPATIAL TEMPORAL

INTENSITY METRICS / METERS

IDMaps

vector

tripwire

AVALANCHE

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS

A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN

REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD

2525A

STRUCTURED

<CONTENT>

TEMPLATES

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a

wide number of information exchange requirements

using common, CONSENSUS Message Text Formats MTF

MTFs specify <CONTENT> / information agreed

by group consensus presenting information in a logical

well specified and unambiguous layout i.e., templates





<TAG> LIBRARY

STRUCTURED

<CONTENT>

TEMPLATES

STRUCTURED

Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	<a href="http://scop.sourceforge.net/">http://scop.sourceforge.net/</a> <a href="http://linuxvirtualserver.org/software/index.html">http://linuxvirtualserver.org/software/index.html</a>					
API Information	 <b>#leT</b>					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a <b>heartbeat</b> : defining a default lease duration delaying updates until the next <b>cycle</b> "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped is called a timestamping protocol. This timestamping protocol is a chain, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> <li>Block info</li> <li>Previous Hash</li> <li>Timestamp</li> <li>Merkle</li> <li>Transactions id list</li> </ul> <p>Headers: Contains version information (version info), previous block's hash (previous block), and timestamp (timestamp). Transactions: A list of transactions (tx) that are being added to the block. Merkle: A tree structure that summarizes all the transactions in the block.</p>				

# What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE  
USPTO 13/573,002  
SURVEY METHODS


## SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins




## Mined Bitcoins



BLOCKS / COINS PENDING ISSUE

B  
A  
C



$\Delta\delta$

## Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”



Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org\_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org\_ID> issuing agent


Step 4: Issuing Org of Record adjudicates w buyer



## TRIANGULATION



## DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs



IDMaps Distance Metrics:  
latency (round-trip delay)  
available bandwidth estimation





## **Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION**




**Edison's Monetary Option**  
Cambridge University Press 2009

**“Crops hold their value best over time”**

✓ “Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America’s monetary woes. “I want to cast the variable out of money. This gold money is not good enough. It’s a

fiction" "New York Times 1922



# Tokenization of Physical Assets Enables Economy Of Everything




## ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$

BELT and ROAD  
Trade Initiative



**FIREFLY – HEARTBEAT ALGORITHM CHINA:** nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK  
CENTRIC  
OPERATIONS  
**INFOCON**  
4 3 2 1  
INFORMATION  
CONDITION



# Thomas Edison's Monetary Option Cambridge University Press 2009


"Crops hold their value best over time"




COMMODITY RWA  
REAL WORLD ASSET  
STABLE COIN INDEX

BY DAVID L. HAMMES


"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922




USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.






Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

# US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

**Multi-user functionality for converting  
data from a first form to a second form**

**Symbolic artificial intelligence:** collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.



US Patent No: 7,257,455 DISCOVERY MACHINE Inc. Fig. 8 Discovery Machine® Inc. AL ARTIFICIAL 820

**Williamsport PA**  
**Little League**  
**Baseball Capital of**  
**the World**

818

TASK	
PK	<u>TK_OID</u> {"Org_ID"}
FK1	TK_NAME
FK2	TK_DESCRIPTION
	TK_CONDITION
	TK_CMOID
	TK_CLOUD (FUNCTION)

816

METHOD	
PK, FK3	<u>MT_OID</u> {"Org_ID"}
FK1	MT_NAME
FK2	MT_DESCRIPTION
	MT_CMOID
	MT_CLOUD (BEHAVIOR)
	LS_SEQUENCE

810

CLASS	
PK	<u>CL_OID</u>
	CL_NAME

BIZ COA 1,2,3

AU Ar

**System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior function in a computer system.. BIZ COA 1, 2, 3**




COMPONENT		
PK	<u>CP_OID</u>	{"URN"}
	CP_NAME	
	CP_SUBSTANCE	(BOOL)
	CP_PRIMTYPE	
FK1	CP_CLASSTYPE	
FK2	CP_CLOID	
	CP_COLLECTION	,

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME

# Neuro-Symbolic AI

## Symbolic (human-readable) representations

Symbolic AI



Breaking the world into symbols (rather than


Brevity



## Symbols

## Symbols

### Symbol



Incorporate common sense reasoning and

# Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon

This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: [https://en.wikipedia.org/wiki/Physical\\_symbol\\_system](https://en.wikipedia.org/wiki/Physical_symbol_system)

data from a first form to a second form

CONDITION

Rosetta  
Stone  
Syntax  
LEXICON



Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic and search.



"SIGNS AND SYMBOLS RULE THE WORLD, NOT RULES OR LAWS"  
NATO OTAN



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,  
Symbol sets = structured data

FRZ TLP CLOUD EFS ION PAREN

ABCA OPS CODE BREVITY CODES


Neuro-Symbolic AI

Symbolic (human-readable)  
representations

Symbolic AI

Neural Networks  
(Deep Learning)

Brevity  
Codes



Symbols

Symbol

Symbol

Symbol


Incorporate common sense reasoning and

Breaking the world into symbols (rather than sets 2525)




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



# USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",  
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL  
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP  
DETECTION

IEEE 802.11  
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop  
Geo-Spatial Temporal  
Metrics, Meters

DISTANCE  
INFO SERVICE

Time Series

RISK

Value

Time

WATER DROP IN POND MEME IS

SONAR NAVY METAPHOR / MEME

NDN </INTEREST>

NDN {"DISTANCE"}

NAMED DATA

NETWORKING

IEEE C37.118

Harmonization

& Sync heartbeat

update Interval

IDMaps

SonarHops

5  
602

4  
3  
2  
1

RISK

+3  
+2  
+1  
0  
+1  
+2  
+3

UNUSED RESOURCES  
UNMET NEEDS

Spatial  
Econometrics

TIME-SPACE BEACON INFOCON  
METRICS / METERS TRADE WITH EARTH  
INFORMATION CONDITION

Spaceship  
Earth  
Signals &  
Telemetry  
Annex

???  
SIRIUS DISCLOSURE

ASTEROID BELTS =  
RARE MINERALS

MOON =  
HELIUM 3  
Universal Language  
offered by deity to humans as  
confirmation of the truth"

MAIN  
ASTEROID  
BELT

Alpha  
Numeric  
Brevity  
Codes

MARS  
VENUS  
EARTH

SYNTAX  
LEXICON

FARHER = More Cost  
➤ Fuel, Resources

KOO.99

STOCHASTIC  
HARMONIZATION

CODE

Service Level Agreements

ERLANG

TIME- SPACE METRICS

JUPITER

FIREFLY-HEARTBEAT  
ALGORITHM  
UNIVERSAL  
EVENT MESSAGE BUS

ANDERSON  
INSTITUTE

ERLANG

5.2

Light minutes

Astronomical units

FIREFLY - HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS  
← cycle n → ← n + 1 → ← n + 2 →

PAUL REVERE  
LINEAR, SEQUENTIAL

603  
NULL  
+1  
+2

Attribute Series

INTEREST  
DISTANCE

Geo  
Spatial  
Temporal Series

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances

Micro Grids Closer - Cheaper

Blockchain  
Microgrids


CLOSER SOURCE


CHEAPER RATE

TESLA

Micro Grids Closer - Cheaper

Blockchain  
Microgrids





# BUILDING BLOCKS



TASK ON / OFF

201

**B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION**



MACRO CYCLES



.0001


MICRO CYCLES

216



**202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS**

**B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS**



ADHOC / AGILE  
FEDERATED <ID>  
GROUPS SYNC'D  
IN TIME / SPACE

215 LEADER'S  
INTENT  
DECISIONS




SYNC DELTA METRICS IN SLA CLAUSES AS  
MOE, MOP METER IN TAX CODES, TRANCHE  
CLASSES / RATINGS ARBITRAGE TRIGGERS

203


**B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS**



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



LENGTH, THRESHOLD, INTENSITY, DURATION



208



APPLIQUE' OVERLAYS



**B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL**

MAP VIEWS GEO-LOCATION SPECIFIC  
SHOW SYNC DELTAS BY GROUP /  
RESOURCE TYPE, EVENT CLASS /  
NEWSCAST BY TRANCHE <CLASSES>

209



204


# Blockchain Quad-lemma

## **“five layers of blockchain tech:**

- Infrastructure hardware layer
  - Data layer
  - Network layer
  - Consensus layer
  - Application / presentation layer

## Blockchain layers:

- Layer 0  
Layer 1  
Layer 2  
Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.


## Database Flat File

**“BLOCKCHAIN” = LEDGER / Database**

Database *flat file* sama dengan file data pada *spreadsheet* (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

**NET, Net of programmable \$\$\$  
Programming Reality Ground Truth  
No Layers L0, L1, L2... only GENESIS EPOCH,  
Follow on Epoch time cycles, intervals, cycles**



# THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
  2. Syntax used / not used as programming instructions during epoch time cycles

All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..



# STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

**1) DeFi-Native collateral backing:** stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

## 2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

## 3) RWA-Backed by off-chain real-world assets





# THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper



Satoshi Nakamoto



Craig WRIGHT  
a.k.a.  
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"





Wright Brother's 1<sup>st</sup> Flight  
Cape Hatteras Outer Banks

## "THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"



### 3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol  
for Dummies**  
Part 4 Timestamp  
Server



JapanNet Crypto Time  
Authentication Service  
(Timestamp Service)



CLOCK FACE 360°  
90 / 90 / 90 / 90  
300 330 360 30 60°  
270 240 210 180 150 90  
MACRO CYCLES

RULES / ROLES  
INSTRUCTIONS  
WORKFLOW  
UMPIRE  
COACH

3rd Base  
STATISTICIAN  
Metrics, Meters  
Stat Mean Value Index

3 X 5  
HASH TABLES  
STATE META  
DATA SHARDS

State Meta  
Data Snapshots

Survey Point

MICRO CYCLES

Settlements / Exchanges  
= Taxable Events  
Akin to Property

IRS #1421

Fix "108"


Flash Message Event Bus

Time Stamp Server



Time Epoch Cycles



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).<sup>[2]</sup> The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.



**"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"**






# TIME EPOCH CYCLES

State Meta Data Snapshots



"BITCOIN MAKES USPTO 13/573,002 MONEY HEART BEACON CYCLE PROGRAMMABLE. TIME – SPACE METER MONEY IS STRUCTURED DATA EXCHANGE SIMPLY DATA"






The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

**Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.**

**BLOCKTIME:** A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejiggering time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS  
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



### Functional Sequential Erlang

- Data types:
  - Integers (incl. BigNums), floats, atoms
  - tuples/records, lists/plists, binaries, funs
  - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)


### SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"  
"When money is open, the way we send, spend and receive money will change forever"



Rho ratio  $\Delta\delta$  queueing systems wait times  
Service Rate per unit time stochastic processes, function scheduling Start, Stop TTL



distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over


Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization\_ID") Global name resolution


FROM	TO/CC-A	THREE	AMAZON	AMAZON	WIKI
XBRL	/ CDL / DAML				
ALPHA	NUMERIC				
BREVITY	CODES				
AZURE	BLETCHLEY				
STRUCTURED					
MILITARY	MESSAGE				
TEMPLATE	FORMS				
LOGIC /	FILTERS				



# PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State  
•target = maximum value of 8 bytes Snap  
( $2^{64}$ ) divided by the difficulty.


NONCE increments from 0..N until the target is met.



GUESS stores the guess  
Effectively, it begins at infinity.




**Proof-of-Work:** users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates

FROM	TO/CC	DATE	TIME	ATTACH	STATUS	INFO
ORACLE	DATA	2023-01-01	00:00:00	FILE1	PENDING	FILE1
DATA	ORACLE	2023-01-01	00:00:00	FILE2	PENDING	FILE2
DATA	DATA	2023-01-01	00:00:00	FILE3	PENDING	FILE3
DATA	DATA	2023-01-01	00:00:00	FILE4	PENDING	FILE4
DATA	DATA	2023-01-01	00:00:00	FILE5	PENDING	FILE5
DATA	DATA	2023-01-01	00:00:00	FILE6	PENDING	FILE6
DATA	DATA	2023-01-01	00:00:00	FILE7	PENDING	FILE7
DATA	DATA	2023-01-01	00:00:00	FILE8	PENDING	FILE8
DATA	DATA	2023-01-01	00:00:00	FILE9	PENDING	FILE9
DATA	DATA	2023-01-01	00:00:00	FILE10	PENDING	FILE10
DATA	DATA	2023-01-01	00:00:00	FILE11	PENDING	FILE11
DATA	DATA	2023-01-01	00:00:00	FILE12	PENDING	FILE12
DATA	DATA	2023-01-01	00:00:00	FILE13	PENDING	FILE13
DATA	DATA	2023-01-01	00:00:00	FILE14	PENDING	FILE14
DATA	DATA	2023-01-01	00:00:00	FILE15	PENDING	FILE15
DATA	DATA	2023-01-01	00:00:00	FILE16	PENDING	FILE16
DATA	DATA	2023-01-01	00:00:00	FILE17	PENDING	FILE17
DATA	DATA	2023-01-01	00:00:00	FILE18	PENDING	FILE18
DATA	DATA	2023-01-01	00:00:00	FILE19	PENDING	FILE19
DATA	DATA	2023-01-01	00:00:00	FILE20	PENDING	FILE20
DATA	DATA	2023-01-01	00:00:00	FILE21	PENDING	FILE21
DATA	DATA	2023-01-01	00:00:00	FILE22	PENDING	FILE22
DATA	DATA	2023-01-01	00:00:00	FILE23	PENDING	FILE23
DATA	DATA	2023-01-01	00:00:00	FILE24	PENDING	FILE24
DATA	DATA	2023-01-01	00:00:00	FILE25	PENDING	FILE25
DATA	DATA	2023-01-01	00:00:00	FILE26	PENDING	FILE26
DATA	DATA	2023-01-01	00:00:00	FILE27	PENDING	FILE27
DATA	DATA	2023-01-01	00:00:00	FILE28	PENDING	FILE28
DATA	DATA	2023-01-01	00:00:00	FILE29	PENDING	FILE29
DATA	DATA	2023-01-01	00:00:00	FILE30	PENDING	FILE30
DATA	DATA	2023-01-01	00:00:00	FILE31	PENDING	FILE31
DATA	DATA	2023-01-01	00:00:00	FILE32	PENDING	FILE32
DATA	DATA	2023-01-01	00:00:00	FILE33	PENDING	FILE33
DATA	DATA	2023-01-01	00:00:00	FILE34	PENDING	FILE34
DATA	DATA	2023-01-01	00:00:00	FILE35	PENDING	FILE35
DATA	DATA	2023-01-01	00:00:00	FILE36	PENDING	FILE36
DATA	DATA	2023-01-01	00:00:00	FILE37	PENDING	FILE37
DATA	DATA	2023-01-01	00:00:00	FILE38	PENDING	FILE38
DATA	DATA	2023-01-01	00:00:00	FILE39	PENDING	FILE39
DATA	DATA	2023-01-01	00:00:00	FILE40	PENDING	FILE40
DATA	DATA	2023-01-01	00:00:00	FILE41	PENDING	FILE41
DATA	DATA	2023-01-01	00:00:00	FILE42	PENDING	FILE42
DATA	DATA	2023-01-01	00:00:00	FILE43	PENDING	FILE43
DATA	DATA	2023-01-01	00:00:00	FILE44	PENDING	FILE44
DATA	DATA	2023-01-01	00:00:00	FILE45	PENDING	FILE45
DATA	DATA	2023-01-01	00:00:00	FILE46	PENDING	FILE46
DATA	DATA	2023-01-01	00:00:00	FILE47	PENDING	FILE47
DATA	DATA	2023-01-01	00:00:00	FILE48	PENDING	FILE48
DATA	DATA	2023-01-01	00:00:00	FILE49	PENDING	FILE49
DATA	DATA	2023-01-01	00:00:00	FILE50	PENDING	FILE50
DATA	DATA	2023-01-01	00:00:00	FILE51	PENDING	FILE51
DATA	DATA	2023-01-01	00:00:00	FILE52	PENDING	FILE52
DATA	DATA	2023-01-01	00:00:00	FILE53	PENDING	FILE53
DATA	DATA	2023-01-01	00:00:00	FILE54	PENDING	FILE54
DATA	DATA	2023-01-01	00:00:00	FILE55	PENDING	FILE55
DATA	DATA	2023-01-01	00:00:00	FILE56	PENDING	FILE56
DATA	DATA	2023-01-01	00:00:00	FILE57	PENDING	FILE57
DATA	DATA	2023-01-01	00:00:00	FILE58	PENDING	FILE58
DATA	DATA	2023-01-01	00:00:00	FILE59	PENDING	FILE59
DATA	DATA	2023-01-01	00:00:00	FILE60	PENDING	FILE60
DATA	DATA	2023-01-01	00:00:00	FILE61	PENDING	FILE61
DATA	DATA	2023-01-01	00:00:00	FILE62	PENDING	FILE62
DATA	DATA	2023-01-01	00:00:00	FILE63	PENDING	FILE63
DATA	DATA	2023-01-01	00:00:00	FILE64	PENDING	FILE64
DATA	DATA	2023-01-01	00:00:00	FILE65	PENDING	FILE65
DATA	DATA	2023-01-01	00:00:00	FILE66	PENDING	FILE66
DATA	DATA	2023-01-01	00:00:00	FILE67	PENDING	FILE67
DATA	DATA	2023-01-01	00:00:00	FILE68	PENDING	FILE68
DATA	DATA	2023-01-01	00:00:00	FILE69	PENDING	FILE69
DATA	DATA	2023-01-01	00:00:00	FILE70	PENDING	FILE70
DATA	DATA	2023-01-01	00:00:00	FILE71	PENDING	FILE71
DATA	DATA	2023-01-01	00:00:00	FILE72	PENDING	FILE72
DATA	DATA	2023-01-01	00:00:00	FILE73	PENDING	FILE73
DATA	DATA	2023-01-01	00:00:00	FILE74	PENDING	FILE74
DATA	DATA	2023-01-01	00:00:00	FILE75	PENDING	FILE75
DATA	DATA	2023-01-01	00:00:00	FILE76	PENDING	FILE76
DATA	DATA	2023-01-01	00:00:00	FILE77	PENDING	FILE77
DATA	DATA	2023-01-01	00:00:00	FILE78	PENDING	FILE78
DATA	DATA	2023-01-01	00:00:00	FILE79	PENDING	FILE79
DATA	DATA	2023-01-01	00:00:00	FILE80	PENDING	FILE80
DATA	DATA	2023-01-01	00:00:00	FILE81	PENDING	FILE81
DATA	DATA	2023-01-01	00:00:00	FILE82	PENDING	FILE82
DATA	DATA	2023-01-01	00:00:00	FILE83	PENDING	FILE83
DATA	DATA	2023-01-01	00:00:00	FILE84	PENDING	FILE84
DATA	DATA	2023-01-01	00:00:00	FILE85	PENDING	FILE85
DATA	DATA	2023-01-01	00:00:00	FILE86	PENDING	FILE86
DATA	DATA	2023-01-01	00:00:00	FILE87	PENDING	FILE87
DATA	DATA	2023-01-01	00:00:00	FILE88	PENDING	FILE88
DATA	DATA	2023-01-01	00:00:00	FILE89	PENDING	FILE89
DATA	DATA	2023-01-01	00:00:00	FILE90	PENDING	FILE90
DATA	DATA	2023-01-01	00:00:00	FILE91	PENDING	FILE91
DATA	DATA	2023-01-01	00:00:00	FILE92	PENDING	FILE92
DATA	DATA	2023-01-01	00:00:00	FILE93	PENDING	FILE93
DATA	DATA	2023-01-01	00:00:00	FILE94	PENDING	FILE94
DATA	DATA	2023-01-01	00:00:00	FILE95	PENDING	FILE95
DATA	DATA	2023-01-01	00:00:00	FILE96	PENDING	FILE96
DATA	DATA	2023-01-01	00:00:00	FILE97	PENDING	FILE97
DATA	DATA	2023-01-01	00:00:00	FILE98	PENDING	FILE98
DATA	DATA	2023-01-01	00:00:00	FILE99	PENDING	FILE99
DATA	DATA	2023-01-01	00:00:00	FILE100	PENDING	FILE100







real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a FEDERATION based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery Provides information about total costs of the transaction



Workflows are serially executed Except first two work flow are workflows are based on event pull model



1. **FEDERATION:** Latin: foedus, foederis, covenant, union of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain AUTONOMY
3. A federated body formed by nations, states, and... unions

each retaining control of internal affairs

Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS

Neutral transaction protocol

secured REST messaging API's



Interledger Protocol ILP



Ripple Consensus Ledger (RCL)

LOCKED

QUOTED {"108"} HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



MATCH EVENT REPORTS

TO CLOSEST HEARTBEAT

CYCLE FLASH HEARTBEAT

MESSAGES {"108"}



HASH NONCE

FIREFLY-HEARTBEAT ALGORITHM

MICRO-CYCLE STATE META DATA SNAPSHOTS

STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES

EVENT BUS



In Progress

SUCCEEDED

SYNC TO CLOSEST HEARTBEAT

FLASH HEARTBEAT

MESSAGES {"108"}

CYCLE



In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.





## TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone




The Volumetric Weight is often referred to as dimensional weight

Volumetric Weight = [Width x Length x Height]




TIME BLOCK



IPFS

On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.

Attribute Series



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"





# OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG  
BLOCKCHAIN ARBITRAGE



OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

## PROJECT PHILOSOPHY: *MAKE TRADE FREE*


Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE  
Fees REFERENCE CURRENCY  
“Money of Peace”




COMMODITIES  
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE  
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in  
Time and Space  
Methods and Practice

SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services  
that cannot be perfectly solved with technology

• Privacy </Org\_ID>



HASH Values  
Nonce Values </Org\_ID>



Federation  
Gateway

ORG ID

UTZ SYNC

</DATA>  
("FILTERS")

FIREFLY – HEARTBEAT ALGO

SYNC EVENTS

TO CLOSEST HB CYCLE

$\Delta\delta$

UTZ SYNC

TO CLOSEST HB CYCLE

$\Delta\delta$

## DON: DECENTRALIZED ORACLE NETWORKS



### Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL > > NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




## DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

# Heart Beacon Cycle

## FEDERATE / TRADE FEDERATIONS

### Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$










## Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

### Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.<sup>2</sup> The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002





## VERITAS TOKENS

## P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE  
access conventional, legacy financial data to  
price, value, trade & settle OTC, P2P financials



**INFOCON**  
5 4 3 2 1  
**INFORMATION CONDITION**



{"108"}



**STATISTICAL MEAN VALUE INDEX PULSE**

**GDP INDEX ECONOMY K% RULE**



E \$ € ¥ currency index



**SYNTAX LEXICON OPSCODE**  
**Brevity Codes mapped**  
**to symbols sets for A.I. / Man – machine interface / interop**

Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on **TIME X**, in Y condition at **PLACE Z** or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

Cost = stated rates that fluctuate with VeUSD exchange rate.  
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

**DAO Distributed Autonomous Organization Investor Pools**



# Proof of Authority



{"GROUP ID"}  
{"Org\_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**  
**each retaining control of internal affairs**




Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the

DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO


## Heart Beacon Cycle

### FEDERATE / TRADE FEDERATIONS




# SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



## PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes  
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


## TOURNAMENT LEAGUE BOARD




Capture ledger's state  $\Delta \delta$   
Transaction language changes ledger state  
Consensus, transaction acceptance protocol



# NEO Delegated Byzantine Fault Tolerance (dBFT)



## Time Series




dBFT provides fault tolerance of  $f = \lfloor (n-1) / 3 \rfloor$

Topology: Hierarchical Star  
Architecture: Distributed  
Consensus: dBFT  
Network: TCP/IP  
Encryption: ECDH

$f = 1 \text{ OR } 0.66$

If  $f \text{ NOT } 1 \text{ OR } < 0.66$   
There is no consensus

## PROOF OF ELAPSED TIME Consensus Order




TIME CYCLES


USPTO 13/573,002  
sawconcepts.com/index

Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics

## TRIANGULATION



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





**Hashgraph consensus algorithm for replicated state machines**

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order  $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.  
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph  
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

**Consensus Order**

$$\sum \Delta\delta \times$$

Round created Witness 0 / 1

Famous witness Election

Vote See Strongly see Supermajority


Decide Round created Round received

Consensus timestamp Consensus order  $\Delta\delta$


Synchronous Asynchronous Micro-Cycle State Meta Data Snapshots

Hash Nonce


The Heart Beacon Cycle Time – Space Meter  
Adaptive Procedural Template Checklist  
Heartbeat Sync Delta state meta data  
structured data exchange snapshots  
300 + Use Case message template sets  
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter  
Geo-Spatial Temporal Intensity Metrics



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM  
“LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE”

# Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.<sup>2</sup>

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization  
Harmonization Heartbeat update Interval  
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.

(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.



TAG    Volume / Size + / - Of rig    Token Award

{"Org_ID"}	ActiveID	[UFO2_ACTIVEID]	</EVENT>	
IF1_Heartbeat	(IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>	
IF2_Heartbeat	(IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>	
{"UUID"}	IF1_DeviceStatus	(IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"}	IF2_DeviceStatus	(IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>

# Proof of Capacity PoC



**consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions**

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




# PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.





PoST users / nodes must prove that they are spending a certain amount of space for storage.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

## Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed **Universal Timezone System** would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.


The proposed **Universal Timezone System** would do away with all these different On/Off time zones. Instead, it would be the same time all over the world, all the time.



# BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

## KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

## MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS




SYNTAX  
LEXICON LIBRARY

CPU CHIP  
EPOCHS




long exponential  
intervals (10 min)



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.




COMMAND SYNTAX  
RESTFUL State Transfer

MACRO – CYCLES



short deterministic  
intervals (10 sec)

MICRO-CYCLES



ATOMIC CLOCK

05:08:58




## PROTON A CHAIN Virtual Machine

## CONTRACT C CHAIN Smart contract

## PLATFORM P CHAIN Meta Data

## EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

    preference := response with >=

α

    if preference == old preference:

        consecutiveSuccesses++

    else:

        consecutiveSuccesses = 1

    else:

        consecutiveSuccesses = 0

if consecutiveSuccesses > β:  
    decide(preference)

EOSIO computer function emulation  
NET, CPU bandwidth, RAM data  
Publishing, Voting based not mining

Delegated Proof  
of Stake {"Org\_ID"}



coordinates validators, keeps track  
of active subnets, SNOWMAN  
consensus Token representation of  
real-world resources (e.g., equity,  
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$

1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs




GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0

Block 1

Block 2



SECURITY TOKEN: A DIGITAL  
ASSET THAT'S BACKED UP  
BY TANGIBLE ASSETS IN THE  
REAL WORLD </URN>  
</URN>  
</URN>



</ORG\_ID>  
**MVP**

"all digital currency networks, the base layer of people  
generating the blockchain — "miners," "stakers,"  
"witnesses," "validators," or "forgers" get paid"






OTA: Internet Of Things IOT distributed ledger  
with microtransactions without fees

# Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

**Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees**

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






# EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

**The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises**



# TEMPLATE ENGINE LANGUAGE ETF

## NAMED DATA NETWORKING, corrections

## ONLINE Time Series Databases

## BLOCKCHAIN PARSING, SYNCHRONIZATION



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



**Microsoft Blockchain modular framework:**  
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds  
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract






ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER





**DFINITY**

**RANDOM # BEACON**

**NIST Beacon**  
A Public Randomness Service

**QUANTUM RANDOM #**

**BLOCKCHAIN NERVOUS SYSTEM**

HEARTBEAT {"108"} State Meta Data Snapshot Msgs

**STATEFUL DECENTRALIZED NET PROTOCOL:**  
Decentralized process workflows instead of  
Centralized Server farms

**GROUP Signature is random number**

- Number selects next group {"Org\_ID"} {"Org\_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org\_ID"} {"Org\_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

**HYPER GEOMETRIC PROBABILITY CALCULATOR**

**CONSENSUS / RANDOM BEACON**

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

**Each process has mining identity**

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

**UTZ TIME ZONE SYNC**

**USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER**

**CLOCK FACE 360'**  
90 / 90 / 90 / 90  
330 360 30 90  
300 270 60 120  
240 210 180 150

**Satoshi Nakamoto:**  
"The solution we propose begins with a **TIME STAMP SERVER**"

**BASEBALL "DIAMOND"**  
A diamond Is a square Is a block in 3D  
2nd Base

**ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002**

**MACRO CYCLES**

**RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH**

**90 feet**

**Blockchain BLOCK in 3D = CUBE**  
Cube has Length, Depth, Height, Volume

**3rd Base STATISTICIAN Metrics, Meters**

**STATISTICAL Metrics, Meters**

**Universal Heartbeat Message Event Bus**

**3 X 5 HASH TABLES STATE META DATA SHARDS**

**SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421**

**State Meta Data Snapshots Survey Point**

**MICRO CYCLES**

**home plate**

**Fix {"108"} FLASH MESSAGE EVENT BUS TIME STAMP SERVER**

**Firefly – Heartbeat Algo EVENTS**

**STOCHASTIC HARMONIZATION FIX {"108"} FLASH MESSAGE EVENT BUS TIME STAMP SERVER**

**Epoch Time Cycles**



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

# ERLANG API FOR BLOCKCHAIN



**ORACLES:** crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

## CROSS – CHAIN ATOMIC SWAPS

**AE Tokens** AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



**Aeons: energy for applications implemented on the platform.**

**ACCOUNTS & IDENTITY:** æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own **(federated group)** / individual identities on the æternity network ("ORG\_ID")

**NAMES (DNS)** In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



# EVENT BUS FIREFLY INSPIRED HEARTBEAT SYNC



**Firefly Heartbeat Sync** nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree.



# AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



**Terra Trade Reference Currency TRC "world currency"**  
**Bernard A. Lietaer Belgian economist proposed 1991**  
**Basket of 9-12 most important commodities. Public**  
**issued demurrage fees for storage, shipping, handling**

TOKENS REPRESENT REAL WORLD VALUE IN RESOURCES

ETHEREUM USES  
GAS GUAGE  
MEME INDICATING  
THRESHOLD  
MET / NOT MET 




 HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org ID for Ecosphere friendly trade

# Federation Gateway

# HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$  Shared Ledger



HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002


FEDERATION  
**Federation Gateway**

METRICS ("Organization ID")  
METERS


RESTFUL SYNC DELTA  
CHANGE MANAGEMENT  
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics




ROSETTA STONE

XBR / CDL / DAML  
STOCK MIC CODES

STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS

SYNTAX  
SYMBOL LIBRARY

300 + MESSAGE  
TEMPLATES  
USE CASES / GROUPED  
DATA TRANSACTIONS  
Alpha-Numeric Data  
Element ID -- #'s are the  
UNIVERSAL LANGUAGE



MICRO-MACRO CYCLE SCHEDULE



FFIRNS  
FFUDNS

HYPER LEDGER USES  
JSON ("tag") / YAML  
Text indentation –  
UNIVERSAL LANGUAGE  
= ALPHA-NUMERICS

# DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.



"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions receive payments for their service to the network

**DAO: RAND THINK TANK TERM COINED + / - 2001**

NETWORK CENTRIC WARFARE  
Developing and Leveraging Information Superiority

ALICE CORP  
Vs CLS BANK



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



**STATE:** stored data at a given instant in time

## STATE CHANNELS: blockchain interactions


which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.

**2. Participants update the state amongst themselves** by constructing and signing transactions that *could* be submitted to the blockchain, but instead are ~~submitted to the blockchain~~  new update "trumps" previous updates 

**3.Finally, participants submit the state back to the blockchain, which closes the state channel**



**NEW UPDATES OVERWRITE THE PREVIOUS:** simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than can be generated later.



**FLASH HEARTBEAT MESSAGES**  
**HEARTBEAT STATE META-DATA**  
**SNAPSHOTS EVERY**  
**10, N MIN MICRO TO**  
**MACRO ECON CYCLE**



卷之三


10 of 10

A small circular logo featuring a stylized blue wave or heart rate monitor symbol.

20 21 22

A cartoon illustration of two green butterflies with yellow wings flying over a purple sunburst background.



Page 1



**Firefly - Heartbeat synchronization:** nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

# TWAP Algorithm Manages Bitcoin Price Volatility Algorithm

## TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO  
STAT MEAN VALUE INDEX

**TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle**



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP




VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB



EPOCH TIMES

STATE META  
DATA SNAPSHOTS



STATE SAMPLE

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



## Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION  
AGREEMENTS  
PROCEDURAL  
TEMPLATE




## FEDERATION

&lt;UUID&gt; &lt;ORG\_ID&gt; &lt;URN&gt;

## LDAP DIRECTORY

- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter

## ADEPT Standard Peer Architecture – Logical View




<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML\_Wf>



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG\_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

\* Could be optimized to hold the complete blockchain. Function of ADEPT Installer



**Block-Weighted-Average-Price (B-WAP) API** creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.





### UNIVERSAL EVENT BUS



- Choreographing workflow between firms without a central controller
- Supports inclusion of regulatory & supervisory observer nodes
- Validating transactions solely between parties to the transaction
- Supporting a variety of consensus mechanisms
- Recording explicit links between human-language legal prose documents and smart contract code

11.8 - Kinematics	
11.8.1 - Acceleration	
11.8.2 - Angular	
11.8.3 - Linear	
11.8.4 - Estimated	
11.8.5 - Estimated	
11.8.6 - Predicted	
11.8.7 - Smoothed Data	
11.8.8 - Position	
11.8.9 - Bearing Angle	
11.8.10 - Horizontal	
11.8.11 - Vertical	
11.8.12 - Vertical	
11.8.13 - Covariance Matrix	
11.8.14 - Covariance Matrix	
11.8.15 - Covariance Matrix	
11.8.16 - Covariance Matrix	
11.8.17 - Covariance Matrix	
11.8.18 - Covariance Matrix	
11.8.19 - Covariance Matrix	
11.8.20 - Covariance Matrix	
11.8.21 - Covariance Matrix	
11.8.22 - Covariance Matrix	
11.8.23 - Covariance Matrix	
11.8.24 - Covariance Matrix	
11.8.25 - Covariance Matrix	
11.8.26 - Covariance Matrix	
11.8.27 - Covariance Matrix	
11.8.28 - Covariance Matrix	
11.8.29 - Covariance Matrix	
11.8.30 - Covariance Matrix	
11.8.31 - Covariance Matrix	
11.8.32 - Covariance Matrix	
11.8.33 - Covariance Matrix	
11.8.34 - Covariance Matrix	
11.8.35 - Covariance Matrix	
11.8.36 - Covariance Matrix	
11.8.37 - Covariance Matrix	
11.8.38 - Covariance Matrix	
11.8.39 - Covariance Matrix	
11.8.40 - Covariance Matrix	
11.8.41 - Covariance Matrix	
11.8.42 - Covariance Matrix	
11.8.43 - Covariance Matrix	
11.8.44 - Covariance Matrix	
11.8.45 - Covariance Matrix	
11.8.46 - Covariance Matrix	
11.8.47 - Covariance Matrix	
11.8.48 - Covariance Matrix	
11.8.49 - Covariance Matrix	
11.8.50 - Covariance Matrix	
11.8.51 - Covariance Matrix	
11.8.52 - Covariance Matrix	
11.8.53 - Covariance Matrix	
11.8.54 - Covariance Matrix	
11.8.55 - Covariance Matrix	
11.8.56 - Covariance Matrix	
11.8.57 - Covariance Matrix	
11.8.58 - Covariance Matrix	
11.8.59 - Covariance Matrix	
11.8.60 - Covariance Matrix	
11.8.61 - Covariance Matrix	
11.8.62 - Covariance Matrix	
11.8.63 - Covariance Matrix	
11.8.64 - Covariance Matrix	
11.8.65 - Covariance Matrix	
11.8.66 - Covariance Matrix	
11.8.67 - Covariance Matrix	
11.8.68 - Covariance Matrix	
11.8.69 - Covariance Matrix	
11.8.70 - Covariance Matrix	
11.8.71 - Covariance Matrix	
11.8.72 - Covariance Matrix	
11.8.73 - Covariance Matrix	
11.8.74 - Covariance Matrix	
11.8.75 - Covariance Matrix	
11.8.76 - Covariance Matrix	
11.8.77 - Covariance Matrix	
11.8.78 - Covariance Matrix	
11.8.79 - Covariance Matrix	
11.8.80 - Covariance Matrix	
11.8.81 - Covariance Matrix	
11.8.82 - Covariance Matrix	
11.8.83 - Covariance Matrix	
11.8.84 - Covariance Matrix	
11.8.85 - Covariance Matrix	
11.8.86 - Covariance Matrix	
11.8.87 - Covariance Matrix	
11.8.88 - Covariance Matrix	
11.8.89 - Covariance Matrix	
11.8.90 - Covariance Matrix	
11.8.91 - Covariance Matrix	
11.8.92 - Covariance Matrix	
11.8.93 - Covariance Matrix	
11.8.94 - Covariance Matrix	
11.8.95 - Covariance Matrix	
11.8.96 - Covariance Matrix	
11.8.97 - Covariance Matrix	
11.8.98 - Covariance Matrix	
11.8.99 - Covariance Matrix	
11.8.100 - Covariance Matrix	

- PROOF OF WORK
- PROOF OF STAKE
- STATE CHANNELS
- BITCOIN NEXGEN
- LIGHTNING / DASH..



STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS

300+  
Use Case Templates


Federation  
Gateway




**transactions sent over / off chain  
micropayment channels**

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




## LIGHTNING



Hashed TIME LOCK contracts component for global consensus

OP\_CHECKLOCKTIMEVERIFY During Macro Cycle w/Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

## FIREFLY – HEARTBEAT ALGORITHM



**FIREFLY – HEARTBEAT**

CLOCK FACE 360'  
90 / 90 / 90 / 90



RULES / ROLES  
INSTRUCTIONS  
WORKFLOW  
UMPIRE COACH

3rd Base  
STATISTICIAN Metrics, Meters  
Stat Mean Value Index

3 X 5 HASH TABLES STATE META DATA SHARDS

State Meta Data Snapshots

SURVEY POINT

MICRO CYCLES



**EVENT REPORTING  
ACROSS TIME-SPACE**



**MESSAGE EVENT BUS**

## BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D  
**2nd Base**

Satoshi Nakamoto:  
“The solution we propose begins with a **TIME STAMP SERVER**”

TIME STAMP SERVER

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet

Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

90 feet


Blockchain / cryptocurrency increments

90 feet

Blockchain BLOCK in 3D = CUBE

**Electronic Product Code Information Services (EPCIS)**

## GS1 Standard for creating, sharing visibility event data



## Core Business Vocabulary (CBV)

**What identifiers of object(s) or entities / subject of the event**

**When date time when event took place, local time zone in effect**


**Where location identifier where event occurred, identifier of**

**location where object(s) are expected to be following the**

**Why** Information about the business context, including:  
**a Identifier that indicates the business step taking place**



**CLOSER IS CHEAPER**



**Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message**

## RFID Configuration TCP/IP heartbeat message

## **STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES**


# !st Compiler DESIGN Still the **BEST**



# How 'Bitbanks' Could Solve Bitcoin's Volatility Problem



$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange:  $MV=PQ$ . The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate





**Gamification** is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



## HOW GAMIFICATION WORKS:

### 5 COMMON MECHANICS

#### POINTS

Measure a user's achievements in relation to others  
Can double as currency to exchange for rewards

#### BADGES

Reward achievements visually

#### LEVELS

Encourage users to progress and unlock new rewards

#### LEADERBOARDS

Organise players by rank

#### CHALLENGES

Encourage engagement by offering specific tasks to complete

### 4 MAIN WAYS TO DRIVE ENGAGEMENT

#### ACCELERATED FEEDBACK CYCLES




#### CLEAR GOALS AND RULES OF PLAY

#### A COMPELLING NARRATIVE

#### CHALLENGING BUT ACHIEVABLE TASKS



## QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:  
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples




Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




CLOSER = < Infrastructure  
= CHEAPER SLA

# ElectroMagnetic waveforms



ENERGY / DATA  
Over  
Transmission  
Lines / Airwaves

Hertzian waves  
transmit Energy  
in a PLANAR transverse  
EM waveform  
producing 'Radio waves'



All Photons and EM waves  
can have various directions  
of polarisation with respect to  
their direction of propagation



Teslian waves  
transmit Energy  
in a LONGITUDINAL waveform  
producing  
'Action at a Distance'

Although they utilise the same EM energies,  
different EM waveforms can be produced  
where the Electric fields are in 90°  
opposition to each other thus  
leading to conflicting theories  
of EM wave propagation

The E fields are co-linear with the direction of propagation

Through longitudinal waves, Tesla transferred energy to receiving devices.  
He sent electrostatic forces through the air, transferred electrical energies  
and noted the lethal forces produced by these waves.


In 1887, Heinrich Hertz demonstrated the reality of  
Maxwell's electromagnetic waves by experimentally  
generating radio waves in his laboratory.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 - 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.  
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories  
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day




Volts per Second

V

## ENERGY PRODUCTION


**ABSTRACT:** A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in energy production and on change of time decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum.. the creation of a repulsion point in space through the interference of two or more longitudinal electro dynamic (micro) waves



IEEE C37.118 Time Synchronization  
Harmonization Heartbeat update Interval  
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.



Paul Revere = Linear, Sequential meme







# PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

## ENERGY PRODUCTION




**ABSTRACT:** A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves



$$\Delta\delta$$


**THESIS:** All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla





# TESLA Harmonic Sphere Flux Resonator



ENERGY / DATA

**"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein**

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


**IEEE 802.1AG HOP BY HOP DETECTION**  
**IEEE 802.11 HbH HOP BY HOP CONTROL**

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]





**THESSIS:** All things net, net of programmable \$\$\$ are formed using:


- 1) Time epochs created by quartz crystal silicon chips
  - 2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)





A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.





**"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla**



# OPSCODE Brevity Codes / Symbols



# SYSTEM OF SYSTEMS STRUCTURED DATA



Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time




## The Variance of...

the partial derivative w.r.t.  $\vartheta$  of...

the log-likelihood  
function of  $\theta$   
given observed  
value of  $X$


$$\Delta\delta = \mathcal{I}(\boldsymbol{\theta}) = Var\left(\frac{\partial}{\partial\boldsymbol{\theta}}\ell(\boldsymbol{\theta} | \mathbf{X})\right)$$



# Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation



An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding **Fisher information flux** at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESIS: All things net, net of programmable \$\$\$ are formed using:

## ENERGY / DATA WAVE METRICS / METERS



## BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: [https://phys.org/news/2018-06-quantum\\_1.html](https://phys.org/news/2018-06-quantum_1.html)




### STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency  $t=1/f$ .

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

**Physical Reality:** 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light,  $\sim 3 * 10^8$  m/s, the wavelength is the Compton wavelength  $\sim 10^{-12}$  m, and the frequency  $\sim 10^{20}$  Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) \* Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional.  $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".  
(Leonardo da Vinci)


# ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the  $\Gamma$ -point (wave vector  $k \approx 0$ ) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of  $N$  unit cells, there are  $2N$  atoms and  $2N$  degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by  $2N$  harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"




"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

Δδ

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles



SOUND WAVES enable Different types of quantum tech to "talk"



SYNC DELTA Δδ



**Eric Trump: "Bitcoin to 1 MILLION"**  
VS QUANTUM SUPREMACY



**TRUMP** Quantum SPEED BUMP ???

SOUND WAVES enable Different types of quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND ORG\_ID in CLEAR / Person ID encrypted  
'wave-particle duality' is simply the quantum 'uncertainty principle'

## TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template




**ABSTRACT VS NATURE:**  
**573 U.S. 134 S.Ct 2347**


"BITCOIN's VALUE = TIME ITSELF"  
"TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

**ACOUSTIC PHONON**



SOUND / LIGHT e.g., Q.R.N.B. QUANTUM COMPUTING @ ROOM TEMPERATURE



Net of \$\$\$ formed with:  
**1 EPOCH TIME CYCLES**



2 {"Syntax"} "The Word"  
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"




[www.RLighthouse.com](http://www.RLighthouse.com)



## Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel


**“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”**



**Figure U-1.**

E = Expanding Neutral Point

**Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory**





## Three ideas combined

HOW TRUTHCOIN WORKS:

### 1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

### 2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



### 3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

## 2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

## 3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 <sup>th</sup> of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



**NIST RANDOMNESS BEACON:** broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



## NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION


SECURE MULTI

PARTY /  
AUTENTICATION

Entanglement  
Source

RANDOM  
NUMBER  
GENERATOR

Bell  
Test



**NIST**

**NON  
REPUDIATION**

Legend:  
■ App: software application  
■ DB: database  
■ Fw: firewall  
■ HSM: hardware security module  
■ RNG: random-number generator

## IDMaps Distance Estimation Service

SonarHops

{"Org\_ID"} In the clear



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA  
NETWORKING**



NDN  
</Interest>  
</Distance>

NDN  
SURVEY METHODS  
+ TRIANGULATION  
Euclidian Geometry  
Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org\_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State  
of Internet & estimates distance between any IP address pair State  
Snap Shots

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE


NDN





NDN

</interest></distance>

</interest></distance>

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization





## NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.

A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

Figure 2. Illustration of the generation of the  $i^{th}$  pulse by a Beacon App (2.0)





# The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

# BLOCH SPHERE




## Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A  $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.





# THE 1919 WORLD SERIES

## *What Really Happened?*

**William A. Cook**



**TROLLS  
ARE DRAGGING  
DOWN AMERICAN  
INNOVATORS.**

**Stop patent trolls.  
Join The Alliance.**

Application Developers Alliance



**RULING: “claims may not direct towards abstract ideas”**



# USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR 
  - Admin forms, fees, amendments.. MUTED
  - NO Time Stamps = TEMPORAL AMBIGUITY
  - Screen captures before / after filing 

LOCK FACE 360'  
0 / 90 / 90 / 90

**BASEBALL "DIAMOND"**

A diamond Is a square Is a block in 3D  
S + B



TOWARDS ABSTRACT IDEAS  
Physical = Opposite  
of abstract = ALICE  
HEART BEACON CYCLE  
TIME – SPACE METER  
USPTO 13/573,002

- o first base

## Firefly – Heartbeat Algo

Stochastic  
Harmonization

**FLASH**

A green insect-like character with antennae and wings, carrying a speech bubble.

A cartoon illustration of a small green ant with a smiling face, large antennae, and a yellow lightning bolt on its back. It is wearing a white t-shirt with the word "ANT BUS" printed on it in red. The ant is holding a red rectangular bus pass with the word "TIME" written on it in white.

TIME Δt  
TAMP Epoch

Time  
Cycles







USPTO APPLICATION 13/573 002

## The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



Satoshi Bitcoin Blockchain  
Time Stamp Server


The solution we propose begins with a timestamp server. A timestamp server works by taking a sequence of blocks of time to be timestamped and widely publishing their hash, such as in the Blockchain or Bitcoin [25]. The timestamp server for the data we have created at the beginning of the process is shown in Figure 1. The timestamp server maintains a timestamp chain, forming a chain, with each additional timestamp reinforcing the ones before it.




## Metatron's Cube and the Platonic Solids



**"In the beginning (of time) there was the word"**



GENESIS OF ALL FORM





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




## THE GREAT CONJUNCTION IN AQUARIUS

**HERALDING THE NEW AGE**  
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



**"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."**

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.




**Milton Friedman**

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



**CAPITALISM AND FREEDOM**  
MILTON FRIEDMAN  
WITH THE ASSISTANCE OF RICHARD FRIEDMAN



**The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10<sup>th</sup> 1960**

**Buckminster Fuller "build a new model that makes the old model obsolete"**





**Socrates: focus all your energy on building the new, not fighting the old"**

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman









**DISNEY'S FANTASIA**



**UNIVERSAL LAW**  
**CAUSE / EFFECT**  
**ACTION /**  
**INACTION**  
**IF / Then /**  
**or.. ELSE**









# **World Game Great Reset**

## **Signals Telemetry Annex K**



**Net, net of money \$\$\$ formed w:**

1. Epoch time cycles created by silicon chips
  2. Syntax code instructions in epoch time cycles
  3. Time Stamp Server w/event message bus



**Syntax lexicon comprised of 300 +**



## Structured data messages, message sets =




# Comprehensive list of use cases, data









## elements supporting Internet of Everything

# IoE net of value. Reference guide, data

## **dictionary standards support**

## Data elements mapped to SYMBOL SETS







## R. Buckminster Fuller Utopia or Oblivion: the Prospects for Humanity

A challenging blueprint for the future by the world-renowned revolutionary thinker and inventor

**World (Peace) Game**  
1961 simulation by Buckminster to help create solutions to overpopulation, the uneven distribution of global resources.

**The World Game**  
Annex K  
Signals & Telemetry  
**r. buckminster fuller operating manual for spaceship earth**



**Spatial Econometrics**  
TOKEN ECONOMICS  
EVENT / ALERT BUS  
**MONEYBALL ECONOMICS**



What does your name mean?

Steven + McGee  
Intellectual Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!

Feb 10, 1960 Aquarius / Aquarius Rising

**The Time Keeper**  
Borderlands 4

## Alice Corp. v. CLS Bank International

573 U.S. 134

S. Ct. 2347

2014



"Claims may not direct towards abstract ideas"

Bloomberg Law:

Crypto Lawsuit Deluge

Has Big Firms Scrambling to Keep Up

USPTO 13/573,002  
Filed 2012

