

## Adaptive Procedural Template – Checklist Use Case: Eco Economic Epoch Heartbeats

### USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

All things internet, internet of programmable money are formed using

- 1) Time epochs created by oscillating crystal based silicon chips
- 2) Syntax used / not used as programming instructions during epochs

Epoch time cycles / syntax are the two building blocks supporting the creation of an Artificial Intelligence A.I. powered global economic system of systems / Earth Intelligence Network EIN / Web 3.0 & programmable economy in terms of consistency, interoperability and consensus.



Fig 1: Eco Economic Epochs: building blocks of programmable money, economy

The Heart Beacon Cycle invention is an adaptive procedural template / checklist of good ideas, algorithms... to organize people in groups synchronized in time-space for a common purpose.

PROJECT Heart Beacon Eco Economic Epochs: Code Eco sustainable incentives into the world's programmable economic system of systems engineering framework reusing / leveraging NATO systems of systems engineering best practice. Reuse OPSCODE brevity codes mapped to message symbol sets essential to Artificial Intelligence / human interaction ( i.e., man — machine interface). The Heart Beacon Cycle Time — Space Meter USPTO 13/573,002 is an Adaptive

Procedural Template - Checklist: Use Case: Eco Economic Epoch Heartbeats for the programmable economy. SOURCE: Github: [LINK http://github.com/Beacon-Heart](http://github.com/Beacon-Heart)

The Heart Beacon Cycle Time - Space meter is a swords to plowshares DAO Distributed Autonomous Organization project using NATO's Situational Awareness system of systems engineering framework, processes, procedures and internet building blocks to establish an Ecologically sustainable Economic Heartbeat, neural network emulation for the EIN Earth Intelligence Network and heartbeat sync pulse for a Universal Time Zone UTZ supporting a one world currency. It's syntax lexicon library of OPSCODE brevity codes used in programmable money, the programmable economy is descriptive of all things internet, internet of money down to the quantum computing, quantum blockchain level. It is a temporal, geo-spatial, semantic – syntactic sync consensus pulse for distributed systems a.k.a Project BEACON



Fig 2: Eco - Econ Epoch / Programmable Economy Namespace System of Systems Framework

We can synchronize ourselves and our cities in time - space for a common purpose: ecologically sound econometrics i.e., through use of a Signals and Telemetry annex for Buckminster Fuller's Operations Manual for Spaceship Earth. The HBC involves a heartbeat flash message universal event, alert message bus. It is based on NATO's best practice, 300 + structured data exchange templates, micro-macro (economic) situational awareness sync delta data exchange schedule.

The Heart Beacon cycle includes a universal metrics measurements physical meme (see Supreme Court Alice Corp Vs CLS Bank) for use among myriad Bitcoin Blockchain internet of money Blocktime arbitrage memes to support standardization of a one world economic system of systems MEDIUM ARTICLE [LINK](#)

RESET is a mathematical certainty. Question: Do we RESET the global system of systems as is business as usual or will we re-engineer using NATO / DARPA / DOD's system of systems engineering framework standing on the shoulders of giants to convert swords to plowshares? Medium Article [LINK](#)

## HEART BEACON CYCLE ADAPTIVE PROCEDURAL TEMPLATE MAIN USE CASES:

1. Eco sustainable Economic Heartbeat / Programmable Economy Namespace
2. Distributed Autonomous Organization DAO support. The term DAO was coined by military think tank RAND Corporation circa 2001. Military's always operate as organizations. NATO operations are usually distributed across many time zones and involve language translations.
3. Common signaling, telemetry, symbol, and data element sets help DAO's stay synchronized. Joining autonomous trade federations using agile, adhoc [NetOps](#) is an option to formal merger.
4. A key goal is to support federations: from Latin: foedus, gen.: foederis, covenant characterized by a union of partially self-governing states or regions under a central (federal) government.
5. Spatial econometrics. Geo-spatial, temporal metrics and meters will be universally consistent and synchronized across time zones. Micro to macro-cycle updates maintain system of systems
6. Universal Time Zone UTZ proposal using via improvement to the University of Bologna / Hungary's firefly inspired heartbeat synchronization algorithm by matching the firefly synchronization pulse to the closest OPTEMPO Heart Beacon Cycle.
7. The "Grail" A sync'd shared situational awareness view among a system of systems showing statistical mean value indexes can be achieved by reuse of improved net centric warfare methods joined with establishing a universal event bus using firefly-inspired heartbeat synchronization
8. Supreme Court Alice Corp Vs CLS Bank compliant universal memes describe sync delta cyclic changes: describes linear sequential, geo-spatial temporal intensity radius hop count econometric metrics and meters where closer is shorter and closer is faster – eco sustainable
9. Algorithmic regulation: firefly inspired heartbeat synchronization algorithm in stock and currency exchanges is a segue to algorithmic regulation. Improving temporal trade parity between Bitcoin Blockchain & conventional stock exchanges by using the firefly-heartbeat algorithm to take trade speed samples among trade populations across time zones to establish consensus among disparate trade protocols, optimal trade speed / frequency as a statistical mean
10. Supporting economist Milton Friedman's K% rule where a “FEDCOIN / WORLDCOIN currency could be derived from sampling lead economic indicators across a global, universal event bus applying the firefly-heartbeat algorithm tracking changes, updating statistical means
11. Big Data as the “Next Oil”: Establishing a consistent <tag> context library / lexicon and time stamping data by organization <Org\_ID> and by data class type and by resource type to form a universal syntax, code, date element, tag Rosetta Stone and reference for coders, programmers
12. Universal meme metaphor for coders, programmers given all things internet are formed using time cycles / syntax as instructions for example, universal Bitcoin blockchain meme mediation

## PATENT APPLICATION SUMMARY:

The Heart Beacon Cycle invention is an adaptive procedural template / checklist of good ideas and tools used to organize people in groups synchronized in time-space for a common purpose

1. US Supreme Court Alice Corp V CLS Bank: "claims ineligible for patent protection under 35 U. S. C. §101 "directed to an abstract idea" <http://1.usa.gov/1V91pQe> [LINK](#)  
13/573,002 achieves Supreme Court Alice Corp V CLS Bank compliance via a Little League Baseball Tournament physical meme embodiment. The opposite of abstract is physical. Physical, tangible memes are applied. Transco V Performance Contracting web screen captures establishes forming of a patent worthy idea. Protecting an idea involves award of a patent
2. All internet artifacts are formed using time epochs, cycles, intervals, periods to process or not process syntax as instructions. 10/605,144, 10/708,000 establish this idea / fact. The first and more importantly, the most useful metaphor / meme or “best” physical meme to form internet, internet of money, Internet of Things IeT etc. artifacts as theme variations is at stake.
3. A “Rosetta Stone” syntax lexicon code tag reference library is essential to help recode our world and enable Governance 2.0. A shared, universal syntax lexicon and code, programmer’s guide is essential to “de-babble-ize” and unify our internet of everything / everywhere
4. The Heart Beacon Cycle is an adaptive procedural template checklist of things useful to form, maintain equitable economic trade federations. Each item in the procedural template checklist links to a detailed treatise technical description published by internet, for example, FINTECH, FINCEN standards bodies. The Heart Beacon Cycle is a sword to plowshare project reusing military Net Centric Warfare signaling, telemetry and Distributed Autonomous Reorganization DAO techniques – a term derived by the RAND Corporation DoD funded think tank circa 2001.
5. Heart Beacon Cycle Project: form federations of Distributed, Autonomous Organizations DAO communities, states, sovereign nations using an adaptive procedural template checklist promoting synchronization among geo-spatially and temporally dispersed groups. Federated groups activities are synchronized geo-spatially across time - space to achieve synergy, synchronicity of events orchestrated from micro to macro cycles from grassroots to capitals.
6. Many valuation strategies are an issue to Bitcoin's fungibility 1 to 1 substitution among coins. A statistical mean commodity / currency price index derived from firefly algorithm / closest heartbeat adjusts for the myriad Bitcoin variations i.e., fork splits, coin counts, proof of work Vs proof of stake age, velocity, voting assignment methods, coins pegged to precious metals, or to a currency index of 22 other currencies (VEN) is needed. Coins pegged, tokenized to represent a commodity index adheres to Thomas Edison’s / Henry Ford’s 1921 commodity option / TERRA Trade Reference Currency. A baseball tournament metaphor is a simple method to describe metrics, meters, blocks on the blockchain survey methods account for Internal Revenue Service Bitcoin as property ruling. Cyclic updates of heartbeat state meta data snapshots messages from micro-to macro (economic) cycles synchronized among a system of systems is simply powerful.

## CLAIMS / CLAIM SUMMARIES:

1. A systemic, adaptive, procedural template method used to improve synchronization in metrics, metering using </Org\_ID>, {"URN"} XML data tags in signaling during heartbeat micro-cycles prior to data fusion center entry consisting of iterative heartbeat cycle metrics, meters reporting where state meta data heartbeat snapshot recalculations are performed at off site connectors that are signaling relays performing recalculation, syntax processing during macro-cycle epochs reconciling dissimilar standards, data syntax formats that are then reported signaled, news casted, beacon broadcasted to distributed organization applique overlay displays

Summary: Syntax code language parsed, processed during silicon chip generated time cycles forms all things internet, internet of money. Claim describes the military's network centric operations systems of systems method of collecting state meta data sync delta heartbeat snapshot data during operational micro-cycles that is then summed, aggregated, disseminated and displayed during macro-cycles as part of Network Enabled Operations NEO situation awareness system of systems engineering. USPTO vetted application for National security.

2. A adaptive procedural template used to improve signaling, synchronization using TCP/IP heartbeat time stamping occurring during micro-cycles of state meta data prior to data fusion center entry among metrics, metering processes comprised of TCP/IP heartbeats, heartbeat messages signaled during micro-cycles scheduling instructions, commands, processes, procedures, algorithms, telemetry instructions for example, to master-controller processes i.e., block, start, stop, pause, resume, set Time To live TTL i.e., stock market high frequency flash trade, currency, interest rates, tax rates, time banking, cloud computing commodity exchanges, big data, electrical micro-grid, fungible goods, real time bidding, many use cases.

Summary: Time stamping and applying descriptive data type tags to heartbeat state meta data after data is collected and queued, stored in temporary structures or entered into data base instantiations after the fact is problematic. All internet supported devices including high frequency stock, currency, commodity etc., flash trade master controllers receive heartbeats. Heartbeats are silicon chip created intervals, epochs, time cycles used to (not) process syntax.

3. A systemic adaptive procedural template method improving stochastic networks harmonization through use of timing, synchronization intrinsic to TCP/IP heartbeat / heartbeat message signaling using set, scheduled, epochs in micro-cycles in combination with firefly insect signaling stochastic harmonization algorithms where firefly protocol sample means are matched with closest heartbeat sync delta micro-cycle report values to recalculate statistical averages, means signaled through off site connector conversion, recalculation gateways that news-cast, beacon broadcast to subscribers monitoring macro-cycle reports that heretofore would not exist without following the Heart Beacon Cycle procedural template as guides for reporting thus improving temporal harmonization in metrics and metering of stochastic telecommunication mesh fabrics grid control planes over wide areas in cases involving issues in terms of consistency, reliability, traceability, positive organizational identification, temporal transaction fidelity, event, alert predictability, data analytics, network forensics real rime bidding, stock market exchange floor server co-location verses servers distantly located, fluctuations in interest

rates, currency exchanges, double payment adjudication, fungible good trading stochastic harmonization, electrical power micro-grids, cloud computing, "big data" in many use cases.

4. A systemic adaptive procedural template method using time stamping and signaling intrinsic to TCP/IP heartbeat, heartbeat sync delta snapshot message signaling to improve dynamic, adaptive organization change management using XML <ORG\_ID> network service interface NSI templates updating self-organizing process templates i.e., directory service, reporting, map, network, system of systems effecting changes in directory structures database MIB i.e., network subnet joins, moves, splits drops, adds as alternatives to mergers, acquisitions effecting changes responsive to leader's actions, decisions i.e., mission-aware networking, network centric operations improving agile, ad hoc organizational business operations course of actions selection by organizations registered for more than one <ORG\_ID> improving action / reaction to change.

Summary: network moves, adds, joins, splits, drops used instead of formal merger, acquisition

5. A systemic adaptive procedural template method improving search engine methods using heartbeat, beacon signaling, <ORG\_ID>, <URN>, <class\_types>, Paul Revere, water drop in pond meme metric recalculations occurring at off site connectors, conversion relay gateways where detection of trigger point function recalculations of state meta data set aggregations are used to detect threshold fluctuations by resource <class>, <type>, quantity, availability duration etc., further used to improve geo-spatial temporal descriptive mapping methods, changes in clusters of objects, entities, artifacts i.e., location, epoch time stamp geo-spatially, temporally, used to locate, search, then group into virtual collections using <data\_tags> i.e., <rare> in spatial econometric, volumetric operations within network mesh fabrics triggering news-casting invitations to join equitably metered federated group arbitrage events, activities that are triggered by internet search operations improving collaboration, metrics and metering in for example, commodity, fungibles trading, resource pooling, crowd sourcing, economics.

Summary: Physical linear – sequential “Paul Revere” meme used given TCP/IP internet “hops” are abstractions ineligible for patent protect. Water drop in pond physical metaphor describes geospatial temporal intensity in omni-directional, circle, radius type situations. Naval sonar meme explains geo-spatial temporal intensity metrics, meters. TCP/IP “ping” is an abstraction.

6. A systemic adaptive procedural template method used to improve handicapped / information alerts, events, methods reliant on heartbeat timing, signaling synchronization of state meta-data improved using Paul Revere, water drop in pond memes to create, calculate radius, intensity metrics viewed as geo-spatial, temporal intensity effects i.e., visual light bar tabs i.e., stock exchange candlestick charts, audible tone, vibration-tactile situational awareness alerts by correlating tone based messaging precedence XML <tag> where lower / higher precedence settings equate to lower / higher audible tones, tactile vibrations for deaf where fewer / greater number of light tabs lit correlates, corresponds to priority, precedence <tags> further used in alert triggers of threshold fluctuations displayed in appliqué overlay graphics as metrics, meters. Summary: Describes reuse of structured military messaging's precedence system to support for example, processing of Named Data Networking distance, interest packets by numeric precedence. This method is effective among machine to machine (Internet of Things).

7. A systemic, adaptive procedural template method using heartbeat signaling, time stamp record keeping processes of state meta data described, typed by organizations, resources typed by Uniform Resource Name, further improved through use of Paul Revere, Water Drop in Pond memes to quantify, describe unused resources with unmet needs by performing recalculations of state meta-data snapshot artifacts occurring at off site connector conversion gateways where micro-cycle reports from local, micro-cycle activities are signaled, relayed to higher echelon organizations monitoring macro-cycles who are interested in for example stock market "pools" where "output" is correlated and displayed onto appliqué views of aggregate sync delta changes in macro-micro economics recalculations, stocks, commodities, currencies, interest rates, electric micro-grids, currency (Terra) exchanges, spatial econometrics, contributory economics.

Summary: claim highlights 'off site connector' that is a workflow convention as the method where for example, trade federation "A" interfaces with organization (s), nation states, Economic Unions EU that may or may not observe the same conventions, rules, methods

Summary: invention claims form the basis to establish a system of systems signaling and telemetry annex for Richard Buckminster Fuller's Operating Manual for Spaceship Earth.

A systemic, adaptive procedural template method using state meta data <class> typed by organization, resources by Uniform Resource Name, <precedence> improved using Paul Revere, Water Drop in Pond memes to quantify, describe unused resources with unmet needs in terms of proximity from source to point of use, consumption, storage etc., by performing recalculations of state meta-data snapshot artifacts occurring at off-site connector conversion gateways where micro-cycle reports from local, micro-cycle activities are signaled, relayed to macro-cycles reports of data fluctuations due to geo-spatial temporal intensity changes filtered by priority, precedence then newscast signaled to ad hoc federated group subscriptions where state meta data snapshot reports are shown in appliqué overlay data filtered value index views

Invention's focus is economic micro-macro cycles. However, the invention initially focused on emergency first response under the name "Heartbeat e9-1-1". Many use cases are supported. Internet "packets" "frames" "datagrams" are metaphors and memes ineligible for patent protection. Inventors use Little League Baseball memes and 3 x 5 index cards to describe messages, syntax, code as instructions that are processed during silicon chip created time cycles

Internet, internet of money artifacts are created using silicon chip created time cycles to process / not process code syntax as instructions. Following the military's structured military messaging method where numbered messages and message sets for the basis to describe state meta data in compact, concise, efficient terms that will help unify, standardize coding. Military operational methods, discipline used to schedule, synchronize, organize DAO Distributed Autonomous Organizations across time-space reused in other use cases improves synchronicity Example procedural template: Stanford Research Institute's Linear Accelerator SLAC:

Table of Contents:

1.	Introduction	3
1.1	Purpose	3
1.2	Scope	3
1.3	Roles	3
1.4	Definitions and Acronyms	3
1.5	References	3
1.5.1	Traceability	3
1.5.2	Policies	3
1.5.3	Standards	4
1.5.4	Processes	4
1.5.5	Procedures	4
1.5.6	Guidelines	4
1.5.7	Templates	4
1.5.8	Checklists	4
1.5.9	Training	4
1.5.10	Tools	4
1.6	Profiles	4
2.	Procedure (Steps)	5
2.1	Begin a list of steps beginning at the number one	5
2.2	Begin a list of steps that restart at the number one	5
3.	Process/Procedure (Mapping)	6

3.1	Entry Criteria	6
3.2	Process/Procedure Map	6
3.3	Inputs	6
3.4	Activities	6
3.5	Outputs	7
3.6	Verification and Validation	7
3.7	Exit Criteria	7
3.8	Metrics	8
3.9	Records Control Table	8
3.10	Controlled Documents Table	8
Appendix A – Dictionary of Terms		9
Appendix B – Acronyms		10
Appendix C – Flowcharting Symbols		11
Appendix D – Bibliography		12
Appendix E – Document Change Control		13

The Heart Beacon Cycle invention is an adaptive procedural template or a checklist of good ideas and tools used to organize groups synchronized in time-space for a common purpose.

Procedural template entries at most, includes a line or two. In depth technical treatise (s) citing every conceivable nuance is impractical, counterproductive and out of scope of a procedural template. Procedural template entries are pointers and references and are referential to a treatise. A treatise is a formal and systematic written discourse on some subject, generally longer and treating it in greater depth than an essay and are concerned with investigating subject principles.

## Use Case: Trade Federation Stanford SLAC's procedural template adaptation

### Table of Contents:

#### 1. Introduction

The term Distributed Autonomous Organization DAO created by military think tank RAND circa 2001 now in use by organizations using Bitcoin Blockchain technology. Use case focuses on Bitcoin Blockchain however, method is protocol, technology neutral. For example, many message oriented middleware products use message event bus strategies. Military Network Centric Warfare best practice of organizing individuals in groups geo-spatially distributed across distances and time zones i.e., micro – macro cycle scheduling, use of organizational, resource identifiers and structured data exchanges is reused.

##### 1.1 Purpose

Use adaptive, procedural templates to aid individuals join trade federations. Affiliated organizations are geo-spatially, temporally distributed. Member organizations may join or leave in an adhoc, agile manner to take advantage or react to events, situations while retaining autonomy or the ability to act on one's own behalf, control one's own future, Agile, adhoc joins, merges, drops to / from federation substitutes for merger, acquisition

##### 1.2 Scope

Trade federations may form among local communities or among sovereign (First) nations. The off-site connector workflow object convention connects, mitigates, adjusts by summation, aggregation and format gateways among federated, non-federated groups.

##### 1.3 Roles

Military's always communicate using organizational – not individual identifiers as a rule. Baseball meme umpire is the rule enforcer and Bitcoin Blockchain segregated witness observer, statistician is data analytics e.g., time series database maintainer, runner delivers (code syntax) instructions via 3 x 5 cards. Base running forms blocks on blockchain, Little League Tournament board votes on most valuable player in voting functions. Baseball meme roles comply with SC Alice Corp V CLS Bank abstract rule

##### 1.4 Definitions and Acronyms

Adaptive Procedural Templates are formed using entries linked to detailed treatises. Treatises spell out and describe definitions, acronyms and process details. Terms in internet, internet of money treatises are often abstractions – hence the baseball meme

## 1.5 References

References cite documents, web links, standard body publications that are detailed treatises describing the full range of procedural steps cited by the procedural template

### 1.5.1 Traceability

act of researching or ascertaining the origin or location of something: To ascertain the successive stages in the development or progress of: tracing a project's life cycle. In context with this paper's procedural template, tracking changes from micro-macro cycle

### 1.5.2 Policies

The adaptive procedural template will include standards and policies published by standards groups describing detailed treatises according to individual use cases

### 1.5.3 Standards

The adaptive procedural template will include standards and policies published by standards groups describing detailed treatises according to individual use cases

### 1.5.4 Processes

Heart Beacon Cycle adaptive procedural template emphasizes protocol, software application neutral rules (algorithms) over processes coded by software vendors.

### 1.5.5 Procedures

Network Centric Operations, Net Enabled Operations micro-macro sync delta reporting cycles using heartbeat messages to report firefly-heartbeat algorithm spawned events

Firefly inspired heartbeat synchronization message event bus algorithm – protocol, software application neutral monitors geo-spatial, temporally distributed events reported across a wide area among federated groups synchronized in time-space for common goals

Other procedures intrinsic to algorithms / protocols such as John Nash Equilibrium algorithms and count minimum sketch or streaming K algorithms

Invention relies on System of systems type processes: collection of task-oriented, dedicated systems pooling resources, capabilities together to create a more complex system with more functionality, performance than simply the sum of separate systems

### 1.5.6 Guidelines

Example: Distributed Autonomous Organization DAO's in trade federations agree to use common components, shared processes, methods, signaling – telemetry micro-macro schedule, metrics, meters to form service level agreements used in smart contracts

### 1.5.7 Templates

- A systematic series of actions directed to a goal ex: form, maintain federations
- A continuous action, operation, or series of changes, sync deltas updating groups
- A cyclic, iterative process to sync groups in time-space supporting common goals

### 1.5.8 Checklists

Checklist: minimum list of items, components, building blocks, processes, procedures agreed upon within federations to achieve consensus forming a basis for equitable trade

#### CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK (partial)

Organize by assigning Organization Identifiers {"Org\_ID"}

Track Resources by Uniform Resource Name </URN>

Take State Meta Data heartbeat snapshots @ 15 / N min

Use NIST ATOMIC CLOCK to provide global source for sync data event time stamps

Use NIST Randomization Beacon Non-Repudiation service

Use Bitcoin Blockchain tool Ethereum "World Computer" or DASH DAO software

Federate Latin: foedus, gen.: foederis Ex: RSK Federation [LINK](#)

### 1.5.9 Training

The Heart Beacon Cycle is derived from military operations executed in challenging conditions. The premise is that the procedures are portable to non-duress conditions

### 1.5.10 Tools

Invention focuses on consensus methods to establish common metrics, meters and space-time synchronization across many disparate, distributed autonomous organizations. The main method uses conventions of a Little League Baseball tournament where the environment is surveyed and the boundaries form a 360-degree clock face time clock, Method includes universal meme for Bitcoin, Blockchain Proof of Work, Stake, POET Proof of Elapsed Time, Project Lightning Vs Segregated Witness, and Fast Internet Bitcoin Relay Engine FIBRE. A common tool / meme is needed to help establish consensus metrics, meters and to establish a code reference syntax lexicon / library

## 1.6 Profiles

See Organizational Profile: [http://nist.gov/baldridge/publications/bus\\_org\\_profile.cfm](http://nist.gov/baldridge/publications/bus_org_profile.cfm)

### 2. Procedure (Steps)

Steps are adapted from military system of systems situation awareness reporting, net-centric warfare / operations or NEO Net Enabled Operations. Steps are correlated with Little League Baseball tournament operations and game play for universal understanding, consensus and compliance with Supreme Court Alice Corp Vs CLS Bank ruling: claims directing towards and abstract idea are ineligible for patent protection

#### 2.1 Begin a list of steps beginning at the number one

Refer to USPTO application 13/573,002 main embodiment

#### 2.2 Begin a list of steps that restart at the number one

Net Centric Warfare adapted procedural steps are iterative

### 3. Process/Procedure (Mapping)

#### 3.1 Entry Criteria

Organizations agree to adopt a minimum list of procedures, processes, tools

#### 3.2 Process/Procedure Map

Database Mappings use stored procedures to implement business logic in the database. Logic filters and text tags used as code syntax is stored in “Rosetta Stone” see figure 4

#### 3.3 Inputs

Heart Beacon Cycle invention programming involves a process of solving problems in stages and uses iteration to eliminate duplicated instructions, identical source code in the system of systems

#### 3.4 Activities

Specific activities depend on the type of use case. However, all use cases are iterative and follow the design of adaptive procedural templates – see detailed treatise (s)

### **3.5 Outputs**

State meta data collected from a current micro-cycle to the next and from many micro-cycles summed, aggregated to report during macro-cycle reporting periods are stored, collected in the off-site collector depicted by that corresponding workflow symbol. See detailed treatise on workflow, workflow symbols for example:  
<https://edrawsoft.com/flowchart-symbols.php>

### **3.6 Verification and Validation**

See detailed treatise (s) on Verification and Validation

### **3.7 Exit Criteria**

Organizations may elect to tether, untether to the Distributed Autonomous Organization based federation at their discretion (maintain autonomy) or organizations may be disconnected if they fail to observe federation rules for example, using the 3 strike rule

### **3.8 Metrics**

Use of physical metaphors such as the water drop in pond, Paul Revere metaphor comply with Supreme Court Alice Corp Vs CLS Bank ruling claims may not direct towards abstract ideas. See figure twelve, USPTO application 13/573,002 main embodiment

### **3.9 Records Control Table**

See detailed treatises on ELECTRONIC RECORDS MANAGEMENT

### **3.10 Controlled Documents Table**

See detailed treatises on ELECTRONIC RECORDS MANAGEMENT

Appendix A – Dictionary of Terms, Tools, Processes, Procedures

Appendix B – References - Acronyms

Appendix C – Flowcharting Symbols

Appendix D – Bibliography

Appendix E – Document Change Control

## APPENDIX A: Dictionary of Terms, Tools, Processes, Procedures

### ABSTRACT / ABSTRACTION:

1. existing in thought or as an idea but not having a physical or concrete existence. thought of apart from concrete realities, specific objects, or actual instances: an abstract idea.
2. expressing a quality or characteristic apart from any specific object or instance
3. theoretical; not applied or practical: abstract science.
4. difficult to understand; abstruse:


**ACTIVE DIRECTORY, DIRECTORY SERVICES:** a special-purpose database. The directory is designed to handle a large number of read and search operations and a significantly smaller number of changes and updates. Active Directory data is hierarchical, replicated, and extensible. Directory data includes user contact data, and network/computer configuration data. A server running Active Directory Domain Services (AD DS) is called a domain controller. It authenticates and authorizes all users and computers in a Windows domain type network—assigning and enforcing security policies for all computers and installing or updating software. The US Army Signal Corps uses Active Directory Services to maintain network management of its organizations. Military organizations rarely operate as individuals. Rather, militaries operate as groups.

Active Directory framework forest, tree, and domain are the logical divisions in an Active Directory network. A tree is a collection of one or more domains and domain trees in a contiguous namespace, linked in a transitive trust hierarchy. At the top of the structure is the forest. A forest is a collection of trees that share a common global catalog, directory schema, logical structure, and directory configuration. The forest represents the security boundary within which users, computers, groups, and other objects are accessible. Example of the geographical organizing of zones of interest within trees and domains. Organizational units: Objects held within a domain are grouped into Organizational Units (OUs). OUs provide hierarchy to a domain, ease its administration, and can resemble the organization's structure in managerial or geographical terms. The OU is the recommended level at which to apply group policies, which are Active Directory objects formally named Group Policy Objects (GPOs), although policies are applied to domains or sites. [LINK: https://en.wikipedia.org/wiki/Active\\_Directory](https://en.wikipedia.org/wiki/Active_Directory)

AMQP Advanced Message Queuing Protocol is an OASIS standard message-centric protocol that originally emerged from the Financial Sector with the aim of freeing users from proprietary and non-interoperable messaging systems. key features of AMQP are message orientation, queuing, routing (including point-to-point and publish-subscribe), reliability and security. AMQP mandates the behavior of the messaging provider and client to the extent that implementations from different vendors are interoperable. AMQP is a wire protocol so that any product that can create and interpret messages that conform to this data can interoperate with any other compliant implementation irrespective of the programming language. [LINK https://www.amqp.org/oasis](https://www.amqp.org/oasis)

ATOMIC CLOCK NIST National Institute of Science and Technology timing is based on the consistent decay of radioactive material such as Cesium. Atomic clocks are constructed by locking an electronic oscillator to the frequency of an atomic transition. The frequencies associated with such transitions are so reproducible that the definition of the second is now tied to the frequency associated with a transition in cesium-133:  
1 second = 9,192, 631,770 cycles of a standard Cs-133 transition = #45 in numerology ☺

A baseball diamond is a square, is a block. A Bitcoin block is awarded using age (time) or vectors (time / direction / velocity) or voting (tournament league board). A baseball tournament is played on baseball diamonds that are physical, tangible but not abstract.



**BITCOIN PROGRAMMABLE MONEY:** a.k.a. the “Internet of Money” “Bitcoin is a language” “Bitcoin’s language is time itself” Diginomics.com

**BITCOIN BLOCKCHAIN DISTRIBUTED LEDGER:** provides a tamper-proof data structure, providing a shared public ledger open to all. The mathematics involved are impressive, and the use of specialized hardware to construct this vast chain of cryptographic data renders it practically impossible to replicate. All transactions are embedded in the bitcoin blockchain. Use of SHA-256 cryptography ensures the integrity of the blockchain applications – all transactions must be signed using a private key or seed, which prevents third parties from tampering with it. Transactions are confirmed by the network within 10 minutes or so and this process is handled by bitcoin miners. Mining is used to confirm transactions through a shared consensus system, and usually requires several independent confirmations for the transaction to go through. This process guarantees random distribution and makes tampering very difficult.

**BITNATION GOVERNANCE 2.0** [LINK](#) <https://bitnation.co/>

BITNATION provides the same services traditional governments provides, from dispute resolution and insurance to security and much more – but in a geographically unbound, decentralized, and voluntary way. BITNATION is powered by Bitcoin 2.0 blockchain technology – a cryptographically secured public ledger distributed amongst all of its users. As we like to say – BITNATION: Blockchains, Not Borders.

**BUCKMINSTER FULLER's SPACE-SHIP EARTH:** Operating Manual for Spaceship Earth relates Earth to a spaceship flying through space. The spaceship has a finite amount of resources and cannot be resupplied. Buckminster Fuller Institute [LINK](#) BFI dot Org [https://en.wikipedia.org/wiki/Operating\\_Manual\\_for\\_Spaceship\\_Earth](https://en.wikipedia.org/wiki/Operating_Manual_for_Spaceship_Earth)

**CASPER PoC3 Blockchain BACKBONE:** Casper is a security-deposit based economic consensus protocol. Nodes, as “bonded validators”, have to place a security deposit (action called “bonding”) in order to serve the consensus by producing blocks. The protocol’s direct control of these security deposits is the primary way in which Casper affects the incentives of validators. Specifically, if a validator produces anything that Casper considers “invalid”, their deposit is forfeited along with the privilege of participating in the consensus process. The use of security deposits addresses the “nothing at stake” problem; that behaving badly is not expensive. When something is at stake, bonded validators who misbehave in an objectively verifiable manner will lose it.

**CEILIOMETER, GNOCCHI, PANDA:** builds metering around a data structure called samples. A sample is generated each time Ceilometer measures something. It is composed of a few fields, such as the resource id that is metered, the user and project id owning that resources, the meter name, the measured value, a timestamp and a few free-form metadata. Each time Ceilometer measures something, one of its components (an agent, a pollster...) constructs and emits a sample headed for the storage component called the collector. The collector is responsible for storing samples into a database. The Ceilometer collector uses a pluggable storage system usable with any database system. The REST API exposed by Ceilometer allows executing various reading requests on the data store. It returns the list of resources that have been measured for a particular project, or computes statistics on metrics. <https://dzone.com/articles/openstack-ceilometer-and>

**CHAMBER OF DIGITAL COMMERCE** is the world’s leading trade association representing the digital asset and blockchain industry. Our mission is to promote the acceptance and use of digital assets and blockchain-based technologies. Through education, advocacy, and working closely with policymakers, regulatory agencies and industry, our goal is to develop a pro-growth legal environment that fosters innovation, jobs and investment. [LINK](#) <http://www.digitalchamber.org>

**CODE FOR AMERICA** Code for America partners with city, county, and state governments to redesign public services in three key areas that have high impact for

communities. Together, we turn challenges into opportunities to not only serve communities better, but transform how governments think about technology. [LINK](#)

COUNT MINIMUM SKETCH ALGORITHM: streaming algorithm Find a randomized streaming algorithm whose output (as a random variable) has the desired expectation but usually high variance (i.e., noise). To reduce the variance/noise, run many independent copies in parallel and combine their outputs. Count sketch is a probabilistic data structure designed to answer the following question: Reading a stream of elements  $a_1, a_2, a_3, \dots$ , where many elements are replicas in a given time it will provide an answer to question: how many original elements have been seen Count minimum sketch is a probabilistic data structures sacrificing certainty for space. Count minimum sketch selects 2 parameters: accuracy of the results  $\epsilon$  and probability of bad estimate  $\delta$ .

DASH: Unlike Bitcoin nodes, Masternodes receive payments for their service to the network – similar to demurrage charges in the Trade Reference Currency TERRA TRC. Dash includes decentralized funding, decentralized governance, decentralized storage. Dash's governance system, visit <https://dash.org>. Dash features:

- InstantX: Masternodes are able to instantly lock transactions to solve the problem of lag time in transactions,
- Self-Budgeting: To solve the problem of lack of funding for development, Masternodes can direct funds right from the blockchain to support development.
- Self-Governance: To solve the problem of making governance decisions on the future of the currency, Masternodes can vote on what development occurs.

DASH Evolution is a next-generation platform for purely decentralized e-commerce.

ECONOMIST MILTON FRIEDMAN'S K% RULE: Economist Milton Friedman predicted the rise of a computer capable of automatically adjusting the inflation rate of money. is the monetarist proposal that the money supply should be increased by the central bank by a constant percentage rate every year, irrespective of business cycles. EQUILIBRIUM ALGORITHM / polynomial-time algorithm by John Nash Princeton University: see: <http://web.cs.ucla.edu/~awm/cs288/class3.pdf>

Ericsson Patents Open Money for Society 20130166398 "System And Method For Implementing A Context Based Payment System." <https://letstalkbitcoin.com/ericsson-patents-open-money-for-society> "It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS." "When money is open, the way we send, spend and receive money will change forever." Ericsson posted on their m-

commerce site "Bitcoin And the Value of Money" which discusses "From Bartering, to Gold, to Bitcoins" Facilitation of Effective Trade, Limited Resources, and Value as a Mutual Agreement.

Background: "Local producers are sometimes forced to price goods relative to distant competition, and, because of lower production and wage costs in different parts of the world (or even country), substantially lower profit margins can be the result. There are times, however, when consumers might be willing to buy locally produced goods for the good of the society {Emphasis LTB }, and that attitude is more prevalent today than in the past. But what a consumer says they will do, and what actually occurs in practical, real shopping situations can be significantly different. Faced with competitive quality products, but disparate prices, the consumer often feels that he or she has no real choice, especially if budgets are more constrained because of uncertain economic conditions, and therefore are not what they used to be. Thus, personal economic pressures can hinder "good" buying decisions. Retailers too are cognizant of an increased awareness for the value of locally produced products. They market local producers and even arrange special sections with "good" products, i.e., those that minimally impact the environment both in terms of environmental friendly manufacturing methods, but also those articles that have been produced locally." "Thus, current economic conditions, and prevailing economic theories make it difficult, if not impossible, for an average consumer to make an impact on the local economy and the local environment, regardless of their attitudes. Therefore, it is desirable to provide methods, and systems for creating a context based payment system.

Patent Abstract: "Disclosed herein is a context based payment system. Electronic currency or coupons can be made dependent on context, and the context can be one of location or geography, time, date, distance, sound, or other devices. The value of the currency exists only if a pre-condition is fulfilled. For example, if the currency is location dependent, the value only exists in a defined area (currency value area). The goods or the service in the value-system are also context dependent, that is, they can only be sold or offered in a defined area (product value area). Accordingly, if the product value area and the currency value area overlap, a purchase and payment can be made."

**ERLANG – ERLANG FOLSOM:** Erlang based metrics system inspired by Coda Hale's metrics (<https://github.com/dropwizard/metrics>). The metrics API's purpose is to collect real-time metrics from Erlang applications and publish them via Erlang APIs and output plugins. folsom is not a persistent store. There are 6 types of metrics: counters, gauges, histograms (and timers), histories, meter\_readers and meters. Metrics can be created, read and updated via the folsom\_metrics module. [LINK https://github.com/boundary/folsom](https://github.com/boundary/folsom)

**Histograms and Timers:** Histograms are collections of statistical analysis values, such as mean, min, max, kurtosis and percentile. They can be used as timed update functions.

**ETHEREUM “WORLD COMPUTER”** combination of cryptographic architecture and Turing completeness, Ethereum virtual machine (EVM) refers to part of the protocol that handles internal state and computation. It is often referred to as the project's defining innovation over other blockchain-based systems. By taking the cryptographic payment structure of bitcoin and adding a Turing complete scripting language, The term "Turing complete" means a system capable of performing logical steps of computational

functions. A technology in wide use today which employs Turing completeness is JavaScript, the programming language which powers the World Wide Web. Smart contract technology would describe a computer protocol which obviates the need for a contractual clause and, instead, is self-executing and self-enforcing. Ethereum is different than from bitcoin in that it is first and foremost a computing platform Vs a payment system. [LINK](http://coindesk.com/whats-big-idea-behind-ethereums-world-computer/) <http://coindesk.com/whats-big-idea-behind-ethereums-world-computer/>

**FEDERATION (CLOUD COMPUTING):** FEDERATION: from Latin: *foedus*, gen.: *foederis*, covenant characterized by a union of partially self-governing states or regions under a central (federal) government. In a federation, the self-governing status of the component states, as well as the division of power between them and the central government, are typically constitutionally entrenched and may not be altered by a unilateral decision of either party, the states or the federal political body. Individuals, organizations retain AUTONOMY to act on their own behalf. Federation: reuse of military System of Systems research, best practice guiding formation of a procedural template framework is key to forming and maintaining sustainable Trade Federations as Distributed Autonomous Organizations DAO's / DAC's Corporations. Military's organize individuals into organizations <OrgID> and Organizational Units <OU><OU><OU> dispersed autonomous groups working on collective goals synchronized in time-space

Federate is a cloud computing term. Within a federated system, an organization needs a standardized and repeatable way of describing services it makes available to teams in leagues and policies by which it runs its operations. Federated identities within groups retain their autonomy, ability to act on their own behalf. Organization Identifiers </ORG IDs> represents a business, non-profit corporation, or government entity in the American Registry of Internet Numbers ARIN database. Entities may have more than one <OrgID> for contingency planning. More than one ORG\_ID enables business contingency plans for different scenarios, use cases leaders and their decisions under different circumstances. Federated Identity Management: federation describes the organization arrangements necessary for interconnection between teams, leagues, and commissions joined to achieve common goals. Federated systems need to interoperate across organizational boundaries and connect processes utilizing different technologies, identity storage, security approaches and programming models. Resources available to the group include the health or availability of individuals forming groups where monitoring is performed to ascertain if groups are mission capable or not in context with available resources and whether the group's location is within a pre-defined geo-spatial range of a given activity or event. A federation describes the organization arrangements necessary for linkage between teams, leagues, and commissions joined to achieve common goals. Operations are performed as part of group's activities. If trade is deemed non-equitable, groups, individuals may leave the trade federation as a network drop until conditions change or the individuals change their minds and decide to re-affiliate, re-tether to the collective.. [LINK](https://en.wikipedia.org/wiki/Federation) <https://en.wikipedia.org/wiki/Federation> See also Bitcoin Blockchain smart contract RSK [federation](#) network Buenos Aires startup [Rootstock](#).

**FIREFLY-HEARTBEAT ALGORITHM UNIVERSITY of BOLOGNA / HUNGARY:**  
Firefly inspired Heartbeat Synchronization: in a paper entitled Firefly-inspired Heartbeat Synchronization in Overlay Networks by the University of Bologna and Trento Italy along with the University of Szeged, Hungary: “Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time. Many useful distributed protocols rely on the existence of such heartbeats for driving their cycle- based execution. The heartbeat synchronization protocol for overlay networks is inspired by mathematical models of flash synchronization in certain species of fire flies. Nodes send flash messages to their neighbors when a local heartbeat triggers. Fireflies adjust the phase of their next heartbeat based on incoming flash messages using an algorithm inspired by mathematical models of fire-fly synchronization. Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time. It differs from classical clock synchronization in that nodes are not interested in counting cycles and agreeing on a ID of a current cycle. There is no requirement regarding the length of a cycle with respect to real time as long as a length is bounded and all nodes agree on it eventually. The goal is to guarantee that all nodes start and end their cycles at the same time, with an error that is at least one, but preferably more, orders of magnitude smaller than a chosen cycle length. Firefly heartbeat synchronization reduces uncertainty in stochastic networks.

Paper: Firefly-inspired Heartbeat Synchronization in Overlay Networks. Ozalp Babaoglu. Univ. Bologna, Italy <http://www.cs.unibo.it/~babaoglu/papers/pdf/SASO07-fireflies.pdf>

**LINK:** <http://www.slideshare.net/StevenMcGee2/fireyinspired-heartbeat-synchronization>

**GAMIFICATION:** application of typical elements of game playing (e.g., point scoring, competition with others, rules of play) to other areas of activity, typically as an online marketing technique to encourage engagement with a product or service

**GITHUB:** GitHub is a web-based Git repository hosting service. It offers distributed revision control, source code, source code management, bug tracking, feature requests, task management, and Wikis for every project. GitHub renders common formats like text, CSV, and geospatial data. GitHub includes enterprise controls to collaborate openly while limiting access to a team, to select stakeholders, or to entire organizations. [LINK](#)

**GRAPHENE:** form of partnership called a Decentralized Conglomerate A universal shared platform allows organizations to have a common interest in the platform itself, without the platform imposing any control on the organizations that join the universal platform ecosystem where organizations directly invest in each other.” Profits can be shared without the necessity of the companies coordinating their operations.“ By entering into a Decentralized Conglomerate means the co-ordination takes place within an automated system,” “The OpenLedger team has created the universal shared platform on which organizations can enter agreements to share their profits in exchange for

community support.” Graphene Blockchain Worker System [LINK](#)  
[https://bitshares.org/doxygen/group\\_\\_workers.html](https://bitshares.org/doxygen/group__workers.html)

HADOOP: Apache Hadoop is an open-source software framework for distributed storage and distributed processing of very large data sets on computer clusters.

Apache ZooKeeper is a software project of the Apache Software Foundation, providing an open source distributed configuration service, synchronization service, and naming registry for distributed systems. [LINK](#) [https://en.wikipedia.org/wiki/Apache\\_ZooKeeper](https://en.wikipedia.org/wiki/Apache_ZooKeeper)

Apache Storm is a free and open source distributed real-time computation system. Storm makes it easy to reliably process unbounded streams of data, doing for real-time processing what Hadoop did for batch processing. Storm has many use cases: real-time analytics, online machine learning, continuous computation, distributed RPC, ETL etc. Storm benchmark clocked it at over a million tuples processed per second per node. Trident is an abstraction on top of Storm providing higher-level constructs “cascading”, it batches groups of Tuples to 1) Make reasoning about processing easier 2) efficient data persistence with the help of an API that provides exactly-once semantics [LINK](#)

IDMAPS – SONAR HOPS: IDMaps / SonarHops internet distance estimation service: IDMaps is a global internet host distance estimation service that provides distance information used by SONAR / HOPS query / reply service. IDMaps measures, disseminates internet wide distance information to for example, Distributed Autonomous Virtual Organizations DAVOS. Higher level services for example at the macro-cycle level collect distance information to build a virtual distance map of internet by estimating distance between any IP address pair. Location is achieved by use of triangulation Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition. IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships. Distance Metrics focus is on latency (e.g., round-trip delay) and where possible, bandwidth. We improve stochastic harmonization by use of firefly inspired algorithms that strive to achieve synchronization by matching firefly synchronization behavior with the closest matching heartbeat snapshot cycle interval. IDMaps / SonarHops [LINK](#)

KRYPTON: Ethereum based smart contract platform [LINK](#) <http://krypton.rocks>  
KONG API MANAGEMENT: Application Program Interface scalable, open source API Layer (API Gateway, or API Middleware). Kong runs in front of any RESTful API and is extended through Plugins, which provide extra functionalities and services beyond the core platform. Kong was originally built at Mashape to secure, manage and extend over 15,000 APIs & Microservices for its API Marketplace [LINK](#) <https://getkong.org/about/>

LAW OF TIME Book of the Cube Time Cube Matrix Cosmic Calendar [LINK](#) Law of Time dot org

LIBRARY of ALEXANDRA (The Distributed Blockchain Library) [LINK](#)

LITTLE LEAGUE BASEBALL TOURNAMENT / GAME OF BASEBALL RULES

See Baseball Rules: [http://mlb.mlb.com/mlb/official\\_info/official\\_rules/official\\_rules.jsp](http://mlb.mlb.com/mlb/official_info/official_rules/official_rules.jsp)

MEDICI Stock Exchange Blockchain Code-named “Medici,” Goal: democratize Wall Street similar to the way Bitcoin seeks to democratize currency and payments. [LINK](#)

<http://wired.com/2014/10/overstock-com-assembles-coders-build-bitcoin-like-stock-market/>

MICROSOFT Azure Blockchain as a Service (BaaS): Project Bletchley is a vision for Microsoft to deliver Blockchain as a Service (BaaS) that is open and flexible for all platforms, partners and customers. <https://azure.microsoft.com/en-us/blog/bletchley-blockchain/> Project Bletchley common themes:

- Platform openness requirement.
- Identity, key management, privacy, security, operations management and interoperability
- Consortium / Federation blockchains, members-only, permissioned networks for contracts,
- Fabric for blockchain, serving as cloud platform for distributed applications

MONEYBALL: The Art of Winning in an Unfair Game Book

See: <https://datascience.berkeley.edu/moneyball-book-review/>

Moneyball: The Art of Winning an Unfair Game is a book by Michael Lewis is about the Oakland Athletics baseball team and its general manager Billy Beane. <http://en.wikipedia.org/wiki/Moneyball>



Firefly-Heartbeat Algorithm helps form statistical means

MONEYBALL ECONOMICS: Sabermetrics, or Moneyball, is the practice of crunching data in an effort to build a stronger and smarter team without needing to go after the rock stars of the sport who may cost a team millions. This method holds that the skill of individual players isn't what makes or breaks a team; in the long run, the goal is to make sure that each necessary skill is accounted for, whether by one player or four. The team will work like a clock, with each cog serving its own purpose (no matter how hopeless they may be at another area).. crafting a team while staying within a meager budget.

NAMED DATA NETWORKING NDN NEXT GENERATION INTERNET: Named-data networking focus is on content caching to reduce congestion and improve delivery speed, simpler configuration of network devices, and building security into the network at the data level. Types of Packets: Communication in NDN is driven by receivers i.e., data

consumers, through the exchange of two types of packets: Interest and Data. Both types of packets carry a name that identifies a piece of data transmitted in one Data packet.  
Overview of the Packet Contents for NDN Packet:

**INTEREST:** A consumer puts name of a desired piece of data into an Interest packet and sends it to network. Routers use name to forward Interest query toward data producer(s).  
**Data:** Once Interest packet reaches a node that has the requested data, the node will return a Data packet that contains both the name and the content, together with a signature by the producer's key which binds the two. This Data packet follows in reverse the path taken by the Interest to get back to the requesting consumer.

**NET CENTRIC OPERATIONS / NET ENABLED OPERATIONS NEO**  
See: [https://en.wikipedia.org/wiki/Network-centric\\_warfare](https://en.wikipedia.org/wiki/Network-centric_warfare) See: <http://ncoic.org>

To determine if a organization - squad or platoon was mission capable or where it was supposed to be and equipped with the requisite resources: food, water, fuel, ammo etc. data is sampled and forwarded using a minimum of network resources e.g., time frames, intervals, epochs allocated for specific purposes. The Internet Protocol was examined closely and it was re-discovered that time interval frame assignments were left unassigned / available by internet creators (Stanford U etc.) to transport additional state meta data at some future date when a need arose. These heretofore unassigned time intervals set aside for future use would be used to carry data about the organization – the unit designation or Organizational Identifier <Org\_ID>, geo-location at specified times and its resources <URN> Uniform Resource Name. Deriving common building blocks from JBFSA which also happen to be the common building blocks of Wall Street and First Response Systems (heartbeat / heartbeat messages) is a key premise. The Internet Protocol Project funding saved, the rest is history -- necessity being the mother of US Army Communication Electronic Command CECOM's "greatest" invention.

National Information Exchange Model NIEM: connects communities of people who share a common need to exchange information in order to advance their missions. [LINK](#)

**NXT FOUNDATION:** Nxt revolutionises the financial technology, crowdfunding and governance industries by providing not only the groundbreaking NXT crypto-currency, but also a powerful, modular toolset to build with in any way Nxt users can imagine. Nxt gives users complete freedom to create their own applications. <http://blockchainwizards.com/nxtfoundation/>

**OPEN LEDGER:** Smart #Bitcoins backed w real world collateral: decentralized exchange #blockchain. Graphene real-time blockchain technology, options:

1. Create new currency as User Issued Asset. revenue generating asset of Open Ledger using decentralized platform called OBITS. **OBITS** is a digital token blockchain [LINK](#)

2. Create a Market Pegged Asset for coin: allow trading only in certain market pairs. Define who is allowed to hold coin by using white- and blacklists. Issuer can opt-out of his privileges indefinitely for the sake of trust and reputation.

3. BitTeaser is powered by a digital token with the abbreviation “BTSR”. The network infrastructure allows users to earn tokens by blogging, selling ads, and being an active community member. [LINK](http://ccedk.com/dc/btsr) <http://ccedk.com/dc/btsr>

4. ICO Crowd Funding Economic Enterprise Engine – “Crowdfunding 3.0”: official form of payment used to pay for any startup services offered by CCEDK, investment with revenue streams from payments and fees, token offering real return over time, Token and investment with an exit ex: sell ICO token at level 1 ICO price until final launch. Fund buy back, burning process reducing overall supply allowing a growth in value of remaining funds over time

**Object Management Group's (OMG) Data Distribution Service for Real-Time Systems (DDS)** is an open middleware standard that enables scalable, real-time, dependable, high performance and interoperable data exchanges between publishers and subscribers. DDS is brokerless and provides abstraction of a virtual Global Data Space, a ubiquitous, universal and fully distributed data cache. DDS provides a standard API as a interoperable wire protocol.

**OPCODE: TURING COMPLETE SCRIPTING LANGUAGE:** In computing, an opcode (abbreviated from operation code) is the portion of a machine language instruction that specifies the operation to be performed. Beside the opcode itself, instructions usually specify the data they will process, in form of operands. <https://en.wikipedia.org/wiki/Opcode>

**OPERAND PROGRAMMABLE MONEY:** Operand - “In mathematics, an operand is the object of a mathematical operation, a quantity on which an operation is performed.” “In computing, an operand is the part of a computer instruction that specifies what data is to be manipulated or operated on, while at the same time representing the data itself.”

In Operand, the transactional unit carries the execution methods and parameters that apply to the units of currency involved for that transaction. Operand is programmable money that brings the utility of everyday banking features to the unbanked and underbanked and empowers their adoption through the automata of the Operand protocol. Operand is a currency that functions as a seamless and embedded economic layer on the web that serves as the technological underlay for payments, decentralised exchange, digital asset invocation and transfer, and smart contract issuance and execution. By embedding the instruction set of the transaction into the transaction metadata, the blockchain itself serves as the interpreter for programmed transactions. Operand creates utilities such as direct debit payments or even standing orders. Operand is trustless and non-retractable whilst being fully accountable and transparent on the public ledger. The programmable aspect enables further security on every transaction as the clients must

reach network consensus on the method of execution. Smart contracts can then be forged on all aspects of exchange. [LINK](#) Page: <http://operand.money>

REACT JS Java script: facilitates building of stateful & reusable UI components uses a concept called the Virtual DOM Document Object Model that selectively renders subtrees of nodes based upon state changes [LINK](#)

## ROSETTA STONE SYNTAX LIBRARY LEXICON CODE GUIDE REGISTRY

The Rosetta Stone is a rock stele, found in 1799, inscribed with a decree issued at Memphis, Egypt, in 196 BC on behalf of King Ptolemy V. The decree appears in three scripts: the upper text is Ancient Egyptian hieroglyphs, the middle portion is Demotic script, and the lowest is Ancient Greek. Because it presents essentially the same text in all three scripts (with some minor differences among them), the stone provided the key to the modern understanding of Egyptian hieroglyphs. It was the first Ancient Egyptian bilingual text recovered in modern times, and it aroused widespread public interest with its potential to decipher this previously untranslated hieroglyphic language. Lithographic copies and plaster casts began circulating among European museums and scholars.

Rosetta Stone concept in context with this project: a common syntax library and ability to convert <tags> to YAML indents to binary XML to various other Message Text Formats MTF to enable universal signaling / telemetry among a system of systems is needed. Structured messaging will help accelerate the process of organizing syntax into categories and forming syntax from disparate systems into template libraries simply because numbers are universal – text and symbols less so. Structured military messaging involves identifying use cases as messages and message sets commonly used to accomplish tasks that are identified by number. Data elements or Field Form Identifiers Reference Numbers or FFIRNS and Field Unit Designators as three and four digit codes unambiguously identify the purpose of the data element in numerical forms. The three and four digit codes in turn refer to text descriptions and link to symbols in symbol libraries / databases. Messages are processed / parsed in / out of common databases.

One of the DHS's top three goals is "A national common operating picture for critical infrastructure". A congressional directive states "nothing less than network centric homeland security akin to network centric warfare". This Interoperability challenge exists to this day to develop a common syntax library / Rosetta Stone among disparate systems to form an integrated, synchronized, situational awareness system of systems. Syntax / symbol source libraries that need a common reference format include:

- Named-Data Networking NDN <Content> Centric Networking (XML tags)
- OASIS TOSCA YAML document indent data encoding scheme
- GITHUB code, syntax library, Java Script OS ("tag") convention..

RANDOM NUMBER BEACON NIST: uses two independent commercially available sources of randomness, each with an independent hardware entropy source and SP 800-

90-approved components. The Beacon is designed to provide unpredictability, autonomy, and consistency. Unpredictability means that users cannot algorithmically predict bits before they are made available by the source. Autonomy means that the source is resistant to attempts by outside parties to alter the distribution of the random bits. Consistency means that a set of users can access the source all receiving the same random string. The Beacon broadcasts full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped and signed, and includes the hash of the previous value to chain the sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. [http://nist.gov/itl/csd/ct/nist\\_beacon.cfm](http://nist.gov/itl/csd/ct/nist_beacon.cfm)

Structured Military Message Text Format USMTF / XML MTF FORMATTED MESSAGE CATALOG includes, and describes in detail 300 + messages info exchange requirements using common, Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical, well specified and unambiguous layout resulting in a highly efficient information payload to overhead ratio. Thinking of the world's language, symbol and syntax differences along with coder's proclivity to design a different data </tag> {"tag"} convention with each new programming language, the use of NUMBERS as a universal method to unambiguously, consistently describe data transaction parameters is logical. See

FIGURE 5: Code Syntax Lexicon, Message Template Library  
<http://sawconcepts.com/index/id44.html> [LINK](#)

FIGURE 6: Structured Military Messaging / Data Rosetta Stone

Structured military messaging identifies messages, message sets, data element fields BY NUMBER to improve the interoperability of Joint military systems. See MIL-STD-6040. XML-MTF mapping specification and associated XML-MTF schema derivation procedures provided by NATO describe a common method of translating MTF messages to, and from, the equivalent XML representation. XML-MTF mapping specification and schema derivation procedure illustrate specific considerations such as Tag naming conventions and ambiguity issues. The XML-MTF involves detailed descriptions of MTF structure and rules, specification of legal field content, e.g. data elements  
<https://en.wikipedia.org/wiki/USMTF> [LINK](#) See also Binary XML

TIME SERIES DATABASE: is a software system that is optimized for handling time series data, arrays of numbers indexed by time (a datetime or a datetime range). In some fields these time series are called profiles, curves, or traces. A time series of stock prices might be called a price curve. A time series of energy consumption might be called a load profile. [https://en.wikipedia.org/wiki/Time\\_series\\_database](https://en.wikipedia.org/wiki/Time_series_database) [LINK](#)

**TRADE REFERENCE CURRENCY TERRA TRC:** Terra (The Trade Reference Currency, TRC) is the name of a possible "world currency". The concept was proposed by Belgian economist and expert on monetary systems Bernard A. Lietaer in 2001, based on a similar proposal from the 1930s. The currency is meant to be based on a basket of the 9-12 most important commodities (according to their importance in worldwide trade).

Lietaer opines this would provide a currency that wouldn't suffer from inflation: Terra = reference unit defined as standardized basket of key internationally traded commodities & services. Example: 100 Terra = 1 barrel of oil / + 10 bushels of wheat / + 20 kg of copper+ 1/10 of ounce of gold. NB: any standardizable good or service can be included. Similar stability to gold standard, but with basket instead of single commodity (more stable than any one component). Terra is Inflation-resistant by definition. The basic principle emerged from early concepts presented in an article in the French newspaper "Le Fédériste" on 1 January 1933. The idea to establish a "L'Europa – monnaie de la paix", in English "Europe - Money of peace", was given birth. The idea was enthusiastically picked up by Lietaer during an educational journey.

[LINK](https://en.wikipedia.org/wiki/Terra_(currency)): [https://en.wikipedia.org/wiki/Terra\\_\(currency\)](https://en.wikipedia.org/wiki/Terra_(currency))

**SPATIAL ECONOMETRICS:** See Dictionary of Economics [LINK](http://dictionaryofeconomics.com/article?id=pde2008_S000195)

[http://dictionaryofeconomics.com/article?id=pde2008\\_S000195](http://dictionaryofeconomics.com/article?id=pde2008_S000195) See also:

- central place theory
- international trade theory
- location theory
- GIS data in economics, urban economics
- monocentric versus polycentric models in urban economics
- new economic geography
- systems of cities
- urban agglomeration
- urban production externalities
- urban transportation economics

**STREAMING K ALGORITHM:** streaming algorithms are algorithms for processing data streams in which the input is presented as a sequence of items and can be examined in only a few passes (typically just one). These algorithms have limited memory available to them (much less than the input size) and also limited processing time per item. These constraints may mean that an algorithm produces an approximate answer based on a summary or "sketch" of the data stream in memory. [LINK](https://en.wikipedia.org/wiki/Streaming_algorithm):

[https://en.wikipedia.org/wiki/Streaming\\_algorithm](https://en.wikipedia.org/wiki/Streaming_algorithm)

TCP/IP INTERNET “HEARTBEAT” is a metaphor, meme for epochs, time cycles, intervals generated or formed by silicon microchips used to process syntax instructions

**UNIVERSAL TIME ZONE UTZ PROJECT:** Universal Time Zone (UTZ) Proposed Clock At the United Nations on May 20, 2003, President, George W. Bush, announced a

proposal to unify all the world's time zones into a single Universal Time Zone (UTZ). In remarks attempting to better position the USA in world affairs, Bush said, "It is unfair to the United States that other countries have the advantage of being in tomorrow while the US is stuck in today. If it is 9 PM in Washington D.C., it is already tomorrow in London or Paris. That patently unfair." [LINK](http://www.csgnetwork.com/utzproptimecalc.html) <http://www.csgnetwork.com/utzproptimecalc.html>

## APPENDIX B: REFERENCES – ACRONYMS, METAPHORS, MEMES

Supreme Court precedent case Alice Corp Vs CLS Bank requires all internet, internet of money (Bitcoin, Blockchain) related patent applications to apply physical memes. For example, the internet TCP/IP “ping” terms is an abstraction. The internet’s “hop”, “hop count” is an abstraction. SAW Concept LLC’s application complies with the Supreme Court internet, internet of money precedent by using a Little League Baseball tournament as a main embodiment with internet technical theme derivative use cases

## WATER DROP IN POND MEME

“Water drop in pond meme directs to a detailed treatises describing geo-spatial temporal intensity metrics and meters using sonar in water as opposed to a TCP/IP internet ping. Reasons for this distinction is that sonar wave behavior in water used by naval military units is well known while a TCP/IP internet “ping” is an abstract metaphor formed by time intervals / cycles / epochs / CPU clock intervals that are used to process / not process instructions describing distances between internet nodes. See figure 8 See: <http://sawconcepts.com/index/id23.html>

Water Drop in Pond area, circular, circumference metaphor – meme: areas defined by radius / circumference (124) are described in terms of radii within a circumference of a circle used to encompass or encircle a cluster of players, teams, or leagues into a discrete set. Resource items are typed, classified by <tags> measured from a known reference point i.e. ten-digit map grid coordinate describing a limited or bounded geo-spatial area described by concentric rings /circles shown to expand or contract with threshold metric changes denoting intensity i.e., an earthquake occurs during game with pre / aftershocks. Wave crests and troughs are converted into analog integer equivalents where amplitude and frequency changes convey event intensity, duration as thresholds. Discrete wave crest to trough phase changes are summed. Wave crests and troughs define cycles in terms of on, off, duration and describe slowing and speeding up of events, activities occurring within the circular geo-spatial area containing items of interest --see geo-spatial area entries, in related art for detailed treatises

Radius searches performed within circumference (124) use <tags> as search key tag / word targets. Search results are filtered and processed by tag classes and types then saved as search results time tagged with the micro-cycle heartbeat timestamp (112) running concurrently within and assisting with the formation of a self-organizing reporting cycle in a macro-cycle as part of a Heart Beacon Cycle (137). Radius searches are conducted to discover threshold, duration and intensity conditions changes useful in precedence processing parameters i.e., flash override, flash, immediate, priority routine shown on appliqué acetate overlay display boards (134).

## PAUL REVERE LINEAR-SEQUENTIAL MEME

The Paul Revere linear-sequential meme – metaphor is a physical meme documented in history used instead of an abstract metaphor that the internet uses called TCP/IP “hop counts”.

Hop Counts: (123): Hops are linear and sequential referring to applicant's Paul Revere meme (126). Hops are described / defined from null as a condition / state: stationary, inactive. Hops are changes in location from point a to point b to point n. Hops follow a base running paradigm in the main embodiment (131) and are referential to TCP/IP in embodiment 1. Hops are counted incrementally where hops are changes in location e.g., home plate to first, second, and third base and back to home base (131). Hop metrics are incremental changes from null 0,1,2,3,4 - N (126) that may be positive or negative values. Hop counts are used to equitably meter, measure and derive performance or effectiveness metrics, meters. Time stamps (112) form time frames, temporally bound hops e.g., in time and space. Erlang logic is useful in establishing time boundaries and time limits among geo-spatially disperse events.

Quantum Computing: **Quantum computing** is the use of **quantum**-mechanical phenomena such as superposition and entanglement to perform computation. **Quantum** computers are believed to be able to solve certain computational problems, such as integer factorization. In a **quantum** Turing machine, the difference is that the tape exists in a quantum state, as does the read-write head. This means that the symbols on the tape can be either 0 or 1 or a **superposition** of 0 and 1; in other words the symbols are both 0 and 1 (and all points in between) at the same time. While a normal Turing machine can only perform one calculation at a time, a quantum Turing machine can perform many calculations at once.

Quantum Random Number Generator: The NIST method generates digital bits (1s and 0s) with photons, or particles of light, using data generated in an improved version of a landmark [2015 NIST physics experiment](#). That experiment showed conclusively that what Einstein derided as "[spooky action](#) at a distance" is real. Researchers process the spooky output to certify and quantify the [randomness](#) available in the data and generate a string of more random bits. [LINK](#)

Time filtered and spatially metered reports are comprised of state meta-data snapshot / heartbeat message / sync delta messages where state meta data is harvested during micro-cycles then posted / displayed during longer macro-cycles

See hop count treatise referential to internet / TCP/IP treatises Figure 11

IEEE 802.11AG is used for hop by hop detection and control for epoch assignment and hop counts management and for hop by hop detection function to determine hop by hop count corresponding to machine readable and executable null / 0 and steps from null representing hop counts e.g., +1, +2, +3, +4 and / or -1, -2, -3, -4 Paul Revere linear, sequential metaphor indicating distance traveled in context with router / server / switch / node traversal

IEEE 802.11 HbH hop by hop control supporting Paul Revere, rain drop in pond metaphor metrics of increases / decreases in thresholds and by intensity, duration and hop count sums:

IEEE C37.118 Harmonization and Synchronization for heartbeat data pulses and watchdog heartbeat functions in electrical power grid applications to base micro-grid arbitrage when used with user, customer, client, organization selected beacon broadcast type technologies

US 7,571,430 Trimbell, et al. August 4, 2009 Adaptive dispatch table based on templates  
Original Assignee: LSI Logic Corporation Inventors: Forrest Trimbell,

NATO's interoperability system of systems framework i.e., sync delta's, structured data exchange alpha numeric brevity codes, symbol sets... is the best starting point

Q: What US Supreme Court Alice compliant (physical = opposite of abstract) meme describes the myriad #blockchain#consensus #algorithms the most comprehensively that involves an algorithm (based on nature) that will enable distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync / OPSCODE brevity code consensus?

Source: <https://www.developcoins.com/blockchain-consensus-algorithms>



The Heart Beacon Cycle Time – Space Meter USPTO 13/573,002 <https://github.com/Beacon-Heart/>





The Heart Beacon Sculpture, Portland Oregon USA: [LINK](#)  
<https://codaworx.com/project/heart-beacon-city-of-portland>





FIGURE 1: The Heart Beacon Cycle Time – Space Meter: Beacon Communities

Q: What US Supreme Court Alice compliant (physical = opposite of abstract) meme describes the myriad #blockchain #consensus #algorithms the most comprehensively that uses an algorithm (based on nature) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync / OPSCODE brevity code consensus?

#### Blockchain Consensus Algorithms & Mechanisms

In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

**Proof of Formulation:** PoF: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.





FIG 2: Consensus among myriad blockchain algorithm memes



FIGURE 3: Adaptive Procedural Template Checklist: The Heart Beacon Cycle Time Space Meter




Figure 4: All things internet, artifacts of the programmable economy formed using 1) time epochs 2) syntax




FIGURE 5: All things internet, net of programmable money, Web 3.0 are formed using 1) Time epochs 2) syntax




FIGURE 6: The Alice Effect / SCOTUS Alice Corp Vs CLS Bank 2014




FIGURE 7: How the internet really works / impact on the “Alice Effect”




FIG 8: PATENT FUSION: SYNERGY AMONG PATENTS, PATENT APPLICATIONS




Figure 9: Firefly Inspired Heartbeat Synchronization Algorithm





FIGURE 11: TERRA TRC TRADE REFERENCE CURRENCY COMMODITY BASED / BITCOIN BLOCKCHAIN



**FIGURE 12: Code Syntax Lexicon, Message Template Library**


FROM		ALPHA-NUMERIC BREVITY CODES										CODE GUIDE																																									
		C002 C203 F002 F014 F015 F541 S201 S309					C002 C203 F002 F014 F015 F541 S201 S309	C002 C203 F014 F015 F541 S305 S309 S307	A423 C203 C505 F002 F014 F015 F541 S201	C203 E400 F002 F014 F015 F541 S201 S309 S307	MCS	ATDS	MCS																																								
ASAS		 <b>USMTF / XML MTF FORMATTED</b> MESSAGE CATALOG = 300 + messages info exchange sets using common, <b>CONSENSUS</b> Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a <b>highly</b> efficient info payload to overhead ratio																																																			
		A423 C203 C505 F002 F014 F015 F541 S201																																																			
																																																					
MESSAGE CATALOG		<b>Data Elements:</b> entity, attribute, relationship equivalents 										<b>HEARTBEAT MESSAGE = K00.99</b>																																									
300 + Use Cases		<b>Information Categories and Examples</b> <table border="1"> <thead> <tr> <th>Object Categories</th> <th>Examples</th> <th>Location</th> <th>Movement</th> <th>Identify</th> <th>Status</th> <th>Activity</th> <th>Intent</th> </tr> </thead> <tbody> <tr> <td>OOB</td> <td><b>SYNTAX LEXICON</b> Machine Trust Language MTI</td> <td>STRUCTURED DATA lat/long</td> <td>EXCHANGE Message spd/hdg</td> <td>country / alliance, type/class</td> <td>readiness</td> <td>Sets targeting, reconning</td> <td>{"Java JS"}</td> </tr> <tr> <td>Infrastructure</td> <td>Comm., power, transportation, water/sewer</td> <td>throughput, network, grid</td> <td></td> <td>name, part-of relationships, name</td> <td>BDA, op heuristic</td> <td>repair, thruadvisors</td> <td>YAML expansion</td> </tr> <tr> <td>Sociological</td> <td>Culture, religion, economic, ethnic, government, history, languages</td> <td>temples, historic structures</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Geophysical</td> <td>Terrain, weather, climatology, oceanography, astrometry</td> <td>feature lat/long, alt/dpth</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent	OOB	<b>SYNTAX LEXICON</b> Machine Trust Language MTI	STRUCTURED DATA lat/long	EXCHANGE Message spd/hdg	country / alliance, type/class	readiness	Sets targeting, reconning	{"Java JS"}	Infrastructure	Comm., power, transportation, water/sewer	throughput, network, grid		name, part-of relationships, name	BDA, op heuristic	repair, thruadvisors	YAML expansion	Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures						Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth					
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent																																														
OOB	<b>SYNTAX LEXICON</b> Machine Trust Language MTI	STRUCTURED DATA lat/long	EXCHANGE Message spd/hdg	country / alliance, type/class	readiness	Sets targeting, reconning	{"Java JS"}																																														
Infrastructure	Comm., power, transportation, water/sewer	throughput, network, grid		name, part-of relationships, name	BDA, op heuristic	repair, thruadvisors	YAML expansion																																														
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures																																																			
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth																																																			
		<b>OPERATIONAL NODES / ACTIVITIES</b> <table border="1"> <thead> <tr> <th colspan="2">DATA SYSTEM FUNCTIONS</th> <th>PERFORMANCE</th> </tr> </thead> <tbody> <tr> <td>11.4 - Classification</td> <td>11.8 - Kinematics</td> <td></td> </tr> <tr> <td>11.4.1 - Category</td> <td>11.8.1 - Pos / Vel / Acc (PVA)</td> <td></td> </tr> <tr> <td>11.4.1.1 - Confidence Level</td> <td>11.8.1.1 - Acceleration</td> <td>11.8.1.1.1 - Angular</td> </tr> <tr> <td>11.4.1.2 - Estimate Type</td> <td></td> <td>1.1.2 - Linear</td> </tr> <tr> <td>11.4.1.2.1 - Alternative</td> <td></td> <td>2 - Estimate Type</td> </tr> <tr> <td>11.4.1.2.2 - Evaluated D</td> <td>PURCHASE</td> <td>1.2.1 - Estimated</td> </tr> <tr> <td>11.4.1.3 - Value</td> <td>CODES</td> <td>1.2.2 - Observed</td> </tr> <tr> <td></td> <td></td> <td>1.2.3 - Predicted</td> </tr> <tr> <td></td> <td></td> <td>1.2.4 - Uncertain</td> </tr> </tbody> </table>												DATA SYSTEM FUNCTIONS		PERFORMANCE	11.4 - Classification	11.8 - Kinematics		11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)		11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration	11.8.1.1.1 - Angular	11.4.1.2 - Estimate Type		1.1.2 - Linear	11.4.1.2.1 - Alternative		2 - Estimate Type	11.4.1.2.2 - Evaluated D	PURCHASE	1.2.1 - Estimated	11.4.1.3 - Value	CODES	1.2.2 - Observed			1.2.3 - Predicted			1.2.4 - Uncertain										
DATA SYSTEM FUNCTIONS		PERFORMANCE																																																			
11.4 - Classification	11.8 - Kinematics																																																				
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)																																																				
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration	11.8.1.1.1 - Angular																																																			
11.4.1.2 - Estimate Type		1.1.2 - Linear																																																			
11.4.1.2.1 - Alternative		2 - Estimate Type																																																			
11.4.1.2.2 - Evaluated D	PURCHASE	1.2.1 - Estimated																																																			
11.4.1.3 - Value	CODES	1.2.2 - Observed																																																			
		1.2.3 - Predicted																																																			
		1.2.4 - Uncertain																																																			
		<b>SYMBOL</b> <b>FRIEND</b> <b>NEUTRAL</b> <b>HOSTILE</b> <table border="1"> <tbody> <tr> <td>2525C</td> <td>Partner</td> <td></td> <td>Competitor</td> </tr> <tr> <td></td> <td></td> <td></td> <td>4 - Velocity</td> </tr> <tr> <td></td> <td></td> <td></td> <td>4.1 - Horizontal</td> </tr> <tr> <td></td> <td></td> <td></td> <td>4.2 - Vertical</td> </tr> <tr> <td></td> <td></td> <td></td> <td>VA Confidence</td> </tr> <tr> <td></td> <td></td> <td></td> <td>1 - Bearing Angle</td> </tr> <tr> <td></td> <td></td> <td></td> <td>2 - Bearing Angle Rate</td> </tr> <tr> <td></td> <td></td> <td></td> <td>3 - Covariance Matrix</td> </tr> </tbody> </table>												2525C	Partner		Competitor				4 - Velocity				4.1 - Horizontal				4.2 - Vertical				VA Confidence				1 - Bearing Angle				2 - Bearing Angle Rate				3 - Covariance Matrix								
2525C	Partner		Competitor																																																		
			4 - Velocity																																																		
			4.1 - Horizontal																																																		
			4.2 - Vertical																																																		
			VA Confidence																																																		
			1 - Bearing Angle																																																		
			2 - Bearing Angle Rate																																																		
			3 - Covariance Matrix																																																		

FIGURE 13: Structured Military Messaging / Data Exchange FFIRNS, FFUDNS



FIGURE 14: Situation Awareness Reference Architecture SARA








FIGURE 16: "KEYSTONE" FEDERATION

**NIST RANDOMNESS BEACON:** broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future



## NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING  
SECURE AUTHENTICATION  
SECURE MULTI  
PARTY /  
AUTHENTICATION



Time server HSM RNG #3



Issuing Org tracks User Accounts NIST Cyber BEACON = Non-Repudiation

IDMaps SonarHops Distance Estimation Service



## USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors



NDN  
</Interest>  
</Distance>

SURVEY METHODS + TRIANGULATION  
Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org\_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map

State of Internet & estimates distance between any IP address pair



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization




Figure 17: NIST QUANTUM RANDOM NUMBER CYBER BEACON



FIGURE 18: FIXING BITCOIN'S SIX ISSUES




FIG 19: Bitcoin Blockchain Proof of Stake

**PROOF-OF-WORK**

THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER

"BITCOINS VALUE IS TIME ITSELF"

← cycle n → ← n + 1 → ← n + 2 →

TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner

THROTTLE equivalent to difficulty. State •target = maximum value of 8 bytes Snap ( $2^{64}$ ) divided by the difficulty. Shots NONCE increments from 0..N until the target is met.

GUESS stores the guess Effectively, it begins at infinity.

HASH ← cycle n → ← n + 1 → ← n + 2 →  $\Delta\delta$

**Proof-of-Work:** users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work without retracing all the procedural steps.

OREILLY Time Series Databases

CLOCK FACE 360°  
90 / 90 / 90 / 90  
330 340 30 60  
270 240 180 120  
300 310 320 330

Satoshi Nakamoto: "The solution we propose begins with a TIME STAMP SERVER

MACRO CYCLES  
RULES / ROLES  
INSTRUCTIONS  
WORKFLOW  
UMPIRE  
COACH  
3rd Base  
STATISTICIAN Metrics, Meters  
Stat Mean Value Index  
3 X 5 HASH TABLES STATE META DATA SHARDS  
State Meta Data Snapshots Survey Point  
MICRO CYCLES

90 feet Blockchain/crypto currency increments

BASEBALL "DIAMOND"  
A diamond is a square is a block in 3D  
2nd Base  
Blockchain BLOCK in 3D = CUBE  
Cube has Length, Depth, Height, Volume

90 feet

ALICE Corp VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME - SPACE METER USPTO 13/573,002

first base RUNNER Message Bus

UNIVERSAL HEARTBEAT MESSAGE EVENT BUS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421

Fix ("108") FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Δδ

LOGIC FILTERS LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series

300+Message Templates

MESSAGE ex:  
•Hashing string  
•Hash Table

Figure 20: Bitcoin Blockchain Proof of Work




FIGURE 21: Bitcoin Classic / Core / Unlimited




FIGURE 22: MICROSOFT BLETCHLEY

## SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."




Fig. 23 SAWTOOTH / POET Proof of Elapsed Time




FIGURE 24: Segregated Witness / Project Lightning

## BITCOIN NG NEX GEN / Heart Beacon Cycle 13/573,002




FIGURE 25: BITCOIN NG NEXT GENERATION

**Block-Weighted-Average-Price (B-WAP) API** creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

#### Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction

- Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

- Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.

**BRAVE NEW COIN.**  
Digital Currency Insights

"Blocks are a measure of time":  
The Bitcoin Blockchain 'B-WAP'

FIGURE 26: Brave New Coin B-WAP





FIGURE 27: DASH



FIGURE 28: ETHEREUM – CASPER




FIGURE 29: HYPERLEDGER




FIGURE 30: R3 CORDA





FIGURE 31: DFINITY Blockchain Nervous System

## Byzantine Fault-Tolerant State Machine Replication

BFT-SMART dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMARt. Blocks are divided in three groups: communication system, state machine replication and state management.

### BFT-SMART needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.


## USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USC ALICE CORP V CLS BANK  
PHYSICAL = OPPOSITE OF ABSTRACT



DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS  
FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG\_ID"}  
ADDS, JOINS, DROPS, MOVES TO / FROM DAO  
CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

## K00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOT



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time. It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length in real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

Fig 32 BFT-SMART



## OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin—no fees and no restrictions

- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

**PROJECT PHILOSOPHY: *MAKE TRADE FREE***  
**Mission:** *shift trade to a decentralized platform*

**VALUES:**   Demurrage Fees REFERENCE CURRENCY "Money of Peace" Commodity / Currency Index

**Free and open markets:**  
**Creating open, competitive markets for services that cannot be perfectly solved with technology**

**Privacy**  
- Users should fully control their data. Users have freedom to reveal as much personal identifiable information as they want, when they want

**Bitcoin: OpenBazaar transactional currency**

**Cryptographic Security**  
- tamper-proof agreements  
- 1) minimize potential disputes  
- 2) fast-track dispute resolution





**TERRA TRC**  
HEART BEACON CYCLE USPTO 13/573,002 TIME – SPACE METER

**Federation**  
ORG ID Gateway

**STAT MEAN VALUE PULSE MACRO CYCLE AGGREGATE STAT MEAN VALUE INDEX**

**Price Indexes in Time and Space**  
Methods and Practice

**SchellingPoint**



FIGURE 33: OpenBazaar Free Trade on the Blockchain

## What happens if we think about Bitcoin through the lens of *land*?

SC ALICE CORP VS CLS BANK: "claims may not direct towards abstract ideas"

UTXO: unspent transaction output'. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



FIGURE 34: BITCOIN LAND USE MEME / IRS MEME 1421




Figure 35: Distance Estimation Service IDMaps / SonarHops




FIGURE 36 EPCIS RFID






FIGURE 38: ENERGY ATTENUATES OVER DISTANCES

## USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES




Figure 39: SPACE – TIME BEACON



Fig 40: Universal Time Zone UTZ Stochastic Harmonization / Sync



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

**Fig 41: FEDCOIN – WorldCoin ECONOMIC HEARTBEAT**



**FIG 42: High Frequency Flash Trade Breaker / Algorithmic Regulation**



FIGURE 43: BITCOIN BLOCKCHAIN TRADENET



FIGURE 44: BLOCKCHAIN BLUEPRINT FOR A NEW ECONOMY



Decentralized Trading Platform DAO **ORACLE**  
access conventional, legacy financial data to  
**price, value, trade & settle OTC, P2P financials**

**Zero Trust Transaction:** money performs according to terms agreed to by the parties. Ex: purchase of widget from retail store where widget must be delivered to person B on **TIME X**, in **Y condition** at **PLACE Z** or person A does not get paid. Global stock, currency, commodities exchanges, letters of credit, insurance underwriting, trading, intellectual property...

**Cost will be our stated rates that will fluctuate with VeUSD exchange rate. Veritas holders get priority. The ability to redeem Ve against USD gives our clients instant value.**

Place Order	
Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC
Denominating Asset:	~BTC:SATOSHIS
Contract Expiry:	16w
Contract Starts at:	-
Contract Ends at:	-
Cancel Contract at:	-
Est. Trans. Fees:	\$0.0437
Transaction Fees:	\$1.0262
Leverage Fees:	\$3.2528
Max. Profit/Loss:	+ \$95.6773 / - \$104.3227
Total Required:	\$104.3227

FIGURE 45: VERITASEUM “CAPSTONE BLOCK”





FIGURE 46: BITCOIN BLOCKCHAIN, MESH ECONOMY

**Gamification** is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



FIGURE 47: GAMIFICATION / HEART BEACON CYCLE



FIGURE 48: SWORDS TO PLOWSHARES

**ERLANG**

Erlang programming language / mini OS  
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance

**ERICSSON** ERLANG API FOR BLOCKCHAIN **ERICSSON**  
"BITCOIN MAKES MONEY PROGRAMMABLE. MONEY IS SIMPLY DATA" WIRED MAG  
"BITCOIN IS A LANGUAGE" "ITS VALUE IS TIME ITSELF" ---- DGINOMICS

- coordinate 1000's of virtual machines
- distributed Dbases RIAK, CouchDB
- real time data dashboards
- service oriented software architectures
- server, API endpoints      RabbitMQ
- distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comms

**Rho ratio**  $\frac{\text{Arrival Rate } \Delta\delta}{\text{Service Rate per unit time}}$

queueing systems wait times  
stochastic processes, function scheduling Start, Stop TTL

distributed "noSQL" database, embedded right into Erlang,  
supports indexing, replication, transactions, and fail-over  
Fast ETS in-memory, and DETS persistent on-disk database

**Mnesia database** ("Organization\_ID")      Global name resolution

XBRL / CDL / DAML  
ALPHA NUMERIC  
BREVITY CODES  
AZURE      BLETCHLEY  
STRUCTURED  
MILITARY MESSAGE  
TEMPLATE FORMS  
LOGIC / FILTERS

Chrestomathy CODER'S ROSETTA STONE

Functional Sequential Erlang

- Data types:
  - Integers (incl. BigNums), floats, atoms
  - tuples/records, lists/plists, binaries, funs
  - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)

SORTING ALGO'S

TIME Function

HFT START HFT STOP SESSION TTL

Arrival Rate Queue Forms Limited Resource Service Rate

Nicotib Erlang

Merlang-M forecasting algorithm

Choptastic/erlang-API blockchain

\* Utilization      \* Service Time ( $T_s$ )

Time Series Databases

CYBER NIST Beacon A Public Randomness Service

NON REPUDIATION

FIGURE 49: ERICSSON ERLANG / ERICSSON'S OPEN MONEY



FIGURE 50: METRICS / METERS



FIGURE 51: Electronic Government as a Service / HBC Synergy



FIGURE 52: HashGraph comparison / synergy with HBC



IOTA: Internet Of Things IOT distributed ledger with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled. It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






FIGURE 53: IOTA TANGLE DAG



## FIGURE 54 RIPPLE RTP



FIG 55: SPACESHIP EARTH OPERATING MANUAL SIGNALS ANNEX K



FIGURE 56: APPLICATION 13/573,002 SNAPSHOT





FIGURE 57: Germany Army H.A.N.D.S



The Heart Beacon Cycle Time — Space Meter USPTO 13/573,002 is built standing on the shoulders of giants. Milton Friedman and his K% rule, Admiral “Amazing Grace” Hopper and the world’s first computer compiler and the alpha-numeric brevity codes ideal for today’s Internet of Things, Artificial Intelligence A.I. global neural network emulation algorithm

**"One resists the invasion of armies; one does not resist the invasion of ideas"**



**“A day will come when there will be no battlefields, but markets open to commerce and minds open to ideas”. Victor Hugo**

**SUMMARY: Economic RESET is a mathematical certainty. Question: Do we RESET the global system of systems as is business as usual or will we re-engineer using NATO / DARPA / DOD's system of systems engineering framework standing on the shoulders of giants to convert swords to plowshares? Medium [LINK](#)**

Eco sustainable Economic Heartbeat: It's TIME: IF Climate Change causes a drop in crop commodity food production by 20–25 % while population continues to grow, THEN it follows that this condition will become a matter of national security. It's TIME to implement an Ecologically Sustainable Economic Heartbeat ELSE face greater > chaos by not reusing proven tactics.

IF climate change causes a drop in crop commodity by 20–25 % while population grows, THEN this condition will become a matter of national security. THEN this will require revisiting Belgian Economist Bernard Lietaer's TRC Trade Reference Currency ELSE face > chaos

Is it time build a new economic system of systems framework or wait for DEFCON Level 2 to start a system of systems sustainable project?

Markets  Chart of the Day

**Exhibit 1: Econ DEFCON Levels**

Econ DEFCON Level	Description
1	Economic demise is imminent
2	On the verge of economic disruption
3	Jitters rising, financial conditions tightening
4	Jitters rising
5	Complacence

Source: Morgan Stanley Research  
BUSINESS INSIDER



Digital Nations need an (Eco sustainable) Economic Heartbeat 😊 Ecologically sustainable Economic Heartbeat = system of systems engineering signaling, telemetry support framework for the DAAE Distributed Autonomous Automated Economy

The Heart Beacon Cycle Time - Space meter is a distributed system of systems engineering signaling -telemetry temporal, geo-spatial, semantic - syntactic sync & consensus foundation framework supporting the DAAE Distributed Autonomous Automated Economy Eco - Economic Heartbeat. It is time to establish an ecologically sustainable economic heartbeat... PROJECT BEACON: Reuse NATO's system of systems syntax lexicon OPSCODE brevity code structured data exchange, heartbeat micro to macro cycle Universal Time Zone UTZ sync to support the EIN Earth Intelligence Network neural net emulation & improve temporal, geo-spatial, and syntactic - semantic consistency, interoperability among myriad programmable money memes.

The Heart Beacon Cycle is an adaptive procedural template checklist of things, processes, tools, building blocks useful to form, maintain Eco-responsible trade federations. Each item in the procedural template checklist links to a detailed treatise. We can synchronize ourselves, our cities, towns, cyber-communities in time—space for a common purpose: shared, common, ecologically sound, responsible econometrics. See the Law of Time organization's site and the 441 Time Cube described by the late Dr. Jose Arguelles LAW OF TIME [site http://lawoftime.org](http://lawoftime.org)

The Heart Beacon Cycle Time - Space meter is a swords to plowshares DAO Distributed Autonomous Organization project using NATO's Situational Awareness system of systems engineering framework, processes, procedures and internet building blocks to establish an Ecologically sustainable Economic Heartbeat, neural network emulation for the EIN Earth Intelligence Network and heartbeat sync pulse for a Universal Time Zone UTZ supporting a one world currency. It's syntax lexicon library of OPS CODE brevity codes used in programmable money, the programmable economy is descriptive of all things internet, internet of money down to the quantum computing, quantum blockchain level. a.k.a Project BEACON / Medium Article LINK <https://bit.ly/2s6Fnav>

Crypto economics needs a universal syntax lexicon digital base Artificial Intelligence A.I., quantum blockchain heartbeat beacon to synchronize, sample tokenized commodities across a stochastically harmonized UTZ Universal Time Zone supporting an Earth Intelligence Network EIN see Robert David Steele's #UNRIG proposal @ <http://robertdavidsteele.com>

Economic #RESET is a mathematical certainty. Do we RESET the global system of systems as is or will we re-engineer using NATO system of systems engineering framework standing on the shoulders of giants converting swords to plowshares?

Eco Economic Heartbeat: It's TIME: IF Climate Change causes a drop in crop commodity food production by 20–25 % while population continues to grow, THEN it follows that this condition will become a matter of national security. It's TIME to implement an Ecologically Sustainable Economic Heartbeat ELSE face > greater chaos by not leveraging proven system of system structured data exchange best practice.

IF climate change causes a drop in crop commodity by 20–25 % while population grows, THEN this condition will become a matter of national security. THEN this will require revisiting Belgian Economist Bernard Lietaer's TRC Trade Reference Currency ELSE face > chaos LINK <http://lietaer.com/2010/01/terra/> If, when climate change reduces crop commodity production while population continues to rise, it follows that this could become a National Security issue—then, an ecologically sustainable economic heartbeat would be obviously needed. Why wait until crisis, DEFCON 2 stage?

Ecologically sustainable economic transactions need to be incentivized among the world's Ecological and Economic system of systems. The world's systems need to be time-space synchronized, stochastically harmonized across the UTZ Universal Time Zone via heartbeat messages composed with OPSCODE brevity codes drawn from a universal structured data exchange syntax lexicon with over 300 use case templates. This will provide a temporal, geo-spatial, semantic – syntactic synchronization consensus pulse

System of Systems Framework: Crypto economics needs a universal syntax lexicon digital base Artificial Intelligence A.I., quantum blockchain heartbeat beacon to synchronize, sample tokenized commodities across a stochastically harmonized UTZ Universal Time Zone supporting an Earth Intelligence Network EIN. Is it time to build a new economic system of systems framework yet? Why wait for DEFCON Level 2 to start a system of systems sustainable project? All things #internet, net of #money #blockchain #cryptocurrencies rely on unicast, multicast—like DoD / NATO's #DAO Distributed Autonomous Organization system of systems—a term coined by the RAND Corporation circa 2000. Programmable money's improvements are in cryptography

Nobel Prize winning Economist Milton Friedman's K% rule is functionally an "economic heartbeat" K-Percent Rule. DEFINITION of 'K-Percent Rule'. The K-Percent Rule was a proposal by economist Milton Friedman that the Federal Reserve should increase or decrease the money supply by a constant percentage every year based on expansion, contraction of the GDP index. In the age of super computers, crypto currency stable coins should be statistically sampled to arrive at an arithmetic value index mean.

The K-Percent Rule proposes to set the money supply growth at a rate equal to the growth / contraction of real GDP each year. K-Percent Rule—Investopedia <http://www.investopedia.com/terms/k/k-percent-rule.asp>

The internet, net of programmable money is formed using: 1) Time Cycle epochs used to parse (not) 2) syntax as instructions for workflow and (routing) filters. This is key to cross meme/ system of systems interoperability and consensus.

In the beginning (of time), there was the word. This is how the internet and the internet of money / programmable economy work... silicon chips create time epochs that are used / not used to process syntax (terms, instructions etc). Bitcoin is a made up meme / metaphor as is the supporting blockchain which do not exist anymore than packets, frames, pings...

"One method fits many not one size fits all" Medium Article [LINK https://bit.ly/2s6Fnav](https://bit.ly/2s6Fnav)

GITHUB Document Repository: <https://github.com/Beacon-Heart/>

