



UTOPIA ? $\Delta\delta$ OBLIVION ?


TradeFi TRC Trade Reference Currency

E \$ € ¥ currency index #20022


I.R.S. #1421 ISO CLOSER = CHEAPER < FUEL < CO2

BLOCKCHAIN CONSENSUS ALGORITHMS

HARVESTING GOLD: THOMAS EDISON'S EXPERIMENT TO RE-INVENT AMERICAN MONEY... Monetary Option 1922 BY DAVID L. HAMMES



STAT MEAN VALUE INDEX



Price Indexes in Time and Space Methods and Practice SchellingPoint



DeFi TIME- SPACE METRICS METERS Eco Econ Incentives HEARTBEAT % REAL GDP ("108") ALGORITHMIC REGULATION



Circle USDC

Investopedia


Stablecoins are cryptocurrencies whose value is pegged, or tied, to that of another currency, commodity, or financial instrument. Stablecoins aims to provide an alternative to the high volatility of the most popular cryptocurrencies, Source JDSUPRA



Circle Internet Financial Ltd
lawsuit brought by Veritasium Capital for alleged infringement of its digital-asset trading patent. U.S. District Court for the Eastern District of Texas, No. 2:22-cv-00498



NOSTRADAMUS of FRANCE
CENTURY 8: QUATRAIN 28



"THE FINANCIAL NOSTRADAMUS"
REGGIE MIDDLETON

Reggie Middleton
"Father of DeFi"
US11196566
US11895246
JP6813477

Veritaseum
www


SCOTUS ALICE CORP VS CLS BANK 2014 RULING: ABSTRACT VS TANGIBLE

USPTO 13/573,002 RELATED ART


USPTO 13/573,002

HONUS WAGNER

THE LIFE OF BASEBALL'S "FLYING DUTCHMAN"



Arthur D. Hittner



Baseball fields have standard measurements for various components, including the infield and outfield. The infield consists of a diamond with 90 feet between the bases and a pitching distance of 60 feet 6 inches for adult and senior leagues. The home plate is located 90ft/27.4m away from first base to the right and third base on the left. Bases are positioned at 90-degree angles from the home plate.



A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time..

XRP = 10,000 Each ?

RIPPLE LABS / XRP

Honus Wagner NFT Non-Fungible Cryptocurrency Token

Honus Wagner is a legendary baseball player


T206 Honus Wagner card sold \$6.6 million August 2021

This highlights the cultural and financial significance of Honus Wagner memorabilia, which could potentially be replicated in the digital space with NFTs (AI web search)



Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



ECONOMIC HEARTBEAT



K %



DAO
FEDERATE
SHARE
WIN

- FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs

GOVERNANCE 2.0



FEDERATION CONSENSUS
ALGORITHM / PROTOCOL
LIQUIDITY ON DEMAND



Net joins, drops, splits, merges, moves

Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway




{“GLOBAL”}
{“SHARED”}
{“DOMAIN”}
{“COMMUNITY”}
{“PRIVATE”}
</ORG_ID>
{“GROUP ID”}

SYSTEMATIC

Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID {“Org_ID”}**




Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



FIREFLY FLASH HEARTBEAT MESSAGES

</RESOURCE> {“URN”}

{“Asset_Class”} </URN>

</RESOURCE> {“URN”}

{“Asset_Type”}

</URN>

IoT DEVICE / PLATFORM

IoT SENSOR DEVICE

iIoT

iIoT

iIoT

STOCK EXCHANGE


MIC MARKET IDENTIFIER

CODES / BREVITY CODES



DeFi Ve TOKEN ECONOMY

VeriDAO



UUID 123e4567-e89b-12d3-a456-426655440000

UUID 123e4567-e89b-12d3-a456-426655440001

UUID 123e4567-e89b-12d3-a456-426655440002



{"DUNS #"}{“Org_ID”} Heartbeat Snaps
QR CODE
{“URN”}{“URN”}{“URN”} MICRO-CYCLES





FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME



World Game Annex K

Signals & Telemetry



{“URN”} {“URN”} {“URN”} 300 + Use Case message sets
OPSCODE BREVITY CODES - Symbols, symbol sets



Eco Economic Epoch Heartbeat: reuse of DoD / NATO signal, telemetry syntax - symbol set structured data exchange system of systems engineering framework for DAO Trade Federations, programmable money / Economy. It is time to stand on the shoulders of giants.

SLA Service Level Agreement Eco incentives: closer = < time, cheaper, < fuel, < CO2

“Build a new model that makes the old model obsolete” Buckminster Fuller




TIME TIME TIME TIME

TIME TIME TIME TIME

THE GREAT RESET TIME TIME TIME TIME

TIME TIME TIME TIME



“Build a new model”
Standing on the shoulders of giants



Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Re Monetize (Crypto) Currency
Symbol / Message Sets A.I.
FIREFLY Inspired
Heartbeat Algorithm
Message Event Bus







The World Game's (s) Great Redesign TELEMETRY CONTROL GRID SYNC MATRIX ADAPTIVE PROCEDURAL TEMPLATE




1919 BLACKSOX WORLD SERIES GAME FIXING RULING



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s method stipulates clock cycle values e.g., 5, 10, 15.

USPTO 13/573,002 / SCOTUS 573 U.S. 134 SCt 2347 “Alice in Wonderland Ruling”






Banks, Tech firms' form teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI / TRADEFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity

OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface

Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS

Of system of systems engineering architecture structure data exchange (DoD) (NATO)




SOUND WAVES enable
Different types of quantum tech to "talk"



TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template




Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



Beacon Communities

Vernetzte Operationsführung



LINK

PING




Proximity Beacons

JAEGERS

Closer < \$\$\$ < FUEL

PING



OFF SHORE

OUTER BANKS


FREELY
HEARTBEAT
ALGORITHM
EVENT / ALERT Flash Heartbeat Message Bus



KAIJU




SYSTEM
Of
SYSTEMS



AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS







WORLD BEYOND WAR.org
a global movement to end all wars



NOW A MAJOR MOTION PICTURE FROM LIONSGATE
WAY OF THE PEACEFUL WARRIOR
A BOOK THAT CHANGES LIVES







- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
 Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY



Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives “We can synchronize ourselves, DAO Trade Federations in time - space for common purposes” Eco sustainable, Equitable Economic econometrics.



Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D



SYNC DELTA
DATA SNAPSHOTS

INFOCON
5 4 3 2 1
INFORMATION
CONDITION

Federation
Gateway

In the beginning (of time)..
There was the word (syntax)



HFT START, STOP, Time to LIVE

Distributed Event Processing
Distributed State Machine

 USPTO 13/573,002
573 U.S. 134 SCt 2347

Alice in Wonderland Ruling



CBDC STABLE COINS

E \$ € ¥

currencyindex




COMMODITIES



MEMO #1421





HEART BEACON CYCLE {"RWA"}
Series of systemic actions to achieve goals ex: form, maintain ECO sustainable

PROCEDURAL TEMPLATE

List Items point / refer to detailed treatises



Trade Federations i.e., closer = < fuel, CO₂



A continuous action, operation, or series of changes, sync deltas i.e., price indexes

Universal Event Bus Algorithm

Process Events by Precedence

Flash Heartbeat

</108> messages



Sync geo-spatial temporal Eco econometrics across space-time



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS

DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:

- 1) Organization Identifiers {"Org_ID"} routing / organizing
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex




Firefly - Heartbeat Algo

University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"

Temple of Man



LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



NEURAL NET EMULATION
BLOCKCHAIN PARSG Erlang TIME EQUATIONS
{"Org_ID"}
["URN"]

NIST Beacon A Public Randomness Service
NON REPUDIATION
Crypto Currency TIME STAMP SERVER / SERVICE

TERRA TRC
LEAD ECONOMIC INDICATORS

E \$ € ¥ currencyindex

COMMODITY PRICE INDEX

ETF

TIME
Will There Be a Recession?
Economist Milton Friedman


FRIEDMAN's K% RULE

ALGORITHMIC REGULATION
TOKEN ECONOMICS

COMMODITIES

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

ECO ECONOMIC HEARTBEAT

$\Delta\delta X$

("108")

ECO ECONOMIC HEARTBEAT



K%

ECONOMIC MACRO CYCLES

TIME-SPACE SYNC

FEDCOIN WORLDCOIN

K% GDP RWA RULE

STAT MEAN VALUE INDEX

SCHELLING POINT TRUTH

ALGORITHMIC REGULATION

TOKEN ECONOMICS

Σ

Luxor Hotel Clockwork

Price Indexes in Time and Space

Methods and Practice

ALGORITHMIC REGULATION

TOKEN ECONOMICS

$\Delta\delta$

COMMODITIES

GLOBAL PRODUCERS

EXHAUSTION

PRODUCERS

MINERALS

GLOBAL CONSUMERS

EXHAUSTION

COMMODITIES

GLOBAL PRODUCERS


CONSUMERS

EXHAUSTION




COMMODITIES



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"

Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"


"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

NAMED DATA NETWORKING



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language" Coindesk Article



STRUCTURED DATA EXCHANGE
TEMPLATE FORMS
300+ USE CASES
LOGIC / FILTERS



SYNTAX / SYMBOL LEXICON LIBRARY

SYNTAX LEXICON
Library

1st Compiler

R
W
A

Alpha
Numeric
Brevity
Codes



"Bitcoin is a LANGUAGE"
Digiinomics

"BITCOIN MAKES MONEY PROGRAMMABLE.
MONEY IS SIMPLY DATA"

"BITCOIN'S VALUE = TIME ITSELF"

"Time is specified in units of block transaction confirmation times"



ALICE CORP VS CLS BANK

"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BITCOIN BLOCKCHAIN BLOCKS,
AGENTS, MOTES, BOTS, PACKETS,
FRAMES, HEARTBEAT, PINGS, HOPS,
BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



CLOCK FACE 360°
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base



90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth, Height, Volume

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS AKA TO PROPERTY

IRS #1421

FLASH MESSAGE EVENT BUS

FIX {"108"}

EVENTS

Firefly – Heartbeat Algo

Stochastic Harmonization

PROOF-OF-CAPACITY PROOF-OF-TIME

PROOF-OF-STAKE

DELEGATED PROOF-OF-STAKE

PROOF-OF-WORK

PROOF-OF-DIRECTED-BYTES-GRAFHS

PROOF-OF-ELAPSED-TIME

PROOF-OF-IMPROVED-BYTES-RHYTHM

PROOF-OF-BYTES-TOLERANCE

PROOF-OF-DELEGATED-BYTES-TOLERANCE

PROOF-OF-DELEGATED-BY



Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:
 1) Epoch time cycle intervals ex: chip oscillations
 2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...




All things internet, programmable net of money are formed using:
 1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax


Internet / Internet of Money building blocks

Satoshi Bitcoin Blockchain
Time Stamp Server



TIME Block chain TIME

What does a block look like?



GENESIS TIME STAMP / Genesis Block

Header → Contains service information (version info, nonce, previous block id and timestamp).
Metadata → A summary field from the block's transaction fields.

Transaction's id list → List of transaction's identification hashes, that was included into the block's merkle tree

Semantic blockchain

CLOCK FACE 360°
BASEBALL "DIAMOND"



MACRO CYCLES
RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

SETTLEMENTS / EXCHANGES
+ TAXABLE EVENTS
AGK TO PROPERTY
IRS #1421
FLASH MESSAGE EVENT BUS

State Meta
Data Snapshots Survey Point

MICRO CYCLES

90 feet

OPSCODE
Brevity
Codes
Mapped
To
Symbol Sets
AI



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Structured Data Exchange




SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC



"SYMBOLS RULE THE WORLD"

11.8 - Kinematic
11.8.1 - Pos
11.8.1.1 -
11.8.1

XBRL™
THE BUSINESS REPORTING STANDARD
BINARY XML
Decision

1.1 - Observers
1.2.3 - Predicted
1.2.4 - Smoothed Data
3 - Position
1.3.1 - Bearing Angle
1.3.2 - Location; 2D Hor
1.3.3 - Vertical
4 - Velocity

1 - Horizontal
2 - Vertical
TOSCA
Confidence
Bearing Angle
Bearing Angle Rate
Covariance Matrix

DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"URN"} {"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE

SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP

0 ORGID 7 /M /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS



INDEX REFERENCE #:

M015 STATUS :

EFFECTIVE: 14-DEC-99



PURCHASE CODES



FEDERATED PEGS



{"URN"}



{"ASSET_CLASS"}



ISO 10383 – MIC



Market Identifier Codes



DAO



{"URN"}



{"Org_ID"}



INTEREST



FILTERS



BLOCKTIME



ARBITRAGE



ERLANG



TIME



EQUATIONS

FROM	TO					CODE GUIDE	
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS	
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio				
AMDPCS	TOKENS OPSCODE BREVITY CODES		A.I. 	F002 F015 S201	C203 C400 D630 E500 F002 F014		
AFATDS	F002 F014 F015 F541 S201	INFOCON  INFORMATION CONDITION					
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541	 Rosetta Stone Syntax Lexicon Coder's Guide	A423 A659 C505 F002 F014 F015 F541 S201	M2M 

MESSAGE CATALOG

300 + Use Cases

Data Elements: entity, attribute, relationship equivalents

**HEARTBEAT MESSAGE =
K00.99 </108> {"108"}**

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator

EFIRN Field Format Index Reference #

Structured military messaging ID's messages, message sets, data element, symbol fields </108>




PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES

DATA		SYSTEM FUNCTIONS		PERFORMANCE	
11.4 - Classification		11.8 - Kinematics			
11.4.1 - Category		11.8.1 - Pos / Vel / Acc (PVA)			
11.4.1.1 - Confidence Level		11.8.1.1 - Acceleration			
11.4.1.2 - Estimate Type		11.8.1.1.1 - Angular			
11.4.1.2.1 - Alternative		11.2 - Linear			
11.4.1.2.2 - Evaluated D		2 - Estimate Type			
11.4.1.3 - Value		1.2.1 - Estimated			
SYMBOL	Friend	Neutral	PURCHASE	1.2.2 - Observed	
2525C	Partner		CODES	1.2.3 - Predicted	
11.4.1.3.4 - Substance				1.2.4 - Smooth / D	
11.4.1.3.5 - Surface					
11.4.2 - Platform / Point / Fea					
11.4.3 - Specific Type			ture Type		
11.4.4 - Type Modifier					
11.4.5 - Unit					



MIL STD 2525A, B, C, D



20022

SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
MIL	ASSET TOKENS
MIL	"SYMBOLS RULE THE WORLD"
MIL	STRATML
MIL	XAML



11.8 - Kinematics

11.8.1 - Pos.

11.8.1.1

11.8.1.1.1

11.8.1.1.2

11.8.1.1.3

11.8.1.1.4

11.8.1.1.5

11.8.1.1.6

11.8.1.1.7

11.8.1.1.8

11.8.1.1.9

11.8.1.1.10

11.8.1.1.11

11.8.1.1.12

11.8.1.1.13

11.8.1.1.14

11.8.1.1.15

11.8.1.1.16

11.8.1.1.17

11.8.1.1.18

11.8.1.1.19

11.8.1.1.20

11.8.1.1.21

11.8.1.1.22

11.8.1.1.23

11.8.1.1.24

11.8.1.1.25

11.8.1.1.26

11.8.1.1.27

11.8.1.1.28

11.8.1.1.29

11.8.1.1.30

11.8.1.1.31

11.8.1.1.32

11.8.1.1.33

11.8.1.1.34

11.8.1.1.35

11.8.1.1.36

11.8.1.1.37

11.8.1.1.38

11.8.1.1.39

11.8.1.1.40

11.8.1.1.41

11.8.1.1.42

11.8.1.1.43

11.8.1.1.44

11.8.1.1.45

11.8.1.1.46

11.8.1.1.47

11.8.1.1.48

11.8.1.1.49

11.8.1.1.50

11.8.1.1.51

11.8.1.1.52

11.8.1.1.53

11.8.1.1.54

11.8.1.1.55

11.8.1.1.56

11.8.1.1.57

11.8.1.1.58

11.8.1.1.59

11.8.1.1.60

11.8.1.1.61

11.8.1.1.62

11.8.1.1.63

11.8.1.1.64

11.8.1.1.65

11.8.1.1.66

11.8.1.1.67

11.8.1.1.68

11.8.1.1.69

11.8.1.1.70

11.8.1.1.71

11.8.1.1.72

11.8.1.1.73

11.8.1.1.74

11.8.1.1.75

11.8.1.1.76

11.8.1.1.77

11.8.1.1.78

11.8.1.1.79

11.8.1.1.80

11.8.1.1.81

11.8.1.1.82

11.8.1.1.83

11.8.1.1.84

11.8.1.1.85

11.8.1.1.86

11.8.1.1.87

11.8.1.1.88

11.8.1.1.89

11.8.1.1.90

11.8.1.1.91

11.8.1.1.92

11.8.1.1.93

11.8.1.1.94

11.8.1.1.95

11.8.1.1.96

11.8.1.1.97

11.8.1.1.98

11.8.1.1.99

11.8.1.1.100

11.8.1.1.101

11.8.1.1.102

11.8.1.1.103

11.8.1.1.104

11.8.1.1.105

11.8.1.1.106

11.8.1.1.107

11.8.1.1.108

11.8.1.1.109

11.8.1.1.110

11.8.1.1.111

11.8.1.1.112

11.8.1.1.113

11.8.1.1.114

11.8.1.1.115

11.8.1.1.116

11.8.1.1.117

11.8.1.1.118

11.8.1.1.119

11.8.1.1.120

11.8.1.1.121

11.8.1.1.122

11.8.1.1.123

11.8.1.1.124

11.8.1.1.125

11.8.1.1.126

11.8.1.1.127

11.8.1.1.128

11.8.1.1.129

11.8.1.1.130

11.8.1.1.131

11.8.1.1.132

11.8.1.1.133

11.8.1.1.134

11.8.1.1.135

11.8.1.1.136

11.8.1.1.137

11.8.1.1.138

11.8.1.1.139

11.8.1.1.140

11.8.1.1.141

11.8.1.1.142

11.8.1.1.143

11.8.1.1.144

11.8.1.1.145

11.8.1.1.146

11.8.1.1.147

11.8.1.1.148

11.8.1.1.149

11.8.1.1.150

11.8.1.1.151

11.8.1.1.152

11.8.1.1.153

11.8.1.1.154

11.8.1.1.155

11.8.1.1.156

11.8.1.1.157

11.8.1.1.158

11.8.1.1.159

11.8.1.1.160

11.8.1.1.161

11.8.1.1.162

11.8.1.1.163

11.8.1.1.164

11.8.1.1.165

11.8.1.1.166

11.8.1.1.167

11.8.1.1.168

11.8.1.1.169

11.8.1.1.170

11.8.1.1.171

11.8.1.1.172

11.8.1.1.173

11.8.1.1.174

11.8.1.1.175

11.8.1.1.176

11.8.1.1.177

11.8.1.1.178

11.8.1.1.179

11.8.1.1.180

11.8.1.1.181

11.8.1.1.182

11.8.1.1.183

11.8.1.1.184

11.8.1.1.185

11.8.1.1.186

11.8.1.1.187

11.8.1.1.188

11.8.1.1.189

11.8.1.1.190

11.8.1.1.191

11.8.1.1.192

11.8.1.1.193

11.8.1.1.194

11.8.1.1.195

11.8.1.1.196

11.8.1.1.197

11.8.1.1.198

11.8.1.1.199

11.8.1.1.200

11.8.1.1.201

11.8.1.1.202

11.8.1.1.203

11.8.1.1.204

11.8.1.1.205

11.8.1.1.206

11.8.1.1.207

11.8.1.1.208

11.8.1.1.209

11.8.1.1.210

11.8.1.1.211

11.8.1.1.212

11.8.1.1.213

11.8.1.1.214

11.8.1.1.215

11.8.1.1.216

11.8.1.1.217

11.8.1.1.218

11.8.1.1.219

11.8.1.1.220

11.8.1.1.221

11.8.1.1.222

11.8.1.1.223

11.8.1.1.224

11.8.1.1.225

11.8.1.1.226

11.8.1.1.227

11.8.1.1.228

11.8.1.1.229

11.8.1.1.230

11.8.1.1.231

11.8.1.1.232

11.8.1.1.233

11.8.1.1.234

11.8.1.1.235

11.8.1.1.236

11.8.1.1.237

11.8.1.1.238

11.8.1.1.239

11.8.1.1.240

11.8.1.1.241

11.8.1.1.242

11.8.1.1.243

11.8.1.1.244

11.8.1.1.245

11.8.1.1.246

11.8.1.1.247

11.8.1.1.248

11.8.1.1.249

11.8.1.1.250

11.8.1.1.251

11.8.1.1.252

11.8.1.1.253

11.8.1.1.254

11.8.1.1.255

11.8.1.1.256

11.8.1.1.257

11.8.1.1.258

11.8.1.1.259

11.8.1.1.260

11.8.1.1.261

11.8.1.1.262


11.8.1.1.263

11.8.1.1.264

11.8.1.1.265

11.8.1.1.266

11.8.1.1.267



Foundation Technology Trinity:

1. EPOCH (s) = Time intervals, cycles
2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESIS: All net artifacts, net of \$ are formed with:

- 1) Epoch time cycle intervals ex: chip oscillations
- 2) Syntax parsed, processed in epoch time intervals

ADAPTIVE PROCEDURAL TEMPLATE: LIST OF TOOLS, PROCESSES, PROCEDURES I.E., STORED PROCEDURE CALLS COMPRISED OF STRUCTURED DATA EXCHANGES USING 300 + MESSAGES / MESSAGE SETS COMPRISED OF OPSCODE BREVITY COMPUTER CODES MAPPED TO SYMBOLS FACILITATING STAMDARD MAN – MACHINE INTERFACE

USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards

Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPSCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F014 F541 S201 S309	C002 C203		C002 C203 F014 F541 S201 S309	C002 C203 F014 F541 S201 S309	MIL STD 2525A, B, C, D ["URN"] {"Org_ID"}
AMDPSCS						ISO Patent Application 9/11 2003: Method to commercialize structured military messaging
AFATDS	F002 F014 F541 S201			F002 F014 F541 S201	F002 F014 F541 S201	20022 DoD Systems of Systems Engineering Structured Data Exchange MIL Standards / ISO Standards
MCS						BREVITY OPSCODES MAPPED TO SYMBOLS, SYMBOL SETS FOR A.I. ARTIFICIAL INTELLIGENCE MAN – MACHINE INTERFACE
TOKENS						STANDARD, CONSISTENT SYMBOLS
SIOP						

MESSAGE CATALOG 300 + Use Cases

Object Categories	Examples	Information Categories and Examples
OOB	SYNTAX LEXICON	STRUCTURED DATA EXCHANGE Message Sets Machine Trust Language MTL
Infrastructure	Comm, power, transportation, water/sewer	Location Movement lat/long spd/hdg throughput, flow rates, name, part-of relationships
Sociological	culture, religion, economic, ethnic, government, history, languages	ER Model Class Diagram Relational Database Object DBMS XML DTD / Schema Entity Class Table Class Element Message Attribute Field / Column Attribute Child Element or Element Attribute DFN FFN / FUON Domain Value PURCHASE CODES Instance, Value
Geophysical	Terrain, weather, climatology, oceanography, astrometry	TOKENS DUI FUD

Data Elements: entity, attribute, relationship equivalents

HEARTBEAT MESSAGE = K00.99 </108> {"108"}



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code.


Syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money, state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles



Encyclopedia Britannica:
"Language is a SYSTEM OF SIGNS having meaning by convention. In this sense, language need not be confined to the spoken word."

"SIGNS AND SYMBOLS RULE THE WORLD, NOT WORDS OR LAWS"

CONFUCIUS



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors

<ORG_ID> Organizations

Federation
Gateway

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>



vector

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>
GEO-SPATIAL TEMPORAL INTENSITY METRICS
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



<INTEREST>

NDN

<INTEREST>



<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

A V A L A N C H E

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

STRUCTURED
<CONTENT>

TEMPLATES

MCS

CBRS

DTB8

CBRS

METS

IBSON

FBCE



NAMED DATA
NETWORKING
<Content> Centric

USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates






TERRA TRC



ECONOMIC HEARTBEAT




</FILTERS>{"FILTERS"}
</CLASS_TYPE>






HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



FRIEDMAN'S K % RULE



IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP

DETECTION

Bitcoin = Property

IRS Memo #1421

% Block Mined
% Block owned
Mined Bitcoins

Unmined Bitcoin:
 $\Delta\delta$ Land Use Meme

Triangulation

Euclidian Geo

GPS GEO LOC

DATE TIME STAMP

NDN </INTEREST>

NDN {"DISTANCE"}

ON OFF SHORE


GEO LOC LAT / LONG

PING

Demurrage

Charges

vector



BLOCKTIME ARBITRAGE

Blockchain Timestamps



ON / OFF SHORE

PROXIMITY BEACONS

Multi-Meme Metrics

EVENT BUS

Match to Closest

Heartbeat Cycle

FIREFLY-HEARTBEAT

ALGORITHM

MICRO CYCLES

Heartbeat Snapshots



CLOCK

Clock adjusted

5:45 PM

Firefly Events

Strive to Sync

To Closest

Heartbeat

BLOCKCHAIN PARSING

ERLANG

+3
+2
+1
+1
+2
+3

WATER DROP IN POND MEME

AREA RADIUS

</FILTERS>

BY ORG ID / URN

NDN </INTEREST>


</DISTANCE>

Closer = Cheaper

Closer = < Fuel



ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS








IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)




NDN NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification


Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING




Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency



NAMED DATA NETWORKING

<INTEREST>
MQTT



NIST TIME BEACON

Hop Count

SOURCE NETWORK 172.16.0.0/16

omnisecu.com.R1

omnisecu.com.R2

omnisecu.com.R3

omnisecu.com.R4

DESTINATION NETWORK 172.27.0.0/16

START

INSTRUCTIONS TO MASTER CONTROLLER

Number of Hops = 3

TTL = Time To Live

STOP

CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET TRIANGULATION

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything "ability to hear the world's heartbeat"




The four dimensions of Big Data

vector

VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org_ID, URN Before FUSION CENTER



* Truthfulness, accuracy or precision, correctness

FIREFLY – HEARTBEAT {"108"}
Stochastic Harmonization UTZ SYNC




Heartbeat synchronization strives to have nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting and ending cycles at the same time eventually = map to closest OPTEMPO HEARTBEAT

State Meta Data
Heartbeat Snaps

MICRO

CYCLES



Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 #leT					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped. This is done by publishing the timestamped data on a public ledger, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> Block info Previous Hash Timestamp Merkle Transactions id list <p>Headers: Contains version information (version info), previous block's hash (previous block), timestamp (timestamp), and a Merkle root hash (merkle root hash).</p> <p>Transactions: A list of transactions (tx) that are being added to the block.</p>				

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins




Mined Bitcoins



BLOCKS / COINS PENDING ISSUE


B
A
C



TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:




IDMaps-SONARHOPS distance estimation query-reply service



- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”



IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs




IDMaps Distance Metrics:
latency (round-trip delay)
available bandwidth estimation

Step 1: prove coin ownership <Org_ID> Coin Issuer

Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent

Step 4: Issuing Org of Record adjudicates w buyer





Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




Edison's Monetary Option
Cambridge University Press 2009

“Crops hold their value best over time”

“Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America’s monetary woes. “I want to cast the variable out of money. This gold money is not good enough. It’s a

fiction" "New York Times 1922



Tokenization of Physical Assets Enables Economy Of Everything




ALGORITHMIC STABLE COIN COMMODITY INDEX CURRENCY PROGRAMMABLE \$\$\$


BELT and ROAD
Trade Initiative



FIREFLY – HEARTBEAT ALGORITHM CHINA: nature-inspired metaheuristic optimization algorithm developed by Xin-She Yang flashing behavior of fireflies (Yang, 2008), adapted to solve continuous optimization problems (Lukasik and Žak) 2010, 2013




NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION



Thomas Edison's Monetary Option Cambridge University Press 2009

"Crops hold their value best over time"



"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922



Numismatics: study of currency

Marcus Aurelius



Legend: IMP. M.
ANTONINVS
AVG. TR. P. XXV.

THE TERRA (TRC) Trade Reference Currency



Terra Trade Reference Currency TRC
"world currency" Bernard A. Lietaer
Belgian economist proposed 1991
Basket of 9-12 most important
commodities. Public issued
demurrage fees for storage,
shipping, handling..



Roman Denominations




Images Courtesy Of: Roma Numismatics Ltd, Numismatica Ars Classica, Bertolami Fine Arts, Nomos, & The State Museum in Berlin


BRONZE / LEAD / AES SIGNATUM AES GRAVE / SILVER / LEAD / IRON..

Unlike most modern coins, Roman coins had (at least in the early centuries) significant intrinsic value. However, while the gold and silver issues contained precious metals, the value of a coin could be slightly higher than its precious metal content, so they were not, strictly speaking, equivalent to bullion. Also, over the course of time the purity and weight of the silver coins were reduced.[15] Estimates of the value of the denarius range from 1.6 to 2.85 times its metal content,[citation needed] thought to equal the purchasing power of 10 modern British pound sterling at the beginning of the Roman Empire to around 18 pound sterling by its end (comparing bread, wine, and meat prices) and, over the same period, around one to three days' pay for a legionary.[16]

Commodities Index Basket / FIAT PRICE Discovery Algo / MEDIATION




LEADING ECONOMIC INDICATORS







The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**




The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.







Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.


US 7865358 CLAIM 1. method converting textual data from source form to target forms, where target form differs from source form's linguistics, syntax

Multi-user functionality for converting data from a first form to a second form

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, i.e.




System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior-function in a computer system.. BIZ COA 1, 2, 3



COMPONENT		
PK	CP_OID	{"URN"}
FK1	CP_NAME	
FK2	CP_SUBSTANCE (BOOL)	
	CP_PRIMTYPE	
	CP_CLASSTYPE	
	CP_CLOUD	
	CP_COLLECTION	

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME



Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon


This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON




FRT CP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes

Symbolic AI

Symbols
Symbol

Incorporate common sense reasoning and



"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE


Brevity codes mapped to symbols,
Symbol sets = structured data






- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

RISK

Value

Time

IDMaps
SonarHops

WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE

Energy Attenuates over Distances

PAUL REVERE
LINEAR, SEQUENTIAL

603

NULL

+1

+2

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances

RADIUS
WATER DROP IN POND MEME

Attribute Series

INTEREST
DISTANCE

Temporal Series

Geo Spatial

Geographic Series

Event Series

Relationship Series



Micro Grids Closer - Cheaper

Blockchain
MICROGRIDS

Spatial
Econometrics

Spaceship

Earth

Signals &

Telemetry

Annex

buckminster fuller
operating manual
for spaceship earth

TIME-SPACE BEACON

INFOCON

METRICS / METERS

TRADE WITH EARTH

???

5 4 3 2 1
INFORMATION
CONDITION

???
SIRIUS DISCLOSURE

MOON =

"Numbers are the
Universal Language

offered by deity to humans as
confirmation of the truth"

Alpha
Numeric
Brevity
Codes

SYNTAX
LEXICON

K00.99

ANDERSON
INSTITUTE

ASTEROID BELTS =
RARE MINERALS

MAIN
ASTEROID
BELT

MARS

MERCURY

VENUS

EARTH

Farther = More Cost

➢ Fuel, Resources

STOCHASTIC
HARMONIZATION

Service Level Agreements

FIREFLY-HEARTBEAT
ALGORITHM

UNIVERSAL
EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

43 22 13 0 1.5 2.7 5.2


Light minutes


Astronomical units

FIREFLY – HEARTBEAT ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

← cycle n → ← n + 1 → ← n + 2 →





BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001


MICRO CYCLES

216



202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS



ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE

215 LEADER'S
INTENT
DECISIONS




SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS

203

B3: BEACON TECH TYPE I: PAUL REVERE LINEAR, SEQUENTIAL HOP COUNTS



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME




LENGTH, THRESHOLD, INTENSITY, DURATION



208



APPLIQUE' OVERLAYS



204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

209



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY

A COMPELLING NARRATIVE


CHALLENGING BUT ACHIEVABLE TASKS



Blockchain Quad-lemma



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.



All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms





In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: *PoF*: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



www.developcoins.com

STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

3) RWA-Backed by off-chain real-world assets



THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper




Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"






Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

"All things net, net of money are formed with 1) epoch time cycles
2) Syntax parsed as instructions



"THE VALUE OF BITCOIN IS TIME ITSELF"



CLOCK FACE 360°
90 / 90 / 90 / 90

MACRO CYCLES

RULES / ROLES
INSTRUCTIONS

WORKFLOW

UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5
HASH TABLES

STATE META

DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



Satoshi Nakamoto:
"The solution we propose
begins with a TIME
STAMP SERVER"



ALICE
Corp
VS
CLS

BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT
TOWARDS ABSTRACT IDEAS
Physical = Opposite
of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER Message Bus

firefly – Heartbeat Algo

EVENTS

SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS
AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE
EVENT BUS

TIME STAMP SERVER

Epoch
Time Cycles

peer-to-peer time
stamp distributed
server generates
computational proof
of the chronological
order of transactions

Heartbeat : {"108"}



All things internet of money are formed w CPU time cycles used to process instructions / code sym




Bitcoin is a language”



WIRED

**BITCOIN MAKES USPTO 13/573,002
MONEY HEART BEACON CYCLE
PROGRAMMABLE. TIME – SPACE METER
MONEY IS STRUCTURED DATA
SIMPLY DATA” EXCHANGE**



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility). [2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.




"BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF"



BLOCKCHAIN = TIME / SYNTAX





Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Erlang programming language / mini OS
massively scalable high availability, real-time Erlang's runtime system built-in concurrency distribution, fault tolerance



- coordinate 1000's of virtual machines
- ...distributed Dbases RIAK, CouchDB
- ...real time data dashboards
- ...service oriented software architectures
- .. server, API endpoints .. RabbitMQ
- ..distributed, multi-node architecture.
- protocol-aware load-balancer, stateful binary comi



Functional Sequential Erlang

- Data types:
 - Integers (incl. BigNums), floats, atoms
 - tuples/records, lists/plists, binaries, funs
 - Maps (added in R17)
- single assignment
- pattern matching & guards
- closures (anonymous function data type)
- list comprehensions
- bit-syntax & binary comprehensions
- tail recursion & tail call optimization (TCO)


SORTING ALGO'S

[Ericsson Open Money For Society Patent App](#)



[20130166398 "System And Method For Implementing A Context Based Payment System."](#)

"It is our vision that one day everyone with access to a mobile phone will be able to spend, send and receive money as easily as sending a text via SMS"
"When money is open, the way we send, spend and receive money will change forever"




Rho ratio $\Delta\delta$ queueing systems wait times
Arrival Rate per unit time stochastic processes, function scheduling Start, Stop TTL

distributed "noSQL" database, embedded right into Erlang, supports indexing, replication, transactions, and fail-over


Fast ETS in-memory, and DETS persistent on-disk database

Mnesia database ("Organization_ID") Global name resolution


FROM	TO/CC-A	THREE	AMAZON	AMAZON	WIKI
XBRL	/ CDL / DAML				
ALPHA	NUMERIC				
BREVITY	CODES				
AZURE	BLETCHLEY				
STRUCTURED					
MILITARY	MESSAGE				
TEMPLATE	FORMS				
LOGIC	/ FILTERS				



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.



NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



300+Message Templates


FORM	FORMAT								
OCTOB	OC001A	OC001B	OC001C	OC001D	OC001E	OC001F	OC001G	OC001H	OC001I
ABAB	AB001A	AB001B	AB001C	AB001D	AB001E	AB001F	AB001G	AB001H	AB001I
ANAN	AN001A	AN001B	AN001C	AN001D	AN001E	AN001F	AN001G	AN001H	AN001I
COSC	CO001A	CO001B	CO001C	CO001D	CO001E	CO001F	CO001G	CO001H	CO001I
DPSB	DP001A	DP001B	DP001C	DP001D	DP001E	DP001F	DP001G	DP001H	DP001I
METH	ME001A	ME001B	ME001C	ME001D	ME001E	ME001F	ME001G	ME001H	ME001I
RESON	RE001A	RE001B	RE001C	RE001D	RE001E	RE001F	RE001G	RE001H	RE001I
PROM	PR001A	PR001B	PR001C	PR001D	PR001E	PR001F	PR001G	PR001H	PR001I

LOGIC FILTERS
LOGIC GATES

SYNTAX LIBRARY LEXICON

CODER'S GUIDE

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series







real-time gross settlement system, currency exchange remittance distributed net

FEDERATION CONSENSUS ALGORITHM / PROTOCOL LIQUIDITY ON DEMAND

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a **FEDERATION** based consensus process that on demand liquidity backed by cooperative backing



Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, **expected time** of funds delivery Provides information about total costs of the transaction.



Workflows are serially executed Except first two work flow are workflows are based on **event** **pull model**



- FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
- A league or confederacy. Individuals / groups retain **AUTONOMY**
- A federated body formed by nations, states, and... **unions**

each retaining control of internal affairs

Federation



{"GLOBAL"}
{"SHARED"}
{"DOMAIN"}
{"COMMUNITY"}
{"PRIVATE"}
{"GROUP ID"}

Net joins, drops, splits, merges, moves

Gateway

Agile, adhoc NETOPS Vs acquisition preserves the

LIQUIDITY, ORGANIZATIONAL INTEGRITY OF TRADE FEDERATIONS

X
FEDERATION CONSENSUS PROTOCOL

Neutral transaction protocol




EVENT BUS

LOCKED QUOTED ACCEPT / DENY In Progress SUCCEEDED


{"108"} HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS

MATCH EVENT REPORTS TO CLOSEST HEARTBEAT CYCLE FLASH HEARTBEAT MESSAGES {"108"} **X** Δδ Sync to Closest Heartbeat HASH NONCE FIREFLY-HEARTBEAT ALGORITHM MICRO-CYCLE STATE META DATA SNAPSHOTS STOCHASTIC HARMONIZATION ACROSS UTZ TIME ZONES



Byzantine Fault-Tolerant State Machine Replication

BFT-SMaRT dynamic distributed system processes are divided in two nonintersecting subsets: replicas and clients. Each system process has a unique identifier. During dynamic system execution, a sequence of views is installed to denote the reconfigurations due to replicas joins and leaves. A view is composed by a set of replicas identifiers.



Modularity is achieved using a set of building blocks(or modules)containing the core functionality of BFTSMaRt. Blocks are divided in three groups: communication system, state machine replication and state management.


BFT-SMaRT needs an eventually synchronous system

Total order multicast is achieved using the Mod-SMaRt protocol and with the Byzantine consensus algorithm Clients send requests to all replicas in cv, and wait for replies. replicas store each batch of ordered requests to a (stable) log and, periodically, take snapshots of the application state and store it in stable memory.

USPTO 13/573,002 HEART BEACON CYCLE TIME-SPACE METER

USCt ALICE CORP V CLS BANK

PHYSICAL = OPPOSITE OF ABSTRACT




DERIVED FROM BATTLEFIELD DIGITIZATION DISTRIBUTED AUTONOMOUS ORGANIZATION DAO SYSTEM OF SYSTEMS

FEDERATED ID / ORGANIZATIONAL IDENTIFIER {"ORG_ID"}

ADDS, JOINS, DROPS, MOVES TO / FROM DAO

CHANGES IN STATE VIEWED IN "APPLIQUE' OVERLAY VIEWS

00.99 HEARTBEAT SYNC DELTA STATE META DATA SNAPSHOTS



Firefly inspired Heartbeat Synchronization nodes strive to sync in a distributed system. Nodes generate periodic "heartbeat" events approximately at the same time.

It differs from classical clock sync in that nodes are not interested in counting cycles to agree on the ID of the current clock cycle. There is no requirement to sync during a cycle length In real time as long as the length is bounded and all nodes AGREE ON IT EVENTUALLY"

In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.





TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone



The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$




TIME BLOCK




IPFS

On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.

Attribute Series



Geo Spatial Series



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"





OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions




- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE



SLA CLOSER = < \$ CLOSER = < CO2


COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*

Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE
Fees REFERENCE CURRENCY
“Money of Peace”



STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in
Time and Space
Methods and Practice

SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

• VALUES: Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



COMMODITIES



ORG ID




CONTRIBUTIONS TO STATISTICS

Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



INFOCON
4 3 2 1
INFORMATION CONDITION

Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >
NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$










Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002





VERITAS TOKENS

P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION CONDITION



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...

STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools

Place Order X ritaseum™

Principal:	\$100.00
Collateral:	0%
Leverage:	10x
Notional Amount:	\$1000.00
Receive:	QCOM
Pay:	INTC

DeFi Ve TOKENS VeriDAO **UTZ SYNC STOCHASTIC HARMONIZATION**

Denominating Asset: ~BTC:SATOSHIS

Contract Expiry: 16w

Contract Starts at: -

Contract Ends at: -

Cancel Contract at: -

Est. Trans. Fees: \$0.0437

Transaction Fees: \$1.0262

Leverage Fees: \$3.2528

Max. Profit/Loss: + \$95.6773 / - \$104.3227

Total Required: \$104.3227

NIST TIME BEACON

UTZ Time Zone Sync

#DeFi All Market Orders (“108”) Search (“108”)

Pay: (“TAGGED”) CRYPTO

Switch » INTC

Expiry: 16w Advanced

Collateral Notional Expiry

Heartbeat Flash Messages Precedence Processing

FIREFLY HEARTBEAT ALGO EVENT MSG BUS

As long as INTC decline outpaces QCOM, you get paid. QCOM can be replaced with GOOG, or even AAPL although I feel AAPL will have its issues in the upcoming quarters as well.

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE

STOP TTL

t₁ t₂ t₃

Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identiy is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs



Federation
Gateway
Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



123e4567-e89b-12d3-a456-426655440000
123e4567-e89b-12d3-a456-426655440001
123e4567-e89b-12d3-a456-426655440002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP



Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group

TOURNAMENT LEAGUE BOARD




FIREFLY-HEARTBEAT FLASH MESSAGES UNIVERSAL EVENT BUS



Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol




NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓





Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- **Famous witnesses**


data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

Consensus Order

$$\sum \Delta\delta \times$$


Round created
Witness

0 / 1

Famous witness
Election

Vote
See

Strongly see
Supermajority
Decide

0 / 1

Round created
Round received

Consensus timestamp
Consensus order $\Delta\delta$

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph



Hash
Nonce

Synchronous



Asynchronous



Micro-Cycle

State Meta

Data Snapshots

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm

CLOCK TIME CYCLE INTERVAL EPOCHS

cycle n n + 1 n + 2

FIREFLY – INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



Heartbeat Event {"burn"} SLA = increase mining rig volume IEEE C37.118 Time Synchronization Harmonization Heartbeat update Interval PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

- (1) Active ID
- (2) Heartbeat 1.
- (3) Heartbeat 2.
- (4) Device Status 1.
- (5) Device Status 2.


TAG	Volume / Size + / - Of rig	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	Δδ [UFO2_STATE:#]	Δδ IF_State
IF2_State (IF-Node2)	Δδ [UFO2_STATE:#]	Δδ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).



Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.




PoST users / nodes must prove that they are spending a certain amount of space for storage.



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO


Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



queueing systems wait times stochastic processes, function scheduling Start, Stop TTL



STATE META DATA SNAPSHOTS
BITCOIN BLOCKCHAIN TRANSACTIONS ARE BASED ON TIME SEQUENCING TRANSACTION STATE CHANGES TO DISTRIBUTED LEDGERS

BEACON BROADCAST

MICRO- CYCLES


QUANTUM RANDOM #



Process transactions by precedence

Attribute Series



TIME Function



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY

CPU CHIP
EPOCHS




long exponential
intervals (10 min)



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



COMMAND SYNTAX
RESTFUL State Transfer

MACRO – CYCLES



short deterministic
intervals (10 sec)

MICRO-CYCLES



Block Size [Byte, log scale]




PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

 preference := response with >=

α

 if preference == old preference:

 consecutiveSuccesses++

 else:

 consecutiveSuccesses = 1

 else:

 consecutiveSuccesses = 0

if consecutiveSuccesses > β:
 decide(preference)

EOSIO computer function emulation
NET, CPU bandwidth, RAM data
Publishing, Voting based not mining

Delegated Proof
of Stake {"Org_ID"}



coordinates validators, keeps track
of active subnets, SNOWMAN
consensus Token representation of
real-world resources (e.g., equity,
bonds) smart contract rules </URN>



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n


α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$



1) EPOCH TIME INTERVALS

2) SYNTAX (not) used in epochs



GENESIS BLOCK: "Layers" = follow on epoch time intervals

Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL
ASSET THAT'S BACKED UP
BY TANGIBLE ASSETS IN THE
REAL WORLD </URN>
</URN>
</URN>



"all digital currency networks, the base layer of people
generating the blockchain — "miners," "stakers,"
"witnesses," "validators," or "forgers" get paid"







OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree






EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises



TEMPLATE ENGINE LANGUAGE ETF

NAMED DATA NETWORKING, corrections

Time Series Databases

BLOCKCHAIN PARSING, SYNCHRONIZATION



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract







ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**

Casper is a security-deposit based economic consensus protocol. Nodes = “bonded validators” place security deposit (an action called “bonding”) If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address “nothing at stake” problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

UTZ TIME ZONE SYNC

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

MACRO CYCLES

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base

STATISTICIAN Metrics, Meters

Universal Heartbeat Message Event Bus

3 X 5 HASH TABLES STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

EVENTS

Firefly – Heartbeat Algo

STOCHASTIC HARMONIZATION

EVENTS

Epoch Time Cycles

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.


ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



("ORG_ID")

("ORG_ID")

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS



Terra Trade Reference Currency TRC "world currency" Bernard A. Lietaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling


TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



E F

ROLES Meters



RULES Metrics

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade


Federation Gateway
("ORG_ID")



HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS



RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE



BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



ROSETTA STONE


XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS

DASH



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

"A DAO can be summed up as an organization of people who communicate with each other via a "network protocol," which is to say that they communicate with one another via a ruleset"

[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>



"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

"Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash's miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary"

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions. They receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001

NETWORK CENTRIC WARFARE
Developing and Leveraging Information Superiority



STOCHASTIC HARMONIZATION FIREFLY-HEARTBEAT EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE



STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted off of the blockchain, without significantly increasing the risk of any participant.





1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that could be submitted to the blockchain, but instead are made available for a new update "trumps" previous update.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.



NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

TWAP Algorithm Manages Bitcoin Price Volatility Algorithm



TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



EPOCH TIMES

STATE META
DATA SNAPSHOTS



STATE SAMPLE

TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., **Heart Beacon Cycle**



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC's improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Autonomous Device Coordination Framework



Rules of engagement
FEDERATION AGREEMENTS
PROCEDURAL TEMPLATE

- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

Physical proximity

Social proximity


Temporal proximity

Agreements



Payments

Barter

ADEPT Standard Peer Architecture – Logical View



* Could be optimized to hold the complete blockchain. Function of ADEPT Installer




PAYMENTS BASED ON GEO-SPATIAL TEMPORAL METRICS / METERS
<URN> DESCRIBES COMMODITIES ETC BY UNIFORM RESOURCE NAME BY </INTEREST>>



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>



FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH

OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.

Ability to look up by time-stamp.

Ability to look up by block-height.


Asset Classes: Digital Currencies


Get by: Block-height, Time-stamp or Transaction

Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.

- Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

•Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.







UNIVERSAL EVENT BUS



- Choreographing workflow between f
- Supports inclusion of regulatory & s
- Validating transactions solely betwe
- Supporting a variety of consensus m
- Recording explicit links between hum
- documents and smart contract code



Federation
Gateway

11.1 - Kinematics
11.1.1 - Pos / Vel / Acc (PVA)
11.1.1.1 - Acceleration
11.1.1.1.1 - Angular
11.1.2 - Lines
11.1.2.1 - Line Type
11.1.2.1.1 - Estimated
11.1.2.1.2 - Observed
11.1.2.3 - Predicted
11.2 - Smoothed Data
11.2.1 - Points
11.3 - Bearing Angle
11.3.2 - Location; 2D Home
11.3.3 - Vertical
- Velocity
- Horizontal
11.4 - Vertical
ture Type
/A Confidence
- Bearing Angle
- Bearing Angle Rate
- Covariance Matrix

- PROOF OF WORK
 - PROOF OF STAKE
 - STATE CHANNELS
 - BITCOIN NEXGEN
 - LIGHTNING / DASH..



**XBR1 / CDL / DAML
STOCK MIC CODES**


STRUCTURED MILITARY MESSAGE TEMPLATE FORMS

LOGIC / FILTERS

300+ Use Case Templates

Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



Core Business Vocabulary (CBV)

What identifiers of object(s) or entities / subject of the event

When date time when event took place, local time zone in effect

Where location identifier where event occurred, identifier of

location where object(s) are expected to be following the


Why Information about the business context, including:
a Identifier that indicates the business step taking place



CLOSER IS CHEAPER



MICRO CYCLES



Proximity Wireless Sensor Networks in Combination With RFID .. on reading tag in RF-field the router sends heartbeat message

RFID Configuration TCP/IP heartbeat message

STRUCTURED DATA EXCHANGE / STRUCTURED MILITARY MESSAGES


!st Compiler DESIGN Still the **BEST**



How 'Bitbanks' Could Solve Bitcoin's Volatility Problem




$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate





QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential "Paul Revere" meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.



Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)




CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



All Photons and EM waves
can have various directions
of polarisation with respect to
their direction of propagation



Teslian waves
transmit Energy
in a LONGITUDINAL waveform
producing
'Action at a Distance'

In 1887, Heinrich Hertz demonstrated the reality of
Maxwell's electromagnetic waves by experimentally
generating radio waves in his laboratory.

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation

The E fields are co-linear with the direction of propagation


Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.

Heinrich Hertz




(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 – 7 January 1943)

Cycles per Second



v²

c²

Volts per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day







PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

ENERGY PRODUCTION


ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves




$$\Delta\delta$$

THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





BELL STATE QUANTUM COMPUTING



STANDING ELECTRO-MAGNETIC WAVE


A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla"

Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"

Link: https://phys.org/news/2018-06-quantum_1.html



TESLA Harmonic Sphere Flux Resonator


ENERGY / DATA

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200.

Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.


IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"


Link: https://phys.org/news/2018-06-quantum_1.html




BELL STATE QUANTUM COMPUTING



STANDING ELECTRO-MAGNETIC WAVE
A standing electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla




USPTO 13/573,002

573 U.S. 134 SCt 2347
“Alice in Wonderland Ruling”

A.I.





SYSTEM OF SYSTEMS STRUCTURED DATA




</Org_ID> TIME CHAIN

{"URN, URN, URN"}



WATER DROP PHYSICAL NATURAL MEME
USPTOb13/573,002




THESIS: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html



STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter






FIGURE 3.6. This visualization of 2000 instantaneous 400x400 measurements within $[-10^3, 10^3]$ with $\Delta\theta = \pi/100$ pixels $\times 10^3$, $\omega = 2\pi/1000$. Other parameters include an initial condition with linearly increasing amplitude $\Phi_0 = -\frac{1}{2}$, $\Phi_0 = -\sqrt{\frac{1}{2}}$. Other computational-based dimensions are $[-1, 1] \times [-1, 1]^2$, total spatial extent size $\Delta x = 2\pi/100 = 0.02$, $\eta = 10^{-2}$. Discretized time parameter is $\Delta t = 10^{-2} = 0.001$ s, $N = 1000$ for numerical time-stepping, after which the corresponding flux information is recorded.

4.2.3. The 200,000 second “Time series” for computing a three-dimensional SVD components:

$$\text{Net} = \nabla \cdot \left[\rho \mathbf{F} \left(\frac{1}{2} \partial_x \Phi(x) + \mathbf{F}(x) \right) \right]$$

Note, $\Phi(x) = 10^3$ and initial conditions consisting of some Gaussian. As time passes, the flux starts to integrate (influence) until it becomes an integrated intensity. As seen in Fig. 3.3, the dominant components are the equilibrium flux $\Phi = 0$, $\mathbf{F} = 0$, more rapidly, the flux becomes constant, periodic, and other components follow as the individual modes component wise are scattered until the system asymptotically converges to general modes.




Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.



Water drop in pond meme <https://www.spaceandmotion.com/>



Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"



FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM

"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"

Δδ

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles





Eric Trump: "Bitcoin to 1 MILLION"
VS QUANTUM SUPREMACY



TRUMP Quantum SPEED BUMP ???

SOUND WAVES enable Different types of quantum tech to "talk"

BITCOIN TRANSACTION AKIN TO LAND
ORG_ID in CLEAR / Person ID encrypted
'wave-particle duality' is simply the quantum 'uncertainty principle'

TIME EPOCHS & SYNTAX = FOUNDATION TECH

USPTO 13/573,002 The Heart
Beacon Cycle Time – Space
Meter / Adaptive Template




ABSTRACT VS NATURE:
573 U.S. 134 S.Ct 2347

"BITCOIN's VALUE = TIME ITSELF"
"TIME IS SPECIFIED IN UNITS OF BLOCK TRANSACTION CONFIRMATION TIMES"

FISHER INFORMATION FLUX FLOWS

ACOUSTIC PHONON



Net of \$\$\$ formed with:
1 EPOCH TIME CYCLES
2 {"Syntax"} "The Word"
"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
Focus	Outcomes of <i>past</i> events. Consensus on known facts.	Outcomes of <i>future</i> events. <i>Future</i> consensus on <i>knowable</i> facts.

3. A software protocol

A protocol is a set of rules that determine how something is performed or accomplished

Finance Thing	Interpretation	EVENT DERIVATIVE CORP = <Org_ID_1,2,3>
Bond (Debt)	“I, Paul Sztorc, owe \$20 to whoever is holding this bond certificate on 03/02/2015.”	
Stock (Equity)	“I, the CEO of SztorcCorp, owe 1/100 th of SztorcCorp’s profits to whoever is holding this stock certificate on 03/02/2015.”	
Binary Call Option	“I, Paul Sztorc, owe \$20 to whoever is holding this Option on 03/02/2015, <u>only if</u> the stock price of SztorcCorp is above 40 \$/share on that date.”	
...(others)...	...(others)...	...(others)...
Event Derivative	“I, Paul Sztorc, owe \$20 to whoever is holding this derivative on 12/01/2016, <u>only if</u> Hillary Clinton is elected US President in 2016. Otherwise I owe \$0.”	...(others)...
...(others)...	...(others)...	...(others)...

Protocol (Decentralized)	Centralized Non-Protocol
Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
Rules to American Football	The NFL, ESPN, The Buffalo Bills.
Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.



NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future





NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI


PARTY /
AUTHENTICATION



NIST

**NON
REPUDIATION**


Legend:
 - App: software application
 - DB: database
 - Fw: firewall
 - HSM: hardware security module
 - RNG: random-number generator



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**



NDN
</Interest>
</Distance>

SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State of Internet & estimates distance between any IP address pair State Snap Shots

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE

NDN

</interest> </distance>

NDN

</>

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization

Firefly-Heartbeat Algorithm
UNIVERSAL TIME ZONE SYNC UTC

Sync Events to
Closest HBC



“ORG_ID”

“URN”

“USER_ID” + QRB

“INTEREST”

“DISTANCE”



On Off
Shore





AGGREGATE, SUM
STAT MEAN VALUE INDEX

EVENT BUS



I.R.S.
#1421
“Org_ID”
In clear

The proposed Universal Timezone System would do away with all these different



NIST Interoperable Randomness Beacon

The NIST Randomness Beacon Broadcasts a randomness pulse every 60 seconds. Each pulse commits to a fresh 512-bit random string. Each pulse is time-stamped and signed. Beacon periodically outputs a pulse containing 512 fresh random bits, time-stamped, signed and hash-chained. For example, each pulse also pre-commits to the randomness to be released in the next pulse. The latter enables users to securely combine randomness from different beacons. The Beacon protocol also specifies the interface for users to interact with the Beacon, in order to obtain information about past pulses.


A randomness beacon produces timed outputs of fresh public randomness. Each output, called a pulse, includes metadata / cryptographic elements

The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

Figure 2. Illustration of the generation of the i^{th} pulse by a Beacon App (2.0)


ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon





"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain
Time Stamp Server

3. Timestamp Server



WORLD ECONOMIC Heartbeat
ALGORITHMIC REGULATION HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME
Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



Structured Data Exchange

ROSETTA

STONE

BREVITY

CODES

Attribute Series



Time Series

Value

Time

300 + Message Sets


Geo Spatial

Work flow Filters


SYNTAX LEXICON

QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.




Double-Slit Experiment

Screen with two slits


PARTICLE ?

Sodium lamp



Screen

WAVE ?




Light source Rays of light coming from the source reach the slits

Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation

Alternating bright and dark fringes due to interference of light waves

QUANTUM COMPUTING
- RESISTANT ? - BASED ?
THROUGH LENS OF SCOTUS
ALICE LOOKING GLASS RULING




Intensity of the fringes shows the maxima and minima

USPTO APPLICATION 13/573 002


The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: "Claims may not direct towards abstract ideas" / Physical = opposite of abstract

a



CLOCK FACE 360°
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

I.R.S.

MICRO CYCLES

TIME STAMP SERVER

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

TIME STAMP SERVER</

The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.






THE 1919 WORLD SERIES

'THE ALICE EFFECT...'

What Really Happened?

William A. Cook

imgflip.com



Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: "claims may not direct towards abstract ideas"



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS

#1421

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

TIME STAMP SERVER

home plate

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base



90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

Blockchain / crypto/currency increments

90 feet

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS

#1421

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

home plate



BANK SC 573 US 134 2347

CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS

Physical = Opposite of abstract = ALICE

HEART BEACON CYCLE

TIME – SPACE METER

USPTO 13/573,002

first base

runner

Message Bus

Firefly – Heartbeat Algo

X EVENTS

Stochastic Harmonization

FLASH MESSAGE EVENT BUS

TIME Δδ

Epoch

Time Cycles







USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$

"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme



Satoshi Bitcoin Blockchain
Time Stamp Server


Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a block of data to be timestamped and widely publishing the hash, such as in the Internet or Usenet news [25]. The timestamp proves that the data did not exist outside at the time of publication. This timestamp can be used to verify the timestamping of a block of data, forming a chain, with each additional timestamp reinforcing the ones before it.



```


graph LR
    TS[Timestamp Server] --> B1[Block 1]
    TS --> B2[Block 2]
    B1 --> H1[Hash 1]
    B2 --> H2[Hash 2]
    H1 --> TS
    H2 --> TS
  
```




Metatron's Cube and the Platonic Solids



“In the beginning (of time) there was the word”



GENESIS OF ALL FORM





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.




Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.

Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.




Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



CAPITALISM AND FREEDOM
MILTON FRIEDMAN
WITH THE ASSISTANCE OF ROBERT FRIEDMAN




The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960


Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman



METATRON'S CUBE
GENESIS OF ALL FORM



THE OZ KEY




THE LAW OF TIME




"Time is a created thing" Lao Tzu

"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration." - Nikola Tesla







HOPF FIBRATION






USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template



DISNEY'S FANTASIA



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



$\Delta\delta$

Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + McGee

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!


What does your name mean?



Steven + McGee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



$\Delta\delta$

Roll With
The Changes

BOOK OF THE CUBE

The Synchronicity 441 (21 x 21) cube matrix system represents the minimum fractal of totality. Calculated: 21×21 being the prime statement of totality ($21^2 = 1$ totality). $1 + 2 + 3 + 4 + 5 + 6 = 21$ (sum of totality). The Law of Time (Day).

Satoshi Nakamoto Reveal #2

CLOCK FACE DAY
 $90^\circ / 90^\circ = 90^\circ / 90^\circ$

BASEBALL "DIAMOND"
A diamond is a square in a block in 3D

INFOCON
4 3 2 1
INFORMATION CONDITION

Eco Incentives

"As an avid lover of numerology and astrology, I use both in my day-to-day life.

I believe God is the ultimate mathematician, as everything around us can be viewed as numbers"

Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"







World Game Great Reset

Signals Telemetry Annex K



Net, net of money \$\$\$ formed w:

1. Epoch time cycles created by silicon chips
 2. Syntax code instructions in epoch time cycles
 3. Time Stamp Server w/event message bus



Syntax lexicon comprised of 300 + Structured data messages, message sets = Comprehensive list of use cases, data elements supporting Internet of Everything IoE net of value. Reference guide, data dictionary standards support

Data elements mapped to SYMBOL SETS

